

Notice of Modification

Section 96(1A) of the *Environmental Planning and Assessment Act 1979*

As the delegate of the Minister for Planning, I modify the development consent referred to in Schedule 1, as set out in Schedule 2.

Chris Wilson
Executive Director
Major Project Assessment

Sydney,

2007

File No: S02/02299

SCHEDULE 1

The development consent for the Camden Gas Project (MT1-MT10 and MP13-MP17) granted by the Minister Assisting the Minister for Infrastructure and Planning (Planning Administration) on 16 December 2004 (DA 183-8-2004-i).

SCHEDULE 2

1. Following the last line in the description of Land in Schedule 1, insert the following:

Lot 10/DP 1022204 (MP30)
2. Following the last dot point under "Proposed Development" in Schedule 1, insert the following:
 - Construction, drilling and operation of 1 Surface to in-seam well (MP30) at MP13 and upgrading (twinning) of the gas gathering line between MP13 and MP14.
3. In Condition 2 of Schedule 2, delete paragraph (d) and insert the following:
 - (d) Modification Application MOD 27-3-2007 and "*Camden Gas Project Joint Venture Gas Well and Gathering Line Modification Project Statement of Environmental Effects*", dated March 2007; and
 - (e) Conditions of this consent.

If there is any inconsistency between the above documents, the latter document shall prevail over the former to the extent of the inconsistency. However, the conditions of this consent shall prevail over all other documents to the extent of any inconsistency.
4. In Condition 5 of Schedule 2, delete the number "15" and replace with "16".
5. In Condition 12 of Schedule 2, delete the word "Conservation's" and replace with "Climate Change's".
6. Following Condition 13 of Schedule 2, insert the following:

Construction Hours

- 13A. The Applicant shall ensure that all construction work (except for the drilling (including well casing and grouting) of surface to in-seam wells), shall only be conducted between 7.00am and 6.00pm Monday to Friday and between 8.00am and 1.00pm Saturdays, unless inaudible at any residential receiver.

Note: Inaudible means that the construction activity cannot be heard by the human ear at the nearest affected residential receiver.

Construction Noise Criteria for Surface to in-seam Wells

- 13B. Noise from the drilling and construction of MP30 shall not exceed the sound pressure level (noise) limits in the table below:

Receiver Location	Weekday (7.00am-6.00pm) Saturday (7.00am-1.00pm)	Saturday (1.00pm-6.00pm) Sunday (7.00am-6.00pm)	Evening (6.00pm-10.00pm)	Night (10.00pm-7.00am)
Nearest Receiver	57	42	42	40

7. Following Condition 16 of Schedule 2, insert the following:

Heritage

- 16A. The Applicant shall ensure that, if any historical archaeological relics within the meaning of the *Heritage Act 1977* are disturbed, the Heritage Council of NSW shall be notified in accordance with section 146 of the *Heritage Act 1977*.

Threatened Species

- 16B. The Applicant shall ensure that, during the drilling and construction of MP30 and upgrading of the gas gathering lines, impacts on threatened species are minimised by implementing actions including, but not limited, to the following:
- (a) The recommendations outlined in Sections 6 and 7 of the Ecosearch Environmental Consultants Pty Ltd report titled "*Flora and Fauna Assessment, AGL –Gas Well and Gathering Line Project Modifications*"; and
 - (b) Marking the boundaries of endangered ecological communities (EECs) and locations of other known threatened species and, where possible, avoiding construction activities within these areas.
8. In Condition 24 of Schedule 2, delete the words "MT10 inclusive and MP13 – MP17 inclusive" and replace with "MT10 inclusive, MP13 – MP17 inclusive and MP30,".
9. In Condition 25 of Schedule 3, delete the words "MT10 inclusive and MP13 – MP17 inclusive" and replace with "MT10 inclusive, MP13 – MP17 inclusive and MP30,".