

1st June 2020

Katelyn Symington
Senior Environmental Assessment Officer
Key Sites and Industry Assessments
Department of Planning, Industry and Environment

Dear Katelyn,

Re: Clyde Transfer Terminal (DA-205-08-01 MOD 5) Condition 134 Community Consultative Committee

We refer to the correspondence received 18 May 2020 from the Department of Planning, Industry and Environment regarding our progress report relating to the Clyde Waste Transfer Terminal Community Consultative Committee (CCC).

As outlined in Sandy Hoy's report, Veolia has made numerous attempts to establish a CCC in the last three years with no response. Given this, Veolia would like to propose alternative methods of community consultation to replace the CCC, as we believe these methods will be more appropriate and effective for engaging with the community going forward. This will include but is not limited to:

- Publishing the community information phone line and email address on the Veolia's Corporate Website on the Clyde Transfer Terminal webpage for all stakeholders to make enquiries, complaints or seek more information.
- Inviting community members to an Open Day at Clyde Transfer Terminal including all parties that put submissions to the Development Consent modification application submitted in 2017. This event will be scheduled once COVID-19 restrictions have been lifted.
- Creation of an email distribution list to engage with interested stakeholders on a routine basis communicating updates on activities on site.
- Sending Clyde Transfer Terminal's Annual Environmental Monitoring Reports (AEMR) to Cumberland Council.

Should you wish to discuss further, please contact Rod Jones on 0437 167 211 or rod.jones@veolia.com.

Yours Sincerely,



Rod Jones
Facility Manager – Clyde Transfer Terminal
Veolia Australia & New Zealand