



LONGWALL 19 SWAMP IMPACT, MONITORING, MANAGEMENT AND CONTINGENCY PLAN



Table of Contents

1	ADDENDUM TO THE LONGWALL 19 SIMMCP.....	2
2	STATUTORY REQUIREMENT	2

Figures

Figure 1 Water Chemistry Monitoring Sites	3
---	---

Review History

Revision	Description of Changes	Date	Approved
A	New Document - Addendum A	June 2021	GB

Persons involved in the development of this document include:

Name	Title	Company
Cody Brady	Principal Approvals	Illawarra Metallurgical Coal
Gary Brassington	Approvals Manager	Illawarra Metallurgical Coal

1 ADDENDUM TO THE LONGWALL 19 SIMMCP

This document is an addendum to the Approved Longwall 19 SIMMCP, Rev B.

2 STATUTORY REQUIREMENT

The Longwall 19 Subsidence Management Approval was granted by the Department of Planning, Industry and Environment on 11 March 2021.

Condition 15, Schedule 3 requires

At least 12 months prior to commencing extraction of Longwall 19, the Applicant must revise the Swamp Impact Monitoring, Management and Contingency Plan dated February 2021 to include an additional water quality/chemistry site adjacent to the proposed water level site behind rockbar SC10-RB15A.

In accordance with Condition 15, the Illawarra Metallurgical Coal Environmental Field Team established the water chemistry monitoring site adjacent to the water level site behind rockbar SC10-RB15A. The water chemistry site was established 5 March 2021. The location of the recently established site is shown in Figure 1.

