



Mr Chris Lauritzen
General Manager – Resource Development
MACH Energy Australia Pty Ltd
Suite 1, Level 3, 426 King Street
Newcastle West NSW 2302

23/03/2022

Dear Mr Lauritzen

**Mount Pleasant Operations (DA 92/97)
Realignment of Overton Road**

I refer to your recent letter dated 18 March 2022 regarding the requirement to partially realign Overton Road and to construct a road bridge to carry Overton Road over the MOD 4 Rail Infrastructure in accordance with condition 39A of Schedule 3 of the Mount Pleasant Operation development consent (DA 92/97).

The Department has carefully reviewed the letter and understands that, following the detailed engineering design of the MOD 4 rail infrastructure, the partial realignment and road bridge are no longer required.

Accordingly, the Secretary agrees to waive the requirement to partially realign Overton Road and to construct a road bridge to carry Overton Road over the MOD 4 Rail Infrastructure in accordance with condition 39A of Schedule 3 of DA 92/97 as it has been determined that they are no longer required.

If you wish to discuss the matter further, please contact Joe Fittell on (02) 4908 6896.

Yours sincerely

A handwritten signature in black ink, appearing to be "S O'Donoghue".

Stephen O'Donoghue
Director
Resource Assessments
As nominee of the Secretary