



Mr Simon Saba  
General Manager  
14 and 16 Kiora Crescent  
YENNORA New South Wales 2161

17/12/2020

Dear Mr Saba

**Yennora Liquid Waste Treatment Plant (SSD-10407)  
Response to Submissions**

The exhibition of the development application including the Environmental Impact Statement (EIS) for the above proposal ended on 10 Dec 2020.

All submissions received by the Department during the exhibition of the proposal are available on the Department's website at <https://www.planningportal.nsw.gov.au/major-projects/project/26156>. Heritage NSW and the Department's Water Group/Natural Resources Access Regulator were not able to provide their submissions at the time of writing. These will be forwarded through once they have been received. The Department will also forward through its comments on the EIS.

The Department requires that you provide a response to the issues raised in submissions, and the Department's comments, in accordance with clause 82(2) of the Environmental Planning and Assessment Regulation 2000. Please provide a response to the issues raised in these submissions within two months of the date of the issue of this letter.

Note that under clause 113(7) of the Environmental Planning and Assessment Regulation 2000, the days occurring between the date of this letter and the date on which your response to submissions is received by the Secretary are not included in the deemed refusal period.

If you have any questions, please contact Ellen Luu, who can be contacted on (02) 8275 1037 [Ellen.Luu@planning.nsw.gov.au](mailto:Ellen.Luu@planning.nsw.gov.au).

Yours sincerely

A handwritten signature in black ink, appearing to read 'C. Ritchie'.

Chris Ritchie  
Director  
Industry Assessments

Chris Ritchie  
Director  
Industry Assessments

**as delegate for the Planning Secretary**