

All communications to be addressed to:

Headquarters  
NSW Rural Fire Service  
Locked Mail Bag 17  
GRANVILLE NSW 2142

Headquarters  
NSW Rural Fire Service  
15 Carter Street  
HOMEBUSH BAY NSW 2127

Telephone: 1300 679 737  
e-mail: [csc@rfs.nsw.gov.au](mailto:csc@rfs.nsw.gov.au)

Facsimile: (02) 8741 5550




Infrastructure Projects  
Department of Planning  
GPO Box 39  
**SYDNEY NSW 2001**

Your Ref: Mod 12\_5584

Our Ref: S13/0003  
DA13020686416

**Attention: Neville Osborne**



PCU041554

11 February 2013


Dear Sir / Madam,

**RE: Request for provision of Environmental Assessment Requirements –  
Modification to White Rock Wind Farm NSW**

I refer to your letter dated 21 January 2013 seeking the NSW Rural Fire Service comments regarding bushfire protection for the above development in accordance with Part 3A of the *Environmental Planning and Assessment Act 1979*.

Based on the plans and documentation received within the environmental assessment, the RFS advises the development should address the following numbered conditions:


1. A 20 metre Asset Protection Zone shall be provided from the proposed switchyard/substation and maintained in accordance with the requirements of *Planning for Bush Fire Protection 2006*;
2. Adequate egress/access to the proposed development shall be provided as outlined within 4.1.3 of *Planning for Bush Fire Protection 2006*;
3. Adequate water supplies for bush fire suppression operations shall be provided to the development;
4. Emergency evacuation measures in accordance with section 4.2.7 of *Planning for Bush Fire Protection 2006*; and
5. Development of operational procedures related to the mitigation and suppression of bush fire relevant to the proposed development.



This letter is in response to additional information submitted and supersedes our previous response dated 1 August 2011.

For any enquiries regarding this correspondence please contact Michael Murrell on 1300 679 737

Yours faithfully,

A handwritten signature in black ink that reads "Mark Hawkins". The signature is written in a cursive, slightly slanted style.

Mark Hawkins

**A/Team Leader Development Assessment and Planning**

The RFS has made getting additional information easier. For general information on *Planning for Bush Fire Protection 2006*, visit the RFS web page at [www.rfs.nsw.gov.au](http://www.rfs.nsw.gov.au) and search under *Planning for Bush Fire Protection 2006*.