







DA submission												ALLEN JAC	K+COTTIER
Apartment type	Ensuite Dorm	DDA single studio	King single studio	Queen Studio 1	Adaptable Unit 1	Adaptable Unit 2	Adaptable Unit 3	Queen studio 2	Queen studio 3	Total SOUs	Total Beds	Common Area (m2)	GFA (m2)
Apartment area (NSA)	17.5	18.5	13.7	13.5	26.4	30.5	18.5	17.2	18.0				
Beds / Apartment	1	1	1	1	1	1	1	1	1				
								`					
Basement 1												0	0
1 (Ground)												386	655
Mezzanine												284.2	392
2	22				1	1	1	2		27	27	61.7	768
3	22				1	1	1	2		27	27	61.7	768
4		2	2	10					1	15	15	149.5	514
5		2	3	20						25	25		544
6		2	3	20						25	25		544
7			3	20					2	25	25		544
8			3	20					2	25	25		544
9			3	20					2	25	25		544
10			3	20					2	25	25		544
11			3	20					2	25	25		544
12			3	20					2	25	25		544
13			3	20					2	25	25		544
14			3	20					2	25	25		544
15			3	20					2	25	25		544
16			3	20					2	25	25		544
17			3	20					2	25	25		544
18			3	20					2	25	25		544
Plant													
Total no. apartments	44	6	44	290	2	2	2	4	25	419		943.1	10,713
% apartments	10.5%	1.4%	10.5%	69.2%	0.5%	0.5%	0.5%	1.0%	6.0%	100%			
Total no. beds	44	6	44	290	2	2	2	4	25		419	2.25	
% beds	10.5%	1.4%	10.5%	69.2%	0.5%	0.5%	0.5%	1.0%	6.0%			Per bed	25.6
1		22%	•		70%	•		7%	•		100%		

Site Area 1365 m² Allowable FSR Difference **Total FSR** 7:1 **7.85** :1 12.1% 16.30 No. DDA required No. DDA provided alternative solution required No.Adaptable provided Common outdoor area 20.0 m<sup>2</sup> Required 20m2 Common living area 523.8 m<sup>2</sup> Required 1.25 /bed Common kitchen area 112.8 m<sup>2</sup> 1.2 /bed w/o kitchen Minimum Common internal areas required 636.6 m<sup>2</sup> Ratio per bed 1.5 / bed Bike Parking 0.33 /bed Total 139.7

GBA for the purpose of the above calculations is measured to the outside face of all external walls and includes lift and service shafts and external areas such as balconies and courtyards.

GFA The sum of the floor area of each storey of a building measured from the internal face of external walls, or from the internal face of walls separating the building from any other building, measured at a height of 1.4 metres above the floor, and **includes**: the area of a mezzanine within the storey, and habitable rooms in a basement, and any shop, auditorium, cinema, and the like, in a basement or attic

but **excludes**: any area for common vertical circulation, such as lifts and stairs, and any basement: storage, vehicular access, loading areas, garbage and services, and plant rooms, lift towers and other areas used exclusively for mech services or ducting, and car parking to meet any requirements of the consent authority (including access to that car parking), any space used for the loading or unloading of goods (including access to it), and terraces and balconies with outer walls less than 1.4 metres high, and voids above a floor at the level of a storey or storey above.

NSA The sum of all fully enclosed covered areas within an apartment or commercial type building, measured from the internal finished surfaces of permanent bounding walls including the area occupied by structural columns and engaged perimeter columns, but excluding voids above a floor at the