

Nationwide House Energy Rating Scheme* — Class 2 summary

Certificate number: 0003616650

Certificate Date: 14 Feb 2019

★ Average Star rating: 8.0



Assessor details

Accreditation

number: 20579

Name: Amir Girgis

Organisation: Northrop Consulting Engineers

Email: amir.girgis@sydney.northrop.com.au

Phone: 9241 4188

Declaration of interest: The Assessor has been engaged in the project design or development

Software: BERS Pro v4.3.0.2d (3.13)

AAO: ABSA

Dwelling details


Street: Gibbons Street

Suburb: Redfern

State: NSW

Postcode: 2016

Scan to access this certificate online and confirm this is valid.



Summary of all dwellings

Certificate Details

Certificate number	Unit number	Heating load	Cooling load	Total load	Star Rating
0003149564-02	101	15.3	11.4	26.6	7.9
0003149580-02	102	12.5	14.0	26.6	7.9
0003149606-02	103	15.4	9.9	25.3	8.1
0003149630-02	104	6.7	13.7	20.4	8.4
0003149663-02	105	14.0	9.1	23.2	8.3
0003149697-02	106	20.4	11.8	32.2	7.4
0003149739-02	107	15.8	9.8	25.6	8.1
0003149762-02	108	13.0	7.1	20.1	8.4
0003149788-02	109	20.9	11.0	31.9	7.5
0003149812-02	110	24.2	9.7	33.9	7.4
0003149887-02	201	21.2	11.2	32.4	7.4
0003149929-02	202	8.6	11.4	20.0	8.4
0003149945-02	203	18.0	8.8	26.8	7.9
0003149986-02	204	15.0	14.4	29.4	7.8
0003150018-02	205	14.1	9.3	23.4	8.3

Nationwide House Energy Rating Scheme* - Class 2 summary

Certificate number: **0003616650**

Certificate Date:

14 Feb 2019

★ Average Star rating: **8.0**



Summary of all dwellings continued

Certificate Details

Certificate number	Unit number	Heating load	Cooling load	Total load	Star Rating
0003150034-02	206	17.0	7.6	24.6	8.2
0003150067-02	207	25.4	10.4	35.8	7.3
0003150109-02	208	15.9	7.3	23.2	8.3
0003150125-02	209	22.6	11.4	34.1	7.4
0003149556-02	210	20.3	9.8	30.1	7.7
0003149622-02	301	14.4	9.2	23.6	8.2
0003149655-02	302	6.4	10.0	16.5	8.8
0003149689-02	303	20.5	10.0	30.5	7.7
0003149713-02	304	17.0	8.8	25.8	8
0003149721-02	305	13.3	12.2	25.5	8.1
0003149770-02	306	26.5	9.0	35.5	7.3
0003149804-02	401	15.5	7.3	22.8	8.3
0003149838-02	402	9.7	10.0	19.8	8.5
0003149861-02	403	20.3	9.8	30.1	7.7
0003149879-02	404	15.6	8.7	24.3	8.2
0003149911-02	405	10.2	8.7	18.9	8.6
0003149937-02	406	27.2	9.1	36.3	7.2
0003149960-02	501	15.8	7.3	23.1	8.3
0003149994-02	502	6.8	10.3	17.1	8.8
0003150026-02	503	17.2	7.2	24.4	8.2
0003150059-02	504	9.7	8.9	18.6	8.7
0003150091-02	505	17.6	7.1	24.7	8.2
0003150133-02	506	20.6	8.2	28.8	7.8
0003149549-02	507	20.6	9.5	30.1	7.7
0003149572-02	508	16.1	8.9	25.0	8.1
0003149614-02	509	10.6	8.7	19.4	8.6
0003149648-02	510	27.3	8.6	35.9	7.3
0003149671-02	601	16.2	7.3	23.5	8.3
0003149705-02	602	6.9	10.0	16.9	8.8
0003149747-02	603	12.6	8.0	20.6	8.4
0003149754-02	604	6.8	10.1	16.9	8.8
0003149796-02	605	17.9	7.0	24.9	8.1
0003149820-02	606	19.7	9.4	29.1	7.8
0003149846-02	607	20.9	8.9	29.8	7.7
0003149895-02	608	16.5	8.9	25.4	8.1
0003149903-02	609	10.9	8.4	19.2	8.6
0003149952-02	610	27.7	8.5	36.2	7.2
0003149978-02	701	16.5	7.2	23.7	8.2
0003150000-02	702	7.2	10.0	17.2	8.8
0003150042-02	703	12.9	7.9	20.8	8.4
0003150075-02	704	7.1	10.0	17.1	8.8
0003150083-02	705	18.1	7.1	25.2	8.1
0003150117-02	706	20.1	9.2	29.3	7.8

Nationwide House Energy Rating Scheme* - Class 2 summary

Certificate number: **0003616650**

Certificate Date:

14 Feb 2019

★ Average Star rating: **8.0**



Summary of all dwellings continued

Certificate Details

Certificate number	Unit number	Heating load	Cooling load	Total load	Star Rating
0003150141-02	707	21.3	8.7	30.0	7.7
0003150182-02	708	16.8	8.6	25.4	8.1
0003150224-02	709	11.1	8.3	19.5	8.6
0003150232-02	710	28.1	8.7	36.7	7.2
0003150281-02	801	16.6	7.4	24.0	8.2
0003150315-02	802	7.3	9.8	17.1	8.8
0003150349-02	803	13.1	7.8	21.0	8.4
0003150364-02	804	7.3	9.8	17.2	8.8
0003150406-02	805	18.3	7.1	25.4	8.1
0003150422-02	806	20.4	9.4	29.8	7.7
0003150455-02	807	21.5	8.7	30.2	7.7
0003150497-02	808	17.1	9.0	26.1	7.9
0003150521-02	809	11.3	8.5	19.8	8.5
0003150554-02	810	28.4	8.4	36.7	7.2
0003150588-02	901	16.9	7.3	24.2	8.2
0003150604-02	902	7.5	9.7	17.1	8.8
0003150638-02	903	13.3	7.8	21.2	8.4
0003150653-02	904	7.4	9.8	17.2	8.8
0003150687-02	905	18.5	7.1	25.6	8.1
0003150729-02	906	20.7	9.4	30.1	7.7
0003150158-02	907	21.8	9.1	30.8	7.6
0003150190-02	908	17.3	8.9	26.2	7.9
0003150208-02	909	11.3	8.5	19.8	8.5
0003150257-02	910	28.6	8.1	36.7	7.2
0003150273-02	1001	17.1	7.3	24.4	8.2
0003150307-02	1002	7.6	9.6	17.3	8.8
0003150331-02	1003	14.6	7.2	21.8	8.4
0003150372-02	1004	8.6	8.8	17.3	8.8
0003150398-02	1005	19.8	6.3	26.1	7.9
0003150430-02	1006	22.6	9.5	32.1	7.4
0003150463-02	1007	23.4	9.5	32.8	7.4
0003150489-02	1008	18.9	9.1	28.0	7.9
0003150513-02	1009	12.7	7.5	20.2	8.4
0003150547-02	1010	30.3	8.0	38.3	7.1
0003150570-02	1101	17.3	7.1	24.4	8.2
0003150612-02	1102	7.8	9.6	17.4	8.8
0003150620-02	1103	14.8	7.0	21.8	8.4
0003150661-02	1104	8.7	8.7	17.4	8.8
0003150695-02	1105	20.0	6.3	26.3	7.9
0003150711-02	1106	22.8	9.9	32.7	7.4
0003150166-02	1107	23.6	9.2	32.8	7.4
0003150174-02	1108	19.1	8.8	27.9	7.9
0003150216-02	1109	12.9	7.5	20.4	8.4

Nationwide House Energy Rating Scheme* - Class 2 summary

Certificate number: **0003616650**

Certificate Date:

14 Feb 2019

★ Average Star rating: **8.0**



Summary of all dwellings continued

Certificate Details

Certificate number	Unit number	Heating load	Cooling load	Total load	Star Rating
0003150240-02	1110	30.5	8.2	38.7	7
0003150265-02	1201	17.5	7.0	24.5	8.2
0003150299-02	1202	8.0	9.5	17.4	8.8
0003150323-02	1203	14.9	7.0	21.9	8.4
0003150356-02	1204	8.7	8.3	17.0	8.8
0003150380-02	1205	20.1	6.3	26.3	7.9
0003150414-02	1206	22.8	10.2	33.0	7.4
0003150448-02	1207	23.7	9.2	32.9	7.4
0003150471-02	1208	19.2	8.9	28.1	7.9
0003150505-02	1209	13.0	7.6	20.5	8.4
0003150539-02	1210	30.7	8.1	38.8	7
0003150562-02	1301	17.7	7.0	24.7	8.2
0003150596-02	1302	8.1	9.6	17.8	8.7
0003150646-02	1303	15.0	7.0	22.0	8.4
0003150679-02	1304	8.7	8.2	17.0	8.8
0003150703-02	1305	20.2	6.3	26.5	7.9
0003150737-02	1306	22.9	10.2	33.1	7.4
0003150752-02	1307	23.8	9.1	32.9	7.4
0003150778-02	1308	19.3	8.9	28.2	7.9
0003150802-02	1309	13.0	7.4	20.4	8.4
0003150836-02	1310	30.8	8.1	38.9	7
0003150885-02	1401	17.8	7.0	24.8	8.2
0003150919-02	1402	8.2	9.7	18.0	8.7
0003150943-02	1403	15.2	6.9	22.1	8.4
0003150976-02	1404	8.9	8.1	17.0	8.8
0003150992-02	1405	20.3	6.4	26.8	7.9
0003151032-02	1406	22.9	10.3	33.2	7.4
0003151057-02	1407	23.9	9.0	32.9	7.4
0003151073-02	1408	19.5	8.9	28.4	7.8
0003151099-02	1409	13.1	7.5	20.6	8.4
0003151115-02	1410	31.0	7.9	39.0	7
0003151131-02	1501	18.0	6.7	24.7	8.2
0003151149-02	1502	8.4	9.7	18.1	8.7
0003150745-02	1503	15.3	7.0	22.3	8.4
0003150786-02	1504	9.0	8.3	17.3	8.8
0003150810-02	1505	20.4	6.3	26.7	7.9
0003150844-02	1506	22.8	10.4	33.2	7.4
0003150877-02	1507	23.9	9.0	32.9	7.4
0003150893-02	1508	19.6	8.9	28.5	7.8
0003150927-02	1509	13.0	7.4	20.5	8.4
0003150968-02	1510	31.1	7.9	39.1	6.9
0003150984-02	1601	18.1	6.8	24.9	8.1
0003151016-02	1602	8.5	9.7	18.2	8.7

Nationwide House Energy Rating Scheme* - Class 2 summary

Certificate number: **0003616650**

Certificate Date:

14 Feb 2019

★ Average Star rating: **8.0**



Summary of all dwellings continued

Certificate Details

Certificate number	Unit number	Heating load	Cooling load	Total load	Star Rating
0003151040-02	1603	24.7	8.5	33.2	7.4
0003151065-02	1604	17.3	8.5	25.8	8
0003151081-02	1605	28.2	7.2	35.4	7.3
0003151107-02	1606	21.5	10.2	31.7	7.5
0003151123-02	1607	23.9	9.0	32.9	7.4
0003151156-02	1608	19.7	8.9	28.6	7.8
0003150760-02	1609	13.1	7.6	20.6	8.4
0003150794-02	1610	31.3	7.9	39.2	6.9
0003150828-02	1701	27.3	7.0	34.3	7.4
0003150851-02	1702	17.7	8.5	26.2	7.9
0003150869-02	1703	25.2	8.4	33.6	7.4
0003150901-02	1704	24.8	10.3	35.1	7.3
0003150935-02	1705	28.7	8.2	36.9	7.2
0003150950-02	1706	28.6	7.6	36.1	7.3
0003151008-02	1707	22.8	8.0	30.8	7.7
0003151024-02	1708	38.8	7.3	46.1	6.4