THE BERRIMA QUARTER

AN ADAPTIVE REUSE PROPOSAL FOR THE FORMER BERRIMA GAOL



Gaol Wall Intervention For Adaptive Reuse

Alternative Wall Intervention Scenario Studies

May 2026

SYDNEY

Level 7
ONE Oxford Street
Darlinghurst NSW 2010
Australia

T +61 2 8668 0000
F +61 2 8668 0088
E office@turnerstudio.com.au

TURNER

This Additional Wall Intervention Scenario Studies package for the Gaol Wall intervention has been prepared to address the relevant matters raised by the Department of Planning, Housing and Infrastructure (DPHI) on 16 December 2025 and the Heritage Council of NSW - The Approvals Committee on 13 October 2025.

The overarching evaluation of these wall intervention scenarios and their placemaking experience is assessed within the document **Eastern Wall Intervention Analysis prepared by Right Angle.**

For a detailed response to each DPHI matter raised, refer to the **Response to Submission Report prepared by Sutherland Planning.**

Department of Planning, Housing and Infrastructure (DPHI)
Response to Submission and Request for Information

Item 1. Eastern Wall Opening

The Department notes the concerns raised in advice and submissions regarding the proposed opening along the eastern gaol wall. The Department requests a detailed options review for the need/location of the wall opening proposal. The need for a wall opening and its proposed location requires further consideration, consultation (including with former inmates) assessment and justification.

Item 5. Fire Egress Compliance

The Department requires a detailed evidence-based fire egress justification for the proposal demonstrating fire egress performance can be achieved. If the Gaol's fire egress performance is not achievable, explore opportunities to provide an additional emergency egress point in the southern prison wall, with a connecting pathway through the building to provide direct emergency egress from the conference room to the carpark.

Heritage Council of NSW - The Approvals Committee
Response to Submission and Request for Information

Item 3. Request further justification for the need for a new opening in the eastern (front) gaol wall, including:

- A need for activation
- The proximity of the existing front door
- Functional requirement for an additional exit

DLCS Quality Endorsed Company ISO 9001:2015, Registration Number 20476
Nominated Architect: Nicholas TURNER 6695, ABN 86 064 084 911

Site Character
Observations and Analysis

Site Conditions **Opportunities and Constraints**

The site's opportunities and constraints stem from its varied level changes, distinct street interfaces and the dominance of the Gaol wall. While these elements restrict permeability, they also create chances to celebrate thresholds, restore ecological edges, and strengthen connections between the Gaol, township and river.

Argyle Street frontage
Active and Community Focused

Wingecarribee Street frontage
Service and Functional

Opportunity for additional sitelinks into the Gaol for greater permeability and connectivity

Wilshire Street
Quiet Residential

Wingecarribee Escarpment
Natural

DLCS Quality Endorsed Company ISO 9001:2015, Registration Number 20476
Nominated Architect: Nicholas TURNER 6695, ABN 86 064 084 911

View to the Main Entrance Gate and eastern Gaol Wall from Argyle Street

View to the Main Entrance Gate and eastern Gaol Wall from Argyle Street near Governor's Residence front gardens

View of the sourthern Gaol Wall towards Governor's Residence and the sheds

View of the sourthern Gaol Wall, sheds and the Holding Cell from Wingecarribee Street vehicular entrance



Site Conditions
Site Photograhs

Table 1: Wind Criteria summarized from Central Sydney Planning Strategy.

Measurements	Result on Perceived Pedestrian Comfort
Peak wind speed (0.5 second gust) once per year, **≤24m/sec** for any direction*.	Accepted international criterion for human safety to avoid a healthy pedestrian losing balance
Hourly ***mean*** wind speed*, 5% of the time exceedance, **≤8m/sec**, for any directions.	Acceptable for **walking** (steady steps for most pedestrians)
Hourly ***mean*** wind speed, 5% of the time exceedance, **≤6m/sec,** for any directions.	Acceptable for **standing** (wind shopping, vehicle drop off)
Hourly ***mean*** wind speed, 5% of the time exceedance. **≤4m/sec,** for any directions.	Acceptable for **sitting** (outdoor cafes, gardens, park benches)

**Note: Hourly Mean wind speed is the maximum of mathematical mean or Gust equivalent mean (Gust divided by 1.85).*

Table 1, Wind Impact Assessment prepared by Vipac Engineers

The southern portion of the site receives up to 30km/h speeds (8m/sec) which is acceptable for walking however not reccommended for long durations of outdoor seating.



9am
Winter Solstice - June 21



12pm
Winter Solstice - June 21



3pm
Winter Solstice - June 21

Site Conditions
Sun and Wind

The decision to locate the wall intervention on the eastern side of the site was largely informed by the site's environmental analysis.

The southern portion of the site is subject to strong south-westerly winds and no direct sunlight during the colder months, reducing its suitability for outdoor dining and social activity.

The climate & weather data for Berrima show south-westerly winds occur with up to 30km/h speeds (8m/sec) which is acceptable for walking however not reccommended for long durations of outdoor seating.

Sun studies show the southern area is largely overshadowed between 9am and 3pm in mid-winter due to the Gaol Walls.

The eastern edge along Argyle Street receives direct sunlight until 12:30pm and is protected from the south-westerly winds by existing and built and landscaped environment.



Berrima Wind Rose
34.49°S, 150.34°E (667 m asl).
Model: ERA5T.

meteoblue

- 2 – 5 km/h
- 5 – 10 km/h
- 10 – 20 km/h
- 20 – 30 km/h
- 30 – 40 km/h



What if...

There was no Wall intervention?

A design scenario where there is no intervention into the existing gaol fabric has been explored.

Greater emphasis is placed on the Governors residence to operate as an independent offering such as a retail space, cafe, curio shop - to encourage activation to support the overall project vision.

This offering would be separate to the F&B offering inside the walls.

1 **Governor's Residence**
Argyle Street Frontage Activation
Used as casual F&B cafe/ Curio Shop
+
F&B Restaurant *inside the Gaol*

DLCS Quality Endorsed Company ISO 9001:2015, Registration Number 20476
Nominated Architect: Nicholas TURNER 6695, ABN 86 064 084 911



What if...

Intervention is on the Southern Gaol Wall?

Additional design scenarios have been undertaken for locations '3' and '4' along the Southern Gaol Wall to assess the feasibility, opportunities, and challenges of connecting the F&B activation while maintaining safe egress. These locations involve a level difference of approximately 1.5–2m relative to the proposed internal Gaol RL, whereas the western portion of the southern wall presents a more significant challenge, with level differences of up to 4.5m.

2 **Current SSDA Submission Eastern Wall**
Argyle Street Frontage Activation Connection to 'Vaucluse' Courtyard, Rose Garden and visual connection to Berrima Village

3 **Southern Wall**
Connection to Kitchen Garden and the Glasshouse

4 **Southern Wall**
Connection to East 'Vaucluse' Courtyard and the multi-use informal carpark

DLCS Quality Endorsed Company ISO 9001:2015, Registration Number 20476
Nominated Architect: Nicholas TURNER 6695, ABN 86 064 084 911

What if...
There is No Intervention to the Gaol Wall

Place Measures Analysis

DLCS Quality Endorsed Company ISO 9001:2015, Registration Number 20476
Nominated Architect: Nicholas TURNER 6695, ABN 86 064 084 911

No Intervention to the Gaol Wall
Scenario 1 Activate Governor's Residence

- Proposed changes to SSDA submission
- Arrival movement path to Entrance Gate
- Arrival movement path to F&B
- Circulation movement path

Activation	***Welcoming to All***	Opens the Gaol to the public, creates an inviting, accessible environment that encourages entry and use	
	Active Street Edges	Supports informal and organised gathering beyond the Gaol walls, extending activity into the street edges and thresholds	✓
	Connection to Berrima Village	Activates street edges and public domain along the Gaol perimeter to strengthen connections with the surrounding sites and local shops in Berrima Village. Supports an integrated community network and a sense of place for community and visitors	✓
	Inclusive access	Provides accessible communal spaces that support diverse uses and everyday gathering	✓
	Community Use	Incorporates flexible spaces for events, workshops and cultural activities, enabling ongoing local use	✓
Adaptive Reuse	***Legibility of the Old and New***	Ensures insertions are clearly destinguishabe within the heritage fabric, legibility of the Gaol's significant structures are legible with interventions integrated to reveal and enhance, rather than obscure	✓
	Enhances Existing	Primarily achieves reinforcement of the existing fabric, spatial hierarchy and landscape setting	✓
	Revives Existing	Introduces new interventions that revive existing spaces to enable contemporary ongoing use and activation, supporting a viable future	✓
Heritage Experience/ Arrival Journey	***Arrival and Address***	Establishes a clear arrival sequence from key approaches, reinforcing the prominence and civic presence of the Main Gate	✓
	Movement and	Establishes a legible movement sequence with varied experiences informed through the revealing of existing and new fabric and spatial hierarchy	✓
	Views and Visual	Frames heritage significant views to the Gaol fabric, ground activities and landscape, to support sitewide permeability and connection.	✓
Site Parameters + Environmental Amenity	***Site Responsive***	Responds to existing topography and landscape, using levels to inform design, spatial organisation and movement	✓
	Climate and Comfort	Works with the site's sun movement, shading and wind climate to create comfortable public outdoor spaces year-round	
	Enhance biodiversity	Retains, enhances, relocates landscape elements to improve microclimate, biodiversity and environmental performance	✓
Functional + Technical Requirements	***Distribution of Egress***	Allows for even distribution of safe and compliant evacuation routes close to pathways exiting the site	
	Egress Width	Facilitates a clear 3m width egress, to complement the overall egress strategy (from within the Gaol) which requires total aggregate width of 7m.	*Non-compliant will require additional wall intervention and egress point*
	Equitable Access	Ensures accessible entry and exit with clear paths connecting all key spaces and levels	✓
	Operations and	Allows efficient back-of-house and servicing areas that support operations without compromising public engagement and experience	✓
Public Art + Educational Opportunity	***First Nations History***	Allows for sufficient integration of public art and educational works to express and highlight the integral, layered and ongoing narratives and knowledge-sharing of First Nations history within the site	✓
	Learning and Cultural	Allows natural connections to spaces that encourage storytelling and reflection, used for workshops, and cultural education experiences as part of everyday use	✓



DLCS Quality Endorsed Company ISO 9001:2015, Registration Number 20476
Nominated Architect: Nicholas TURNER 6695, ABN 86 064 084 911

SSDA Submission
Intervention to Eastern Gaol Wall

Place Measures Analysis

Scenario 2 - SSDA Submission

Argyle Street Activation



Scenario 2 - SSDA Submission Design Iterations

Five design concepts were presented to the State Design Review Panel (SDRP Session No.2). These were measured and compared against the project's objectives to ensure alignment with both heritage and urban design outcomes.

Following this comparative assessment, the Panel expressed a clear preference for the 'Pivoting Wall' intervention, noting its reversibility, level of subtlety, and capacity to provide a contemporary access point without detracting from or competing with the geometry, scale, or symbolic prominence of the arched 1866 Entrance Gates.

SSDA Submission

		Always Open	The Archway	Porous & Transparent	A Shift	Mirrored
1. Respect and enhance the natural environment	Welcoming for all	**Yes** ✓	**Yes** ✓	**Yes** ✓	**Yes** ✓	**Yes** ✓
	Allows for public art opportunities	Limited	**Yes** ✓	**Yes** ✓	Limited	**Yes** ✓
	Symbolic gesture that is sensitive and responsive to the complex history of the site	Partially	**Yes** ✓	**Yes** ✓	**Yes** ✓	**Yes** ✓
2. Work with the site's unique and established features and levels	Location and proportions of the opening follows existing datums	**Yes** ✓	**Yes** ✓	**Yes** ✓	Partially	**Yes** ✓
3. Maximise Views and Vistas	The size of the opening does not dilute the scale of prominence of the main Entrance Gate	**Yes** ✓	**Yes** ✓	**Yes** ✓	No	**Yes** ✓
	Provides visual connection to internal fabric and proposed activities within the Gaol	**Yes** ✓	**Yes** ✓	Partially	**Yes** ✓	**Yes** ✓
4. Adaptive Reuse that maintains the character of the Gaol and it's Grounds	Visual Impact	High	High	**Medium** ✓	Very High	High
	Material Impact	High	High	**Low** ✓	**Low** ✓	Medium
	Ability to reinstate sandstone blocks and reverse the architectural intervention	Difficult	Difficult -	**Yes** ✓	**Yes** ✓	**Yes** ✓
	Clear and sensitive orchestration of adaptive re-use to visitors	**Yes** , clear distinction between existing and addition ✓	**Yes** , clear distinction betwee existing and addition ✓	**Yes** , clear distinction betweer existing and addition ✓	**Yes** , clear distinction between existing and addition ✓	**Yes** , clear distinction between existing and addition ✓

DLCS Quality Endorsed Company ISO 9001:2015, Registration Number 20476
Nominated Architect: Nicholas TURNER 6695, ABN 86 064 084 911

Scenario 2
SSDA Submission
Place Measures Analysis

Activation	***Welcoming to All***	Opens the Gaol to the public, creates an inviting, accessible environment that encourages entry and use	✔
	Active Street Edges	Supports informal and organised gathering beyond the Gaol walls, extending activity into the street edges and thresholds	✔
	Connection to Berrima Village	Activates street edges and public domain along the Gaol perimeter to strengthen connections with the surrounding sites and local shops in Berrima Village. Supports an integrated community network and a sense of place for community and visitors	✔
	Inclusive access	Provides accessible communal spaces that support diverse uses and everyday gathering	✔
	Community Use	Incorporates flexible spaces for events, workshops and cultural activities, enabling ongoing local use	✔
Adaptive Reuse	***Legibility of the Old and New***	Ensures insertions are clearly destinguishabe within the heritage fabric, legibility of the Gaol's significant structures are legible with interventions integrated to reveal and enhance, rather than obscure	✔
	Enhances Existing	Primarily achieves reinforcement of the existing fabric, spatial hierarchy and landscape setting	✔
	Revives Existing	Introduces new interventions that revive existing spaces to enable contemporary ongoing use and activation, supporting a viable future	✔
Heritage Experience/ Arrival Journey	***Arrival and Address***	Establishes a clear arrival sequence from key approaches, reinforcing the prominence and civic presence of the Main Gate	✔
	Movement and	Establishes a legible movement sequence with varied experiences informed through the revealing of existing and new fabric and spatial hierarchy	✔
	Views and Visual	Frames heritage significant views to the Gaol fabric, ground activities and landscape, to support sitewide permeability and connection.	✔
Site Parameters + Environmental Amenity	***Site Responsive***	Responds to existing topography and landscape, using levels to inform design, spatial organisation and movement	✔
	Climate and Comfort	Works with the site's sun movement, shading and wind climate to create comfortable public outdoor spaces year-round	✔
	Enhance biodiversity	Retains, enhances, relocates landscape elements to improve microclimate, biodiversity and environmental performance	✔
Functional + Technical Requirements	***Distribution of Egress***	Allows for even distribution of safe and compliant evacuation routes close to pathways exiting the site	✔
	Egress Width	Facilitates a clear 3m width egress, to complement the overall egress strategy (from within the Gaol) which requires total aggregate width of 7m.	✔
	Equitable Access	Ensures accessible entry and exit with clear paths connecting all key spaces and levels	✔
	Operations and	Allows efficient back-of-house and servicing areas that support operations without compromising public engagement and experience	✔
Public Art + Educational Opportunity	***First Nations History***	Allows for sufficient integration of public art and educational works to express and highlight the integral, layered and ongoing narratives and knowledge-sharing of First Nations history within the site	✔
	Learning and Cultural	Allows natural connections to spaces that encourage storytelling and reflection, used for workshops, and cultural education experiences as part of everyday use	✔

Argyle St Frontage, CGI Photomontage SSDA Submission

DLCS Qld Pty Ltd ATF DLCS Unit Trust 2015, Registration Number 20476
trading as TURNER 6695, ABN 86 064 084 911

What if...
There is Intervention on the Southern Gaol Wall

Scenario 3 Place Measures Analysis

Intervention to the Southern Wall
Scenario 3A
Elevated Connection

Proposed changes to SSDA submission

Arrival movement path to Entrance Gate

Arrival movement path to F&B

Circulation movement path

Activation	***Welcoming to All***	Opens the Gaol to the public, creates an inviting, accessible environment that encourages entry and use	✔
	Active Street Edges	Supports informal and organised gathering beyond the Gaol walls, extending activity into the street edges and thresholds	
	Connection to Berrima Village	Activates street edges and public domain along the Gaol perimeter to strengthen connections with the surrounding sites and local shops in Berrima Village. Supports an integrated community network and a sense of place for community and visitors	
	Inclusive access	Provides accessible communal spaces that support diverse uses and everyday gathering	✔
	Community Use	Incorporates flexible spaces for events, workshops and cultural activities, enabling ongoing local use	
Adaptive Reuse	***Legibility of the Old and New***	Ensures insertions are clearly destinguishabe within the heritage fabric, legibility of the Gaol's significant structures are legible with interventions integrated to reveal and enhance, rather than obscure	✔
	Enhances Existing	Primarily achieves reinforcement of the existing fabric, spatial hierarchy and landscape setting	
	Revives Existing	Introduces new interventions that revive existing spaces to enable contemporary ongoing use and activation, supporting a viable future	✔
Heritage Experience/ Arrival Journey	***Arrival and Address***	Establishes a clear arrival sequence from key approaches, reinforcing the prominence and civic presence of the Main Gate	
	Movement and	Establishes a legible movement sequence with varied experiences informed through the revealing of existing and new fabric and spatial hierarchy	
	Views and Visual	Frames heritage significant views to the Gaol fabric, ground activities and landscape, to support sitewide permeability and connection.	
Site Parameters + Environmental Amenity	***Site Responsive***	Responds to existing topography and landscape, using levels to inform design, spatial organisation and movement	
	Climate and Comfort	Works with the site's sun movement, shading and wind climate to create comfortable public outdoor spaces year-round	
	Enhance biodiversity	Retains, enhances, relocates landscape elements to improve microclimate, biodiversity and environmental performance	✔
Functional + Technical Requirements	***Distribution of Egress***	Allows for even distribution of safe and compliant evacuation routes close to pathways exiting the site	*uneven distribution*
	Egress Width	Facilitates a clear 3m width egress, to complement the overall egress strategy (from within the Gaol) which requires total aggregate width of 7m.	✔
	Equitable Access	Ensures accessible entry and exit with clear paths connecting all key spaces and levels	
	Operations and	Allows efficient back-of-house and servicing areas that support operations without compromising public engagement and experience	
Public Art + Educational Opportunity	***First Nations History***	Allows for sufficient integration of public art and educational works to express and highlight the integral, layered and ongoing narratives and knowledge-sharing of First Nations history within the site	
	Learning and Cultural	Allows natural connections to spaces that encourage storytelling and reflection, used for workshops, and cultural education experiences as part of everyday use	



Intervention to the Southern Wall
Scenario 3A
Elevated Connection

Activation	***Welcoming to All***	Opens the Gaol to the public, creates an inviting, accessible environment that encourages entry and use	✔
	Active Street Edges	Supports informal and organised gathering beyond the Gaol walls, extending activity into the street edges and thresholds	
	Connection to Berrima Village	Activates street edges and public domain along the Gaol perimeter to strengthen connections with the surrounding sites and local shops in Berrima Village. Supports an integrated community network and a sense of place for community and visitors	
	Inclusive access	Provides accessible communal spaces that support diverse uses and everyday gathering	✔
	Community Use	Incorporates flexible spaces for events, workshops and cultural activities, enabling ongoing local use	
Adaptive Reuse	***Legibility of the Old and New***	Ensures insertions are clearly destinguishabe within the heritage fabric, legibility of the Gaol's significant structures are legible with interventions integrated to reveal and enhance, rather than obscure	✔
	Enhances Existing	Primarily achieves reinforcement of the existing fabric, spatial hierarchy and landscape setting	
	Revives Existing	Introduces new interventions that revive existing spaces to enable contemporary ongoing use and activation, supporting a viable future	✔
Heritage Experience/ Arrival Journey	***Arrival and Address***	Establishes a clear arrival sequence from key approaches, reinforcing the prominence and civic presence of the Main Gate	
	Movement and	Establishes a legible movement sequence with varied experiences informed through the revealing of existing and new fabric and spatial hierarchy	
	Views and Visual	Frames heritage significant views to the Gaol fabric, ground activities and landscape, to support sitewide permeability and connection.	
Site Parameters + Environmental Amenity	***Site Responsive***	Responds to existing topography and landscape, using levels to inform design, spatial organisation and movement	
	Climate and Comfort	Works with the site's sun movement, shading and wind climate to create comfortable public outdoor spaces year-round	
	Enhance biodiversity	Retains, enhances, relocates landscape elements to improve microclimate, biodiversity and environmental performance	✔
Functional + Technical Requirements	***Distribution of Egress***	Allows for even distribution of safe and compliant evacuation routes close to pathways exiting the site	*uneven distribution*
	Egress Width	Facilitates a clear 3m width egress, to complement the overall egress strategy (from within the Gaol) which requires total aggregate width of 7m.	✔
	Equitable Access	Ensures accessible entry and exit with clear paths connecting all key spaces and levels	
	Operations and	Allows efficient back-of-house and servicing areas that support operations without compromising public engagement and experience	
Public Art + Educational Opportunity	***First Nations History***	Allows for sufficient integration of public art and educational works to express and highlight the integral, layered and ongoing narratives and knowledge-sharing of First Nations history within the site	
	Learning and Cultural	Allows natural connections to spaces that encourage storytelling and reflection, used for workshops, and cultural education experiences as part of everyday use	

The Police Holding Cells are required to be removed under this scenario. Raising the Porte-cochère Pavilion for accessible deck access would further obscure views of the Gaol Wall from arrival.

Intervention to the Southern Wall
Scenario 3B
Elevated and Integrated with the Landscape

Proposed changes to SSDA submission

Arrival movement path to Entrance Gate

Arrival movement path to F&B

Circulation movement path

Activation	***Welcoming to All***	Opens the Gaol to the public, creates an inviting, accessible environment that encourages entry and use	✔
	Active Street Edges	Supports informal and organised gathering beyond the Gaol walls, extending activity into the street edges and thresholds	
	Connection to Berrima Village	Activates street edges and public domain along the Gaol perimeter to strengthen connections with the surrounding sites and local shops in Berrima Village. Supports an integrated community network and a sense of place for community and visitors	
	Inclusive access	Provides accessible communal spaces that support diverse uses and everyday gathering	✔
	Community Use	Incorporates flexible spaces for events, workshops and cultural activities, enabling ongoing local use	✔
Adaptive Reuse	***Legibility of the Old and New***	Ensures insertions are clearly destinguishabe within the heritage fabric, legibility of the Gaol's significant structures are legible with interventions integrated to reveal and enhance, rather than obscure	✔
	Enhances Existing	Primarily achieves reinforcement of the existing fabric, spatial hierarchy and landscape setting	
	Revives Existing	Introduces new interventions that revive existing spaces to enable contemporary ongoing use and activation, supporting a viable future	✔
Heritage Experience/ Arrival Journey	***Arrival and Address***	Establishes a clear arrival sequence from key approaches, reinforcing the prominence and civic presence of the Main Gate	✔
	Movement and	Establishes a legible movement sequence with varied experiences informed through the revealing of existing and new fabric and spatial hierarchy	✔
	Views and Visual	Frames heritage significant views to the Gaol fabric, ground activities and landscape, to support sitewide permeability and connection.	
Site Parameters + Environmental Amenity	***Site Responsive***	Responds to existing topography and landscape, using levels to inform design, spatial organisation and movement	
	Climate and Comfort	Works with the site's sun movement, shading and wind climate to create comfortable public outdoor spaces year-round	
	Enhance biodiversity	Retains, enhances, relocates landscape elements to improve microclimate, biodiversity and environmental performance	✔
Functional + Technical Requirements	***Distribution of Egress***	Allows for even distribution of safe and compliant evacuation routes close to pathways exiting the site	*uneven distribution*
	Egress Width	Facilitates a clear 3m width egress, to complement the overall egress strategy (from within the Gaol) which requires total aggregate width of 7m.	✔
	Equitable Access	Ensures accessible entry and exit with clear paths connecting all key spaces and levels	✔
	Operations and	Allows efficient back-of-house and servicing areas that support operations without compromising public engagement and experience	
Public Art + Educational Opportunity	***First Nations History***	Allows for sufficient integration of public art and educational works to express and highlight the integral, layered and ongoing narratives and knowledge-sharing of First Nations history within the site	✔
	Learning and Cultural	Allows natural connections to spaces that encourage storytelling and reflection, used for workshops, and cultural education experiences as part of everyday use	✔



Intervention to the Southern Wall
Scenario 3B
Elevated and Integrated with the Landscape

Activation	***Welcoming to All***	Opens the Gaol to the public, creates an inviting, accessible environment that encourages entry and use	✔
	Active Street Edges	Supports informal and organised gathering beyond the Gaol walls, extending activity into the street edges and thresholds	
	Connection to Berrima Village	Activates street edges and public domain along the Gaol perimeter to strengthen connections with the surrounding sites and local shops in Berrima Village. Supports an integrated community network and a sense of place for community and visitors	
	Inclusive access	Provides accessible communal spaces that support diverse uses and everyday gathering	✔
	Community Use	Incorporates flexible spaces for events, workshops and cultural activities, enabling ongoing local use	✔
Adaptive Reuse	***Legibility of the Old and New***	Ensures insertions are clearly destinguishabe within the heritage fabric, legibility of the Gaol's significant structures are legible with interventions integrated to reveal and enhance, rather than obscure	✔
	Enhances Existing	Primarily achieves reinforcement of the existing fabric, spatial hierarchy and landscape setting	
	Revives Existing	Introduces new interventions that revive existing spaces to enable contemporary ongoing use and activation, supporting a viable future	✔
Heritage Experience/ Arrival Journey	***Arrival and Address***	Establishes a clear arrival sequence from key approaches, reinforcing the prominence and civic presence of the Main Gate	✔
	Movement and	Establishes a legible movement sequence with varied experiences informed through the revealing of existing and new fabric and spatial hierarchy	✔
	Views and Visual	Frames heritage significant views to the Gaol fabric, ground activities and landscape, to support sitewide permeability and connection.	
Site Parameters + Environmental Amenity	***Site Responsive***	Responds to existing topography and landscape, using levels to inform design, spatial organisation and movement	
	Climate and Comfort	Works with the site's sun movement, shading and wind climate to create comfortable public outdoor spaces year-round	
	Enhance biodiversity	Retains, enhances, relocates landscape elements to improve microclimate, biodiversity and environmental performance	✔
Functional + Technical Requirements	***Distribution of Egress***	Allows for even distribution of safe and compliant evacuation routes close to pathways exiting the site	*uneven distribution*
	Egress Width	Facilitates a clear 3m width egress, to complement the overall egress strategy (from within the Gaol) which requires total aggregate width of 7m.	✔
	Equitable Access	Ensures accessible entry and exit with clear paths connecting all key spaces and levels	✔
	Operations and	Allows efficient back-of-house and servicing areas that support operations without compromising public engagement and experience	
Public Art + Educational Opportunity	***First Nations History***	Allows for sufficient integration of public art and educational works to express and highlight the integral, layered and ongoing narratives and knowledge-sharing of First Nations history within the site	✔
	Learning and Cultural	Allows natural connections to spaces that encourage storytelling and reflection, used for workshops, and cultural education experiences as part of everyday use	✔

The Police Holding Cells are required to be removed under this scenario. Elevated platform and ramps are integrated with the landscape to soften intervention, however the level difference requires

DLCS Quality Endorsed Company ISO 9001:2015, Registration Number 20476
Nominated Architect: Nicholas TURNER 6695, ABN 86 064 084 911

Intervention to the Southern Wall
Scenario 3C
Excavated Connection

- Proposed changes to SSDA submission
- Arrival movement path to Entrance Gate
- Arrival movement path to F&B
- Circulation movement path

Activation	***Welcoming to All***	Opens the Gaol to the public, creates an inviting, accessible environment that encourages entry and use	✓
	Active Street Edges	Supports informal and organised gathering beyond the Gaol walls, extending activity into the street edges and thresholds	
	Connection to Berrima Village	Activates street edges and public domain along the Gaol perimeter to strengthen connections with the surrounding sites and local shops in Berrima Village. Supports an integrated community network and a sense of place for community and visitors	
	Inclusive access	Provides accessible communal spaces that support diverse uses and everyday gathering	✓
	Community Use	Incorporates flexible spaces for events, workshops and cultural activities, enabling ongoing local use	✓
Adaptive Reuse	***Legibility of the Old and New***	Ensures insertions are clearly destinguishabe within the heritage fabric, legibility of the Gaol's significant structures are legible with interventions integrated to reveal and enhance, rather than obscure	✓
	Enhances Existing	Primarily achieves reinforcement of the existing fabric, spatial hierarchy and landscape setting	✓
	Revives Existing	Introduces new interventions that revive existing spaces to enable contemporary ongoing use and activation, supporting a viable future	✓
Heritage Experience/ Arrival Journey	***Arrival and Address***	Establishes a clear arrival sequence from key approaches, reinforcing the prominence and civic presence of the Main Gate	
	Movement and	Establishes a legible movement sequence with varied experiences informed through the revealing of existing and new fabric and spatial hierarchy	
	Views and Visual	Frames heritage significant views to the Gaol fabric, ground activities and landscape, to support sitewide permeability and connection.	✓
Site Parameters + Environmental Amenity	***Site Responsive***	Responds to existing topography and landscape, using levels to inform design, spatial organisation and movement	
	Climate and Comfort	Works with the site's sun movement, shading and wind climate to create comfortable public outdoor spaces year-round	
	Enhance biodiversity	Retains, enhances, relocates landscape elements to improve microclimate, biodiversity and environmental performance	✓
Functional + Technical Requirements	***Distribution of Egress***	Allows for even distribution of safe and compliant evacuation routes close to pathways exiting the site	*uneven distribution*
	Egress Width	Facilitates a clear 3m width egress, to complement the overall egress strategy (from within the Gaol) which requires total aggregate width of 7m.	✓
	Equitable Access	Ensures accessible entry and exit with clear paths connecting all key spaces and levels	✓
	Operations and	Allows efficient back-of-house and servicing areas that support operations without compromising public engagement and experience	
Public Art + Educational Opportunity	***First Nations History***	Allows for sufficient integration of public art and educational works to express and highlight the integral, layered and ongoing narratives and knowledge-sharing of First Nations history within the site	✓
	Learning and Cultural	Allows natural connections to spaces that encourage storytelling and reflection, used for workshops, and cultural education experiences as part of everyday use	✓



Intervention to the Southern Wall
Scenario 3C
Excavated Connection

Activation	***Welcoming to All***	Opens the Gaol to the public, creates an inviting, accessible environment that encourages entry and use	✔
	Active Street Edges	Supports informal and organised gathering beyond the Gaol walls, extending activity into the street edges and thresholds	
	Connection to Berrima Village	Activates street edges and public domain along the Gaol perimeter to strengthen connections with the surrounding sites and local shops in Berrima Village. Supports an integrated community network and a sense of place for community and visitors	
	Inclusive access	Provides accessible communal spaces that support diverse uses and everyday gathering	✔
	Community Use	Incorporates flexible spaces for events, workshops and cultural activities, enabling ongoing local use	✔
Adaptive Reuse	***Legibility of the Old and New***	Ensures insertions are clearly destinguishabe within the heritage fabric, legibility of the Gaol's significant structures are legible with interventions integrated to reveal and enhance, rather than obscure	✔
	Enhances Existing	Primarily achieves reinforcement of the existing fabric, spatial hierarchy and landscape setting	✔
	Revives Existing	Introduces new interventions that revive existing spaces to enable contemporary ongoing use and activation, supporting a viable future	✔
Heritage Experience/ Arrival Journey	***Arrival and Address***	Establishes a clear arrival sequence from key approaches, reinforcing the prominence and civic presence of the Main Gate	
	Movement and	Establishes a legible movement sequence with varied experiences informed through the revealing of existing and new fabric and spatial hierarchy	
	Views and Visual	Frames heritage significant views to the Gaol fabric, ground activities and landscape, to support sitewide permeability and connection.	✔
Site Parameters + Environmental Amenity	***Site Responsive***	Responds to existing topography and landscape, using levels to inform design, spatial organisation and movement	
	Climate and Comfort	Works with the site's sun movement, shading and wind climate to create comfortable public outdoor spaces year-round	
	Enhance biodiversity	Retains, enhances, relocates landscape elements to improve microclimate, biodiversity and environmental performance	✔
Functional + Technical Requirements	***Distribution of Egress***	Allows for even distribution of safe and compliant evacuation routes close to pathways exiting the site	*uneven distribution*
	Egress Width	Facilitates a clear 3m width egress, to complement the overall egress strategy (from within the Gaol) which requires total aggregate width of 7m.	✔
	Equitable Access	Ensures accessible entry and exit with clear paths connecting all key spaces and levels	✔
	Operations and	Allows efficient back-of-house and servicing areas that support operations without compromising public engagement and experience	
Public Art + Educational Opportunity	***First Nations History***	Allows for sufficient integration of public art and educational works to express and highlight the integral, layered and ongoing narratives and knowledge-sharing of First Nations history within the site	✔
	Learning and Cultural	Allows natural connections to spaces that encourage storytelling and reflection, used for workshops, and cultural education experiences as part of everyday use	✔

Casual outdoor dining is connected to the Glasshouse and Cafe/Kiosk, however the Police Holding Cells are required to be removed in this scenario. Additionally, significant excavation and impact to footings required.

DLCS Quality Endorsed Company ISO 9001:2015, Registration Number 20476
Nominated Architect: Nicholas TURNER 6695, ABN 86 064 084 911

What if...
There is Intervention on the Southern Gaol Wall

Scenario 3 Place Measures Analysis

Intervention to the Southern Wall
Scenario 4A
Elevated Entry

Proposed changes to SSDA submission

Arrival movement path to Entrance Gate

Arrival movement path to F&B

Circulation movement path

Activation	***Welcoming to All***	Opens the Gaol to the public, creates an inviting, accessible environment that encourages entry and use	✔
	Active Street Edges	Supports informal and organised gathering beyond the Gaol walls, extending activity into the street edges and thresholds	
	Connection to Berrima Village	Activates street edges and public domain along the Gaol perimeter to strengthen connections with the surrounding sites and local shops in Berrima Village. Supports an integrated community network and a sense of place for community and visitors	
	Inclusive access	Provides accessible communal spaces that support diverse uses and everyday gathering	
	Community Use	Incorporates flexible spaces for events, workshops and cultural activities, enabling ongoing local use	
Adaptive Reuse	***Legibility of the Old and New***	Ensures insertions are clearly destinguishabe within the heritage fabric, legibility of the Gaol's significant structures are legible with interventions integrated to reveal and enhance, rather than obscure	✔
	Enhances Existing	Primarily achieves reinforcement of the existing fabric, spatial hierarchy and landscape setting	
	Revives Existing	Introduces new interventions that revive existing spaces to enable contemporary ongoing use and activation, supporting a viable future	
Heritage Experience/ Arrival Journey	***Arrival and Address***	Establishes a clear arrival sequence from key approaches, reinforcing the prominence and civic presence of the Main Gate	
	Movement and	Establishes a legible movement sequence with varied experiences informed through the revealing of existing and new fabric and spatial hierarchy	
	Views and Visual	Frames heritage significant views to the Gaol fabric, ground activities and landscape, to support sitewide permeability and connection.	
Site Parameters + Environmental Amenity	***Site Responsive***	Responds to existing topography and landscape, using levels to inform design, spatial organisation and movement	
	Climate and Comfort	Works with the site's sun movement, shading and wind climate to create comfortable public outdoor spaces year-round	
	Enhance biodiversity	Retains, enhances, relocates landscape elements to improve microclimate, biodiversity and environmental performance	
Functional + Technical Requirements	***Distribution of Egress***	Allows for even distribution of safe and compliant evacuation routes close to pathways exiting the site	*uneven distribution*
	Egress Width	Facilitates a clear 3m width egress, to complement the overall egress strategy (from within the Gaol) which requires total aggregate width of 7m.	✔
	Equitable Access	Ensures accessible entry and exit with clear paths connecting all key spaces and levels	
	Operations and	Allows efficient back-of-house and servicing areas that support operations without compromising public engagement and experience	
Public Art + Educational Opportunity	***First Nations History***	Allows for sufficient integration of public art and educational works to express and highlight the integral, layered and ongoing narratives and knowledge-sharing of First Nations history within the site	
	Learning and Cultural	Allows natural connections to spaces that encourage storytelling and reflection, used for workshops, and cultural education experiences as part of everyday use	



Intervention to the Southern Wall
Scenario 4A
Elevated Entry

Activation	***Welcoming to All***	Opens the Gaol to the public, creates an inviting, accessible environment that encourages entry and use	✔
	Active Street Edges	Supports informal and organised gathering beyond the Gaol walls, extending activity into the street edges and thresholds	
	Connection to Berrima Village	Activates street edges and public domain along the Gaol perimeter to strengthen connections with the surrounding sites and local shops in Berrima Village. Supports an integrated community network and a sense of place for community and visitors	
	Inclusive access	Provides accessible communal spaces that support diverse uses and everyday gathering	
	Community Use	Incorporates flexible spaces for events, workshops and cultural activities, enabling ongoing local use	
Adaptive Reuse	***Legibility of the Old and New***	Ensures insertions are clearly destinguishabe within the heritage fabric, legibility of the Gaol's significant structures are legible with interventions integrated to reveal and enhance, rather than obscure	✔
	Enhances Existing	Primarily achieves reinforcement of the existing fabric, spatial hierarchy and landscape setting	
	Revives Existing	Introduces new interventions that revive existing spaces to enable contemporary ongoing use and activation, supporting a viable future	
Heritage Experience/ Arrival Journey	***Arrival and Address***	Establishes a clear arrival sequence from key approaches, reinforcing the prominence and civic presence of the Main Gate	
	Movement and	Establishes a legible movement sequence with varied experiences informed through the revealing of existing and new fabric and spatial hierarchy	
	Views and Visual	Frames heritage significant views to the Gaol fabric, ground activities and landscape, to support sitewide permeability and connection.	
Site Parameters + Environmental Amenity	***Site Responsive***	Responds to existing topography and landscape, using levels to inform design, spatial organisation and movement	
	Climate and Comfort	Works with the site's sun movement, shading and wind climate to create comfortable public outdoor spaces year-round	
	Enhance biodiversity	Retains, enhances, relocates landscape elements to improve microclimate, biodiversity and environmental performance	
Functional + Technical Requirements	***Distribution of Egress***	Allows for even distribution of safe and compliant evacuation routes close to pathways exiting the site	*uneven distribution*
	Egress Width	Facilitates a clear 3m width egress, to complement the overall egress strategy (from within the Gaol) which requires total aggregate width of 7m.	✔
	Equitable Access	Ensures accessible entry and exit with clear paths connecting all key spaces and levels	
	Operations and	Allows efficient back-of-house and servicing areas that support operations without compromising public engagement and experience	
Public Art + Educational Opportunity	***First Nations History***	Allows for sufficient integration of public art and educational works to express and highlight the integral, layered and ongoing narratives and knowledge-sharing of First Nations history within the site	
	Learning and Cultural	Allows natural connections to spaces that encourage storytelling and reflection, used for workshops, and cultural education experiences as part of everyday use	

Legibility of Gaol Wall from the Porte-cochere Carpark pavillion during the arrival sequence is obscured by the elevated deck

DLCS Quality Endorsed Company ISO 9001:2015, Registration Number 20476
Nominated Architect: Nicholas TURNER 6695, ABN 86 064 084 911

Intervention to the Southern Wall
Scenario 4B
Elevated Connection

- Proposed changes to SSDA submission
- Arrival movement path to Entrance Gate
- Arrival movement path to F&B
- Circulation movement path

Activation	***Welcoming to All***	Opens the Gaol to the public, creates an inviting, accessible environment that encourages entry and use	✔
	Active Street Edges	Supports informal and organised gathering beyond the Gaol walls, extending activity into the street edges and thresholds	
	Connection to Berrima Village	Activates street edges and public domain along the Gaol perimeter to strengthen connections with the surrounding sites and local shops in Berrima Village. Supports an integrated community network and a sense of place for community and visitors	
	Inclusive access	Provides accessible communal spaces that support diverse uses and everyday gathering	✔
	Community Use	Incorporates flexible spaces for events, workshops and cultural activities, enabling ongoing local use	✔
Adaptive Reuse	***Legibility of the Old and New***	Ensures insertions are clearly destinguishabe within the heritage fabric, legibility of the Gaol's significant structures are legible with interventions integrated to reveal and enhance, rather than obscure	✔
	Enhances Existing	Primarily achieves reinforcement of the existing fabric, spatial hierarchy and landscape setting	
	Revives Existing	Introduces new interventions that revive existing spaces to enable contemporary ongoing use and activation, supporting a viable future	
Heritage Experience/ Arrival Journey	***Arrival and Address***	Establishes a clear arrival sequence from key approaches, reinforcing the prominence and civic presence of the Main Gate	
	Movement and	Establishes a legible movement sequence with varied experiences informed through the revealing of existing and new fabric and spatial hierarchy	
	Views and Visual	Frames heritage significant views to the Gaol fabric, ground activities and landscape, to support sitewide permeability and connection.	
Site Parameters + Environmental Amenity	***Site Responsive***	Responds to existing topography and landscape, using levels to inform design, spatial organisation and movement	
	Climate and Comfort	Works with the site's sun movement, shading and wind climate to create comfortable public outdoor spaces year-round	
	Enhance biodiversity	Retains, enhances, relocates landscape elements to improve microclimate, biodiversity and environmental performance	
Functional + Technical Requirements	***Distribution of Egress***	Allows for even distribution of safe and compliant evacuation routes close to pathways exiting the site	*uneven distribution*
	Egress Width	Facilitates a clear 3m width egress, to complement the overall egress strategy (from within the Gaol) which requires total aggregate width of 7m.	✔
	Equitable Access	Ensures accessible entry and exit with clear paths connecting all key spaces and levels	
	Operations and	Allows efficient back-of-house and servicing areas that support operations without compromising public engagement and experience	
Public Art + Educational Opportunity	***First Nations History***	Allows for sufficient integration of public art and educational works to express and highlight the integral, layered and ongoing narratives and knowledge-sharing of First Nations history within the site	✔
	Learning and Cultural	Allows natural connections to spaces that encourage storytelling and reflection, used for workshops, and cultural education experiences as part of everyday use	✔



DLCS Quality Endorsed Company ISO 9001:2015, Registration Number 20476
Nominated Architect: Nicholas TURNER 6695, ABN 86 064 084 911

Intervention to the Southern Wall
Scenario 4B
Elevated Connection

Activation	***Welcoming to All***	Opens the Gaol to the public, creates an inviting, accessible environment that encourages entry and use	✔
	Active Street Edges	Supports informal and organised gathering beyond the Gaol walls, extending activity into the street edges and thresholds	
	Connection to Berrima Village	Activates street edges and public domain along the Gaol perimeter to strengthen connections with the surrounding sites and local shops in Berrima Village. Supports an integrated community network and a sense of place for community and visitors	
	Inclusive access	Provides accessible communal spaces that support diverse uses and everyday gathering	✔
	Community Use	Incorporates flexible spaces for events, workshops and cultural activities, enabling ongoing local use	✔
Adaptive Reuse	***Legibility of the Old and New***	Ensures insertions are clearly destinguishabe within the heritage fabric, legibility of the Gaol's significant structures are legible with interventions integrated to reveal and enhance, rather than obscure	✔
	Enhances Existing	Primarily achieves reinforcement of the existing fabric, spatial hierarchy and landscape setting	
	Revives Existing	Introduces new interventions that revive existing spaces to enable contemporary ongoing use and activation, supporting a viable future	
Heritage Experience/ Arrival Journey	***Arrival and Address***	Establishes a clear arrival sequence from key approaches, reinforcing the prominence and civic presence of the Main Gate	
	Movement and	Establishes a legible movement sequence with varied experiences informed through the revealing of existing and new fabric and spatial hierarchy	
	Views and Visual	Frames heritage significant views to the Gaol fabric, ground activities and landscape, to support sitewide permeability and connection.	
Site Parameters + Environmental Amenity	***Site Responsive***	Responds to existing topography and landscape, using levels to inform design, spatial organisation and movement	
	Climate and Comfort	Works with the site's sun movement, shading and wind climate to create comfortable public outdoor spaces year-round	
	Enhance biodiversity	Retains, enhances, relocates landscape elements to improve microclimate, biodiversity and environmental performance	
Functional + Technical Requirements	***Distribution of Egress***	Allows for even distribution of safe and compliant evacuation routes close to pathways exiting the site	*uneven distribution*
	Egress Width	Facilitates a clear 3m width egress, to complement the overall egress strategy (from within the Gaol) which requires total aggregate width of 7m.	✔
	Equitable Access	Ensures accessible entry and exit with clear paths connecting all key spaces and levels	
	Operations and	Allows efficient back-of-house and servicing areas that support operations without compromising public engagement and experience	
Public Art + Educational Opportunity	***First Nations History***	Allows for sufficient integration of public art and educational works to express and highlight the integral, layered and ongoing narratives and knowledge-sharing of First Nations history within the site	✔
	Learning and Cultural	Allows natural connections to spaces that encourage storytelling and reflection, used for workshops, and cultural education experiences as part of everyday use	✔

Original Photo

Concept Sketch

Legibility of Gaol Wall, and existing sightline toward Wingecarriee Escarpment is obsured by the elevated deck

Intervention to the Southern Wall
Scenario 4C
Excavated Entry

- Proposed changes to SSDA submission
- Arrival movement path to Entrance Gate
- Arrival movement path to F&B
- Circulation movement path

Activation	***Welcoming to All***	Opens the Gaol to the public, creates an inviting, accessible environment that encourages entry and use	✓
	Active Street Edges	Supports informal and organised gathering beyond the Gaol walls, extending activity into the street edges and thresholds	
	Connection to Berrima Village	Activates street edges and public domain along the Gaol perimeter to strengthen connections with the surrounding sites and local shops in Berrima Village. Supports an integrated community network and a sense of place for community and visitors	
	Inclusive access	Provides accessible communal spaces that support diverse uses and everyday gathering	
	Community Use	Incorporates flexible spaces for events, workshops and cultural activities, enabling ongoing local use	
Adaptive Reuse	***Legibility of the Old and New***	Ensures insertions are clearly destinguishabe within the heritage fabric, legibility of the Gaol's significant structures are legible with interventions integrated to reveal and enhance, rather than obscure	✓
	Enhances Existing	Primarily achieves reinforcement of the existing fabric, spatial hierarchy and landscape setting	✓
	Revives Existing	Introduces new interventions that revive existing spaces to enable contemporary ongoing use and activation, supporting a viable future	✓
Heritage Experience/ Arrival Journey	***Arrival and Address***	Establishes a clear arrival sequence from key approaches, reinforcing the prominence and civic presence of the Main Gate	✓
	Movement and	Establishes a legible movement sequence with varied experiences informed through the revealing of existing and new fabric and spatial hierarchy	✓
	Views and Visual	Frames heritage significant views to the Gaol fabric, ground activities and landscape, to support sitewide permeability and connection.	✓
Site Parameters + Environmental Amenity	***Site Responsive***	Responds to existing topography and landscape, using levels to inform design, spatial organisation and movement	
	Climate and Comfort	Works with the site's sun movement, shading and wind climate to create comfortable public outdoor spaces year-round	
	Enhance biodiversity	Retains, enhances, relocates landscape elements to improve microclimate, biodiversity and environmental performance	✓
Functional + Technical Requirements	***Distribution of Egress***	Allows for even distribution of safe and compliant evacuation routes close to pathways exiting the site	*uneven distribution*
	Egress Width	Facilitates a clear 3m width egress, to complement the overall egress strategy (from within the Gaol) which requires total aggregate width of 7m.	✓
	Equitable Access	Ensures accessible entry and exit with clear paths connecting all key spaces and levels	✓
	Operations and	Allows efficient back-of-house and servicing areas that support operations without compromising public engagement and experience	
Public Art + Educational Opportunity	***First Nations History***	Allows for sufficient integration of public art and educational works to express and highlight the integral, layered and ongoing narratives and knowledge-sharing of First Nations history within the site	✓
	Learning and Cultural	Allows natural connections to spaces that encourage storytelling and reflection, used for workshops, and cultural education experiences as part of everyday use	



DLCS Quality Endorsed Company ISO 9001:2015, Registration Number 20476
Nominated Architect: Nicholas TURNER 6695, ABN 86 064 084 911

Intervention to the Southern Wall
Scenario 4C
Excavated Entry

Activation	***Welcoming to All***	Opens the Gaol to the public, creates an inviting, accessible environment that encourages entry and use	✔
	Active Street Edges	Supports informal and organised gathering beyond the Gaol walls, extending activity into the street edges and thresholds	
	Connection to Berrima Village	Activates street edges and public domain along the Gaol perimeter to strengthen connections with the surrounding sites and local shops in Berrima Village. Supports an integrated community network and a sense of place for community and visitors	
	Inclusive access	Provides accessible communal spaces that support diverse uses and everyday gathering	
	Community Use	Incorporates flexible spaces for events, workshops and cultural activities, enabling ongoing local use	
Adaptive Reuse	***Legibility of the Old and New***	Ensures insertions are clearly destinguishabe within the heritage fabric, legibility of the Gaol's significant structures are legible with interventions integrated to reveal and enhance, rather than obscure	✔
	Enhances Existing	Primarily achieves reinforcement of the existing fabric, spatial hierarchy and landscape setting	✔
	Revives Existing	Introduces new interventions that revive existing spaces to enable contemporary ongoing use and activation, supporting a viable future	✔
Heritage Experience/ Arrival Journey	***Arrival and Address***	Establishes a clear arrival sequence from key approaches, reinforcing the prominence and civic presence of the Main Gate	✔
	Movement and	Establishes a legible movement sequence with varied experiences informed through the revealing of existing and new fabric and spatial hierarchy	✔
	Views and Visual	Frames heritage significant views to the Gaol fabric, ground activities and landscape, to support sitewide permeability and connection.	✔
Site Parameters + Environmental Amenity	***Site Responsive***	Responds to existing topography and landscape, using levels to inform design, spatial organisation and movement	
	Climate and Comfort	Works with the site's sun movement, shading and wind climate to create comfortable public outdoor spaces year-round	
	Enhance biodiversity	Retains, enhances, relocates landscape elements to improve microclimate, biodiversity and environmental performance	✔
Functional + Technical Requirements	***Distribution of Egress***	Allows for even distribution of safe and compliant evacuation routes close to pathways exiting the site	*uneven distribution*
	Egress Width	Facilitates a clear 3m width egress, to complement the overall egress strategy (from within the Gaol) which requires total aggregate width of 7m.	✔
	Equitable Access	Ensures accessible entry and exit with clear paths connecting all key spaces and levels	✔
	Operations and	Allows efficient back-of-house and servicing areas that support operations without compromising public engagement and experience	
Public Art + Educational Opportunity	***First Nations History***	Allows for sufficient integration of public art and educational works to express and highlight the integral, layered and ongoing narratives and knowledge-sharing of First Nations history within the site	✔
	Learning and Cultural	Allows natural connections to spaces that encourage storytelling and reflection, used for workshops, and cultural education experiences as part of everyday use	

Visual and physical connection to the Eastern 'Vaucluse' courtyard upon arrival however activation outside the Gaol Walls through outdoor dining is limited in this scenario Significant excavation is required with potential impact to Wall footings.

Intervention to the Southern Wall
Scenario 4D
Excavated Connection

Proposed changes to SSDA submission

Arrival movement path to Entrance Gate

Arrival movement path to F&B

Circulation movement path

Activation	***Welcoming to All***	Opens the Gaol to the public, creates an inviting, accessible environment that encourages entry and use	✔
	Active Street Edges	Supports informal and organised gathering beyond the Gaol walls, extending activity into the street edges and thresholds	
	Connection to Berrima Village	Activates street edges and public domain along the Gaol perimeter to strengthen connections with the surrounding sites and local shops in Berrima Village. Supports an integrated community network and a sense of place for community and visitors	
	Inclusive access	Provides accessible communal spaces that support diverse uses and everyday gathering	✔
	Community Use	Incorporates flexible spaces for events, workshops and cultural activities, enabling ongoing local use	✔
Adaptive Reuse	***Legibility of the Old and New***	Ensures insertions are clearly destinguishabe within the heritage fabric, legibility of the Gaol's significant structures are legible with interventions integrated to reveal and enhance, rather than obscure	✔
	Enhances Existing	Primarily achieves reinforcement of the existing fabric, spatial hierarchy and landscape setting	
	Revives Existing	Introduces new interventions that revive existing spaces to enable contemporary ongoing use and activation, supporting a viable future	✔
Heritage Experience/ Arrival Journey	***Arrival and Address***	Establishes a clear arrival sequence from key approaches, reinforcing the prominence and civic presence of the Main Gate	✔
	Movement and	Establishes a legible movement sequence with varied experiences informed through the revealing of existing and new fabric and spatial hierarchy	✔
	Views and Visual	Frames heritage significant views to the Gaol fabric, ground activities and landscape, to support sitewide permeability and connection.	✔
Site Parameters + Environmental Amenity	***Site Responsive***	Responds to existing topography and landscape, using levels to inform design, spatial organisation and movement	
	Climate and Comfort	Works with the site's sun movement, shading and wind climate to create comfortable public outdoor spaces year-round	
	Enhance biodiversity	Retains, enhances, relocates landscape elements to improve microclimate, biodiversity and environmental performance	✔
Functional + Technical Requirements	***Distribution of Egress***	Allows for even distribution of safe and compliant evacuation routes close to pathways exiting the site	*uneven distribution*
	Egress Width	Facilitates a clear 3m width egress, to complement the overall egress strategy (from within the Gaol) which requires total aggregate width of 7m.	✔
	Equitable Access	Ensures accessible entry and exit with clear paths connecting all key spaces and levels	✔
	Operations and	Allows efficient back-of-house and servicing areas that support operations without compromising public engagement and experience	
Public Art + Educational Opportunity	***First Nations History***	Allows for sufficient integration of public art and educational works to express and highlight the integral, layered and ongoing narratives and knowledge-sharing of First Nations history within the site	✔
	Learning and Cultural	Allows natural connections to spaces that encourage storytelling and reflection, used for workshops, and cultural education experiences as part of everyday use	✔



The location of the Port Cochere and arrival sequence from carpark has been reconsidered, to enable a landscape connection to the F&B adjacent the wall. The strong presence of the wall on arrival no longer enhances the guests arrival experience

DLCS Quality Endorsed Company ISO 9001:2015, Registration Number 20476
Nominated Architect: Nicholas TURNER 6695, ABN 86 064 084 911

Intervention to the Southern Wall
Scenario 4D
Excavated Connection

Activation	***Welcoming to All***	Opens the Gaol to the public, creates an inviting, accessible environment that encourages entry and use	✔
	Active Street Edges	Supports informal and organised gathering beyond the Gaol walls, extending activity into the street edges and thresholds	
	Connection to Berrima Village	Activates street edges and public domain along the Gaol perimeter to strengthen connections with the surrounding sites and local shops in Berrima Village. Supports an integrated community network and a sense of place for community and visitors	
	Inclusive access	Provides accessible communal spaces that support diverse uses and everyday gathering	✔
	Community Use	Incorporates flexible spaces for events, workshops and cultural activities, enabling ongoing local use	✔
Adaptive Reuse	***Legibility of the Old and New***	Ensures insertions are clearly destinguishabe within the heritage fabric, legibility of the Gaol's significant structures are legible with interventions integrated to reveal and enhance, rather than obscure	✔
	Enhances Existing	Primarily achieves reinforcement of the existing fabric, spatial hierarchy and landscape setting	
	Revives Existing	Introduces new interventions that revive existing spaces to enable contemporary ongoing use and activation, supporting a viable future	✔
Heritage Experience/ Arrival Journey	***Arrival and Address***	Establishes a clear arrival sequence from key approaches, reinforcing the prominence and civic presence of the Main Gate	✔
	Movement and	Establishes a legible movement sequence with varied experiences informed through the revealing of existing and new fabric and spatial hierarchy	✔
	Views and Visual	Frames heritage significant views to the Gaol fabric, ground activities and landscape, to support sitewide permeability and connection.	✔
Site Parameters + Environmental Amenity	***Site Responsive***	Responds to existing topography and landscape, using levels to inform design, spatial organisation and movement	
	Climate and Comfort	Works with the site's sun movement, shading and wind climate to create comfortable public outdoor spaces year-round	
	Enhance biodiversity	Retains, enhances, relocates landscape elements to improve microclimate, biodiversity and environmental performance	✔
Functional + Technical Requirements	***Distribution of Egress***	Allows for even distribution of safe and compliant evacuation routes close to pathways exiting the site	*uneven distribution*
	Egress Width	Facilitates a clear 3m width egress, to complement the overall egress strategy (from within the Gaol) which requires total aggregate width of 7m.	✔
	Equitable Access	Ensures accessible entry and exit with clear paths connecting all key spaces and levels	✔
	Operations and	Allows efficient back-of-house and servicing areas that support operations without compromising public engagement and experience	
Public Art + Educational Opportunity	***First Nations History***	Allows for sufficient integration of public art and educational works to express and highlight the integral, layered and ongoing narratives and knowledge-sharing of First Nations history within the site	✔
	Learning and Cultural	Allows natural connections to spaces that encourage storytelling and reflection, used for workshops, and cultural education experiences as part of everyday use	✔

Visual and physical connection to the Eastern 'Vaucluse' courtyard upon with activation outside the Gaol Walls through outdoor dining integrated with kitchen gardens
Significant excavation is required with potential impact to Wall footings.

Scenario Summary
Place Measures Analysis

Scenario Analysis Comparison Table

			SSDA Submission								
			No Intervention	Eastern Wall	Southern Wall - Kitchen Gardens			Southern Wall - 'Vaucluse' Courtyard and Carpark			
			1	2	3a	3b	3c	4a	4b	4c	4d
Activation	***Welcoming to All***	Opens the Gaol to the public, creates an inviting, accessible environment that encourages entry and use		✔	✔	✔	✔	✔	✔	✔	✔
	Active Street Edges	Supports informal and organised gathering beyond the Gaol walls, extending activity into the street edges and thresholds	✔	✔							
	Connection to Berrima Village	Activates street edges and public domain along the Gaol perimeter to strengthen connections with the surrounding sites and local shops in Berrima Village. Supports an integrated community network and a sense of place for community and visitors	✔	✔							
	Inclusive access	Provides accessible communal spaces that support diverse uses and everyday gathering	✔	✔	✔	✔	✔		✔		✔
	Community Use	Incorporates flexible spaces for events, workshops and cultural activities, enabling ongoing local use	✔	✔		✔	✔		✔		✔
Adaptive Reuse	***Legibility of the Old and New***	Ensures insertions are clearly destinguishabe within the heritage fabric, legibility of the Gaol's significant structures are legible with interventions integrated to reveal and enhance, rather than obscure	✔	✔	✔	✔	✔	✔	✔	✔	✔
	Enhances Existing Gaol Character	Primarily achieves reinforcement of the existing fabric, spatial hierarchy and landscape setting	✔	✔			✔			✔	
	Revives Existing Spaces	Introduces new interventions that revive existing spaces to enable contemporary ongoing use and activation, supporting a viable future	✔	✔	✔	✔	✔			✔	✔
Heritage Experience/ Arrival Journey	***Arrival and Address***	Establishes a clear arrival sequence from key approaches, reinforcing the prominence and civic presence of the Main Gate	✔	✔		✔				✔	✔
	Movement and Circulation	Establishes a legible movement sequence with varied experiences informed through the revealing of existing and new fabric and spatial hierarchy	✔	✔		✔				✔	✔
	Views and Visual Connections	Frames heritage significant views to the Gaol fabric, ground activities and landscape, to support sitewide permeability and connection.	✔	✔			✔			✔	✔
Site Parameters + Environmental Amenity	***Site Responsive***	Responds to existing topography and landscape, using levels to inform design, spatial organisation and movement	✔	✔							
	Climate and Comfort	Works with the site's sun movement, shading and wind climate to create comfortable public outdoor spaces year-round		✔							
	Enhance biodiversity	Retains, enhances, relocates landscape elements to improve microclimate, biodiversity and environmental performance	✔	✔	✔	✔	✔			✔	✔
Functional + Technical Requirements	***Distribution of Egress Point***	Allows for even distribution of safe and compliant evacuation routes close to pathways exiting the site	*uneven distribution*	✔	*uneven distribution*	*uneven distribution*	*uneven distribution*	*uneven distribution*	*uneven distribution*	*uneven distribution*	*uneven distribution*
	Egress Width Requirements	Facilitates a clear 3m width egress, to complement the overall egress strategy (from within the Gaol) which requires total aggregate width of 7m.	*Does not comply, 3m shortfall in egress width*	✔	✔	✔	✔	✔	✔	✔	✔
	Equitable Access	Ensures accessible entry and exit with clear paths connecting all key spaces and levels	✔	✔		✔	✔			✔	✔
	Operations and Servicing	Allows efficient back-of-house and servicing areas that support operations without compromising public engagement and experience	✔	✔							
Public Art + Educational Opportunity	***First Nations History***	Allows for sufficient integration of public art and educational works to express and highlight the integral, layered and ongoing narratives and knowledge-sharing of First	✔	✔		✔	✔		✔	✔	✔
	Learning and Cultural Exchange Spaces	Allows natural connections to spaces that encourage storytelling and reflection, used for workshops, and cultural education experiences as part of everyday use	✔	✔		✔	✔		✔		✔

DLCS Quality Endorsed Company ISO 9001:2015, Registration Number 20476
Nominated Architect: Nicholas TURNER 6695, ABN 86 064 084 911

SYDNEY

Level 7
ONE Oxford Street
Darlinghurst NSW 2010
Australia

T +61 2 8668 0000
F +61 2 8668 0088

TURNER