

# BASIX™ Certificate

Building Sustainability Index

[www.planningportal.nsw.gov.au/development-and-assessment/basix](http://www.planningportal.nsw.gov.au/development-and-assessment/basix)

## Multi Dwelling

Certificate number: 1812711M\_04

This certificate confirms that the proposed development will meet the NSW government's requirements for sustainability, if it is built in accordance with the commitments set out below. Terms used in this certificate, or in the commitments, have the meaning given by the document entitled "BASIX Definitions" dated 10/09/2020 published by the Department. This document is available at [www.planningportal.nsw.gov.au/definitions](http://www.planningportal.nsw.gov.au/definitions)

Secretary

Date of issue: Tuesday, 28 April 2026

To be valid, this certificate must be submitted with a development application or lodged with a complying development certificate application within 3 months of the date of issue.



When submitting this BASIX certificate with a development application or complying development certificate application, it must be accompanied by NatHERS certificate 0012935220.

### Project summary

|                                              |                                        |
|----------------------------------------------|----------------------------------------|
| Project name                                 | 16-20 Carrington Road, Castle Hill_04  |
| Street address                               | 16-20 CARRINGTON ROAD CASTLE HILL 2154 |
| Local Government Area                        | THE HILLS SHIRE                        |
| Plan type and plan number                    | Deposited Plan 247890                  |
| Lot no.                                      | 26                                     |
| Section no.                                  | -                                      |
| No. of residential flat buildings            | 3                                      |
| Residential flat buildings: no. of dwellings | 445                                    |
| Multi-dwelling housing: no. of dwellings     | 0                                      |
| No. of single dwelling houses                | 0                                      |

### Project score

|                     |        |             |
|---------------------|--------|-------------|
| Water               | ✓ 41   | Target 40   |
| Thermal Performance | ✓ Pass | Target Pass |
| Energy              | ✓ 65   | Target 63   |
| Materials           | ✓ -100 | Target n/a  |

### Certificate Prepared by

Name / Company Name: RENYI PTY LTD

ABN (if applicable): 81603204299

# Description of project

| Project address                              |                                        |
|----------------------------------------------|----------------------------------------|
| Project name                                 | 16-20 Carrington Road, Castle Hill_04  |
| Street address                               | 16-20 CARRINGTON ROAD CASTLE HILL 2154 |
| Local Government Area                        | THE HILLS SHIRE                        |
| Plan type and plan number                    | Deposited Plan 247890                  |
| Lot no.                                      | 26                                     |
| Section no.                                  | -                                      |
| Project type                                 |                                        |
| No. of residential flat buildings            | 3                                      |
| Residential flat buildings: no. of dwellings | 445                                    |
| Multi-dwelling housing: no. of dwellings     | 0                                      |
| No. of single dwelling houses                | 0                                      |
| Site details                                 |                                        |
| Site area (m²)                               | 13344.26                               |
| Roof area (m²)                               | 5820.64                                |
| Non-residential floor area (m²)              | -                                      |
| Residential car spaces                       | 674                                    |
| Non-residential car spaces                   | -                                      |

| Common area landscape                            |             |             |
|--------------------------------------------------|-------------|-------------|
| Common area lawn (m²)                            | 1637        |             |
| Common area garden (m²)                          | 3821        |             |
| Area of indigenous or low water use species (m²) | 0           |             |
| Assessor details and thermal loads               |             |             |
| Assessor number                                  | DMN/18/1837 |             |
| Certificate number                               | 0012935220  |             |
| Climate zone                                     | 56          |             |
| Project score                                    |             |             |
| Water                                            | ✔ 41        | Target 40   |
| Thermal Performance                              | ✔ Pass      | Target Pass |
| Energy                                           | ✔ 65        | Target 63   |
| Materials                                        | ✔ -100      | Target n/a  |

## Description of project

The tables below describe the dwellings and common areas within the project

### Residential flat buildings - Building A, 140 dwellings, 25 storeys above ground

| Dwelling no. | No. of bedrooms | Conditioned floor area (m <sup>2</sup> ) | Unconditioned floor area (m <sup>2</sup> ) | Area of garden & lawn (m <sup>2</sup> ) | Indigenous species (min area m <sup>2</sup> ) |
|--------------|-----------------|------------------------------------------|--------------------------------------------|-----------------------------------------|-----------------------------------------------|
| A1001        | 3               | 142.2                                    | 0                                          | 0                                       | 0                                             |
| A1005        | 2               | 103.5                                    | 0                                          | 0                                       | 0                                             |
| A102         | 2               | 90.7                                     | 0                                          | 0                                       | 0                                             |
| A106         | 4+              | 147.2                                    | 0                                          | 0                                       | 0                                             |
| A1103        | 1               | 52.9                                     | 0                                          | 0                                       | 0                                             |
| A1107        | 3               | 102.2                                    | 0                                          | 0                                       | 0                                             |
| A1204        | 2               | 107.1                                    | 0                                          | 0                                       | 0                                             |
| A1301        | 3               | 142.2                                    | 0                                          | 0                                       | 0                                             |
| A1305        | 2               | 103.5                                    | 0                                          | 0                                       | 0                                             |
| A1402        | 2               | 90.7                                     | 0                                          | 0                                       | 0                                             |
| A1406        | 4+              | 147.2                                    | 0                                          | 0                                       | 0                                             |
| A1503        | 1               | 52.9                                     | 0                                          | 0                                       | 0                                             |
| A1507        | 3               | 102.2                                    | 0                                          | 0                                       | 0                                             |
| A1604        | 2               | 88.6                                     | 0                                          | 0                                       | 0                                             |
| A1704        | 2               | 88.6                                     | 0                                          | 0                                       | 0                                             |
| A1804        | 2               | 88.6                                     | 0                                          | 0                                       | 0                                             |
| A1904        | 2               | 88.6                                     | 0                                          | 0                                       | 0                                             |
| A2004        | 2               | 88.6                                     | 0                                          | 0                                       | 0                                             |
| A204         | 2               | 107.1                                    | 0                                          | 0                                       | 0                                             |
| A2101        | 4+              | 276.6                                    | 0                                          | 0                                       | 0                                             |
| A301         | 3               | 142.2                                    | 0                                          | 0                                       | 0                                             |
| Dwelling no. | No. of bedrooms | Conditioned floor area (m <sup>2</sup> ) | Unconditioned floor area (m <sup>2</sup> ) | Area of garden & lawn (m <sup>2</sup> ) | Indigenous species (min area m <sup>2</sup> ) |
| A1002        | 2               | 90.7                                     | 0                                          | 0                                       | 0                                             |
| A1006        | 4+              | 147.2                                    | 0                                          | 0                                       | 0                                             |
| A103         | 1               | 52.9                                     | 0                                          | 0                                       | 0                                             |
| A107         | 3               | 105.6                                    | 0                                          | 0                                       | 0                                             |
| A1104        | 2               | 107.1                                    | 0                                          | 0                                       | 0                                             |
| A1201        | 3               | 142.2                                    | 0                                          | 0                                       | 0                                             |
| A1205        | 2               | 103.5                                    | 0                                          | 0                                       | 0                                             |
| A1302        | 2               | 90.7                                     | 0                                          | 0                                       | 0                                             |
| A1306        | 4+              | 147.2                                    | 0                                          | 0                                       | 0                                             |
| A1403        | 1               | 52.9                                     | 0                                          | 0                                       | 0                                             |
| A1407        | 3               | 102.2                                    | 0                                          | 0                                       | 0                                             |
| A1504        | 2               | 107.1                                    | 0                                          | 0                                       | 0                                             |
| A1601        | 3               | 142.2                                    | 0                                          | 0                                       | 0                                             |
| A1701        | 3               | 142.2                                    | 0                                          | 0                                       | 0                                             |
| A1801        | 3               | 142.2                                    | 0                                          | 0                                       | 0                                             |
| A1901        | 3               | 142.2                                    | 0                                          | 0                                       | 0                                             |
| A2001        | 3               | 142.2                                    | 0                                          | 0                                       | 0                                             |
| A201         | 3               | 142.2                                    | 0                                          | 0                                       | 0                                             |
| A205         | 2               | 103.5                                    | 0                                          | 0                                       | 0                                             |
| A2102        | 4+              | 182.6                                    | 0                                          | 0                                       | 0                                             |
| A302         | 2               | 90.7                                     | 0                                          | 0                                       | 0                                             |
| Dwelling no. | No. of bedrooms | Conditioned floor area (m <sup>2</sup> ) | Unconditioned floor area (m <sup>2</sup> ) | Area of garden & lawn (m <sup>2</sup> ) | Indigenous species (min area m <sup>2</sup> ) |
| A1003        | 1               | 52.9                                     | 0                                          | 0                                       | 0                                             |
| A1007        | 3               | 102.2                                    | 0                                          | 0                                       | 0                                             |
| A104         | 2               | 107.1                                    | 0                                          | 0                                       | 0                                             |
| A1101        | 3               | 142.2                                    | 0                                          | 0                                       | 0                                             |
| A1105        | 2               | 103.5                                    | 0                                          | 0                                       | 0                                             |
| A1202        | 2               | 90.7                                     | 0                                          | 0                                       | 0                                             |
| A1206        | 4+              | 147.2                                    | 0                                          | 0                                       | 0                                             |
| A1303        | 1               | 52.9                                     | 0                                          | 0                                       | 0                                             |
| A1307        | 3               | 102.2                                    | 0                                          | 0                                       | 0                                             |
| A1404        | 2               | 107.1                                    | 0                                          | 0                                       | 0                                             |
| A1501        | 3               | 142.2                                    | 0                                          | 0                                       | 0                                             |
| A1505        | 2               | 103.5                                    | 0                                          | 0                                       | 0                                             |
| A1602        | 4+              | 151.6                                    | 0                                          | 0                                       | 0                                             |
| A1702        | 4+              | 151.6                                    | 0                                          | 0                                       | 0                                             |
| A1802        | 4+              | 151.6                                    | 0                                          | 0                                       | 0                                             |
| A1902        | 4+              | 151.6                                    | 0                                          | 0                                       | 0                                             |
| A2002        | 4+              | 151.6                                    | 0                                          | 0                                       | 0                                             |
| A202         | 2               | 90.7                                     | 0                                          | 0                                       | 0                                             |
| A206         | 4+              | 147.2                                    | 0                                          | 0                                       | 0                                             |
| A2201        | 4+              | 276.6                                    | 0                                          | 0                                       | 0                                             |
| A303         | 1               | 52.9                                     | 0                                          | 0                                       | 0                                             |
| Dwelling no. | No. of bedrooms | Conditioned floor area (m <sup>2</sup> ) | Unconditioned floor area (m <sup>2</sup> ) | Area of garden & lawn (m <sup>2</sup> ) | Indigenous species (min area m <sup>2</sup> ) |
| A1004        | 2               | 107.1                                    | 0                                          | 0                                       | 0                                             |
| A101         | 3               | 142.2                                    | 0                                          | 0                                       | 0                                             |
| A105         | 2               | 103.5                                    | 0                                          | 0                                       | 0                                             |
| A1102        | 2               | 90.7                                     | 0                                          | 0                                       | 0                                             |
| A1106        | 4+              | 147.2                                    | 0                                          | 0                                       | 0                                             |
| A1203        | 1               | 52.9                                     | 0                                          | 0                                       | 0                                             |
| A1207        | 3               | 102.2                                    | 0                                          | 0                                       | 0                                             |
| A1304        | 2               | 107.1                                    | 0                                          | 0                                       | 0                                             |
| A1401        | 3               | 142.2                                    | 0                                          | 0                                       | 0                                             |
| A1405        | 2               | 103.5                                    | 0                                          | 0                                       | 0                                             |
| A1502        | 2               | 90.7                                     | 0                                          | 0                                       | 0                                             |
| A1506        | 4+              | 147.2                                    | 0                                          | 0                                       | 0                                             |
| A1603        | 2               | 95.2                                     | 0                                          | 0                                       | 0                                             |
| A1703        | 2               | 95.2                                     | 0                                          | 0                                       | 0                                             |
| A1803        | 2               | 95.2                                     | 0                                          | 0                                       | 0                                             |
| A1903        | 2               | 95.2                                     | 0                                          | 0                                       | 0                                             |
| A2003        | 2               | 95.2                                     | 0                                          | 0                                       | 0                                             |
| A203         | 1               | 52.9                                     | 0                                          | 0                                       | 0                                             |
| A207         | 3               | 105.6                                    | 0                                          | 0                                       | 0                                             |
| A2202        | 4+              | 182.6                                    | 0                                          | 0                                       | 0                                             |
| A304         | 2               | 107.1                                    | 0                                          | 0                                       | 0                                             |

| Dwelling no. | No. of bedrooms | Conditioned floor area (m <sup>2</sup> ) | Unconditioned floor area (m <sup>2</sup> ) | Area of garden & lawn (m <sup>2</sup> ) | Indigenous species (min area m <sup>2</sup> ) |
|--------------|-----------------|------------------------------------------|--------------------------------------------|-----------------------------------------|-----------------------------------------------|
| A305         | 2               | 103.5                                    | 0                                          | 0                                       | 0                                             |
| A402         | 2               | 90.7                                     | 0                                          | 0                                       | 0                                             |
| A406         | 4+              | 147.2                                    | 0                                          | 0                                       | 0                                             |
| A503         | 1               | 52.9                                     | 0                                          | 0                                       | 0                                             |
| A507         | 3               | 102.2                                    | 0                                          | 0                                       | 0                                             |
| A604         | 2               | 107.1                                    | 0                                          | 0                                       | 0                                             |
| A701         | 3               | 142.2                                    | 0                                          | 0                                       | 0                                             |
| A705         | 2               | 103.5                                    | 0                                          | 0                                       | 0                                             |
| A802         | 2               | 90.7                                     | 0                                          | 0                                       | 0                                             |
| A806         | 4+              | 147.2                                    | 0                                          | 0                                       | 0                                             |
| A903         | 1               | 52.9                                     | 0                                          | 0                                       | 0                                             |
| A907         | 3               | 102.2                                    | 0                                          | 0                                       | 0                                             |
| ALG01        | 3               | 143.2                                    | 0                                          | 0                                       | 0                                             |
| AUG03        | 2               | 106.3                                    | 0                                          | 0                                       | 0                                             |

| Dwelling no. | No. of bedrooms | Conditioned floor area (m <sup>2</sup> ) | Unconditioned floor area (m <sup>2</sup> ) | Area of garden & lawn (m <sup>2</sup> ) | Indigenous species (min area m <sup>2</sup> ) |
|--------------|-----------------|------------------------------------------|--------------------------------------------|-----------------------------------------|-----------------------------------------------|
| A306         | 4+              | 147.2                                    | 0                                          | 0                                       | 0                                             |
| A403         | 1               | 52.9                                     | 0                                          | 0                                       | 0                                             |
| A407         | 3               | 102.2                                    | 0                                          | 0                                       | 0                                             |
| A504         | 2               | 107.1                                    | 0                                          | 0                                       | 0                                             |
| A601         | 3               | 142.2                                    | 0                                          | 0                                       | 0                                             |
| A605         | 2               | 103.5                                    | 0                                          | 0                                       | 0                                             |
| A702         | 2               | 90.7                                     | 0                                          | 0                                       | 0                                             |
| A706         | 4+              | 147.2                                    | 0                                          | 0                                       | 0                                             |
| A803         | 1               | 52.9                                     | 0                                          | 0                                       | 0                                             |
| A807         | 3               | 102.2                                    | 0                                          | 0                                       | 0                                             |
| A904         | 2               | 107.1                                    | 0                                          | 0                                       | 0                                             |
| AG01         | 3               | 142.2                                    | 0                                          | 0                                       | 0                                             |
| ALG02        | 1               | 71.6                                     | 0                                          | 0                                       | 0                                             |
| AUG04        | 2               | 102.7                                    | 0                                          | 0                                       | 0                                             |

| Dwelling no. | No. of bedrooms | Conditioned floor area (m <sup>2</sup> ) | Unconditioned floor area (m <sup>2</sup> ) | Area of garden & lawn (m <sup>2</sup> ) | Indigenous species (min area m <sup>2</sup> ) |
|--------------|-----------------|------------------------------------------|--------------------------------------------|-----------------------------------------|-----------------------------------------------|
| A307         | 3               | 102.2                                    | 0                                          | 0                                       | 0                                             |
| A404         | 2               | 107.1                                    | 0                                          | 0                                       | 0                                             |
| A501         | 3               | 142.2                                    | 0                                          | 0                                       | 0                                             |
| A505         | 2               | 103.5                                    | 0                                          | 0                                       | 0                                             |
| A602         | 2               | 90.7                                     | 0                                          | 0                                       | 0                                             |
| A606         | 4+              | 147.2                                    | 0                                          | 0                                       | 0                                             |
| A703         | 1               | 52.9                                     | 0                                          | 0                                       | 0                                             |
| A707         | 3               | 102.2                                    | 0                                          | 0                                       | 0                                             |
| A804         | 2               | 107.1                                    | 0                                          | 0                                       | 0                                             |
| A901         | 3               | 142.2                                    | 0                                          | 0                                       | 0                                             |
| A905         | 2               | 103.5                                    | 0                                          | 0                                       | 0                                             |
| AG02         | 1               | 71.3                                     | 0                                          | 0                                       | 0                                             |
| AUG01        | 3               | 142.2                                    | 0                                          | 0                                       | 0                                             |
| AUG05        | 3               | 114.6                                    | 0                                          | 0                                       | 0                                             |

| Dwelling no. | No. of bedrooms | Conditioned floor area (m <sup>2</sup> ) | Unconditioned floor area (m <sup>2</sup> ) | Area of garden & lawn (m <sup>2</sup> ) | Indigenous species (min area m <sup>2</sup> ) |
|--------------|-----------------|------------------------------------------|--------------------------------------------|-----------------------------------------|-----------------------------------------------|
| A401         | 3               | 142.2                                    | 0                                          | 0                                       | 0                                             |
| A405         | 2               | 103.5                                    | 0                                          | 0                                       | 0                                             |
| A502         | 2               | 90.7                                     | 0                                          | 0                                       | 0                                             |
| A506         | 4+              | 147.2                                    | 0                                          | 0                                       | 0                                             |
| A603         | 1               | 52.9                                     | 0                                          | 0                                       | 0                                             |
| A607         | 3               | 102.2                                    | 0                                          | 0                                       | 0                                             |
| A704         | 2               | 107.1                                    | 0                                          | 0                                       | 0                                             |
| A801         | 3               | 142.2                                    | 0                                          | 0                                       | 0                                             |
| A805         | 2               | 103.5                                    | 0                                          | 0                                       | 0                                             |
| A902         | 2               | 90.7                                     | 0                                          | 0                                       | 0                                             |
| A906         | 4+              | 147.2                                    | 0                                          | 0                                       | 0                                             |
| AG03         | 1               | 88.8                                     | 0                                          | 0                                       | 0                                             |
| AUG02        | 3               | 131.7                                    | 0                                          | 0                                       | 0                                             |
| AUG06        | 3               | 105.6                                    | 0                                          | 0                                       | 0                                             |

### Residential flat buildings - Building B, 142 dwellings, 18 storeys above ground

| Dwelling no. | No. of bedrooms | Conditioned floor area (m <sup>2</sup> ) | Unconditioned floor area (m <sup>2</sup> ) | Area of garden & lawn (m <sup>2</sup> ) | Indigenous species (min area m <sup>2</sup> ) |
|--------------|-----------------|------------------------------------------|--------------------------------------------|-----------------------------------------|-----------------------------------------------|
| B1008        | 2               | 90.5                                     | 0                                          | 0                                       | 0                                             |
| B1012        | 2               | 91.2                                     | 0                                          | 0                                       | 0                                             |
| B1016        | 2               | 99                                       | 0                                          | 0                                       | 0                                             |
| B110         | 2               | 104                                      | 0                                          | 0                                       | 0                                             |

| Dwelling no. | No. of bedrooms | Conditioned floor area (m <sup>2</sup> ) | Unconditioned floor area (m <sup>2</sup> ) | Area of garden & lawn (m <sup>2</sup> ) | Indigenous species (min area m <sup>2</sup> ) |
|--------------|-----------------|------------------------------------------|--------------------------------------------|-----------------------------------------|-----------------------------------------------|
| B1009        | 2               | 92.5                                     | 0                                          | 0                                       | 0                                             |
| B1013        | 3               | 134                                      | 0                                          | 0                                       | 0                                             |
| B1017        | 2               | 86.6                                     | 0                                          | 0                                       | 0                                             |
| B1108        | 2               | 90.5                                     | 0                                          | 0                                       | 0                                             |

| Dwelling no. | No. of bedrooms | Conditioned floor area (m <sup>2</sup> ) | Unconditioned floor area (m <sup>2</sup> ) | Area of garden & lawn (m <sup>2</sup> ) | Indigenous species (min area m <sup>2</sup> ) |
|--------------|-----------------|------------------------------------------|--------------------------------------------|-----------------------------------------|-----------------------------------------------|
| B1010        | 2               | 87                                       | 0                                          | 0                                       | 0                                             |
| B1014        | 2               | 85.2                                     | 0                                          | 0                                       | 0                                             |
| B108         | 2               | 90.5                                     | 0                                          | 0                                       | 0                                             |
| B1109        | 2               | 92.5                                     | 0                                          | 0                                       | 0                                             |

| Dwelling no. | No. of bedrooms | Conditioned floor area (m <sup>2</sup> ) | Unconditioned floor area (m <sup>2</sup> ) | Area of garden & lawn (m <sup>2</sup> ) | Indigenous species (min area m <sup>2</sup> ) |
|--------------|-----------------|------------------------------------------|--------------------------------------------|-----------------------------------------|-----------------------------------------------|
| B1011        | 2               | 86.5                                     | 0                                          | 0                                       | 0                                             |
| B1015        | 3               | 124.6                                    | 0                                          | 0                                       | 0                                             |
| B109         | 2               | 92.5                                     | 0                                          | 0                                       | 0                                             |
| B111         | 2               | 103.4                                    | 0                                          | 0                                       | 0                                             |

| Dwelling no. | No. of bedrooms | Conditioned floor area (m <sup>2</sup> ) | Unconditioned floor area (m <sup>2</sup> ) | Area of garden & lawn (m <sup>2</sup> ) | Indigenous species (min area m <sup>2</sup> ) |
|--------------|-----------------|------------------------------------------|--------------------------------------------|-----------------------------------------|-----------------------------------------------|
| B1110        | 2               | 87                                       | 0                                          | 0                                       | 0                                             |
| B1114        | 2               | 85.2                                     | 0                                          | 0                                       | 0                                             |
| B112         | 2               | 103.4                                    | 0                                          | 0                                       | 0                                             |
| B116         | 2               | 110.4                                    | 0                                          | 0                                       | 0                                             |
| B1210        | 2               | 87                                       | 0                                          | 0                                       | 0                                             |
| B1214        | 2               | 85.2                                     | 0                                          | 0                                       | 0                                             |
| B1308        | 2               | 92                                       | 0                                          | 0                                       | 0                                             |
| B1408        | 2               | 92                                       | 0                                          | 0                                       | 0                                             |
| B1508        | 2               | 92                                       | 0                                          | 0                                       | 0                                             |
| B208         | 2               | 90.5                                     | 0                                          | 0                                       | 0                                             |
| B212         | 2               | 103.4                                    | 0                                          | 0                                       | 0                                             |
| B216         | 2               | 110.4                                    | 0                                          | 0                                       | 0                                             |
| B310         | 2               | 87                                       | 0                                          | 0                                       | 0                                             |
| B314         | 2               | 113.3                                    | 0                                          | 0                                       | 0                                             |
| B408         | 2               | 90.5                                     | 0                                          | 0                                       | 0                                             |
| B412         | 2               | 91.2                                     | 0                                          | 0                                       | 0                                             |
| B416         | 2               | 99                                       | 0                                          | 0                                       | 0                                             |
| B510         | 2               | 87                                       | 0                                          | 0                                       | 0                                             |
| B514         | 2               | 85.2                                     | 0                                          | 0                                       | 0                                             |
| B608         | 2               | 90.5                                     | 0                                          | 0                                       | 0                                             |
| B612         | 2               | 91.2                                     | 0                                          | 0                                       | 0                                             |
| B616         | 2               | 99                                       | 0                                          | 0                                       | 0                                             |
| B710         | 2               | 87                                       | 0                                          | 0                                       | 0                                             |
| B714         | 2               | 85.2                                     | 0                                          | 0                                       | 0                                             |
| B808         | 2               | 90.5                                     | 0                                          | 0                                       | 0                                             |
| B812         | 2               | 91.2                                     | 0                                          | 0                                       | 0                                             |

| Dwelling no. | No. of bedrooms | Conditioned floor area (m <sup>2</sup> ) | Unconditioned floor area (m <sup>2</sup> ) | Area of garden & lawn (m <sup>2</sup> ) | Indigenous species (min area m <sup>2</sup> ) |
|--------------|-----------------|------------------------------------------|--------------------------------------------|-----------------------------------------|-----------------------------------------------|
| B1111        | 2               | 86.5                                     | 0                                          | 0                                       | 0                                             |
| B1115        | 3               | 124.6                                    | 0                                          | 0                                       | 0                                             |
| B113         | 3               | 134                                      | 0                                          | 0                                       | 0                                             |
| B117         | 2               | 86.6                                     | 0                                          | 0                                       | 0                                             |
| B1211        | 2               | 86.5                                     | 0                                          | 0                                       | 0                                             |
| B1215        | 3               | 124.6                                    | 0                                          | 0                                       | 0                                             |
| B1309        | 3               | 134                                      | 0                                          | 0                                       | 0                                             |
| B1409        | 3               | 134                                      | 0                                          | 0                                       | 0                                             |
| B1509        | 4+              | 130.5                                    | 0                                          | 0                                       | 0                                             |
| B209         | 2               | 92.5                                     | 0                                          | 0                                       | 0                                             |
| B213         | 3               | 134                                      | 0                                          | 0                                       | 0                                             |
| B217         | 2               | 86.6                                     | 0                                          | 0                                       | 0                                             |
| B311         | 2               | 86.5                                     | 0                                          | 0                                       | 0                                             |
| B315         | 4+              | 178.1                                    | 0                                          | 0                                       | 0                                             |
| B409         | 2               | 92.5                                     | 0                                          | 0                                       | 0                                             |
| B413         | 3               | 134                                      | 0                                          | 0                                       | 0                                             |
| B417         | 2               | 86.6                                     | 0                                          | 0                                       | 0                                             |
| B511         | 2               | 86.5                                     | 0                                          | 0                                       | 0                                             |
| B515         | 3               | 124.6                                    | 0                                          | 0                                       | 0                                             |
| B609         | 2               | 92.5                                     | 0                                          | 0                                       | 0                                             |
| B613         | 3               | 134                                      | 0                                          | 0                                       | 0                                             |
| B617         | 2               | 86.6                                     | 0                                          | 0                                       | 0                                             |
| B711         | 2               | 86.5                                     | 0                                          | 0                                       | 0                                             |
| B715         | 3               | 124.6                                    | 0                                          | 0                                       | 0                                             |
| B809         | 2               | 92.5                                     | 0                                          | 0                                       | 0                                             |
| B813         | 3               | 134                                      | 0                                          | 0                                       | 0                                             |

| Dwelling no. | No. of bedrooms | Conditioned floor area (m <sup>2</sup> ) | Unconditioned floor area (m <sup>2</sup> ) | Area of garden & lawn (m <sup>2</sup> ) | Indigenous species (min area m <sup>2</sup> ) |
|--------------|-----------------|------------------------------------------|--------------------------------------------|-----------------------------------------|-----------------------------------------------|
| B1112        | 2               | 91.2                                     | 0                                          | 0                                       | 0                                             |
| B1116        | 2               | 99                                       | 0                                          | 0                                       | 0                                             |
| B114         | 2               | 113.4                                    | 0                                          | 0                                       | 0                                             |
| B1208        | 2               | 90.5                                     | 0                                          | 0                                       | 0                                             |
| B1212        | 2               | 91.2                                     | 0                                          | 0                                       | 0                                             |
| B1216        | 2               | 99                                       | 0                                          | 0                                       | 0                                             |
| B1310        | 1               | 64.5                                     | 0                                          | 0                                       | 0                                             |
| B1410        | 2               | 81.1                                     | 0                                          | 0                                       | 0                                             |
| B1510        | 2               | 81.1                                     | 0                                          | 0                                       | 0                                             |
| B210         | 2               | 104                                      | 0                                          | 0                                       | 0                                             |
| B214         | 2               | 113.4                                    | 0                                          | 0                                       | 0                                             |
| B308         | 2               | 90.5                                     | 0                                          | 0                                       | 0                                             |
| B312         | 2               | 91.2                                     | 0                                          | 0                                       | 0                                             |
| B316         | 2               | 110.4                                    | 0                                          | 0                                       | 0                                             |
| B410         | 2               | 87                                       | 0                                          | 0                                       | 0                                             |
| B414         | 2               | 85.2                                     | 0                                          | 0                                       | 0                                             |
| B508         | 2               | 90.5                                     | 0                                          | 0                                       | 0                                             |
| B512         | 2               | 91.2                                     | 0                                          | 0                                       | 0                                             |
| B516         | 2               | 99                                       | 0                                          | 0                                       | 0                                             |
| B610         | 2               | 87                                       | 0                                          | 0                                       | 0                                             |
| B614         | 2               | 85.2                                     | 0                                          | 0                                       | 0                                             |
| B708         | 2               | 90.5                                     | 0                                          | 0                                       | 0                                             |
| B712         | 2               | 91.2                                     | 0                                          | 0                                       | 0                                             |
| B716         | 2               | 99                                       | 0                                          | 0                                       | 0                                             |
| B810         | 2               | 87                                       | 0                                          | 0                                       | 0                                             |
| B814         | 2               | 85.2                                     | 0                                          | 0                                       | 0                                             |

| Dwelling no. | No. of bedrooms | Conditioned floor area (m <sup>2</sup> ) | Unconditioned floor area (m <sup>2</sup> ) | Area of garden & lawn (m <sup>2</sup> ) | Indigenous species (min area m <sup>2</sup> ) |
|--------------|-----------------|------------------------------------------|--------------------------------------------|-----------------------------------------|-----------------------------------------------|
| B1113        | 3               | 134                                      | 0                                          | 0                                       | 0                                             |
| B1117        | 2               | 86.6                                     | 0                                          | 0                                       | 0                                             |
| B115         | 4+              | 178.1                                    | 0                                          | 0                                       | 0                                             |
| B1209        | 2               | 92.5                                     | 0                                          | 0                                       | 0                                             |
| B1213        | 3               | 134                                      | 0                                          | 0                                       | 0                                             |
| B1217        | 2               | 86.6                                     | 0                                          | 0                                       | 0                                             |
| B1311        | 4+              | 179.7                                    | 0                                          | 0                                       | 0                                             |
| B1411        | 3               | 130.5                                    | 0                                          | 0                                       | 0                                             |
| B1511        | 3               | 130.5                                    | 0                                          | 0                                       | 0                                             |
| B211         | 2               | 103.4                                    | 0                                          | 0                                       | 0                                             |
| B215         | 4+              | 178.1                                    | 0                                          | 0                                       | 0                                             |
| B309         | 2               | 92.5                                     | 0                                          | 0                                       | 0                                             |
| B313         | 3               | 134                                      | 0                                          | 0                                       | 0                                             |
| B317         | 2               | 86.6                                     | 0                                          | 0                                       | 0                                             |
| B411         | 2               | 86.5                                     | 0                                          | 0                                       | 0                                             |
| B415         | 3               | 124.6                                    | 0                                          | 0                                       | 0                                             |
| B509         | 2               | 92.5                                     | 0                                          | 0                                       | 0                                             |
| B513         | 3               | 134                                      | 0                                          | 0                                       | 0                                             |
| B517         | 2               | 86.6                                     | 0                                          | 0                                       | 0                                             |
| B611         | 2               | 86.5                                     | 0                                          | 0                                       | 0                                             |
| B615         | 3               | 124.6                                    | 0                                          | 0                                       | 0                                             |
| B709         | 2               | 92.5                                     | 0                                          | 0                                       | 0                                             |
| B713         | 3               | 134                                      | 0                                          | 0                                       | 0                                             |
| B717         | 2               | 86.6                                     | 0                                          | 0                                       | 0                                             |
| B811         | 2               | 86.5                                     | 0                                          | 0                                       | 0                                             |
| B815         | 3               | 124.6                                    | 0                                          | 0                                       | 0                                             |

| Dwelling no. | No. of bedrooms | Conditioned floor area (m²) | Unconditioned floor area (m²) | Area of garden & lawn (m²) | Indigenous species (min area m²) |
|--------------|-----------------|-----------------------------|-------------------------------|----------------------------|----------------------------------|
| B816         | 2               | 99                          | 0                             | 0                          | 0                                |
| B910         | 2               | 87                          | 0                             | 0                          | 0                                |
| B914         | 2               | 85.2                        | 0                             | 0                          | 0                                |
| BG04         | 2               | 103.4                       | 0                             | 0                          | 0                                |
| BUG08        | 2               | 92.6                        | 0                             | 0                          | 0                                |
| BUG12        | 2               | 117.9                       | 0                             | 0                          | 0                                |

| Dwelling no. | No. of bedrooms | Conditioned floor area (m²) | Unconditioned floor area (m²) | Area of garden & lawn (m²) | Indigenous species (min area m²) |
|--------------|-----------------|-----------------------------|-------------------------------|----------------------------|----------------------------------|
| B817         | 2               | 86.6                        | 0                             | 0                          | 0                                |
| B911         | 2               | 86.5                        | 0                             | 0                          | 0                                |
| B915         | 3               | 124.6                       | 0                             | 0                          | 0                                |
| BG05         | 2               | 103.4                       | 0                             | 0                          | 0                                |
| BUG09        | 2               | 104.1                       | 0                             | 0                          | 0                                |
| BUG13        | 3               | 147.5                       | 0                             | 0                          | 0                                |

| Dwelling no. | No. of bedrooms | Conditioned floor area (m²) | Unconditioned floor area (m²) | Area of garden & lawn (m²) | Indigenous species (min area m²) |
|--------------|-----------------|-----------------------------|-------------------------------|----------------------------|----------------------------------|
| B908         | 2               | 90.5                        | 0                             | 0                          | 0                                |
| B912         | 2               | 91.2                        | 0                             | 0                          | 0                                |
| B916         | 2               | 99                          | 0                             | 0                          | 0                                |
| BG06         | 2               | 103.5                       | 0                             | 0                          | 0                                |
| BUG10        | 2               | 103.4                       | 0                             | 0                          | 0                                |

| Dwelling no. | No. of bedrooms | Conditioned floor area (m²) | Unconditioned floor area (m²) | Area of garden & lawn (m²) | Indigenous species (min area m²) |
|--------------|-----------------|-----------------------------|-------------------------------|----------------------------|----------------------------------|
| B909         | 2               | 92.5                        | 0                             | 0                          | 0                                |
| B913         | 3               | 134                         | 0                             | 0                          | 0                                |
| B917         | 2               | 86.6                        | 0                             | 0                          | 0                                |
| BUG07        | 2               | 90.8                        | 0                             | 0                          | 0                                |
| BUG11        | 2               | 103.4                       | 0                             | 0                          | 0                                |

### Residential flat buildings - Building C, 163 dwellings, 12 storeys above ground

| Dwelling no. | No. of bedrooms | Conditioned floor area (m²) | Unconditioned floor area (m²) | Area of garden & lawn (m²) | Indigenous species (min area m²) |
|--------------|-----------------|-----------------------------|-------------------------------|----------------------------|----------------------------------|
| C1018        | 2               | 86.5                        | 0                             | 0                          | 0                                |
| C1022        | 2               | 117.2                       | 0                             | 0                          | 0                                |
| C1026        | 3               | 115.8                       | 0                             | 0                          | 0                                |
| C121         | 2               | 116.6                       | 0                             | 0                          | 0                                |
| C125         | 2               | 116.2                       | 0                             | 0                          | 0                                |
| C129         | 2               | 103.1                       | 0                             | 0                          | 0                                |
| C219         | 2               | 96                          | 0                             | 0                          | 0                                |
| C223         | 2               | 109.6                       | 0                             | 0                          | 0                                |
| C227         | 1               | 64                          | 0                             | 0                          | 0                                |
| C231         | 3               | 144.6                       | 0                             | 0                          | 0                                |
| C318         | 2               | 86.5                        | 0                             | 0                          | 0                                |
| C322         | 2               | 117.2                       | 0                             | 0                          | 0                                |

| Dwelling no. | No. of bedrooms | Conditioned floor area (m²) | Unconditioned floor area (m²) | Area of garden & lawn (m²) | Indigenous species (min area m²) |
|--------------|-----------------|-----------------------------|-------------------------------|----------------------------|----------------------------------|
| C1019        | 2               | 96                          | 0                             | 0                          | 0                                |
| C1023        | 3               | 115.4                       | 0                             | 0                          | 0                                |
| C118         | 2               | 113.1                       | 0                             | 0                          | 0                                |
| C122         | 2               | 116.6                       | 0                             | 0                          | 0                                |
| C126         | 2               | 109.2                       | 0                             | 0                          | 0                                |
| C130         | 1               | 58.6                        | 0                             | 0                          | 0                                |
| C220         | 2               | 98.6                        | 0                             | 0                          | 0                                |
| C224         | 2               | 116.6                       | 0                             | 0                          | 0                                |
| C228         | 2               | 116.2                       | 0                             | 0                          | 0                                |
| C232         | 2               | 103.1                       | 0                             | 0                          | 0                                |
| C319         | 2               | 96                          | 0                             | 0                          | 0                                |
| C323         | 2               | 109.6                       | 0                             | 0                          | 0                                |

| Dwelling no. | No. of bedrooms | Conditioned floor area (m²) | Unconditioned floor area (m²) | Area of garden & lawn (m²) | Indigenous species (min area m²) |
|--------------|-----------------|-----------------------------|-------------------------------|----------------------------|----------------------------------|
| C1020        | 2               | 83.6                        | 0                             | 0                          | 0                                |
| C1024        | 3               | 118.5                       | 0                             | 0                          | 0                                |
| C119         | 2               | 117.2                       | 0                             | 0                          | 0                                |
| C123         | 2               | 105                         | 0                             | 0                          | 0                                |
| C127         | 1               | 66.2                        | 0                             | 0                          | 0                                |
| C131         | 1               | 65.4                        | 0                             | 0                          | 0                                |
| C221         | 2               | 113.1                       | 0                             | 0                          | 0                                |
| C225         | 2               | 116.6                       | 0                             | 0                          | 0                                |
| C229         | 2               | 109.2                       | 0                             | 0                          | 0                                |
| C233         | 1               | 58.6                        | 0                             | 0                          | 0                                |
| C320         | 2               | 98.6                        | 0                             | 0                          | 0                                |
| C324         | 2               | 116.6                       | 0                             | 0                          | 0                                |

| Dwelling no. | No. of bedrooms | Conditioned floor area (m²) | Unconditioned floor area (m²) | Area of garden & lawn (m²) | Indigenous species (min area m²) |
|--------------|-----------------|-----------------------------|-------------------------------|----------------------------|----------------------------------|
| C1021        | 2               | 93.1                        | 0                             | 0                          | 0                                |
| C1025        | 1               | 65.4                        | 0                             | 0                          | 0                                |
| C120         | 2               | 109.6                       | 0                             | 0                          | 0                                |
| C124         | 1               | 64                          | 0                             | 0                          | 0                                |
| C128         | 3               | 144.6                       | 0                             | 0                          | 0                                |
| C218         | 2               | 86.5                        | 0                             | 0                          | 0                                |
| C222         | 2               | 117.2                       | 0                             | 0                          | 0                                |
| C226         | 2               | 105.1                       | 0                             | 0                          | 0                                |
| C230         | 1               | 66.2                        | 0                             | 0                          | 0                                |
| C234         | 1               | 65.4                        | 0                             | 0                          | 0                                |
| C321         | 2               | 113.1                       | 0                             | 0                          | 0                                |
| C325         | 2               | 116.6                       | 0                             | 0                          | 0                                |

| Dwelling no. | No. of bedrooms | Conditioned floor area (m <sup>2</sup> ) | Unconditioned floor area (m <sup>2</sup> ) | Area of garden & lawn (m <sup>2</sup> ) | Indigenous species (min area m <sup>2</sup> ) |
|--------------|-----------------|------------------------------------------|--------------------------------------------|-----------------------------------------|-----------------------------------------------|
| C326         | 2               | 105                                      | 0                                          | 0                                       | 0                                             |
| C330         | 1               | 61.5                                     | 0                                          | 0                                       | 0                                             |
| C334         | 1               | 65.4                                     | 0                                          | 0                                       | 0                                             |
| C421         | 2               | 93.1                                     | 0                                          | 0                                       | 0                                             |
| C425         | 2               | 116.6                                    | 0                                          | 0                                       | 0                                             |
| C429         | 1               | 61.5                                     | 0                                          | 0                                       | 0                                             |
| C433         | 1               | 65.4                                     | 0                                          | 0                                       | 0                                             |
| C521         | 2               | 93.1                                     | 0                                          | 0                                       | 0                                             |
| C525         | 2               | 116.6                                    | 0                                          | 0                                       | 0                                             |
| C529         | 1               | 61.5                                     | 0                                          | 0                                       | 0                                             |
| C533         | 1               | 65.4                                     | 0                                          | 0                                       | 0                                             |
| C621         | 2               | 93.1                                     | 0                                          | 0                                       | 0                                             |
| C625         | 2               | 116.6                                    | 0                                          | 0                                       | 0                                             |
| C629         | 1               | 61.5                                     | 0                                          | 0                                       | 0                                             |
| C633         | 1               | 65.4                                     | 0                                          | 0                                       | 0                                             |
| C721         | 2               | 93.1                                     | 0                                          | 0                                       | 0                                             |
| C725         | 2               | 116.6                                    | 0                                          | 0                                       | 0                                             |
| C729         | 1               | 61.5                                     | 0                                          | 0                                       | 0                                             |
| C818         | 2               | 86.5                                     | 0                                          | 0                                       | 0                                             |
| C822         | 2               | 117.2                                    | 0                                          | 0                                       | 0                                             |
| C826         | 3               | 103.7                                    | 0                                          | 0                                       | 0                                             |
| C830         | 2               | 94.4                                     | 0                                          | 0                                       | 0                                             |
| C919         | 2               | 96                                       | 0                                          | 0                                       | 0                                             |
| C923         | 2               | 88.3                                     | 0                                          | 0                                       | 0                                             |
| C927         | 4+              | 136.3                                    | 0                                          | 0                                       | 0                                             |
| C931         | 1               | 69.6                                     | 0                                          | 0                                       | 0                                             |

| Dwelling no. | No. of bedrooms | Conditioned floor area (m <sup>2</sup> ) | Unconditioned floor area (m <sup>2</sup> ) | Area of garden & lawn (m <sup>2</sup> ) | Indigenous species (min area m <sup>2</sup> ) |
|--------------|-----------------|------------------------------------------|--------------------------------------------|-----------------------------------------|-----------------------------------------------|
| C327         | 1               | 64                                       | 0                                          | 0                                       | 0                                             |
| C331         | 3               | 125                                      | 0                                          | 0                                       | 0                                             |
| C418         | 2               | 86.5                                     | 0                                          | 0                                       | 0                                             |
| C422         | 2               | 117.2                                    | 0                                          | 0                                       | 0                                             |
| C426         | 3               | 103.7                                    | 0                                          | 0                                       | 0                                             |
| C430         | 3               | 125                                      | 0                                          | 0                                       | 0                                             |
| C518         | 2               | 86.5                                     | 0                                          | 0                                       | 0                                             |
| C522         | 2               | 117.2                                    | 0                                          | 0                                       | 0                                             |
| C526         | 3               | 103.7                                    | 0                                          | 0                                       | 0                                             |
| C530         | 3               | 125                                      | 0                                          | 0                                       | 0                                             |
| C618         | 2               | 86.5                                     | 0                                          | 0                                       | 0                                             |
| C622         | 2               | 117.2                                    | 0                                          | 0                                       | 0                                             |
| C626         | 3               | 103.7                                    | 0                                          | 0                                       | 0                                             |
| C630         | 3               | 125                                      | 0                                          | 0                                       | 0                                             |
| C718         | 2               | 86.5                                     | 0                                          | 0                                       | 0                                             |
| C722         | 2               | 117.2                                    | 0                                          | 0                                       | 0                                             |
| C726         | 3               | 103.7                                    | 0                                          | 0                                       | 0                                             |
| C730         | 2               | 94.4                                     | 0                                          | 0                                       | 0                                             |
| C819         | 2               | 96                                       | 0                                          | 0                                       | 0                                             |
| C823         | 2               | 88.3                                     | 0                                          | 0                                       | 0                                             |
| C827         | 4+              | 136.3                                    | 0                                          | 0                                       | 0                                             |
| C831         | 1               | 69.6                                     | 0                                          | 0                                       | 0                                             |
| C920         | 2               | 83.6                                     | 0                                          | 0                                       | 0                                             |
| C924         | 2               | 116.6                                    | 0                                          | 0                                       | 0                                             |
| C928         | 2               | 90.9                                     | 0                                          | 0                                       | 0                                             |
| C932         | 1               | 65.4                                     | 0                                          | 0                                       | 0                                             |

| Dwelling no. | No. of bedrooms | Conditioned floor area (m <sup>2</sup> ) | Unconditioned floor area (m <sup>2</sup> ) | Area of garden & lawn (m <sup>2</sup> ) | Indigenous species (min area m <sup>2</sup> ) |
|--------------|-----------------|------------------------------------------|--------------------------------------------|-----------------------------------------|-----------------------------------------------|
| C328         | 2               | 116.2                                    | 0                                          | 0                                       | 0                                             |
| C332         | 2               | 103.1                                    | 0                                          | 0                                       | 0                                             |
| C419         | 2               | 96                                       | 0                                          | 0                                       | 0                                             |
| C423         | 2               | 88.3                                     | 0                                          | 0                                       | 0                                             |
| C427         | 4+              | 136.3                                    | 0                                          | 0                                       | 0                                             |
| C431         | 2               | 103.1                                    | 0                                          | 0                                       | 0                                             |
| C519         | 2               | 96                                       | 0                                          | 0                                       | 0                                             |
| C523         | 2               | 88.3                                     | 0                                          | 0                                       | 0                                             |
| C527         | 4+              | 136.3                                    | 0                                          | 0                                       | 0                                             |
| C531         | 2               | 103.1                                    | 0                                          | 0                                       | 0                                             |
| C619         | 2               | 96                                       | 0                                          | 0                                       | 0                                             |
| C623         | 2               | 88.3                                     | 0                                          | 0                                       | 0                                             |
| C627         | 4+              | 136.3                                    | 0                                          | 0                                       | 0                                             |
| C631         | 2               | 103.1                                    | 0                                          | 0                                       | 0                                             |
| C719         | 2               | 96                                       | 0                                          | 0                                       | 0                                             |
| C723         | 2               | 88.3                                     | 0                                          | 0                                       | 0                                             |
| C727         | 4+              | 136.3                                    | 0                                          | 0                                       | 0                                             |
| C731         | 1               | 69.6                                     | 0                                          | 0                                       | 0                                             |
| C820         | 2               | 83.6                                     | 0                                          | 0                                       | 0                                             |
| C824         | 2               | 116.6                                    | 0                                          | 0                                       | 0                                             |
| C828         | 2               | 90.9                                     | 0                                          | 0                                       | 0                                             |
| C832         | 1               | 65.4                                     | 0                                          | 0                                       | 0                                             |
| C921         | 2               | 93.1                                     | 0                                          | 0                                       | 0                                             |
| C925         | 2               | 116.6                                    | 0                                          | 0                                       | 0                                             |
| C929         | 1               | 61.5                                     | 0                                          | 0                                       | 0                                             |
| CG07         | 1               | 65.4                                     | 0                                          | 0                                       | 0                                             |

| Dwelling no. | No. of bedrooms | Conditioned floor area (m <sup>2</sup> ) | Unconditioned floor area (m <sup>2</sup> ) | Area of garden & lawn (m <sup>2</sup> ) | Indigenous species (min area m <sup>2</sup> ) |
|--------------|-----------------|------------------------------------------|--------------------------------------------|-----------------------------------------|-----------------------------------------------|
| C329         | 2               | 90.9                                     | 0                                          | 0                                       | 0                                             |
| C333         | 1               | 58.6                                     | 0                                          | 0                                       | 0                                             |
| C420         | 2               | 83.6                                     | 0                                          | 0                                       | 0                                             |
| C424         | 2               | 116.6                                    | 0                                          | 0                                       | 0                                             |
| C428         | 2               | 90.9                                     | 0                                          | 0                                       | 0                                             |
| C432         | 1               | 58.6                                     | 0                                          | 0                                       | 0                                             |
| C520         | 2               | 83.6                                     | 0                                          | 0                                       | 0                                             |
| C524         | 2               | 116.6                                    | 0                                          | 0                                       | 0                                             |
| C528         | 2               | 90.9                                     | 0                                          | 0                                       | 0                                             |
| C532         | 1               | 58.6                                     | 0                                          | 0                                       | 0                                             |
| C620         | 2               | 83.6                                     | 0                                          | 0                                       | 0                                             |
| C624         | 2               | 116.6                                    | 0                                          | 0                                       | 0                                             |
| C628         | 2               | 90.9                                     | 0                                          | 0                                       | 0                                             |
| C632         | 1               | 58.6                                     | 0                                          | 0                                       | 0                                             |
| C720         | 2               | 83.6                                     | 0                                          | 0                                       | 0                                             |
| C724         | 2               | 116.6                                    | 0                                          | 0                                       | 0                                             |
| C728         | 2               | 90.9                                     | 0                                          | 0                                       | 0                                             |
| C732         | 1               | 65.4                                     | 0                                          | 0                                       | 0                                             |
| C821         | 2               | 93.1                                     | 0                                          | 0                                       | 0                                             |
| C825         | 2               | 116.6                                    | 0                                          | 0                                       | 0                                             |
| C829         | 1               | 61.5                                     | 0                                          | 0                                       | 0                                             |
| C918         | 2               | 86.5                                     | 0                                          | 0                                       | 0                                             |
| C922         | 2               | 117.2                                    | 0                                          | 0                                       | 0                                             |
| C926         | 3               | 103.7                                    | 0                                          | 0                                       | 0                                             |
| C930         | 2               | 94.4                                     | 0                                          | 0                                       | 0                                             |
| CG08         | 2               | 116.4                                    | 0                                          | 0                                       | 0                                             |

| Dwelling no. | No. of bedrooms | Conditioned floor area (m²) | Unconditioned floor area (m²) | Area of garden & lawn (m²) | Indigenous species (min area m²) |
|--------------|-----------------|-----------------------------|-------------------------------|----------------------------|----------------------------------|
| CG09         | 2               | 133.8                       | 0                             | 0                          | 0                                |
| CUG17        | 2               | 117.2                       | 0                             | 0                          | 0                                |
| CUG21        | 3               | 144.6                       | 0                             | 0                          | 0                                |

| Dwelling no. | No. of bedrooms | Conditioned floor area (m²) | Unconditioned floor area (m²) | Area of garden & lawn (m²) | Indigenous species (min area m²) |
|--------------|-----------------|-----------------------------|-------------------------------|----------------------------|----------------------------------|
| CG10         | 2               | 130.9                       | 0                             | 0                          | 0                                |
| CUG18        | 2               | 109.6                       | 0                             | 0                          | 0                                |
| CUG22        | 2               | 103.1                       | 0                             | 0                          | 0                                |

| Dwelling no. | No. of bedrooms | Conditioned floor area (m²) | Unconditioned floor area (m²) | Area of garden & lawn (m²) | Indigenous species (min area m²) |
|--------------|-----------------|-----------------------------|-------------------------------|----------------------------|----------------------------------|
| CG11         | 3               | 140.1                       | 0                             | 0                          | 0                                |
| CUG19        | 1               | 64                          | 0                             | 0                          | 0                                |
| CUG23        | 1               | 58.6                        | 0                             | 0                          | 0                                |

| Dwelling no. | No. of bedrooms | Conditioned floor area (m²) | Unconditioned floor area (m²) | Area of garden & lawn (m²) | Indigenous species (min area m²) |
|--------------|-----------------|-----------------------------|-------------------------------|----------------------------|----------------------------------|
| CUG16        | 2               | 112.3                       | 0                             | 0                          | 0                                |
| CUG20        | 2               | 116.2                       | 0                             | 0                          | 0                                |



## Description of project

The tables below describe the dwellings and common areas within the project

### Common areas of unit building - Building A

| Common area | Floor area (m²) |
|-------------|-----------------|
| A_Airlock   | 14              |
| A1_Corridor | 710             |
| A1_Lobby    | 50.40           |
| A2_Corridor | 939.5           |
| A2_Stair    | 625             |

| Common area          | Floor area (m²) |
|----------------------|-----------------|
| A_Bike Storage       | 136.3           |
| A1_Fire Control Room | 26.8            |
| A1_Stair             | 475             |
| A2_Lobby             | 50.40           |
| A2_WC                | 7.5             |

| Common area     | Floor area (m²) |
|-----------------|-----------------|
| A1_COMMS        | 21              |
| A1_Fire Hallway | 18.5            |
| A1_WC           | 8               |
| A_Plant         | 107.2           |
| GBR BLD A       | 180.2           |

### Common areas of unit building - Building B

| Common area  | Floor area (m²) |
|--------------|-----------------|
| B_Corridor   | 1670.3          |
| B_Music Room | 35.2            |
| B_Store      | 36.2            |
| B2_Lobby     | 181.77          |

| Common area           | Floor area (m²) |
|-----------------------|-----------------|
| B_Lobby               | 136.13          |
| B_Plant               | 249.61          |
| B_Strata Meeting Room | 29.46           |
| GBR BLD B             | 111.6           |

| Common area | Floor area (m²) |
|-------------|-----------------|
| B_Mail      | 28              |
| B_Stair     | 594             |
| B_WFH Room  | 70              |

### Common areas of unit building - Building C

| Common area       | Floor area (m²) |
|-------------------|-----------------|
| C1_Corridor       | 827.6           |
| C1_Stair          | 319.2           |
| C2_Stair          | 250.8           |
| C2_Wellness Room  | 235.75          |
| Lift bank (No. 2) | -               |
| Lift bank (No. 5) | -               |

| Common area       | Floor area (m²) |
|-------------------|-----------------|
| C1_Lobby          | 81.5            |
| C2_Corridor       | 660             |
| C2_Suna           | 7               |
| GBR BLD C         | 134.6           |
| Lift bank (No. 3) | -               |

| Common area       | Floor area (m²) |
|-------------------|-----------------|
| C1_Roof Lobby     | 25.6            |
| C2_Lobby          | 83.6            |
| C2_WC             | 17.25           |
| Lift bank (No. 1) | -               |
| Lift bank (No. 4) | -               |

### Common areas of the development (non-building specific)

| Common area | Floor area (m²) |
|-------------|-----------------|
| Bulky Waste | 24              |
| Fan Room    | 131.7           |

| Common area    | Floor area (m²) |
|----------------|-----------------|
| Car Park       | 16515.95        |
| Fire Pump Room | 38.5            |

| Common area            | Floor area (m²) |
|------------------------|-----------------|
| Click and Collect      | 27.9            |
| Fire Stairs - Basement | 62              |

| Common area             | Floor area (m²) |
|-------------------------|-----------------|
| Fire Tank               | 143             |
| Loading Dock            | 496.98          |
| Potable Water Pump Room | 20.8            |

| Common area     | Floor area (m²) |
|-----------------|-----------------|
| FOGO            | 39              |
| MSB             | 47.4            |
| Rain Water Tank | 54.3            |

| Common area         | Floor area (m²) |
|---------------------|-----------------|
| General Bin Holding | 244.3           |
| Pool Plant          | 26              |

# Schedule of BASIX commitments

## 1. Commitments for Residential flat buildings - Building A

### (a) Buildings

#### (i) Materials

### (b) Dwellings

#### (i) Water

#### (ii) Energy

#### (iii) Thermal Performance

### (c) Common areas and central systems/facilities

#### (i) Water

#### (ii) Energy

## 2. Commitments for Residential flat buildings - Building B

### (a) Buildings

#### (i) Materials

### (b) Dwellings

#### (i) Water

#### (ii) Energy

#### (iii) Thermal Performance

### (c) Common areas and central systems/facilities

#### (i) Water

#### (ii) Energy

## 3. Commitments for Residential flat buildings - Building C

### (a) Buildings

#### (i) Materials

### (b) Dwellings

#### (i) Water

- (ii) Energy

- (iii) Thermal Performance

- (c) Common areas and central systems/facilities

- (i) Water

- (ii) Energy

#### 4. Commitments for common areas and central systems/facilities for the development (non-building specific)

- (a) Buildings 'Other'

- (i) Materials

- (b) Common areas and central systems/facilities

- (i) Water

- (ii) Energy

## Schedule of BASIX commitments

The commitments set out below regulate how the proposed development is to be carried out. It is a condition of any development consent granted, or complying development certificate issued, for the proposed development, that BASIX commitments be complied with.

### 1. Commitments for Residential flat buildings - Building A

#### (a) Buildings

| (i) Materials                                                                                                                                                                                                                                                                                                             | Show on DA plans | Show on CC/CDC plans & specs | Certifier check |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|------------------------------|-----------------|
| (a) The details of the proposed development on the Assessor Certificate must be consistent with the details shown in this BASIX Certificate, including the details shown in the "Floor types", "External wall types", "Internal wall types", "Ceiling and roof types", "Frames" and "Glazing" tables below.               |                  |                              | ✓               |
| (b) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), all specifications included in the tables below.                                                                                                              |                  | ✓                            |                 |
| (c) The applicant must construct the floors, walls, roof, ceiling and roof, windows, glazed doors and skylights of the development in accordance with the specifications listed in the tables below. In the case of glazing, a 5% variance from the area values listed in the "Frames" and "Glazing" tables is permitted. | ✓                | ✓                            | ✓               |
| (d) The applicant must show through receipts that the materials purchased for construction are consistent with the specifications listed in the below tables.                                                                                                                                                             |                  |                              | ✓               |

#### Floor types

| Floor type                                                              | Area (m2) | Insulation | Low emissions option |
|-------------------------------------------------------------------------|-----------|------------|----------------------|
| suspended floor above enclosed subfloor, frame: suspended concrete slab | 20092.27  | -          | -                    |

#### External wall types

| External wall type   | Construction type                             | Area (m2) | Low emissions option | Insulation |
|----------------------|-----------------------------------------------|-----------|----------------------|------------|
| External wall type 1 | framed (metal clad), frame: light steel frame | 3072.07   | -                    | -          |

#### Internal wall types

| Internal wall type   | Construction type                           | Area (m2) | Insulation |
|----------------------|---------------------------------------------|-----------|------------|
| Internal wall type 1 | cavity brick wall, frame: light steel frame | 650       | -          |

| Reinforcement concrete frames/columns           |             |                      |
|-------------------------------------------------|-------------|----------------------|
| Building has reinforced concrete frame/columns? | Volume (m³) | Low emissions option |
| -                                               | -           | -                    |

| Ceiling and roof types                            |           |                 |                    |
|---------------------------------------------------|-----------|-----------------|--------------------|
| Ceiling and roof type                             | Area (m²) | Roof Insulation | Ceiling Insulation |
| framed - concrete tiles, frame: light steel frame | 1631.92   | -               | -                  |

| Glazing types       |                     |                     | Frame types           |                    |                  |                   |                       |
|---------------------|---------------------|---------------------|-----------------------|--------------------|------------------|-------------------|-----------------------|
| Single glazing (m²) | Double glazing (m²) | Triple glazing (m²) | Aluminium frames (m²) | Timber frames (m²) | uPVC frames (m²) | Steel frames (m²) | Composite frames (m²) |
| 0                   | 8935.91             | 0                   | 8935.91               | 0                  | 0                | 0                 | 0                     |

## (b) Dwellings

| (i) Water                                                                                                                                                                                                                                                                                                                                                                                                                                         | Show on DA plans | Show on CC/CDC plans & specs | Certifier check |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|------------------------------|-----------------|
| (a) The applicant must comply with the commitments listed below in carrying out the development of a dwelling listed in a table below.                                                                                                                                                                                                                                                                                                            |                  |                              |                 |
| (b) The applicant must plant indigenous or low water use species of vegetation throughout the area of land specified for the dwelling in the "Indigenous species" column of the table below, as private landscaping for that dwelling. (This area of indigenous vegetation is to be contained within the "Area of garden and lawn" for the dwelling specified in the "Description of Project" table).                                             | ✓                | ✓                            |                 |
| (c) If a rating is specified in the table below for a fixture or appliance to be installed in the dwelling, the applicant must ensure that each such fixture and appliance meets the rating specified for it.                                                                                                                                                                                                                                     |                  | ✓                            | ✓               |
| (d) The applicant must install an on demand hot water recirculation system which regulates all hot water use throughout the dwelling, where indicated for a dwelling in the "HW recirculation or diversion" column of the table below.                                                                                                                                                                                                            |                  | ✓                            | ✓               |
| (e) The applicant must install:<br>(aa) a hot water diversion system to all showers, kitchen sinks and all basins in the dwelling, where indicated for a dwelling in the "HW recirculation or diversion" column of the table below; and<br>(bb) a separate diversion tank (or tanks) connected to the hot water diversion systems of at least 100 litres. The applicant must connect the hot water diversion tank to all toilets in the dwelling. |                  | ✓<br>✓                       | ✓<br>✓          |
| (e) The applicant must not install a private swimming pool or spa for the dwelling, with a volume exceeding that specified for it in the table below.                                                                                                                                                                                                                                                                                             | ✓                | ✓                            |                 |
| (f) If specified in the table, that pool or spa (or both) must have a pool cover or shading (or both).                                                                                                                                                                                                                                                                                                                                            |                  | ✓                            |                 |
| (g) The pool or spa must be located as specified in the table.                                                                                                                                                                                                                                                                                                                                                                                    | ✓                | ✓                            |                 |
| (h) The applicant must install, for the dwelling, each alternative water supply system, with the specified size, listed for that dwelling in the table below. Each system must be configured to collect run-off from the areas specified (excluding any area which supplies any other alternative water supply system), and to divert overflow as specified. Each system must be connected as specified.                                          | ✓                | ✓                            | ✓               |

|               | Fixtures                     |                             |                  |                   |                               | Appliances          |                  | Individual pool     |            |               |             | Individual spa      |           |            |
|---------------|------------------------------|-----------------------------|------------------|-------------------|-------------------------------|---------------------|------------------|---------------------|------------|---------------|-------------|---------------------|-----------|------------|
| Dwelling no.  | All shower-heads             | All toilet flushing systems | All kitchen taps | All bathroom taps | HW recirculation or diversion | All clothes washers | All dish-washers | Volume (max volume) | Pool cover | Pool location | Pool shaded | Volume (max volume) | Spa cover | Spa shaded |
| All dwellings | 4 star (> 6 but ≤ 7.5 L/min) | 4 star                      | 5 star           | 6 star            | -                             | not specified       | 4 star           | -                   | -          | -             | -           | -                   | -         | -          |

|               | Alternative water source         |      |               |                      |                       |                    |             |            |
|---------------|----------------------------------|------|---------------|----------------------|-----------------------|--------------------|-------------|------------|
| Dwelling no.  | Alternative water supply systems | Size | Configuration | Landscape connection | Toilet connection (s) | Laundry connection | Pool top-up | Spa top-up |
| All dwellings | No alternative water supply      | -    | -             | -                    | -                     | -                  | -           | -          |

| (ii) Energy                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Show on DA plans | Show on CC/CDC plans & specs | Certifier check |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|------------------------------|-----------------|
| (a) The applicant must comply with the commitments listed below in carrying out the development of a dwelling listed in a table below.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                  |                              |                 |
| (b) The applicant must install each hot water system specified for the dwelling in the table below, so that the dwelling's hot water is supplied by that system. If the table specifies a central hot water system for the dwelling, then the applicant must connect that central system to the dwelling, so that the dwelling's hot water is supplied by that central system.                                                                                                                                                                                                                                                  | ✓                | ✓                            | ✓               |
| (c) The applicant must install, in each bathroom, kitchen and laundry of the dwelling, the ventilation system specified for that room in the table below. Each such ventilation system must have the operation control specified for it in the table.                                                                                                                                                                                                                                                                                                                                                                           |                  | ✓                            | ✓               |
| (d) The applicant must install the cooling and heating system/s specified for the dwelling under the "Living areas" and "Bedroom areas" headings of the "Cooling" and "Heating" columns in the table below, in/for at least 1 living/bedroom area of the dwelling. If no cooling or heating system is specified in the table for "Living areas" or "Bedroom areas", then no systems may be installed in any such areas. If the term "zoned" is specified beside an air conditioning system, then the system must provide for day/night zoning between living areas and bedrooms.                                                |                  | ✓                            | ✓               |
| (e) This commitment applies to each room or area of the dwelling which is referred to in a heading to the "Artificial lighting" column of the table below (but only to the extent specified for that room or area). The applicant must ensure that the "primary type of artificial lighting" for each such room in the dwelling is fluorescent lighting or light emitting diode (LED) lighting. If the term "dedicated" is specified for a particular room or area, then the light fittings in that room or area must only be capable of being used for fluorescent lighting or light emitting diode (LED) lighting.            |                  | ✓                            | ✓               |
| (f) This commitment applies to each room or area of the dwelling which is referred to in a heading to the "Natural lighting" column of the table below (but only to the extent specified for that room or area). The applicant must ensure that each such room or area is fitted with a window and/or skylight.                                                                                                                                                                                                                                                                                                                 | ✓                | ✓                            | ✓               |
| (g) This commitment applies if the applicant installs a water heating system for the dwelling's pool or spa. The applicant must:<br>(aa) install the system specified for the pool in the "Individual Pool" column of the table below (or alternatively must not install any system for the pool). If specified, the applicant must install a timer, to control the pool's pump; and<br>(bb) install the system specified for the spa in the "Individual Spa" column of the table below (or alternatively must not install any system for the spa). If specified, the applicant must install a timer to control the spa's pump. |                  | ✓<br>✓                       |                 |
| (h) The applicant must install in the dwelling:<br>(aa) the kitchen cook-top and oven specified for that dwelling in the "Appliances & other efficiency measures" column of the table below;                                                                                                                                                                                                                                                                                                                                                                                                                                    |                  | ✓                            |                 |



| (ii) Energy                                                                                                                                                                                                                                                                                                                               | Show on DA plans | Show on CC/CDC plans & specs | Certifier check |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|------------------------------|-----------------|
| (bb) each appliance for which a rating is specified for that dwelling in the "Appliances & other efficiency measures" column of the table, and ensure that the appliance has that minimum rating; and<br><br>(cc) any clothes drying line specified for the dwelling in the "Appliances & other efficiency measures" column of the table. |                  | ✓<br><br>✓                   | ✓               |
| (i) If specified in the table, the applicant must carry out the development so that each refrigerator space in the dwelling is "well ventilated".                                                                                                                                                                                         |                  | ✓                            |                 |

|               | Hot water                        | Bathroom ventilation system              |                      | Kitchen ventilation system               |                      | Laundry ventilation system               |                      |
|---------------|----------------------------------|------------------------------------------|----------------------|------------------------------------------|----------------------|------------------------------------------|----------------------|
| Dwelling no.  | Hot water system                 | Each bathroom                            | Operation control    | Each kitchen                             | Operation control    | Each laundry                             | Operation control    |
| All dwellings | Central hot water system (No. 1) | individual fan, ducted to façade or roof | manual switch on/off | individual fan, ducted to façade or roof | manual switch on/off | individual fan, ducted to façade or roof | manual switch on/off |

|               | Cooling                                              |                                                      | Heating                                              |                                                      | Natural lighting            |              |
|---------------|------------------------------------------------------|------------------------------------------------------|------------------------------------------------------|------------------------------------------------------|-----------------------------|--------------|
| Dwelling no.  | living areas                                         | bedroom areas                                        | living areas                                         | bedroom areas                                        | No. of bathrooms or toilets | Main kitchen |
| All dwellings | 1-phase airconditioning - non ducted / EER 3.5 - 4.0 | 1-phase airconditioning - non ducted / EER 3.5 - 4.0 | 1-phase airconditioning - non ducted / EER 3.5 - 4.0 | 1-phase airconditioning - non ducted / EER 3.5 - 4.0 | 0                           | no           |

|               | Individual pool     |           |       | Individual spa     |       | Appliances other efficiency measures |            |               |                                         |                                                    |
|---------------|---------------------|-----------|-------|--------------------|-------|--------------------------------------|------------|---------------|-----------------------------------------|----------------------------------------------------|
| Dwelling no.  | Pool heating system | Pool Pump | Timer | Spa heating system | Timer | Kitchen cooktop/oven                 | Dishwasher | Clothes dryer | Indoor or sheltered clothes drying line | Private outdoor or unsheltered clothes drying line |
| All dwellings | -                   | -         | -     | -                  | -     | induction cooktop & electric oven    | 4.5 star   | 2 star        | no                                      | no                                                 |

| (iii) Thermal Performance                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Show on DA plans | Show on CC/CDC plans & specs | Certifier check |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|------------------------------|-----------------|
| (a) The applicant must attach the certificate referred to under "Assessor details" on the front page of this BASIX certificate (the "Assessor Certificate") to the development application and construction certificate application for the proposed development (or, if the applicant is applying for a complying development certificate for the proposed development, to that application). The applicant must also attach the Assessor Certificate to the application for a final occupation certificate for the proposed development. |                  |                              |                 |
| (b) The Assessor Certificate must have been issued by an Accredited Assessor in accordance with the Thermal Comfort Protocol.                                                                                                                                                                                                                                                                                                                                                                                                              |                  |                              |                 |
| (c) The details of the proposed development on the Assessor Certificate must be consistent with the details shown in this BASIX Certificate, including the details shown in the "Thermal Loads" table below.                                                                                                                                                                                                                                                                                                                               |                  |                              |                 |
| (d) The applicant must show on the plans accompanying the development application for the proposed development, all matters which the Thermal Comfort Protocol requires to be shown on those plans. Those plans must bear a stamp of endorsement from the Accredited Assessor, to certify that this is the case.                                                                                                                                                                                                                           | ✓                |                              |                 |
| (e) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), all thermal performance specifications set out in the Assessor Certificate, and all aspects of the proposed development which were used to calculate those specifications.                                                                                                                                                                                                     |                  | ✓                            |                 |
| (f) The applicant must construct the development in accordance with all thermal performance specifications set out in the Assessor Certificate, and in accordance with those aspects of the development application or application for a complying development certificate which were used to calculate those specifications.                                                                                                                                                                                                              |                  | ✓                            | ✓               |
| (g) Where there is an in-slab heating or cooling system, the applicant must:<br><br>(aa) Install insulation with an R-value of not less than 1.0 around the vertical edges of the perimeter of the slab; or<br>(bb) On a suspended floor, install insulation with an R-value of not less than 1.0 underneath the slab and around the vertical edges of the perimeter of the slab.                                                                                                                                                          | ✓                | ✓                            | ✓               |
| (h) The applicant must construct the floors and walls of the development in accordance with the specifications listed in the table below.                                                                                                                                                                                                                                                                                                                                                                                                  | ✓                | ✓                            | ✓               |
| (i) The applicant must show on The plans accompanying The development application for The proposed development, The locations of ceiling fans set out in The Assessor Certificate.                                                                                                                                                                                                                                                                                                                                                         | ✓                |                              |                 |
| (j) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), the locations of ceiling fans set out in the Assessor Certificate.                                                                                                                                                                                                                                                                                                             |                  | ✓                            |                 |

|              | Thermal loads                                         |                                                       |                                                     |
|--------------|-------------------------------------------------------|-------------------------------------------------------|-----------------------------------------------------|
| Dwelling no. | Area adjusted heating load (in MJ/m <sup>2</sup> /yr) | Area adjusted cooling load (in MJ/m <sup>2</sup> /yr) | Area adjusted total load (in MJ/m <sup>2</sup> /yr) |
| A1001        | 13.5                                                  | 9.5                                                   | 23.000                                              |
| A1002        | 13                                                    | 15                                                    | 28.000                                              |
| A1003        | 17.1                                                  | 14.8                                                  | 31.900                                              |
| A1004        | 20.7                                                  | 12.1                                                  | 32.800                                              |

|              | Thermal loads                                         |                                                       |                                                     |
|--------------|-------------------------------------------------------|-------------------------------------------------------|-----------------------------------------------------|
| Dwelling no. | Area adjusted heating load (in MJ/m <sup>2</sup> /yr) | Area adjusted cooling load (in MJ/m <sup>2</sup> /yr) | Area adjusted total load (in MJ/m <sup>2</sup> /yr) |
| A1005        | 22.30                                                 | 13.4                                                  | 35.700                                              |
| A1006        | 9.7                                                   | 17.6                                                  | 27.300                                              |
| A1007        | 24.3                                                  | 7.6                                                   | 31.900                                              |
| A101         | 8.2                                                   | 15                                                    | 23.200                                              |
| A102         | 7.1                                                   | 19.3                                                  | 26.400                                              |
| A103         | 13.1                                                  | 17.5                                                  | 30.600                                              |
| A104         | 16.10                                                 | 10.6                                                  | 26.700                                              |
| A105         | 17.90                                                 | 12.1                                                  | 30.000                                              |
| A106         | 12.8                                                  | 17.9                                                  | 30.700                                              |
| A107         | 19.10                                                 | 8.2                                                   | 27.300                                              |
| A1101        | 13.8                                                  | 9.4                                                   | 23.200                                              |
| A1102        | 13                                                    | 15.9                                                  | 28.900                                              |
| A1103        | 16.3                                                  | 15                                                    | 31.300                                              |
| A1104        | 20.6                                                  | 12                                                    | 32.600                                              |
| A1105        | 22.2                                                  | 14.7                                                  | 36.900                                              |
| A1106        | 14.7                                                  | 10.9                                                  | 25.600                                              |
| A1107        | 24.6                                                  | 8.1                                                   | 32.700                                              |
| A1201        | 14                                                    | 9.2                                                   | 23.200                                              |
| A1202        | 12.9                                                  | 17.6                                                  | 30.500                                              |
| A1203        | 15.6                                                  | 14.8                                                  | 30.400                                              |
| A1205        | 21.6                                                  | 13.5                                                  | 35.100                                              |
| A1206        | 13.9                                                  | 11                                                    | 24.900                                              |
| A1207        | 25                                                    | 8.1                                                   | 33.100                                              |
| A1301        | 14.10                                                 | 9                                                     | 23.100                                              |
| A1302        | 11.9                                                  | 18.2                                                  | 30.100                                              |
| A1303        | 12.8                                                  | 15.4                                                  | 28.200                                              |
| A1304        | 19.1                                                  | 11.9                                                  | 31.000                                              |
| A1305        | 20.3                                                  | 13.7                                                  | 34.000                                              |
| A1306        | 11.9                                                  | 11.1                                                  | 23.000                                              |
| A1307        | 25.1                                                  | 7.7                                                   | 32.800                                              |
| A1401        | 14.30                                                 | 9                                                     | 23.300                                              |

|              | Thermal loads                                         |                                                       |                                                     |
|--------------|-------------------------------------------------------|-------------------------------------------------------|-----------------------------------------------------|
| Dwelling no. | Area adjusted heating load (in MJ/m <sup>2</sup> /yr) | Area adjusted cooling load (in MJ/m <sup>2</sup> /yr) | Area adjusted total load (in MJ/m <sup>2</sup> /yr) |
| A1402        | 11.00                                                 | 18                                                    | 29.000                                              |
| A1403        | 11.30                                                 | 15.5                                                  | 26.800                                              |
| A1404        | 18.20                                                 | 12                                                    | 30.200                                              |
| A1405        | 20.30                                                 | 13.5                                                  | 33.800                                              |
| A1406        | 11.7                                                  | 11.1                                                  | 22.800                                              |
| A1407        | 25.5                                                  | 8                                                     | 33.500                                              |
| A1501        | 14.4                                                  | 9.2                                                   | 23.600                                              |
| A1502        | 9.9                                                   | 18.6                                                  | 28.500                                              |
| A1503        | 9.7                                                   | 15.6                                                  | 25.300                                              |
| A1504        | 17.4                                                  | 11.9                                                  | 29.300                                              |
| A1505        | 20.40                                                 | 13.6                                                  | 34.000                                              |
| A1506        | 16.10                                                 | 9.6                                                   | 25.700                                              |
| A1507        | 29.8                                                  | 6.9                                                   | 36.700                                              |
| A1601        | 14.5                                                  | 9.2                                                   | 23.700                                              |
| A1602        | 9.7                                                   | 18.5                                                  | 28.200                                              |
| A1603        | 14.8                                                  | 14.9                                                  | 29.700                                              |
| A1604        | 26.50                                                 | 8.8                                                   | 35.300                                              |
| A1702        | 9.7                                                   | 18.2                                                  | 27.900                                              |
| A1703        | 14.90                                                 | 14.8                                                  | 29.700                                              |
| A1704        | 24.6                                                  | 11.5                                                  | 36.100                                              |
| A1802        | 9.8                                                   | 18.3                                                  | 28.100                                              |
| A1803        | 15                                                    | 14.7                                                  | 29.700                                              |
| A1804        | 26.1                                                  | 11.5                                                  | 37.600                                              |
| A1901        | 14.8                                                  | 9.3                                                   | 24.100                                              |
| A1902        | 9.8                                                   | 18.2                                                  | 28.000                                              |
| A1903        | 15.10                                                 | 14.6                                                  | 29.700                                              |
| A1904        | 26.20                                                 | 11.3                                                  | 37.500                                              |
| A2001        | 14.9                                                  | 8.9                                                   | 23.800                                              |
| A2002        | 9.90                                                  | 18                                                    | 27.900                                              |
| A2003        | 15.2                                                  | 14.5                                                  | 29.700                                              |
| A2004        | 26.4                                                  | 11.3                                                  | 37.700                                              |

|              | Thermal loads                                         |                                                       |                                                     |
|--------------|-------------------------------------------------------|-------------------------------------------------------|-----------------------------------------------------|
| Dwelling no. | Area adjusted heating load (in MJ/m <sup>2</sup> /yr) | Area adjusted cooling load (in MJ/m <sup>2</sup> /yr) | Area adjusted total load (in MJ/m <sup>2</sup> /yr) |
| A201         | 11.10                                                 | 10.2                                                  | 21.300                                              |
| A202         | 10.5                                                  | 12.6                                                  | 23.100                                              |
| A203         | 13.9                                                  | 16.6                                                  | 30.500                                              |
| A204         | 19.50                                                 | 9.4                                                   | 28.900                                              |
| A205         | 22.30                                                 | 10.9                                                  | 33.200                                              |
| A206         | 13.40                                                 | 17.4                                                  | 30.800                                              |
| A207         | 23.30                                                 | 6.1                                                   | 29.400                                              |
| A2101        | 15                                                    | 18                                                    | 33.000                                              |
| A2102        | 18                                                    | 11.7                                                  | 29.700                                              |
| A2201        | 19.7                                                  | 17                                                    | 36.700                                              |
| A2202        | 22.2                                                  | 10.5                                                  | 32.700                                              |
| A301         | 11.6                                                  | 10.2                                                  | 21.800                                              |
| A302         | 11.1                                                  | 12.2                                                  | 23.300                                              |
| A303         | 14.8                                                  | 16.1                                                  | 30.900                                              |
| A305         | 23.4                                                  | 13.6                                                  | 37.000                                              |
| A306         | 13.7                                                  | 17.7                                                  | 31.400                                              |
| A307         | 24.00                                                 | 6.8                                                   | 30.800                                              |
| A401         | 12.00                                                 | 10.1                                                  | 22.100                                              |
| A402         | 11.5                                                  | 12.2                                                  | 23.700                                              |
| A403         | 15.50                                                 | 15.7                                                  | 31.200                                              |
| A404         | 20.3                                                  | 11.7                                                  | 32.000                                              |
| A405         | 23.9                                                  | 13.5                                                  | 37.400                                              |
| A406         | 13.7                                                  | 17.4                                                  | 31.100                                              |
| A407         | 24.30                                                 | 6.8                                                   | 31.100                                              |
| A501         | 12.30                                                 | 9.7                                                   | 22.000                                              |
| A502         | 11.8                                                  | 12.3                                                  | 24.100                                              |
| A503         | 16.1                                                  | 15.3                                                  | 31.400                                              |
| A504         | 20.7                                                  | 11.9                                                  | 32.600                                              |
| A505         | 24.30                                                 | 13.5                                                  | 37.800                                              |
| A506         | 13.00                                                 | 17.4                                                  | 30.400                                              |
| A507         | 24.6                                                  | 6.8                                                   | 31.400                                              |

|              | Thermal loads                                         |                                                       |                                                     |
|--------------|-------------------------------------------------------|-------------------------------------------------------|-----------------------------------------------------|
| Dwelling no. | Area adjusted heating load (in MJ/m <sup>2</sup> /yr) | Area adjusted cooling load (in MJ/m <sup>2</sup> /yr) | Area adjusted total load (in MJ/m <sup>2</sup> /yr) |
| A601         | 12.6                                                  | 9.6                                                   | 22.200                                              |
| A602         | 12.10                                                 | 11.9                                                  | 24.000                                              |
| A603         | 16.7                                                  | 15                                                    | 31.700                                              |
| A604         | 21.10                                                 | 11.8                                                  | 32.900                                              |
| A605         | 24.50                                                 | 13.4                                                  | 37.900                                              |
| A606         | 12.9                                                  | 17.4                                                  | 30.300                                              |
| A607         | 24.8                                                  | 7                                                     | 31.800                                              |
| A701         | 12.8                                                  | 9.6                                                   | 22.400                                              |
| A702         | 12.40                                                 | 12.6                                                  | 25.000                                              |
| A703         | 17.00                                                 | 15.1                                                  | 32.100                                              |
| A704         | 21.20                                                 | 11.7                                                  | 32.900                                              |
| A705         | 24.5                                                  | 13.4                                                  | 37.900                                              |
| A706         | 13.00                                                 | 17.5                                                  | 30.500                                              |
| A707         | 24.8                                                  | 7.2                                                   | 32.000                                              |
| A801         | 13                                                    | 9.7                                                   | 22.700                                              |
| A802         | 12.6                                                  | 13                                                    | 25.600                                              |
| A803         | 17.4                                                  | 15.1                                                  | 32.500                                              |
| A804         | 21.30                                                 | 12                                                    | 33.300                                              |
| A805         | 24.20                                                 | 13.2                                                  | 37.400                                              |
| A806         | 12.7                                                  | 17.3                                                  | 30.000                                              |
| A807         | 24.60                                                 | 7.6                                                   | 32.200                                              |
| A901         | 13.2                                                  | 9.7                                                   | 22.900                                              |
| A902         | 12.8                                                  | 13.7                                                  | 26.500                                              |
| A903         | 17.4                                                  | 14.7                                                  | 32.100                                              |
| A904         | 21.1                                                  | 12.3                                                  | 33.400                                              |
| A905         | 23.2                                                  | 13.1                                                  | 36.300                                              |
| A906         | 11.2                                                  | 17.5                                                  | 28.700                                              |
| A907         | 24.40                                                 | 7.6                                                   | 32.000                                              |
| AG01         | 6.9                                                   | 17.1                                                  | 24.000                                              |
| AG02         | 4.10                                                  | 14.7                                                  | 18.800                                              |
| AG03         | 17.20                                                 | 5.7                                                   | 22.900                                              |

|                     | Thermal loads                                         |                                                       |                                                     |
|---------------------|-------------------------------------------------------|-------------------------------------------------------|-----------------------------------------------------|
| Dwelling no.        | Area adjusted heating load (in MJ/m <sup>2</sup> /yr) | Area adjusted cooling load (in MJ/m <sup>2</sup> /yr) | Area adjusted total load (in MJ/m <sup>2</sup> /yr) |
| ALG01               | 5.50                                                  | 13.8                                                  | 19.300                                              |
| ALG02               | 2.8                                                   | 13.5                                                  | 16.300                                              |
| AUG01               | 7.5                                                   | 15.8                                                  | 23.300                                              |
| AUG02               | 9.1                                                   | 12.5                                                  | 21.600                                              |
| AUG03               | 20.40                                                 | 10.3                                                  | 30.700                                              |
| AUG04               | 27.20                                                 | 10.3                                                  | 37.500                                              |
| AUG05               | 14.8                                                  | 16.5                                                  | 31.300                                              |
| AUG06               | 17.8                                                  | 8.1                                                   | 25.900                                              |
| A1204, A304         | 20                                                    | 12                                                    | 32.000                                              |
| All other dwellings | 14.6                                                  | 9.3                                                   | 23.900                                              |

**(c) Common areas and central systems/facilities**

| (i) Water                                                                                                                                                                                                                                                                               | Show on DA plans | Show on CC/CDC plans & specs | Certifier check |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|------------------------------|-----------------|
| (a) If, in carrying out the development, the applicant installs a showerhead, toilet, tap or clothes washer into a common area, then that item must meet the specifications listed for it in the table.                                                                                 |                  | ✓                            | ✓               |
| (b) The applicant must install (or ensure that the development is serviced by) the alternative water supply system(s) specified in the "Central systems" column of the table below. In each case, the system must be sized, be configured, and be connected, as specified in the table. | ✓                | ✓                            | ✓               |
| (c) A swimming pool or spa listed in the table must not have a volume (in kLs) greater than that specified for the pool or spa in the table.                                                                                                                                            | ✓                | ✓                            |                 |
| (d) A pool or spa listed in the table must have a cover or shading if specified for the pool or spa in the table.                                                                                                                                                                       |                  | ✓                            |                 |
| (e) The applicant must install each fire sprinkler system listed in the table so that the system is configured as specified in the table.                                                                                                                                               |                  | ✓                            | ✓               |
| (f) The applicant must ensure that the central cooling system for a cooling tower is configured as specified in the table.                                                                                                                                                              |                  | ✓                            | ✓               |

| Common area      | Showerheads rating            | Toilets rating | Taps rating | Clothes washers rating     |
|------------------|-------------------------------|----------------|-------------|----------------------------|
| All common areas | 4 star (> 4.5 but <= 6 L/min) | 4 star         | 5 star      | no common laundry facility |

| Central systems               | Size | Configuration                                                                                                     | Connection (to allow for...) |
|-------------------------------|------|-------------------------------------------------------------------------------------------------------------------|------------------------------|
| Fire sprinkler system (No. 1) | -    | So that fire sprinkler test water is contained within the fire sprinkler system for re-use, rather than disposed. | -                            |

| (ii) Energy                                                                                                                                                                                                                                                                                                                                                                                                             | Show on DA plans | Show on CC/CDC plans & specs | Certifier check |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|------------------------------|-----------------|
| (a) If, in carrying out the development, the applicant installs a ventilation system to service a common area specified in the table below, then that ventilation system must be of the type specified for that common area, and must meet the efficiency measure specified.                                                                                                                                            |                  | ✓                            | ✓               |
| (b) In carrying out the development, the applicant must install, as the "primary type of artificial lighting" for each common area specified in the table below, the lighting specified for that common area. This lighting must meet the efficiency measure specified. The applicant must also install a centralised lighting control system or Building Management System (BMS) for the common area, where specified. |                  | ✓                            | ✓               |
| (c) The applicant must install the systems and fixtures specified in the "Central energy systems" column of the table below. In each case, the system or fixture must be of the type, and meet the specifications, listed for it in the table.                                                                                                                                                                          | ✓                | ✓                            | ✓               |



|                      | Common area ventilation system |                                | Common area lighting                |                                    |                              |
|----------------------|--------------------------------|--------------------------------|-------------------------------------|------------------------------------|------------------------------|
| Common area          | Ventilation system type        | Ventilation efficiency measure | Primary type of artificial lighting | Lighting efficiency measure        | Lighting control system/ BMS |
| A_Airlock            | ventilation supply only        | time clock or BMS controlled   | light-emitting diode                | -                                  | yes                          |
| A_Bike Storage       | no mechanical ventilation      | -                              | light-emitting diode                | -                                  | yes                          |
| A1_COMMS             | air conditioning system        | none i.e., continuous          | light-emitting diode                | -                                  | yes                          |
| A1_Corridor          | ventilation supply only        | time clock or BMS controlled   | light-emitting diode                | -                                  | yes                          |
| A1_Fire Control Room | ventilation supply only        | thermostatically controlled    | light-emitting diode                | -                                  | yes                          |
| A1_Fire Hallway      | ventilation supply only        | time clock or BMS controlled   | light-emitting diode                | zoned switching                    | yes                          |
| A1_Lobby             | ventilation supply only        | time clock or BMS controlled   | light-emitting diode                | zoned switching                    | yes                          |
| A1_Stair             | no mechanical ventilation      | -                              | light-emitting diode                | zoned switching                    | yes                          |
| A1_WC                | ventilation exhaust only       | time clock or BMS controlled   | light-emitting diode                | zoned switching with motion sensor | yes                          |
| A2_Corridor          | ventilation supply only        | time clock or BMS controlled   | light-emitting diode                | motion sensors                     | yes                          |
| A2_Lobby             | ventilation supply only        | time clock or BMS controlled   | light-emitting diode                | motion sensors                     | yes                          |
| A_Plant              | ventilation supply only        | thermostatically controlled    | light-emitting diode                | -                                  | yes                          |
| A2_Stair             | no mechanical ventilation      | -                              | light-emitting diode                | motion sensors                     | yes                          |
| A2_WC                | ventilation exhaust only       | time clock or BMS controlled   | light-emitting diode                | motion sensors                     | yes                          |
| GBR BLD A            | ventilation exhaust only       | -                              | light-emitting diode                | motion sensors                     | yes                          |

| Central energy systems           | Type                                                        | Specification                                                                                                                                                                                      |
|----------------------------------|-------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Lift bank (No. 1)                | gearless traction with V V V F motor and regenerative drive | Number of levels with apartments served by a lift: 25<br>number of levels from the bottom of the lift shaft to the top of the lift shaft: 27<br>number of lifts: 2<br>lift load capacity: <1001 kg |
| Lift bank (No. 4)                | gearless traction with V V V F motor and regenerative drive | Number of levels with apartments served by a lift: 18<br>number of levels from the bottom of the lift shaft to the top of the lift shaft: 21<br>number of lifts: 2<br>lift load capacity: <1001 kg |
| Central hot water system (No. 1) | gas-fired boiler                                            | Piping insulation (ringmain & supply risers):<br>(a) Piping external to building: R1.0 (~38 mm);<br>(b) Piping internal to building: R1.0 (~38 mm)                                                 |

## 2. Commitments for Residential flat buildings - Building B

### (a) Buildings

| (i) Materials                                                                                                                                                                                                                                                                                                             | Show on DA plans | Show on CC/CDC plans & specs | Certifier check |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|------------------------------|-----------------|
| (a) The details of the proposed development on the Assessor Certificate must be consistent with the details shown in this BASIX Certificate, including the details shown in the "Floor types", "External wall types", "Internal wall types", "Ceiling and roof types", "Frames" and "Glazing" tables below.               |                  |                              | ✓               |
| (b) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), all specifications included in the tables below.                                                                                                              |                  | ✓                            |                 |
| (c) The applicant must construct the floors, walls, roof, ceiling and roof, windows, glazed doors and skylights of the development in accordance with the specifications listed in the tables below. In the case of glazing, a 5% variance from the area values listed in the "Frames" and "Glazing" tables is permitted. | ✓                | ✓                            | ✓               |
| (d) The applicant must show through receipts that the materials purchased for construction are consistent with the specifications listed in the below tables.                                                                                                                                                             |                  |                              | ✓               |

#### Floor types

| Floor type                                                              | Area (m2) | Insulation | Low emissions option |
|-------------------------------------------------------------------------|-----------|------------|----------------------|
| suspended floor above enclosed subfloor, frame: suspended concrete slab | 116578.93 | -          | -                    |

#### External wall types

| External wall type   | Construction type                             | Area (m2) | Low emissions option | Insulation |
|----------------------|-----------------------------------------------|-----------|----------------------|------------|
| External wall type 1 | framed (metal clad), frame: light steel frame | 2102.28   | -                    | -          |

#### Internal wall types

| Internal wall type   | Construction type                           | Area (m2) | Insulation |
|----------------------|---------------------------------------------|-----------|------------|
| Internal wall type 1 | cavity brick wall, frame: light steel frame | 650       | -          |

#### Reinforcement concrete frames/columns

| Building has reinforced concrete frame/columns? | Volume (m³) | Low emissions option |
|-------------------------------------------------|-------------|----------------------|
| -                                               | -           | -                    |

### Ceiling and roof types

| Ceiling and roof type                             | Area (m²) | Roof Insulation | Ceiling Insulation |
|---------------------------------------------------|-----------|-----------------|--------------------|
| framed - concrete tiles, frame: light steel frame | 2162.44   | -               | -                  |

### Glazing types

### Frame types

| Single glazing (m²) | Double glazing (m²) | Triple glazing (m²) | Aluminium frames (m²) | Timber frames (m²) | uPVC frames (m²) | Steel frames (m²) | Composite frames (m²) |
|---------------------|---------------------|---------------------|-----------------------|--------------------|------------------|-------------------|-----------------------|
| 0                   | 8405.1              | 0                   | 8405.1                | 0                  | 0                | 0                 | 0                     |

## (b) Dwellings

| (i) Water                                                                                                                                                                                                                                                                                                                                                                                                                                         | Show on DA plans | Show on CC/CDC plans & specs | Certifier check |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|------------------------------|-----------------|
| (a) The applicant must comply with the commitments listed below in carrying out the development of a dwelling listed in a table below.                                                                                                                                                                                                                                                                                                            |                  |                              |                 |
| (b) The applicant must plant indigenous or low water use species of vegetation throughout the area of land specified for the dwelling in the "Indigenous species" column of the table below, as private landscaping for that dwelling. (This area of indigenous vegetation is to be contained within the "Area of garden and lawn" for the dwelling specified in the "Description of Project" table).                                             | ✓                | ✓                            |                 |
| (c) If a rating is specified in the table below for a fixture or appliance to be installed in the dwelling, the applicant must ensure that each such fixture and appliance meets the rating specified for it.                                                                                                                                                                                                                                     |                  | ✓                            | ✓               |
| (d) The applicant must install an on demand hot water recirculation system which regulates all hot water use throughout the dwelling, where indicated for a dwelling in the "HW recirculation or diversion" column of the table below.                                                                                                                                                                                                            |                  | ✓                            | ✓               |
| (e) The applicant must install:<br>(aa) a hot water diversion system to all showers, kitchen sinks and all basins in the dwelling, where indicated for a dwelling in the "HW recirculation or diversion" column of the table below; and<br>(bb) a separate diversion tank (or tanks) connected to the hot water diversion systems of at least 100 litres. The applicant must connect the hot water diversion tank to all toilets in the dwelling. |                  | ✓<br>✓                       | ✓<br>✓          |
| (e) The applicant must not install a private swimming pool or spa for the dwelling, with a volume exceeding that specified for it in the table below.                                                                                                                                                                                                                                                                                             | ✓                | ✓                            |                 |
| (f) If specified in the table, that pool or spa (or both) must have a pool cover or shading (or both).                                                                                                                                                                                                                                                                                                                                            |                  | ✓                            |                 |
| (g) The pool or spa must be located as specified in the table.                                                                                                                                                                                                                                                                                                                                                                                    | ✓                | ✓                            |                 |
| (h) The applicant must install, for the dwelling, each alternative water supply system, with the specified size, listed for that dwelling in the table below. Each system must be configured to collect run-off from the areas specified (excluding any area which supplies any other alternative water supply system), and to divert overflow as specified. Each system must be connected as specified.                                          | ✓                | ✓                            | ✓               |

|               | Fixtures                     |                             |                  |                   |                               | Appliances          |                  | Individual pool     |            |               |             | Individual spa      |           |            |
|---------------|------------------------------|-----------------------------|------------------|-------------------|-------------------------------|---------------------|------------------|---------------------|------------|---------------|-------------|---------------------|-----------|------------|
| Dwelling no.  | All shower-heads             | All toilet flushing systems | All kitchen taps | All bathroom taps | HW recirculation or diversion | All clothes washers | All dish-washers | Volume (max volume) | Pool cover | Pool location | Pool shaded | Volume (max volume) | Spa cover | Spa shaded |
| All dwellings | 4 star (> 6 but ≤ 7.5 L/min) | 4 star                      | 5 star           | 6 star            | -                             | not specified       | 4 star           | -                   | -          | -             | -           | -                   | -         | -          |

|               | Alternative water source         |      |               |                      |                       |                    |             |            |
|---------------|----------------------------------|------|---------------|----------------------|-----------------------|--------------------|-------------|------------|
| Dwelling no.  | Alternative water supply systems | Size | Configuration | Landscape connection | Toilet connection (s) | Laundry connection | Pool top-up | Spa top-up |
| All dwellings | No alternative water supply      | -    | -             | -                    | -                     | -                  | -           | -          |

| (ii) Energy                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Show on DA plans | Show on CC/CDC plans & specs | Certifier check |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|------------------------------|-----------------|
| (a) The applicant must comply with the commitments listed below in carrying out the development of a dwelling listed in a table below.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                  |                              |                 |
| (b) The applicant must install each hot water system specified for the dwelling in the table below, so that the dwelling's hot water is supplied by that system. If the table specifies a central hot water system for the dwelling, then the applicant must connect that central system to the dwelling, so that the dwelling's hot water is supplied by that central system.                                                                                                                                                                                                                                                  | ✓                | ✓                            | ✓               |
| (c) The applicant must install, in each bathroom, kitchen and laundry of the dwelling, the ventilation system specified for that room in the table below. Each such ventilation system must have the operation control specified for it in the table.                                                                                                                                                                                                                                                                                                                                                                           |                  | ✓                            | ✓               |
| (d) The applicant must install the cooling and heating system/s specified for the dwelling under the "Living areas" and "Bedroom areas" headings of the "Cooling" and "Heating" columns in the table below, in/for at least 1 living/bedroom area of the dwelling. If no cooling or heating system is specified in the table for "Living areas" or "Bedroom areas", then no systems may be installed in any such areas. If the term "zoned" is specified beside an air conditioning system, then the system must provide for day/night zoning between living areas and bedrooms.                                                |                  | ✓                            | ✓               |
| (e) This commitment applies to each room or area of the dwelling which is referred to in a heading to the "Artificial lighting" column of the table below (but only to the extent specified for that room or area). The applicant must ensure that the "primary type of artificial lighting" for each such room in the dwelling is fluorescent lighting or light emitting diode (LED) lighting. If the term "dedicated" is specified for a particular room or area, then the light fittings in that room or area must only be capable of being used for fluorescent lighting or light emitting diode (LED) lighting.            |                  | ✓                            | ✓               |
| (f) This commitment applies to each room or area of the dwelling which is referred to in a heading to the "Natural lighting" column of the table below (but only to the extent specified for that room or area). The applicant must ensure that each such room or area is fitted with a window and/or skylight.                                                                                                                                                                                                                                                                                                                 | ✓                | ✓                            | ✓               |
| (g) This commitment applies if the applicant installs a water heating system for the dwelling's pool or spa. The applicant must:<br>(aa) install the system specified for the pool in the "Individual Pool" column of the table below (or alternatively must not install any system for the pool). If specified, the applicant must install a timer, to control the pool's pump; and<br>(bb) install the system specified for the spa in the "Individual Spa" column of the table below (or alternatively must not install any system for the spa). If specified, the applicant must install a timer to control the spa's pump. |                  | ✓<br>✓                       |                 |
| (h) The applicant must install in the dwelling:<br>(aa) the kitchen cook-top and oven specified for that dwelling in the "Appliances & other efficiency measures" column of the table below;                                                                                                                                                                                                                                                                                                                                                                                                                                    |                  | ✓                            |                 |

| (ii) Energy                                                                                                                                                                                                                                                                                                                               | Show on DA plans | Show on CC/CDC plans & specs | Certifier check |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|------------------------------|-----------------|
| (bb) each appliance for which a rating is specified for that dwelling in the "Appliances & other efficiency measures" column of the table, and ensure that the appliance has that minimum rating; and<br><br>(cc) any clothes drying line specified for the dwelling in the "Appliances & other efficiency measures" column of the table. |                  | ✓<br><br>✓                   | ✓               |
| (i) If specified in the table, the applicant must carry out the development so that each refrigerator space in the dwelling is "well ventilated".                                                                                                                                                                                         |                  | ✓                            |                 |

|               | Hot water                        | Bathroom ventilation system              |                      | Kitchen ventilation system               |                      | Laundry ventilation system               |                      |
|---------------|----------------------------------|------------------------------------------|----------------------|------------------------------------------|----------------------|------------------------------------------|----------------------|
| Dwelling no.  | Hot water system                 | Each bathroom                            | Operation control    | Each kitchen                             | Operation control    | Each laundry                             | Operation control    |
| All dwellings | Central hot water system (No. 2) | individual fan, ducted to façade or roof | manual switch on/off | individual fan, ducted to façade or roof | manual switch on/off | individual fan, ducted to façade or roof | manual switch on/off |

|               | Cooling                                              |                                                      | Heating                                              |                                                      | Natural lighting            |              |
|---------------|------------------------------------------------------|------------------------------------------------------|------------------------------------------------------|------------------------------------------------------|-----------------------------|--------------|
| Dwelling no.  | living areas                                         | bedroom areas                                        | living areas                                         | bedroom areas                                        | No. of bathrooms or toilets | Main kitchen |
| All dwellings | 1-phase airconditioning - non ducted / EER 3.5 - 4.0 | 1-phase airconditioning - non ducted / EER 3.5 - 4.0 | 1-phase airconditioning - non ducted / EER 3.5 - 4.0 | 1-phase airconditioning - non ducted / EER 3.5 - 4.0 | 0                           | no           |

|               | Individual pool     |           |       | Individual spa     |       | Appliances other efficiency measures |            |               |                                         |                                                    |
|---------------|---------------------|-----------|-------|--------------------|-------|--------------------------------------|------------|---------------|-----------------------------------------|----------------------------------------------------|
| Dwelling no.  | Pool heating system | Pool Pump | Timer | Spa heating system | Timer | Kitchen cooktop/oven                 | Dishwasher | Clothes dryer | Indoor or sheltered clothes drying line | Private outdoor or unsheltered clothes drying line |
| All dwellings | -                   | -         | -     | -                  | -     | induction cooktop & electric oven    | 4.5 star   | 2 star        | no                                      | no                                                 |

| (iii) Thermal Performance                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Show on DA plans | Show on CC/CDC plans & specs | Certifier check |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|------------------------------|-----------------|
| (a) The applicant must attach the certificate referred to under "Assessor details" on the front page of this BASIX certificate (the "Assessor Certificate") to the development application and construction certificate application for the proposed development (or, if the applicant is applying for a complying development certificate for the proposed development, to that application). The applicant must also attach the Assessor Certificate to the application for a final occupation certificate for the proposed development. |                  |                              |                 |
| (b) The Assessor Certificate must have been issued by an Accredited Assessor in accordance with the Thermal Comfort Protocol.                                                                                                                                                                                                                                                                                                                                                                                                              |                  |                              |                 |
| (c) The details of the proposed development on the Assessor Certificate must be consistent with the details shown in this BASIX Certificate, including the details shown in the "Thermal Loads" table below.                                                                                                                                                                                                                                                                                                                               |                  |                              |                 |
| (d) The applicant must show on the plans accompanying the development application for the proposed development, all matters which the Thermal Comfort Protocol requires to be shown on those plans. Those plans must bear a stamp of endorsement from the Accredited Assessor, to certify that this is the case.                                                                                                                                                                                                                           | ✓                |                              |                 |
| (e) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), all thermal performance specifications set out in the Assessor Certificate, and all aspects of the proposed development which were used to calculate those specifications.                                                                                                                                                                                                     |                  | ✓                            |                 |
| (f) The applicant must construct the development in accordance with all thermal performance specifications set out in the Assessor Certificate, and in accordance with those aspects of the development application or application for a complying development certificate which were used to calculate those specifications.                                                                                                                                                                                                              |                  | ✓                            | ✓               |
| (g) Where there is an in-slab heating or cooling system, the applicant must:<br><br>(aa) Install insulation with an R-value of not less than 1.0 around the vertical edges of the perimeter of the slab; or<br>(bb) On a suspended floor, install insulation with an R-value of not less than 1.0 underneath the slab and around the vertical edges of the perimeter of the slab.                                                                                                                                                          | ✓                | ✓                            | ✓               |
| (h) The applicant must construct the floors and walls of the development in accordance with the specifications listed in the table below.                                                                                                                                                                                                                                                                                                                                                                                                  | ✓                | ✓                            | ✓               |
| (i) The applicant must show on The plans accompanying The development application for The proposed development, The locations of ceiling fans set out in The Assessor Certificate.                                                                                                                                                                                                                                                                                                                                                         | ✓                |                              |                 |
| (j) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), the locations of ceiling fans set out in the Assessor Certificate.                                                                                                                                                                                                                                                                                                             |                  | ✓                            |                 |

|              | Thermal loads                                         |                                                       |                                                     |
|--------------|-------------------------------------------------------|-------------------------------------------------------|-----------------------------------------------------|
| Dwelling no. | Area adjusted heating load (in MJ/m <sup>2</sup> /yr) | Area adjusted cooling load (in MJ/m <sup>2</sup> /yr) | Area adjusted total load (in MJ/m <sup>2</sup> /yr) |
| B1008        | 19.6                                                  | 7                                                     | 26.600                                              |
| B1009        | 23.7                                                  | 8.4                                                   | 32.100                                              |
| B1010        | 9.1                                                   | 5.9                                                   | 15.000                                              |
| B1011        | 6.20                                                  | 6.1                                                   | 12.300                                              |

|              | Thermal loads                                         |                                                       |                                                     |
|--------------|-------------------------------------------------------|-------------------------------------------------------|-----------------------------------------------------|
| Dwelling no. | Area adjusted heating load (in MJ/m <sup>2</sup> /yr) | Area adjusted cooling load (in MJ/m <sup>2</sup> /yr) | Area adjusted total load (in MJ/m <sup>2</sup> /yr) |
| B1012        | 5.5                                                   | 6.8                                                   | 12.300                                              |
| B1013        | 9.9                                                   | 15.7                                                  | 25.600                                              |
| B1014        | 8.40                                                  | 8                                                     | 16.400                                              |
| B1015        | 12.5                                                  | 12.2                                                  | 24.700                                              |
| B1016        | 29.7                                                  | 6.4                                                   | 36.100                                              |
| B1017        | 22.00                                                 | 10.2                                                  | 32.200                                              |
| B108         | 12.8                                                  | 10                                                    | 22.800                                              |
| B109         | 16.8                                                  | 11.1                                                  | 27.900                                              |
| B110         | 4.20                                                  | 7                                                     | 11.200                                              |
| B1108        | 27                                                    | 5                                                     | 32.000                                              |
| B1109        | 31.10                                                 | 5.4                                                   | 36.500                                              |
| B1110        | 9.30                                                  | 5.8                                                   | 15.100                                              |
| B1111        | 6.2                                                   | 6                                                     | 12.200                                              |
| B1112        | 5.60                                                  | 6.8                                                   | 12.400                                              |
| B1113        | 10.00                                                 | 15.8                                                  | 25.800                                              |
| B1114        | 8.60                                                  | 7.9                                                   | 16.500                                              |
| B1115        | 12.7                                                  | 11.3                                                  | 24.000                                              |
| B1116        | 30                                                    | 6.6                                                   | 36.600                                              |
| B1117        | 22.40                                                 | 9.9                                                   | 32.300                                              |
| B112         | 2.3                                                   | 6.9                                                   | 9.200                                               |
| B113         | 10.2                                                  | 15.1                                                  | 25.300                                              |
| B114         | 13.4                                                  | 7.8                                                   | 21.200                                              |
| B115         | 14.40                                                 | 19.2                                                  | 33.600                                              |
| B116         | 19.8                                                  | 9.9                                                   | 29.700                                              |
| B117         | 24.5                                                  | 11.6                                                  | 36.100                                              |
| B1208        | 29.40                                                 | 5.4                                                   | 34.800                                              |
| B1209        | 32.40                                                 | 5.4                                                   | 37.800                                              |
| B1210        | 10.6                                                  | 5                                                     | 15.600                                              |
| B1211        | 7.90                                                  | 4.7                                                   | 12.600                                              |
| B1212        | 5.6                                                   | 6.8                                                   | 12.400                                              |
| B1213        | 10.10                                                 | 15.5                                                  | 25.600                                              |



|              | Thermal loads                                         |                                                       |                                                     |
|--------------|-------------------------------------------------------|-------------------------------------------------------|-----------------------------------------------------|
| Dwelling no. | Area adjusted heating load (in MJ/m <sup>2</sup> /yr) | Area adjusted cooling load (in MJ/m <sup>2</sup> /yr) | Area adjusted total load (in MJ/m <sup>2</sup> /yr) |
| B1214        | 8.8                                                   | 7.9                                                   | 16.700                                              |
| B1215        | 14.20                                                 | 10.5                                                  | 24.700                                              |
| B1216        | 32.10                                                 | 5.9                                                   | 38.000                                              |
| B1217        | 23.50                                                 | 9.5                                                   | 33.000                                              |
| B1308        | 9.2                                                   | 6.6                                                   | 15.800                                              |
| B1309        | 10.3                                                  | 15.2                                                  | 25.500                                              |
| B1310        | 9.1                                                   | 8.5                                                   | 17.600                                              |
| B1311        | 19                                                    | 11.2                                                  | 30.200                                              |
| B1408        | 9.10                                                  | 6.6                                                   | 15.700                                              |
| B1409        | 10.40                                                 | 15.6                                                  | 26.000                                              |
| B1410        | 6.3                                                   | 8.6                                                   | 14.900                                              |
| B1411        | 23.2                                                  | 11.8                                                  | 35.000                                              |
| B1508        | 9.2                                                   | 6.5                                                   | 15.700                                              |
| B1509        | 18.30                                                 | 19                                                    | 37.300                                              |
| B1510        | 8.9                                                   | 6.8                                                   | 15.700                                              |
| B1511        | 27.10                                                 | 10.9                                                  | 38.000                                              |
| B208         | 14.10                                                 | 9.3                                                   | 23.400                                              |
| B209         | 18.2                                                  | 9.9                                                   | 28.100                                              |
| B210         | 4.50                                                  | 6.5                                                   | 11.000                                              |
| B211         | 2.7                                                   | 6.5                                                   | 9.200                                               |
| B212         | 2.5                                                   | 6.5                                                   | 9.000                                               |
| B213         | 9.9                                                   | 15.8                                                  | 25.700                                              |
| B214         | 14.4                                                  | 7.6                                                   | 22.000                                              |
| B215         | 14.60                                                 | 19.1                                                  | 33.700                                              |
| B216         | 21.4                                                  | 9.3                                                   | 30.700                                              |
| B217         | 16.9                                                  | 12.1                                                  | 29.000                                              |
| B308         | 15                                                    | 8.9                                                   | 23.900                                              |
| B309         | 19.2                                                  | 9.8                                                   | 29.000                                              |
| B310         | 7.8                                                   | 6.4                                                   | 14.200                                              |
| B311         | 5                                                     | 6.2                                                   | 11.200                                              |
| B312         | 4.4                                                   | 6.8                                                   | 11.200                                              |

|              | Thermal loads                                         |                                                       |                                                     |
|--------------|-------------------------------------------------------|-------------------------------------------------------|-----------------------------------------------------|
| Dwelling no. | Area adjusted heating load (in MJ/m <sup>2</sup> /yr) | Area adjusted cooling load (in MJ/m <sup>2</sup> /yr) | Area adjusted total load (in MJ/m <sup>2</sup> /yr) |
| B313         | 12.4                                                  | 14.2                                                  | 26.600                                              |
| B314         | 14.3                                                  | 7.4                                                   | 21.700                                              |
| B315         | 14.3                                                  | 18.9                                                  | 33.200                                              |
| B316         | 22.4                                                  | 9                                                     | 31.400                                              |
| B317         | 17.8                                                  | 11.3                                                  | 29.100                                              |
| B408         | 15.9                                                  | 8.6                                                   | 24.500                                              |
| B409         | 20.1                                                  | 9.4                                                   | 29.500                                              |
| B410         | 8.1                                                   | 6.3                                                   | 14.400                                              |
| B411         | 5.1                                                   | 6.1                                                   | 11.200                                              |
| B412         | 4.5                                                   | 6.7                                                   | 11.200                                              |
| B413         | 12.1                                                  | 15.3                                                  | 27.400                                              |
| B414         | 8.4                                                   | 13.7                                                  | 22.100                                              |
| B415         | 13.40                                                 | 19.3                                                  | 32.700                                              |
| B416         | 22.7                                                  | 11.3                                                  | 34.000                                              |
| B417         | 18.8                                                  | 11.1                                                  | 29.900                                              |
| B508         | 16.8                                                  | 7.7                                                   | 24.500                                              |
| B509         | 21.00                                                 | 9                                                     | 30.000                                              |
| B510         | 8.2                                                   | 5.9                                                   | 14.100                                              |
| B511         | 5.2                                                   | 6                                                     | 11.200                                              |
| B512         | 4.7                                                   | 6.9                                                   | 11.600                                              |
| B513         | 11.30                                                 | 15.5                                                  | 26.800                                              |
| B514         | 6.6                                                   | 14.7                                                  | 21.300                                              |
| B515         | 11.5                                                  | 19.6                                                  | 31.100                                              |
| B516         | 23.50                                                 | 11.1                                                  | 34.600                                              |
| B517         | 19.6                                                  | 10.7                                                  | 30.300                                              |
| B608         | 17.50                                                 | 7.5                                                   | 25.000                                              |
| B609         | 21.60                                                 | 8.7                                                   | 30.300                                              |
| B610         | 8.60                                                  | 5.9                                                   | 14.500                                              |
| B611         | 5.5                                                   | 6.1                                                   | 11.600                                              |
| B612         | 4.9                                                   | 6.9                                                   | 11.800                                              |
| B613         | 9.8                                                   | 15.6                                                  | 25.400                                              |

|              | Thermal loads                                         |                                                       |                                                     |
|--------------|-------------------------------------------------------|-------------------------------------------------------|-----------------------------------------------------|
| Dwelling no. | Area adjusted heating load (in MJ/m <sup>2</sup> /yr) | Area adjusted cooling load (in MJ/m <sup>2</sup> /yr) | Area adjusted total load (in MJ/m <sup>2</sup> /yr) |
| B614         | 5.30                                                  | 14.8                                                  | 20.100                                              |
| B615         | 9.7                                                   | 19.9                                                  | 29.600                                              |
| B616         | 24.1                                                  | 10.5                                                  | 34.600                                              |
| B617         | 20.20                                                 | 10.7                                                  | 30.900                                              |
| B708         | 18.10                                                 | 7.4                                                   | 25.500                                              |
| B709         | 22.30                                                 | 8.7                                                   | 31.000                                              |
| B710         | 8.80                                                  | 5.9                                                   | 14.700                                              |
| B711         | 5.7                                                   | 6                                                     | 11.700                                              |
| B712         | 5.2                                                   | 7.1                                                   | 12.300                                              |
| B713         | 9.5                                                   | 15.6                                                  | 25.100                                              |
| B714         | 4.3                                                   | 14.8                                                  | 19.100                                              |
| B715         | 8                                                     | 20.3                                                  | 28.300                                              |
| B716         | 24.7                                                  | 10.4                                                  | 35.100                                              |
| B717         | 20.8                                                  | 10.2                                                  | 31.000                                              |
| B808         | 18.50                                                 | 6.9                                                   | 25.400                                              |
| B809         | 22.7                                                  | 8.7                                                   | 31.400                                              |
| B810         | 8.9                                                   | 5.8                                                   | 14.700                                              |
| B811         | 5.9                                                   | 6                                                     | 11.900                                              |
| B812         | 5.30                                                  | 7.2                                                   | 12.500                                              |
| B813         | 9.6                                                   | 15.9                                                  | 25.500                                              |
| B814         | 4.4                                                   | 14.7                                                  | 19.100                                              |
| B815         | 8                                                     | 21.2                                                  | 29.200                                              |
| B816         | 24.50                                                 | 10.2                                                  | 34.700                                              |
| B817         | 21.2                                                  | 10.1                                                  | 31.300                                              |
| B908         | 19.2                                                  | 7.3                                                   | 26.500                                              |
| B909         | 23.3                                                  | 8.5                                                   | 31.800                                              |
| B910         | 9                                                     | 5.9                                                   | 14.900                                              |
| B911         | 6                                                     | 6                                                     | 12.000                                              |
| B912         | 5.40                                                  | 6.9                                                   | 12.300                                              |
| B913         | 9.70                                                  | 15.7                                                  | 25.400                                              |
| B914         | 8.2                                                   | 8.2                                                   | 16.400                                              |

|                     | Thermal loads                                         |                                                       |                                                     |
|---------------------|-------------------------------------------------------|-------------------------------------------------------|-----------------------------------------------------|
| Dwelling no.        | Area adjusted heating load (in MJ/m <sup>2</sup> /yr) | Area adjusted cooling load (in MJ/m <sup>2</sup> /yr) | Area adjusted total load (in MJ/m <sup>2</sup> /yr) |
| B915                | 12.3                                                  | 11.7                                                  | 24.000                                              |
| B916                | 23.1                                                  | 10.3                                                  | 33.400                                              |
| B917                | 21.7                                                  | 10                                                    | 31.700                                              |
| BG04                | 2                                                     | 8.7                                                   | 10.700                                              |
| BG05                | 1.3                                                   | 8.6                                                   | 9.900                                               |
| BG06                | 0.7                                                   | 11                                                    | 11.700                                              |
| BUG07               | 13.4                                                  | 8                                                     | 21.400                                              |
| BUG08               | 16.60                                                 | 7.7                                                   | 24.300                                              |
| BUG09               | 4.4                                                   | 8.2                                                   | 12.600                                              |
| BUG11               | 2.3                                                   | 7                                                     | 9.300                                               |
| BUG12               | 8.2                                                   | 5.7                                                   | 13.900                                              |
| BUG13               | 21.3                                                  | 14.7                                                  | 36.000                                              |
| All other dwellings | 2.50                                                  | 6.9                                                   | 9.400                                               |

### (c) Common areas and central systems/facilities

| (i) Water                                                                                                                                                                                                                                                                               | Show on DA plans | Show on CC/CDC plans & specs | Certifier check |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|------------------------------|-----------------|
| (a) If, in carrying out the development, the applicant installs a showerhead, toilet, tap or clothes washer into a common area, then that item must meet the specifications listed for it in the table.                                                                                 |                  | ✓                            | ✓               |
| (b) The applicant must install (or ensure that the development is serviced by) the alternative water supply system(s) specified in the "Central systems" column of the table below. In each case, the system must be sized, be configured, and be connected, as specified in the table. | ✓                | ✓                            | ✓               |
| (c) A swimming pool or spa listed in the table must not have a volume (in kLs) greater than that specified for the pool or spa in the table.                                                                                                                                            | ✓                | ✓                            |                 |
| (d) A pool or spa listed in the table must have a cover or shading if specified for the pool or spa in the table.                                                                                                                                                                       |                  | ✓                            |                 |
| (e) The applicant must install each fire sprinkler system listed in the table so that the system is configured as specified in the table.                                                                                                                                               |                  | ✓                            | ✓               |
| (f) The applicant must ensure that the central cooling system for a cooling tower is configured as specified in the table.                                                                                                                                                              |                  | ✓                            | ✓               |

| Common area      | Showerheads rating            | Toilets rating | Taps rating | Clothes washers rating     |
|------------------|-------------------------------|----------------|-------------|----------------------------|
| All common areas | 4 star (> 4.5 but <= 6 L/min) | 4 star         | 5 star      | no common laundry facility |

| Central systems               | Size | Configuration                                                                                                     | Connection (to allow for...) |
|-------------------------------|------|-------------------------------------------------------------------------------------------------------------------|------------------------------|
| Fire sprinkler system (No. 2) | -    | So that fire sprinkler test water is contained within the fire sprinkler system for re-use, rather than disposed. | -                            |

| (ii) Energy                                                                                                                                                                                                                                                                                                                                                                                                             | Show on DA plans | Show on CC/CDC plans & specs | Certifier check |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|------------------------------|-----------------|
| (a) If, in carrying out the development, the applicant installs a ventilation system to service a common area specified in the table below, then that ventilation system must be of the type specified for that common area, and must meet the efficiency measure specified.                                                                                                                                            |                  | ✓                            | ✓               |
| (b) In carrying out the development, the applicant must install, as the "primary type of artificial lighting" for each common area specified in the table below, the lighting specified for that common area. This lighting must meet the efficiency measure specified. The applicant must also install a centralised lighting control system or Building Management System (BMS) for the common area, where specified. |                  | ✓                            | ✓               |
| (c) The applicant must install the systems and fixtures specified in the "Central energy systems" column of the table below. In each case, the system or fixture must be of the type, and meet the specifications, listed for it in the table.                                                                                                                                                                          | ✓                | ✓                            | ✓               |

|                       | Common area ventilation system |                                | Common area lighting                |                                    |                              |
|-----------------------|--------------------------------|--------------------------------|-------------------------------------|------------------------------------|------------------------------|
| Common area           | Ventilation system type        | Ventilation efficiency measure | Primary type of artificial lighting | Lighting efficiency measure        | Lighting control system/ BMS |
| B_Corridor            | ventilation supply only        | time clock or BMS controlled   | light-emitting diode                | motion sensors                     | yes                          |
| B_Lobby               | ventilation supply only        | time clock or BMS controlled   | light-emitting diode                | motion sensors                     | yes                          |
| B_Mail                | ventilation supply only        | time clock or BMS controlled   | light-emitting diode                | motion sensors                     | yes                          |
| B_Music Room          | air conditioning system        | time clock or BMS controlled   | light-emitting diode                | motion sensors                     | yes                          |
| B_Plant               | ventilation supply only        | thermostatically controlled    | light-emitting diode                | -                                  | yes                          |
| B_Stair               | no mechanical ventilation      | -                              | light-emitting diode                | zoned switching with motion sensor | yes                          |
| B_Store               | no mechanical ventilation      | -                              | light-emitting diode                | zoned switching with motion sensor | yes                          |
| B_Strata Meeting Room | air conditioning system        | time clock or BMS controlled   | light-emitting diode                | zoned switching with motion sensor | yes                          |
| B_WFH Room            | air conditioning system        | time clock or BMS controlled   | light-emitting diode                | zoned switching with motion sensor | yes                          |
| B2_Lobby              | ventilation supply only        | time clock or BMS controlled   | light-emitting diode                | zoned switching with motion sensor | yes                          |
| GBR BLD B             | ventilation exhaust only       | -                              | light-emitting diode                | motion sensors                     | yes                          |

| Central energy systems           | Type                                                        | Specification                                                                                                                                                                                      |
|----------------------------------|-------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Lift bank (No. 2)                | gearless traction with V V V F motor and regenerative drive | Number of levels with apartments served by a lift: 17<br>number of levels from the bottom of the lift shaft to the top of the lift shaft: 20<br>number of lifts: 3<br>lift load capacity: <1001 kg |
| Central hot water system (No. 2) | gas-fired boiler                                            | Piping insulation (ringmain & supply risers):<br>(a) Piping external to building: R1.0 (~38 mm);<br>(b) Piping internal to building: R1.0 (~38 mm)                                                 |

### 3. Commitments for Residential flat buildings - Building C

#### (a) Buildings

| (i) Materials                                                                                                                                                                                                                                                                                                             | Show on DA plans | Show on CC/CDC plans & specs | Certifier check |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|------------------------------|-----------------|
| (a) The details of the proposed development on the Assessor Certificate must be consistent with the details shown in this BASIX Certificate, including the details shown in the "Floor types", "External wall types", "Internal wall types", "Ceiling and roof types", "Frames" and "Glazing" tables below.               |                  |                              | ✓               |
| (b) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), all specifications included in the tables below.                                                                                                              |                  | ✓                            |                 |
| (c) The applicant must construct the floors, walls, roof, ceiling and roof, windows, glazed doors and skylights of the development in accordance with the specifications listed in the tables below. In the case of glazing, a 5% variance from the area values listed in the "Frames" and "Glazing" tables is permitted. | ✓                | ✓                            | ✓               |
| (d) The applicant must show through receipts that the materials purchased for construction are consistent with the specifications listed in the below tables.                                                                                                                                                             |                  |                              | ✓               |

#### Floor types

| Floor type                                                              | Area (m2) | Insulation | Low emissions option |
|-------------------------------------------------------------------------|-----------|------------|----------------------|
| suspended floor above enclosed subfloor, frame: suspended concrete slab | 32966.38  | -          | -                    |

#### External wall types

| External wall type   | Construction type                             | Area (m2) | Low emissions option | Insulation |
|----------------------|-----------------------------------------------|-----------|----------------------|------------|
| External wall type 1 | framed (metal clad), frame: light steel frame | 1391.14   | -                    | -          |

#### Internal wall types

| Internal wall type   | Construction type                           | Area (m2) | Insulation |
|----------------------|---------------------------------------------|-----------|------------|
| Internal wall type 1 | cavity brick wall, frame: light steel frame | 650       | -          |

#### Reinforcement concrete frames/columns

| Building has reinforced concrete frame/columns? | Volume (m³) | Low emissions option |
|-------------------------------------------------|-------------|----------------------|
| -                                               | -           | -                    |

**Ceiling and roof types**

| Ceiling and roof type                             | Area (m²) | Roof Insulation | Ceiling Insulation |
|---------------------------------------------------|-----------|-----------------|--------------------|
| framed - concrete tiles, frame: light steel frame | 2026.28   | -               | -                  |

**Glazing types****Frame types**

| Single glazing (m²) | Double glazing (m²) | Triple glazing (m²) | Aluminium frames (m²) | Timber frames (m²) | uPVC frames (m²) | Steel frames (m²) | Composite frames (m²) |
|---------------------|---------------------|---------------------|-----------------------|--------------------|------------------|-------------------|-----------------------|
| 0                   | 6781.85             | 0                   | 6781.85               | 0                  | 0                | 0                 | 0                     |



## (b) Dwellings

| (i) Water                                                                                                                                                                                                                                                                                                                                                                                                                                         | Show on DA plans | Show on CC/CDC plans & specs | Certifier check |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|------------------------------|-----------------|
| (a) The applicant must comply with the commitments listed below in carrying out the development of a dwelling listed in a table below.                                                                                                                                                                                                                                                                                                            |                  |                              |                 |
| (b) The applicant must plant indigenous or low water use species of vegetation throughout the area of land specified for the dwelling in the "Indigenous species" column of the table below, as private landscaping for that dwelling. (This area of indigenous vegetation is to be contained within the "Area of garden and lawn" for the dwelling specified in the "Description of Project" table).                                             | ✓                | ✓                            |                 |
| (c) If a rating is specified in the table below for a fixture or appliance to be installed in the dwelling, the applicant must ensure that each such fixture and appliance meets the rating specified for it.                                                                                                                                                                                                                                     |                  | ✓                            | ✓               |
| (d) The applicant must install an on demand hot water recirculation system which regulates all hot water use throughout the dwelling, where indicated for a dwelling in the "HW recirculation or diversion" column of the table below.                                                                                                                                                                                                            |                  | ✓                            | ✓               |
| (e) The applicant must install:<br>(aa) a hot water diversion system to all showers, kitchen sinks and all basins in the dwelling, where indicated for a dwelling in the "HW recirculation or diversion" column of the table below; and<br>(bb) a separate diversion tank (or tanks) connected to the hot water diversion systems of at least 100 litres. The applicant must connect the hot water diversion tank to all toilets in the dwelling. |                  | ✓<br>✓                       | ✓<br>✓          |
| (e) The applicant must not install a private swimming pool or spa for the dwelling, with a volume exceeding that specified for it in the table below.                                                                                                                                                                                                                                                                                             | ✓                | ✓                            |                 |
| (f) If specified in the table, that pool or spa (or both) must have a pool cover or shading (or both).                                                                                                                                                                                                                                                                                                                                            |                  | ✓                            |                 |
| (g) The pool or spa must be located as specified in the table.                                                                                                                                                                                                                                                                                                                                                                                    | ✓                | ✓                            |                 |
| (h) The applicant must install, for the dwelling, each alternative water supply system, with the specified size, listed for that dwelling in the table below. Each system must be configured to collect run-off from the areas specified (excluding any area which supplies any other alternative water supply system), and to divert overflow as specified. Each system must be connected as specified.                                          | ✓                | ✓                            | ✓               |

|               | Fixtures                     |                             |                  |                   |                               | Appliances          |                  | Individual pool     |            |               |             | Individual spa      |           |            |
|---------------|------------------------------|-----------------------------|------------------|-------------------|-------------------------------|---------------------|------------------|---------------------|------------|---------------|-------------|---------------------|-----------|------------|
| Dwelling no.  | All shower-heads             | All toilet flushing systems | All kitchen taps | All bathroom taps | HW recirculation or diversion | All clothes washers | All dish-washers | Volume (max volume) | Pool cover | Pool location | Pool shaded | Volume (max volume) | Spa cover | Spa shaded |
| All dwellings | 4 star (> 6 but ≤ 7.5 L/min) | 4 star                      | 5 star           | 6 star            | -                             | not specified       | 4 star           | -                   | -          | -             | -           | -                   | -         | -          |

|               | Alternative water source         |      |               |                      |                       |                    |             |            |
|---------------|----------------------------------|------|---------------|----------------------|-----------------------|--------------------|-------------|------------|
| Dwelling no.  | Alternative water supply systems | Size | Configuration | Landscape connection | Toilet connection (s) | Laundry connection | Pool top-up | Spa top-up |
| All dwellings | No alternative water supply      | -    | -             | -                    | -                     | -                  | -           | -          |

| (ii) Energy                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Show on DA plans | Show on CC/CDC plans & specs | Certifier check |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|------------------------------|-----------------|
| (a) The applicant must comply with the commitments listed below in carrying out the development of a dwelling listed in a table below.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                  |                              |                 |
| (b) The applicant must install each hot water system specified for the dwelling in the table below, so that the dwelling's hot water is supplied by that system. If the table specifies a central hot water system for the dwelling, then the applicant must connect that central system to the dwelling, so that the dwelling's hot water is supplied by that central system.                                                                                                                                                                                                                                                  | ✓                | ✓                            | ✓               |
| (c) The applicant must install, in each bathroom, kitchen and laundry of the dwelling, the ventilation system specified for that room in the table below. Each such ventilation system must have the operation control specified for it in the table.                                                                                                                                                                                                                                                                                                                                                                           |                  | ✓                            | ✓               |
| (d) The applicant must install the cooling and heating system/s specified for the dwelling under the "Living areas" and "Bedroom areas" headings of the "Cooling" and "Heating" columns in the table below, in/for at least 1 living/bedroom area of the dwelling. If no cooling or heating system is specified in the table for "Living areas" or "Bedroom areas", then no systems may be installed in any such areas. If the term "zoned" is specified beside an air conditioning system, then the system must provide for day/night zoning between living areas and bedrooms.                                                |                  | ✓                            | ✓               |
| (e) This commitment applies to each room or area of the dwelling which is referred to in a heading to the "Artificial lighting" column of the table below (but only to the extent specified for that room or area). The applicant must ensure that the "primary type of artificial lighting" for each such room in the dwelling is fluorescent lighting or light emitting diode (LED) lighting. If the term "dedicated" is specified for a particular room or area, then the light fittings in that room or area must only be capable of being used for fluorescent lighting or light emitting diode (LED) lighting.            |                  | ✓                            | ✓               |
| (f) This commitment applies to each room or area of the dwelling which is referred to in a heading to the "Natural lighting" column of the table below (but only to the extent specified for that room or area). The applicant must ensure that each such room or area is fitted with a window and/or skylight.                                                                                                                                                                                                                                                                                                                 | ✓                | ✓                            | ✓               |
| (g) This commitment applies if the applicant installs a water heating system for the dwelling's pool or spa. The applicant must:<br>(aa) install the system specified for the pool in the "Individual Pool" column of the table below (or alternatively must not install any system for the pool). If specified, the applicant must install a timer, to control the pool's pump; and<br>(bb) install the system specified for the spa in the "Individual Spa" column of the table below (or alternatively must not install any system for the spa). If specified, the applicant must install a timer to control the spa's pump. |                  | ✓<br>✓                       |                 |
| (h) The applicant must install in the dwelling:<br>(aa) the kitchen cook-top and oven specified for that dwelling in the "Appliances & other efficiency measures" column of the table below;                                                                                                                                                                                                                                                                                                                                                                                                                                    |                  | ✓                            |                 |

| (ii) Energy                                                                                                                                                                                                                                                                                                                               | Show on DA plans | Show on CC/CDC plans & specs | Certifier check |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|------------------------------|-----------------|
| (bb) each appliance for which a rating is specified for that dwelling in the "Appliances & other efficiency measures" column of the table, and ensure that the appliance has that minimum rating; and<br><br>(cc) any clothes drying line specified for the dwelling in the "Appliances & other efficiency measures" column of the table. |                  | ✓<br><br>✓                   | ✓               |
| (i) If specified in the table, the applicant must carry out the development so that each refrigerator space in the dwelling is "well ventilated".                                                                                                                                                                                         |                  | ✓                            |                 |

|               | Hot water                        | Bathroom ventilation system              |                      | Kitchen ventilation system               |                      | Laundry ventilation system               |                      |
|---------------|----------------------------------|------------------------------------------|----------------------|------------------------------------------|----------------------|------------------------------------------|----------------------|
| Dwelling no.  | Hot water system                 | Each bathroom                            | Operation control    | Each kitchen                             | Operation control    | Each laundry                             | Operation control    |
| All dwellings | Central hot water system (No. 3) | individual fan, ducted to façade or roof | manual switch on/off | individual fan, ducted to façade or roof | manual switch on/off | individual fan, ducted to façade or roof | manual switch on/off |

|               | Cooling                                              |                                                      | Heating                                              |                                                      | Natural lighting            |              |
|---------------|------------------------------------------------------|------------------------------------------------------|------------------------------------------------------|------------------------------------------------------|-----------------------------|--------------|
| Dwelling no.  | living areas                                         | bedroom areas                                        | living areas                                         | bedroom areas                                        | No. of bathrooms or toilets | Main kitchen |
| All dwellings | 1-phase airconditioning - non ducted / EER 3.5 - 4.0 | 1-phase airconditioning - non ducted / EER 3.5 - 4.0 | 1-phase airconditioning - non ducted / EER 3.5 - 4.0 | 1-phase airconditioning - non ducted / EER 3.5 - 4.0 | 0                           | no           |

|               | Individual pool     |           |       | Individual spa     |       | Appliances other efficiency measures |            |               |                                         |                                                    |
|---------------|---------------------|-----------|-------|--------------------|-------|--------------------------------------|------------|---------------|-----------------------------------------|----------------------------------------------------|
| Dwelling no.  | Pool heating system | Pool Pump | Timer | Spa heating system | Timer | Kitchen cooktop/oven                 | Dishwasher | Clothes dryer | Indoor or sheltered clothes drying line | Private outdoor or unsheltered clothes drying line |
| All dwellings | -                   | -         | -     | -                  | -     | induction cooktop & electric oven    | 4.5 star   | 2 star        | no                                      | no                                                 |

| (iii) Thermal Performance                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Show on DA plans | Show on CC/CDC plans & specs | Certifier check |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|------------------------------|-----------------|
| (a) The applicant must attach the certificate referred to under "Assessor details" on the front page of this BASIX certificate (the "Assessor Certificate") to the development application and construction certificate application for the proposed development (or, if the applicant is applying for a complying development certificate for the proposed development, to that application). The applicant must also attach the Assessor Certificate to the application for a final occupation certificate for the proposed development. |                  |                              |                 |
| (b) The Assessor Certificate must have been issued by an Accredited Assessor in accordance with the Thermal Comfort Protocol.                                                                                                                                                                                                                                                                                                                                                                                                              |                  |                              |                 |
| (c) The details of the proposed development on the Assessor Certificate must be consistent with the details shown in this BASIX Certificate, including the details shown in the "Thermal Loads" table below.                                                                                                                                                                                                                                                                                                                               |                  |                              |                 |
| (d) The applicant must show on the plans accompanying the development application for the proposed development, all matters which the Thermal Comfort Protocol requires to be shown on those plans. Those plans must bear a stamp of endorsement from the Accredited Assessor, to certify that this is the case.                                                                                                                                                                                                                           | ✓                |                              |                 |
| (e) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), all thermal performance specifications set out in the Assessor Certificate, and all aspects of the proposed development which were used to calculate those specifications.                                                                                                                                                                                                     |                  | ✓                            |                 |
| (f) The applicant must construct the development in accordance with all thermal performance specifications set out in the Assessor Certificate, and in accordance with those aspects of the development application or application for a complying development certificate which were used to calculate those specifications.                                                                                                                                                                                                              |                  | ✓                            | ✓               |
| (g) Where there is an in-slab heating or cooling system, the applicant must:<br><br>(aa) Install insulation with an R-value of not less than 1.0 around the vertical edges of the perimeter of the slab; or<br>(bb) On a suspended floor, install insulation with an R-value of not less than 1.0 underneath the slab and around the vertical edges of the perimeter of the slab.                                                                                                                                                          | ✓                | ✓                            | ✓               |
| (h) The applicant must construct the floors and walls of the development in accordance with the specifications listed in the table below.                                                                                                                                                                                                                                                                                                                                                                                                  | ✓                | ✓                            | ✓               |
| (i) The applicant must show on The plans accompanying The development application for The proposed development, The locations of ceiling fans set out in The Assessor Certificate.                                                                                                                                                                                                                                                                                                                                                         | ✓                |                              |                 |
| (j) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), the locations of ceiling fans set out in the Assessor Certificate.                                                                                                                                                                                                                                                                                                             |                  | ✓                            |                 |

|              | Thermal loads                                         |                                                       |                                                     |
|--------------|-------------------------------------------------------|-------------------------------------------------------|-----------------------------------------------------|
| Dwelling no. | Area adjusted heating load (in MJ/m <sup>2</sup> /yr) | Area adjusted cooling load (in MJ/m <sup>2</sup> /yr) | Area adjusted total load (in MJ/m <sup>2</sup> /yr) |
| C1018        | 20.2                                                  | 17.8                                                  | 38.000                                              |
| C1019        | 10.4                                                  | 18.9                                                  | 29.300                                              |
| C1020        | 3.9                                                   | 14.3                                                  | 18.200                                              |
| C1021        | 12.30                                                 | 14                                                    | 26.300                                              |

|              | Thermal loads                                         |                                                       |                                                     |
|--------------|-------------------------------------------------------|-------------------------------------------------------|-----------------------------------------------------|
| Dwelling no. | Area adjusted heating load (in MJ/m <sup>2</sup> /yr) | Area adjusted cooling load (in MJ/m <sup>2</sup> /yr) | Area adjusted total load (in MJ/m <sup>2</sup> /yr) |
| C1022        | 19.90                                                 | 5.1                                                   | 25.000                                              |
| C1023        | 28.40                                                 | 6.4                                                   | 34.800                                              |
| C1024        | 24                                                    | 6.7                                                   | 30.700                                              |
| C1025        | 1.2                                                   | 13.2                                                  | 14.400                                              |
| C1026        | 7                                                     | 9.8                                                   | 16.800                                              |
| C118         | 4.7                                                   | 11.2                                                  | 15.900                                              |
| C119         | 18.90                                                 | 6.2                                                   | 25.100                                              |
| C120         | 10.90                                                 | 4.9                                                   | 15.800                                              |
| C121         | 7.90                                                  | 7.1                                                   | 15.000                                              |
| C122         | 7.30                                                  | 7                                                     | 14.300                                              |
| C123         | 11.6                                                  | 5.4                                                   | 17.000                                              |
| C124         | 8.9                                                   | 12.8                                                  | 21.700                                              |
| C125         | 15.40                                                 | 8.2                                                   | 23.600                                              |
| C126         | 11.4                                                  | 9.9                                                   | 21.300                                              |
| C127         | 6                                                     | 7.2                                                   | 13.200                                              |
| C128         | 10.7                                                  | 15.3                                                  | 26.000                                              |
| C129         | 3.3                                                   | 11.3                                                  | 14.600                                              |
| C130         | 5.9                                                   | 11.1                                                  | 17.000                                              |
| C131         | 0.8                                                   | 17.1                                                  | 17.900                                              |
| C218         | 18.20                                                 | 15                                                    | 33.200                                              |
| C219         | 5.2                                                   | 20.6                                                  | 25.800                                              |
| C220         | 3.6                                                   | 13.8                                                  | 17.400                                              |
| C221         | 4.40                                                  | 11.5                                                  | 15.900                                              |
| C222         | 19.9                                                  | 6.1                                                   | 26.000                                              |
| C223         | 11.8                                                  | 4.9                                                   | 16.700                                              |
| C224         | 7.40                                                  | 7.6                                                   | 15.000                                              |
| C227         | 9.80                                                  | 12.6                                                  | 22.400                                              |
| C230         | 6.8                                                   | 6.2                                                   | 13.000                                              |
| C231         | 11.6                                                  | 14.7                                                  | 26.300                                              |
| C232         | 3.7                                                   | 10.8                                                  | 14.500                                              |
| C233         | 6.5                                                   | 11.3                                                  | 17.800                                              |

|              | Thermal loads                                         |                                                       |                                                     |
|--------------|-------------------------------------------------------|-------------------------------------------------------|-----------------------------------------------------|
| Dwelling no. | Area adjusted heating load (in MJ/m <sup>2</sup> /yr) | Area adjusted cooling load (in MJ/m <sup>2</sup> /yr) | Area adjusted total load (in MJ/m <sup>2</sup> /yr) |
| C234         | 0.4                                                   | 18.6                                                  | 19.000                                              |
| C318         | 19.1                                                  | 14.9                                                  | 34.000                                              |
| C319         | 6.1                                                   | 20.6                                                  | 26.700                                              |
| C320         | 3.2                                                   | 13.2                                                  | 16.400                                              |
| C321         | 5                                                     | 11.5                                                  | 16.500                                              |
| C322         | 20.40                                                 | 6.3                                                   | 26.700                                              |
| C323         | 15.2                                                  | 4.3                                                   | 19.500                                              |
| C324         | 9.5                                                   | 5                                                     | 14.500                                              |
| C325         | 8.8                                                   | 6.8                                                   | 15.600                                              |
| C326         | 15.30                                                 | 6.1                                                   | 21.400                                              |
| C327         | 13.50                                                 | 10                                                    | 23.500                                              |
| C328         | 21.2                                                  | 7.2                                                   | 28.400                                              |
| C329         | 11.50                                                 | 9.8                                                   | 21.300                                              |
| C330         | 12.40                                                 | 5                                                     | 17.400                                              |
| C331         | 17.9                                                  | 8.3                                                   | 26.200                                              |
| C332         | 4.2                                                   | 10.8                                                  | 15.000                                              |
| C333         | 6.50                                                  | 11.4                                                  | 17.900                                              |
| C334         | 0.50                                                  | 17.8                                                  | 18.300                                              |
| C418         | 19.8                                                  | 14                                                    | 33.800                                              |
| C419         | 6.5                                                   | 20.9                                                  | 27.400                                              |
| C420         | 4.1                                                   | 15.3                                                  | 19.400                                              |
| C421         | 11.4                                                  | 18.2                                                  | 29.600                                              |
| C422         | 19                                                    | 6.4                                                   | 25.400                                              |
| C423         | 21.00                                                 | 5.3                                                   | 26.300                                              |
| C424         | 6.9                                                   | 5.7                                                   | 12.600                                              |
| C425         | 8.30                                                  | 7.1                                                   | 15.400                                              |
| C426         | 19.8                                                  | 6.8                                                   | 26.600                                              |
| C427         | 18.6                                                  | 7.2                                                   | 25.800                                              |
| C428         | 12.2                                                  | 9.6                                                   | 21.800                                              |
| C429         | 13.00                                                 | 4.9                                                   | 17.900                                              |
| C430         | 18.40                                                 | 8.1                                                   | 26.500                                              |

|              | Thermal loads                                         |                                                       |                                                     |
|--------------|-------------------------------------------------------|-------------------------------------------------------|-----------------------------------------------------|
| Dwelling no. | Area adjusted heating load (in MJ/m <sup>2</sup> /yr) | Area adjusted cooling load (in MJ/m <sup>2</sup> /yr) | Area adjusted total load (in MJ/m <sup>2</sup> /yr) |
| C431         | 4.7                                                   | 11.3                                                  | 16.000                                              |
| C432         | 6.8                                                   | 11.7                                                  | 18.500                                              |
| C433         | 0.6                                                   | 16.6                                                  | 17.200                                              |
| C518         | 20                                                    | 13.7                                                  | 33.700                                              |
| C519         | 6.9                                                   | 21.4                                                  | 28.300                                              |
| C520         | 4.4                                                   | 14.9                                                  | 19.300                                              |
| C521         | 10.00                                                 | 17.8                                                  | 27.800                                              |
| C522         | 17.5                                                  | 6.4                                                   | 23.900                                              |
| C523         | 21.5                                                  | 5.2                                                   | 26.700                                              |
| C524         | 7.10                                                  | 5.6                                                   | 12.700                                              |
| C525         | 8.7                                                   | 6.4                                                   | 15.100                                              |
| C526         | 20.40                                                 | 6.8                                                   | 27.200                                              |
| C527         | 19.2                                                  | 7.2                                                   | 26.400                                              |
| C528         | 12.6                                                  | 9.5                                                   | 22.100                                              |
| C529         | 13.4                                                  | 5                                                     | 18.400                                              |
| C530         | 18.9                                                  | 8.4                                                   | 27.300                                              |
| C531         | 5.10                                                  | 11.5                                                  | 16.600                                              |
| C532         | 6.9                                                   | 11.9                                                  | 18.800                                              |
| C533         | 0.7                                                   | 15.8                                                  | 16.500                                              |
| C618         | 19.6                                                  | 14.5                                                  | 34.100                                              |
| C619         | 7.3                                                   | 21.4                                                  | 28.700                                              |
| C620         | 4.4                                                   | 14.8                                                  | 19.200                                              |
| C621         | 10                                                    | 17                                                    | 27.000                                              |
| C622         | 16.9                                                  | 6.5                                                   | 23.400                                              |
| C623         | 22                                                    | 5.2                                                   | 27.200                                              |
| C624         | 7.30                                                  | 5.6                                                   | 12.900                                              |
| C625         | 8.80                                                  | 6.5                                                   | 15.300                                              |
| C626         | 20.90                                                 | 6.8                                                   | 27.700                                              |
| C627         | 19.7                                                  | 7.3                                                   | 27.000                                              |
| C628         | 13.10                                                 | 9.3                                                   | 22.400                                              |
| C629         | 13.9                                                  | 5                                                     | 18.900                                              |

|              | Thermal loads                                         |                                                       |                                                     |
|--------------|-------------------------------------------------------|-------------------------------------------------------|-----------------------------------------------------|
| Dwelling no. | Area adjusted heating load (in MJ/m <sup>2</sup> /yr) | Area adjusted cooling load (in MJ/m <sup>2</sup> /yr) | Area adjusted total load (in MJ/m <sup>2</sup> /yr) |
| C630         | 19.30                                                 | 8.5                                                   | 27.800                                              |
| C631         | 5.40                                                  | 12.3                                                  | 17.700                                              |
| C632         | 6.9                                                   | 12                                                    | 18.900                                              |
| C633         | 0.90                                                  | 14.6                                                  | 15.500                                              |
| C718         | 19.5                                                  | 15.2                                                  | 34.700                                              |
| C719         | 7.40                                                  | 21.4                                                  | 28.800                                              |
| C720         | 3.50                                                  | 15                                                    | 18.500                                              |
| C721         | 8.2                                                   | 17                                                    | 25.200                                              |
| C722         | 14.8                                                  | 6.3                                                   | 21.100                                              |
| C723         | 22.60                                                 | 5.2                                                   | 27.800                                              |
| C724         | 7.6                                                   | 5.4                                                   | 13.000                                              |
| C725         | 9.1                                                   | 6.4                                                   | 15.500                                              |
| C726         | 21.4                                                  | 6.7                                                   | 28.100                                              |
| C727         | 20.3                                                  | 7.3                                                   | 27.600                                              |
| C728         | 13.50                                                 | 9.3                                                   | 22.800                                              |
| C729         | 14.30                                                 | 5.1                                                   | 19.400                                              |
| C730         | 13.6                                                  | 9.9                                                   | 23.500                                              |
| C731         | 18.3                                                  | 19.4                                                  | 37.700                                              |
| C732         | 1                                                     | 14.5                                                  | 15.500                                              |
| C818         | 18.7                                                  | 17.2                                                  | 35.900                                              |
| C819         | 7.40                                                  | 21                                                    | 28.400                                              |
| C820         | 3.60                                                  | 14.5                                                  | 18.100                                              |
| C821         | 8.3                                                   | 16.3                                                  | 24.600                                              |
| C822         | 15.00                                                 | 6.2                                                   | 21.200                                              |
| C823         | 22.9                                                  | 5.2                                                   | 28.100                                              |
| C824         | 7.8                                                   | 5.5                                                   | 13.300                                              |
| C825         | 9.2                                                   | 6.4                                                   | 15.600                                              |
| C826         | 21.8                                                  | 6.6                                                   | 28.400                                              |
| C827         | 20.7                                                  | 7.1                                                   | 27.800                                              |
| C828         | 13.9                                                  | 9.2                                                   | 23.100                                              |
| C829         | 14.7                                                  | 5.1                                                   | 19.800                                              |



|              | Thermal loads                                         |                                                       |                                                     |
|--------------|-------------------------------------------------------|-------------------------------------------------------|-----------------------------------------------------|
| Dwelling no. | Area adjusted heating load (in MJ/m <sup>2</sup> /yr) | Area adjusted cooling load (in MJ/m <sup>2</sup> /yr) | Area adjusted total load (in MJ/m <sup>2</sup> /yr) |
| C830         | 13.9                                                  | 9.8                                                   | 23.700                                              |
| C831         | 14.7                                                  | 20.8                                                  | 35.500                                              |
| C832         | 1.10                                                  | 14.2                                                  | 15.300                                              |
| C918         | 18.6                                                  | 19.4                                                  | 38.000                                              |
| C919         | 7.2                                                   | 21                                                    | 28.200                                              |
| C920         | 3.7                                                   | 14.4                                                  | 18.100                                              |
| C921         | 8.50                                                  | 16.4                                                  | 24.900                                              |
| C922         | 15.2                                                  | 6.3                                                   | 21.500                                              |
| C923         | 23.3                                                  | 5.1                                                   | 28.400                                              |
| C924         | 7.9                                                   | 5.5                                                   | 13.400                                              |
| C925         | 9.3                                                   | 6.5                                                   | 15.800                                              |
| C926         | 23.10                                                 | 6.4                                                   | 29.500                                              |
| C927         | 26                                                    | 6                                                     | 32.000                                              |
| C928         | 15.50                                                 | 11                                                    | 26.500                                              |
| C929         | 13.7                                                  | 9.1                                                   | 22.800                                              |
| C930         | 18.10                                                 | 8.4                                                   | 26.500                                              |
| C931         | 15.2                                                  | 19.1                                                  | 34.300                                              |
| C932         | 1.1                                                   | 13.4                                                  | 14.500                                              |
| CG07         | 7.9                                                   | 9.4                                                   | 17.300                                              |
| CG08         | 12.10                                                 | 6.6                                                   | 18.700                                              |
| CG09         | 9.7                                                   | 11.6                                                  | 21.300                                              |
| CG10         | 8.70                                                  | 9                                                     | 17.700                                              |
| CG11         | 6.50                                                  | 17.8                                                  | 24.300                                              |
| CUG16        | 5.9                                                   | 13.5                                                  | 19.400                                              |
| CUG17        | 20.90                                                 | 6.3                                                   | 27.200                                              |
| CUG18        | 10                                                    | 4.7                                                   | 14.700                                              |
| CUG19        | 8.2                                                   | 12.9                                                  | 21.100                                              |
| CUG20        | 14.50                                                 | 8.6                                                   | 23.100                                              |
| CUG21        | 10.1                                                  | 16                                                    | 26.100                                              |
| CUG22        | 2.7                                                   | 9.8                                                   | 12.500                                              |
| CUG23        | 5.30                                                  | 9.9                                                   | 15.200                                              |

|                     | Thermal loads                                         |                                                       |                                                     |
|---------------------|-------------------------------------------------------|-------------------------------------------------------|-----------------------------------------------------|
| Dwelling no.        | Area adjusted heating load (in MJ/m <sup>2</sup> /yr) | Area adjusted cooling load (in MJ/m <sup>2</sup> /yr) | Area adjusted total load (in MJ/m <sup>2</sup> /yr) |
| C225, C226          | 7.2                                                   | 7.5                                                   | 14.700                                              |
| All other dwellings | 16.6                                                  | 7.9                                                   | 24.500                                              |

### (c) Common areas and central systems/facilities

| (i) Water                                                                                                                                                                                                                                                                               | Show on DA plans | Show on CC/CDC plans & specs | Certifier check |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|------------------------------|-----------------|
| (a) If, in carrying out the development, the applicant installs a showerhead, toilet, tap or clothes washer into a common area, then that item must meet the specifications listed for it in the table.                                                                                 |                  | ✓                            | ✓               |
| (b) The applicant must install (or ensure that the development is serviced by) the alternative water supply system(s) specified in the "Central systems" column of the table below. In each case, the system must be sized, be configured, and be connected, as specified in the table. | ✓                | ✓                            | ✓               |
| (c) A swimming pool or spa listed in the table must not have a volume (in kLs) greater than that specified for the pool or spa in the table.                                                                                                                                            | ✓                | ✓                            |                 |
| (d) A pool or spa listed in the table must have a cover or shading if specified for the pool or spa in the table.                                                                                                                                                                       |                  | ✓                            |                 |
| (e) The applicant must install each fire sprinkler system listed in the table so that the system is configured as specified in the table.                                                                                                                                               |                  | ✓                            | ✓               |
| (f) The applicant must ensure that the central cooling system for a cooling tower is configured as specified in the table.                                                                                                                                                              |                  | ✓                            | ✓               |

| Common area      | Showerheads rating            | Toilets rating | Taps rating | Clothes washers rating     |
|------------------|-------------------------------|----------------|-------------|----------------------------|
| All common areas | 4 star (> 4.5 but <= 6 L/min) | 4 star         | 5 star      | no common laundry facility |

| Central systems               | Size | Configuration                                                                                                     | Connection (to allow for...) |
|-------------------------------|------|-------------------------------------------------------------------------------------------------------------------|------------------------------|
| Fire sprinkler system (No. 3) | -    | So that fire sprinkler test water is contained within the fire sprinkler system for re-use, rather than disposed. | -                            |

| (ii) Energy                                                                                                                                                                                                                                                                                                                                                                                                             | Show on DA plans | Show on CC/CDC plans & specs | Certifier check |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|------------------------------|-----------------|
| (a) If, in carrying out the development, the applicant installs a ventilation system to service a common area specified in the table below, then that ventilation system must be of the type specified for that common area, and must meet the efficiency measure specified.                                                                                                                                            |                  | ✓                            | ✓               |
| (b) In carrying out the development, the applicant must install, as the "primary type of artificial lighting" for each common area specified in the table below, the lighting specified for that common area. This lighting must meet the efficiency measure specified. The applicant must also install a centralised lighting control system or Building Management System (BMS) for the common area, where specified. |                  | ✓                            | ✓               |
| (c) The applicant must install the systems and fixtures specified in the "Central energy systems" column of the table below. In each case, the system or fixture must be of the type, and meet the specifications, listed for it in the table.                                                                                                                                                                          | ✓                | ✓                            | ✓               |

|                   | Common area ventilation system |                                | Common area lighting                |                                    |                              |
|-------------------|--------------------------------|--------------------------------|-------------------------------------|------------------------------------|------------------------------|
| Common area       | Ventilation system type        | Ventilation efficiency measure | Primary type of artificial lighting | Lighting efficiency measure        | Lighting control system/ BMS |
| C1_Corridor       | ventilation supply only        | time clock or BMS controlled   | light-emitting diode                | zoned switching with motion sensor | yes                          |
| C1_Lobby          | ventilation supply only        | time clock or BMS controlled   | light-emitting diode                | zoned switching with motion sensor | yes                          |
| C1_Roof Lobby     | ventilation supply only        | time clock or BMS controlled   | light-emitting diode                | zoned switching with motion sensor | yes                          |
| C1_Stair          | no mechanical ventilation      | -                              | light-emitting diode                | zoned switching with motion sensor | yes                          |
| C2_Corridor       | ventilation supply only        | time clock or BMS controlled   | light-emitting diode                | zoned switching with motion sensor | yes                          |
| C2_Lobby          | ventilation supply only        | time clock or BMS controlled   | light-emitting diode                | zoned switching with motion sensor | yes                          |
| C2_Stair          | no mechanical ventilation      | -                              | light-emitting diode                | zoned switching with motion sensor | yes                          |
| C2_Suna           | air conditioning system        | time clock or BMS controlled   | light-emitting diode                | zoned switching                    | yes                          |
| C2_WC             | ventilation exhaust only       | time clock or BMS controlled   | light-emitting diode                | zoned switching with motion sensor | yes                          |
| C2_Wellness Room  | air conditioning system        | time clock or BMS controlled   | light-emitting diode                | zoned switching with motion sensor | yes                          |
| GBR BLD C         | ventilation exhaust only       | -                              | light-emitting diode                | motion sensors                     | yes                          |
| Lift bank (No. 1) | -                              | -                              | light-emitting diode                | connected to lift call button      | yes                          |
| Lift bank (No. 2) | -                              | -                              | light-emitting diode                | connected to lift call button      | yes                          |
| Lift bank (No. 3) | -                              | -                              | light-emitting diode                | connected to lift call button      | yes                          |
| Lift bank (No. 4) | -                              | -                              | light-emitting diode                | connected to lift call button      | yes                          |
| Lift bank (No. 5) | -                              | -                              | light-emitting diode                | connected to lift call button      | yes                          |

| Central energy systems | Type                              | Specification                         |
|------------------------|-----------------------------------|---------------------------------------|
| Sauna (No. 1)          | Heating source: electric infrared | Efficiency measure: controlled by BMS |

| Central energy systems           | Type                                                              | Specification                                                                                                                                                                                      |
|----------------------------------|-------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Lift bank (No. 3)                | gearless traction with V V<br>V F motor and regenerative<br>drive | Number of levels with apartments served by a lift: 11<br>number of levels from the bottom of the lift shaft to the top of the lift shaft: 14<br>number of lifts: 2<br>lift load capacity: <1001 kg |
| Lift bank (No. 5)                | gearless traction with V V<br>V F motor and regenerative<br>drive | Number of levels with apartments served by a lift: 11<br>number of levels from the bottom of the lift shaft to the top of the lift shaft: 14<br>number of lifts: 2<br>lift load capacity: <1001 kg |
| Central hot water system (No. 3) | gas-fired boiler                                                  | Piping insulation (ringmain & supply risers):<br>(a) Piping external to building: R1.0 (~38 mm);<br>(b) Piping internal to building: R1.0 (~38 mm)                                                 |

#### 4. Commitments for common areas and central systems/facilities for the development (non-building specific)

##### (a) Buildings 'Other'

| (i) Materials                                                                                                                                                                                                                                                                                                             | Show on DA plans | Show on CC/CDC plans & specs | Certifier check |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|------------------------------|-----------------|
| (a) The details of the proposed development on the Assessor Certificate must be consistent with the details shown in this BASIX Certificate, including the details shown in the "Floor types", "External wall types", "Internal wall types", "Ceiling and roof types", "Frames" and "Glazing" tables below.               |                  |                              | ✓               |
| (b) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), all specifications included in the tables below.                                                                                                              |                  | ✓                            |                 |
| (c) The applicant must construct the floors, walls, roof, ceiling and roof, windows, glazed doors and skylights of the development in accordance with the specifications listed in the tables below. In the case of glazing, a 5% variance from the area values listed in the "Frames" and "Glazing" tables is permitted. | ✓                | ✓                            | ✓               |
| (d) The applicant must show through receipts that the materials purchased for construction are consistent with the specifications listed in the below tables.                                                                                                                                                             |                  |                              | ✓               |

##### Floor types

| Floor type                                   | Area (m2) | Insulation | Low emissions option |
|----------------------------------------------|-----------|------------|----------------------|
| garage floor, frame: suspended concrete slab | 27098.33  | -          | none                 |

##### External wall types

| External wall type   | Construction type                                       | Area (m2) | Low emissions option | Insulation |
|----------------------|---------------------------------------------------------|-----------|----------------------|------------|
| External wall type 1 | concrete block/<br>plasterboard,frame:light steel frame | 45778.51  | -                    | -          |

##### Internal wall types

| Internal wall type   | Construction type                          | Area (m2) | Insulation |
|----------------------|--------------------------------------------|-----------|------------|
| Internal wall type 1 | cavity brick wall, frame:light steel frame | 650       | -          |

##### Reinforcement concrete frames/columns

| Building has reinforced concrete frame/columns? | Volume (m³) | Low emissions option |
|-------------------------------------------------|-------------|----------------------|
| -                                               | -           | -                    |

### Ceiling and roof types

| Ceiling and roof type | Area (m²) | Roof Insulation | Ceiling Insulation |
|-----------------------|-----------|-----------------|--------------------|
| -                     | -         | -               |                    |

### Glazing types

### Frame types

| Single glazing (m²) | Double glazing (m²) | Triple glazing (m²) | Aluminium frames (m²) | Timber frames (m²) | uPVC frames (m²) | Steel frames (m²) | Composite frames (m²) |
|---------------------|---------------------|---------------------|-----------------------|--------------------|------------------|-------------------|-----------------------|
| 0                   | 0                   | 0                   | 0                     | 0                  | 0                | 0                 | 0                     |

**(b) Common areas and central systems/facilities**

| (i) Water                                                                                                                                                                                                                                                                               | Show on DA plans | Show on CC/CDC plans & specs | Certifier check |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|------------------------------|-----------------|
| (a) If, in carrying out the development, the applicant installs a showerhead, toilet, tap or clothes washer into a common area, then that item must meet the specifications listed for it in the table.                                                                                 |                  | ✓                            | ✓               |
| (b) The applicant must install (or ensure that the development is serviced by) the alternative water supply system(s) specified in the "Central systems" column of the table below. In each case, the system must be sized, be configured, and be connected, as specified in the table. | ✓                | ✓                            | ✓               |
| (c) A swimming pool or spa listed in the table must not have a volume (in kLs) greater than that specified for the pool or spa in the table.                                                                                                                                            | ✓                | ✓                            |                 |
| (d) A pool or spa listed in the table must have a cover or shading if specified for the pool or spa in the table.                                                                                                                                                                       |                  | ✓                            |                 |
| (e) The applicant must install each fire sprinkler system listed in the table so that the system is configured as specified in the table.                                                                                                                                               |                  | ✓                            | ✓               |
| (f) The applicant must ensure that the central cooling system for a cooling tower is configured as specified in the table.                                                                                                                                                              |                  | ✓                            | ✓               |

| Common area      | Showerheads rating            | Toilets rating | Taps rating | Clothes washers rating     |
|------------------|-------------------------------|----------------|-------------|----------------------------|
| All common areas | 4 star (> 4.5 but <= 6 L/min) | 4 star         | 5 star      | no common laundry facility |

| Central systems                                      | Size            | Configuration                                                                                                                                                                                                                                                                                                                                                                                          | Connection (to allow for...)                                                                                                |
|------------------------------------------------------|-----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|
| Swimming pool (No. 1)                                | Volume: 110 kLs | Location: Other<br>Pool shaded: no                                                                                                                                                                                                                                                                                                                                                                     | -                                                                                                                           |
| Central water tank - rainwater or stormwater (No. 1) | 20000           | To collect run-off from at least:<br>- 2500 square metres of roof area of buildings in the development<br>- 0 square metres of impervious area in the development<br>- 0 square metres of garden/lawn area in the development<br>- 0 square metres of planter box area in the development (excluding, in each case, any area which drains to, or supplies, any other alternative water supply system). | - irrigation of 5458 square metres of common landscaped area on the site<br>- car washing in 1 car washing bays on the site |
| Fire sprinkler system (No. 4)                        | -               | So that fire sprinkler test water is contained within the fire sprinkler system for re-use, rather than disposed.                                                                                                                                                                                                                                                                                      | -                                                                                                                           |



| (ii) Energy                                                                                                                                                                                                                                                                                                                                                                                                             | Show on DA plans | Show on CC/CDC plans & specs | Certifier check |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|------------------------------|-----------------|
| (a) If, in carrying out the development, the applicant installs a ventilation system to service a common area specified in the table below, then that ventilation system must be of the type specified for that common area, and must meet the efficiency measure specified.                                                                                                                                            |                  | ✓                            | ✓               |
| (b) In carrying out the development, the applicant must install, as the "primary type of artificial lighting" for each common area specified in the table below, the lighting specified for that common area. This lighting must meet the efficiency measure specified. The applicant must also install a centralised lighting control system or Building Management System (BMS) for the common area, where specified. |                  | ✓                            | ✓               |
| (c) The applicant must install the systems and fixtures specified in the "Central energy systems" column of the table below. In each case, the system or fixture must be of the type, and meet the specifications, listed for it in the table.                                                                                                                                                                          | ✓                | ✓                            | ✓               |

|                         | Common area ventilation system |                                   | Common area lighting                |                                    |                              |
|-------------------------|--------------------------------|-----------------------------------|-------------------------------------|------------------------------------|------------------------------|
| Common area             | Ventilation system type        | Ventilation efficiency measure    | Primary type of artificial lighting | Lighting efficiency measure        | Lighting control system/ BMS |
| Bulky Waste             | ventilation exhaust only       | -                                 | light-emitting diode                | motion sensors                     | yes                          |
| Car Park                | ventilation (supply + exhaust) | carbon monoxide monitor + VSD fan | light-emitting diode                | zoned switching with motion sensor | yes                          |
| Click and Collect       | air conditioning system        | time clock or BMS controlled      | light-emitting diode                | zoned switching with motion sensor | yes                          |
| Fan Room                | ventilation supply only        | thermostatically controlled       | light-emitting diode                | motion sensors                     | yes                          |
| Fire Pump Room          | ventilation supply only        | thermostatically controlled       | light-emitting diode                | motion sensors                     | yes                          |
| Fire Stairs - Basement  | no mechanical ventilation      | -                                 | light-emitting diode                | zoned switching with motion sensor | yes                          |
| Fire Tank               | ventilation supply only        | thermostatically controlled       | light-emitting diode                | motion sensors                     | yes                          |
| FOGO                    | ventilation exhaust only       | -                                 | light-emitting diode                | motion sensors                     | yes                          |
| General Bin Holding     | ventilation exhaust only       | -                                 | light-emitting diode                | motion sensors                     | yes                          |
| Loading Dock            | ventilation (supply + exhaust) | time clock or BMS controlled      | light-emitting diode                | zoned switching with motion sensor | yes                          |
| MSB                     | ventilation supply only        | thermostatically controlled       | light-emitting diode                | motion sensors                     | yes                          |
| Pool Plant              | ventilation supply only        | thermostatically controlled       | light-emitting diode                | motion sensors                     | yes                          |
| Potable Water Pump Room | ventilation supply only        | thermostatically controlled       | light-emitting diode                | motion sensors                     | yes                          |
| Rain Water Tank         | no mechanical ventilation      | -                                 | light-emitting diode                | motion sensors                     | yes                          |

| Central energy systems    | Type                                       | Specification                             |
|---------------------------|--------------------------------------------|-------------------------------------------|
| Swimming pool (No. 1)     | Heating source: electric heat pump         | Pump controlled by timer: yes             |
| Alternative energy supply | Photovoltaic system                        | Rated electrical output (min): 25 peak kW |
| Other                     | Building management system installed?: yes | -                                         |

## Notes

1. In these commitments, "applicant" means the person carrying out the development.
2. The applicant must identify each dwelling, building and common area listed in this certificate, on the plans accompanying any development application, and on the plans and specifications accompanying the application for a construction certificate / complying development certificate, for the proposed development, using the same identifying letter or reference as is given to that dwelling, building or common area in this certificate.
3. This note applies if the proposed development involves the erection of a building for both residential and non-residential purposes (or the change of use of a building for both residential and non-residential purposes). Commitments in this certificate which are specified to apply to a "common area" of a building or the development, apply only to that part of the building or development to be used for residential purposes.
4. If this certificate lists a central system as a commitment for a dwelling or building, and that system will also service any other dwelling or building within the development, then that system need only be installed once (even if it is separately listed as a commitment for that other dwelling or building).
5. If a star or other rating is specified in a commitment, this is a minimum rating.
6. All alternative water systems to be installed under these commitments (if any), must be installed in accordance with the requirements of all applicable regulatory authorities. NOTE: NSW Health does not recommend that stormwater, recycled water or private dam water be used to irrigate edible plants which are consumed raw, or that rainwater be used for human consumption in areas with potable water supply.

## Legend

1. Commitments identified with a "✔" in the "Show on DA plans" column must be shown on the plans accompanying the development application for the proposed development (if a development application is to be lodged for the proposed development).
2. Commitments identified with a "✔" in the "Show on CC/CDC plans and specs" column must be shown in the plans and specifications accompanying the application for a construction certificate / complying development certificate for the proposed development.
3. Commitments identified with a "✔" in the "Certifier check" column must be certified by a certifying authority as having been fulfilled. (Note: a certifying authority must not issue an occupation certificate (either interim or final) for a building listed in this certificate, or for any part of such a building, unless it is satisfied that each of the commitments whose fulfilment it is required to monitor in relation to the building or part, has been fulfilled).