

APPENDIX E: FLORA SPECIES LIST

The following is a list of plant species which have been recorded for Hexham Swamp, including marginal habitats, such as patches of littoral rainforest. Data Sources used to compile this species list include:

- Briggs (1978)
- Conroy and Lake (1992);
- Winning (1996);
- Winning (1997);
- Winning (1998);
- Records from WBM Oceanics Australia survey conducted for this EIS.

Family	Genus	Species	Exotic / Noxious	Authority	Common Name
Aizoaceae	<i>Galena</i>	<i>secunda</i>	E	(L. f.)	
	<i>Tetragonia</i>	<i>tetragonoides</i>		(Pallas) Kuntze	New Zealand Spinach
Alismataceae	<i>Alisma</i>	<i>plantago-aquatica</i>		L.	Water Plantain
Amaranthaceae	<i>Alternanthera</i>	<i>denticulata</i>		R. Br.	Lesser Joyweed
	<i>Alternanthera</i>	<i>philoxeroides</i>	E, N	(Martius) Griseb.	Alligator Weed
Apiaceae	<i>Apium</i>	<i>prostratum</i> <i>var. filiforme</i>		Labill. ex Vent.	Sea Celery
	<i>Centella</i>	<i>asiatica</i>		(L.) Urb.	Pennyweort
	<i>Ciclospermum</i>	<i>leptophyllum</i>	E	(Pers.) Sprague	Slender Celery
	<i>Foeniculum</i>	<i>vulgare</i>	E	Miller	Fennel
	<i>Hydrocotyle</i>	<i>bonariensis</i>	E	Lam.	
Apocynaceae	<i>Parsonsia</i>	<i>straminea</i>		(R. Br.) F. Muell.	Common Silkpod
Asclepiadaceae	<i>Araujia</i>	<i>hortorum</i>	E	Fourn.	Moth Plant
	<i>Gomphocarpus</i>	<i>fruticosus</i>	E	(L.) R. Br.	Narrow-leaved Cotton Bush
Asteraceae	<i>Ambrosia</i>	<i>psilostachya</i>	E	DC.	Perennial Ragweed
	<i>Ambrosia</i>	<i>tenuifolia</i>	E	Sprengle	Lacy Ragweed
	<i>Artemisia</i>	<i>verlotorum</i>	E	Lamotte	Chinese Wormwood
	<i>Aster</i>	<i>subulatus</i>	E	Michx.	Wild Aster
	<i>Chrysanthemoides</i>	<i>monilifera</i>	E	(L.) Norlindh	Bitou Bush, Boneseed.
	<i>Cirsium</i>	<i>vulgare</i>	E	(Savi.) Ten.	Spear Thistle
	<i>Conyza</i>	<i>bonariensis</i>	E	(L.) Cronq.	Flaxleaf Fleabane
	<i>Conyza</i>	<i>canadiensis</i> <i>var. canadensis</i>	E	(L.) Cribq.	Canadian Fleabane
	<i>Cotula</i>	<i>coronopifolia</i>	E	L.	Water Buttons
	<i>Enydra</i>	<i>fluctuans</i>		Lour.	
	<i>Gnaphalium</i>	<i>involutratum</i>	E	Forster f.	Star Cudweed
	<i>Gnaphalium</i>	<i>sp.</i>	E	L.	
	<i>Hypochoeris</i>	<i>radicata</i>	E	L.	Catsear, Flatweed
	<i>Lactuca</i>	<i>serriola</i>	E	L.	Prickly Lettuce
	<i>Leptinella</i>	<i>longipes</i>		Hook. f.	
<i>Senecio</i>	<i>linearifolius</i>		A. Rich.		
<i>Senecio</i>	<i>madagascariensis</i>	E	Poiret	Fireweed	

Family	Genus	Species	Exotic / Noxious	Authority	Common Name
	<i>Solidago</i>	<i>var. scabra</i>	E	L.	Goldenrod
	<i>Sonchus</i>	<i>asper</i> <i>subsp.</i> <i>laucescens</i>	E	(L.) Hill	Prickly Sowthistle
	<i>Sonchus</i>	<i>oleraceus</i>	E	L.	Common Sowthistle
	<i>Tagetes</i>	<i>minuta</i>	E	L.	Stinking Roger
	<i>Taraxacum</i>	<i>officinale</i>	E	Weber	Dandelion
	<i>Xanthium</i>	<i>occidentale</i>	E	Bertol.	Noogoora Burr, Cockle Burr
Avicenniaceae	<i>Avicennia</i>	<i>marina</i> <i>var. australasica</i>		(Forsskal) Vierh.	Gery Mangrove
Azollaceae	<i>Azolla</i>	<i>filiculoides</i> <i>var.</i> <i>rubra</i>		Lam.	
	<i>Azolla</i>	<i>pinnata</i>		R. Br.	
Blechnaceae	<i>Blechnum</i>	<i>indicum</i>		Burm. f.	Swamp Water Fern
Boraginaceae	<i>Heliotropium</i>	<i>curassavicum</i>	E	L.	Smooth Heliotrope
Brassicaceae	<i>Coronopus</i>	<i>didymus</i>	E	(L.) Smith	Lesser Swinecress
Caesalpiniaceae	<i>Senna</i>	<i>pendula</i>	E	(Willd.)	Irwin and Barneby
Callitrichaceae	<i>Callitriche</i>	<i>stagnalis</i>	E	Scop.	Common Starwort
Campanulaceae	<i>Wahlenbergia</i>	<i>gracilis</i>		(Forster f.) A. DC.	Australian Bluebell
Caryophyllaceae	<i>Cersatium</i>	<i>glomeratum</i>	E	Thuill.	Mouse-ear Chickweed
	<i>Spergularia</i>	<i>marina</i>	E	(L.) Griseb.	
	<i>Spurgularia</i>	<i>rubra</i>	E	(L.) J.S. & C. Presl.	Sandspurry
	<i>Stellaria</i>	<i>media</i>	E	Villars	Common Chickweed
Cassythaceae	<i>Cassytha</i>	<i>paniculata</i>		R. Br.	
Casuarinaceae	<i>Casuarina</i>	<i>glauca</i>		Sieber ex Sprengel	Swamp Oak
Ceratophyllaceae	<i>Ceratophyllum</i>	<i>demersum</i>		L.	Hornwort
Chenopodiaceae	<i>Atriplex</i>	<i>australasica</i>		Moq.	
	<i>Atriplex</i>	<i>prostrata</i>	E	Boucher ex DC	
	<i>Chenopodium</i>	<i>album</i>	E	L.	Fat Hen
	<i>Chenopodium</i>	<i>ambrosioides</i>	E	L.	Mexacian Tea
	<i>Einadia</i>	<i>hastata</i>		(R. Br.) A. J. Scot	Berry Saltbush
	<i>Sarcocornia</i>	<i>quinqueflora</i> <i>subsp.</i> <i>quinqueflora</i>		(Bunge ex Ung.-Sternb.) A. J. Scot	
Commelinaceae	<i>Commelina</i>	<i>cyanea</i>		R. Br.	
Convolvulaceae	<i>Dichondra</i>	<i>repens</i>		Forster & Forster f.	
	<i>Bolboschoenus</i>	<i>caldwellii</i>		(V. J. Cook) Sojak	
	<i>Bolboschoenus</i>	<i>fluviatilis</i>		(Torrey) Sojak	
	<i>Carex</i>	<i>appressa</i>		R. Br.	
	<i>Carex</i>	<i>inversa</i>		R. Br.	Knob Sedge
	<i>Cyperus</i>	<i>brevifolius</i>	E	(Rottb.) Hassk.	

Family	Genus	Species	Exotic / Noxious	Authority	Common Name
	<i>Cyperus</i>	<i>congestus</i>	E	Vahl	
	<i>Cyperus</i>	<i>eragrostis</i>		L.	
	<i>Cyperus</i>	<i>odoratus</i>		Lam.	Umbrella Sedge
	<i>Cyperus</i>	<i>polystachyos</i>		Rottb.	
	<i>Eleocharis</i>	<i>acuta</i>		R. Br.	
	<i>Eleocharis</i>	<i>dietrichiana</i>		Boeck.	
	<i>Eleocharis</i>	<i>equisetina</i>		C. Presl	
	<i>Eleocharis</i>	<i>sphacelata</i>		R. Br.	Tall Spike-rush
	<i>Fimbristylis</i>	<i>dichotoma</i>		(L.) Vahl	
	<i>Isolepis</i>	<i>inundata</i>		R. Br.	
	<i>Isolepis</i>	<i>prolifera</i>		(Rottb.) R.Br.	
	<i>Schoenoplectus</i>	<i>littoralis</i>		(Schrad.) Palla	
Dennstaedtiaceae	<i>Hypolepis</i>	<i>muelleri</i>		Wakef.	Harsh Ground Fern
Dennstaedtiaceae	<i>Pteridium</i>	<i>esculentum</i>		(Forester Cockayne f.)	Bracken
Elaeocarpaceae	<i>Elaeocarpus</i>	<i>obovatus</i>		G. Don.	Hard Quandong
Elatinaceae	<i>Elatine</i>	<i>gratioloides</i>		Cunn.	Waterwort
Euphorbiaceae	<i>Breynia</i>	<i>oblongifolia</i>		Muell. Arg.	Coffee Bush
	<i>Euphorbia</i>	<i>peplus</i>	E	L.	Petty Spurge, Radium Plant
	<i>Glochidion</i>	<i>ferdinandi</i>		(Muell. Arg.) Bailey	Cheese Tree
	<i>Ricinus</i>	<i>communis</i>	E	L.	Caster Oil Plant
Faboideae	<i>Medicago</i>	<i>sativa</i>	E	L.	Lucerne, Alfalfa
	<i>Melilotus</i>	<i>indicus</i>	E	(L.) All.	Hexham Scent
	<i>Vicia</i>	<i>sativa</i>	E	L.	
	<i>Trifolium</i>	<i>repens</i>	E	L.	White Clover
Flacourtiaceae	<i>Scolopia</i>	<i>braunii</i>		(Klotzsch) Sleumer	Flintwood
Gentianaceae	<i>Centaurium</i>	<i>erythraea</i>	E	Rafn	Common Centaury
	<i>Centaurium</i>	<i>spicatum</i>		(L.) Fritsch	Spike Centaury
Haloragaceae	<i>Myriophyllum</i>	<i>simulans</i>		Orch.	
	<i>Myriophyllum</i>	<i>aquaticum</i>	E	(Vell. Conc.) Verdc.	Parrots Feather, Brazilian Water-milfoil
Iridaceae	<i>Romulea</i>	<i>rosea</i> <i>var. australis</i>	E	(L.) Eckl.	Onion Grass
Juncaceae	<i>Juncus</i>	<i>acutus</i> <i>subsp. acutus</i>	E	L.	Sharp Rush
	<i>Juncus</i>	<i>articulatus</i>	E	L.	
	<i>Juncus</i>	<i>cognatus</i>	E	Kunth	
	<i>Juncus</i>	<i>kraussii</i> <i>subsp. australiensis</i>		Hochst.	Sea Rush
	<i>Juncus</i>	<i>polyanthemus</i>		Buchenau	
	<i>Juncus</i>	<i>usitatus</i>		L. A. S. Johnson	
Juncaginaceae	<i>Triglochin</i>	<i>microtuberosum</i>		Aston	Water Ribbons
	<i>Triglochin</i>	<i>striatum</i>		Ruiz & Pav.	Streaked Arrowgrass
Lamiaceae	<i>Stachys</i>	<i>arvensis</i>	E	(L.) L.	Stagger Weed
Lauraceae	<i>Cinnamomum</i>	<i>camphora</i>	E	(L.) Nees	Camphor Laurel
	<i>Neolitsea</i>	<i>australiensis</i>		Kosterm.	Green Bolly Gum
	<i>Lemna</i>	<i>disperma</i>		Hegelm.	

Family	Genus	Species	Exotic / Noxious	Authority	Common Name
	<i>Lemna</i>	<i>trisolca</i>		L.	
	<i>Spirodela</i>	<i>punctata</i>		(G. Mey.) J. V. Thomps.	
	<i>Spirodela</i>	<i>pusilla</i>		Hegelm.	
	<i>Wolffia</i>	<i>australiana</i>		(Benth.) Hartog & Plas	
Lilaeaceae	<i>Lilaea</i>	<i>scilloides</i>		(Poir.) Haum.	Lilaea
Lobeliaceae	<i>Lobelia</i>	<i>alata</i>		Labill.	Angled Lobelia
	<i>Pratia</i>	<i>concolor</i>		(R. Br.) Druce	
Lythraceae	<i>Lythrum</i>	<i>hyssopifolia</i>		L.	Hyssop Loosestrife
Malvaceae	<i>Modiola</i>	<i>caroliniana</i>	E	(L.) G. Don	Red -flowered Mallow
	<i>Sida</i>	<i>rhombifolia</i>	E	L.	Paddy's Lucerne
Marsileaceae	<i>Marsilea</i>	<i>hirsuta</i>		R. Br.	
Menispermaceae	<i>Rapanea</i>	<i>howittiana</i>		Mez	Brush Muttonwood
	<i>Sarcopetalum</i>	<i>harveyanum</i>		F. Muell.	Pearl Vine
Mimosoideae	<i>Acacia</i>	<i>longifolia</i>		(Andrews) Willd.	Sydney Goldern Wattle
Moraceae	<i>Ficus</i>	<i>coronata</i>		Spin	Creek Sandpaper Fig, Sandpaper Fig
Moraceae	<i>Ficus</i>	<i>rubiginosa</i>		Desf. Ex Vent.	Rusty Fig
Myoporaceae	<i>Myoporum</i>	<i>acuminatum</i>		R.Br. s.str.	Boobiella
Myrsinaceae	<i>Aegiceras</i>	<i>corniculatum</i>		(L.) Blanco	River Mangrove
Myrtaceae	<i>Acmena</i>	<i>smithii</i>		(Poiret) Merr. & Perry	Lilly Pilly
	<i>Angophora</i>	<i>floribunda</i>		(Smith) Sweet	Apple, Rough- barked Apple
	<i>Backhousia</i>	<i>myrtifolia</i>		Hook. F. & Harvey	Grey Myrtle, Ironwood
	<i>Callistemon</i>	<i>salignus</i>		(Smith) Sweet	Willow Bottlebrush
	<i>Eucalyptus</i>	<i>robusta</i>		Smith	Swamp mahogany
	<i>Eucalyptus</i>	<i>siderophloia</i>		Benth.	Grey Ironbark
	<i>Eucalyptus</i>	<i>tereticornis</i>		Smith	Forest Red Gum
	<i>Melaleuca</i>	<i>ericifolia</i>		Smith	
	<i>Melaleuca</i>	<i>linariifolia</i>		Smith	
	<i>Melaleuca</i>	<i>nodosa</i>		(Sol. Ex Gaertner) Smith	
	<i>Melaleuca</i>	<i>quinquenervia</i>		(Cav.) S. T. Blake	Paperbark
	<i>Melaleuca</i>	<i>styphelioides</i>		Smith	Prickly-leaved Tea Tree
	<i>Stenocarpus</i>	<i>salignus</i>		R. Br.	Scrub Beefwood
	<i>Syncarpia</i>	<i>glomulifera</i>		(Smith) Niedenzu	Turpentine
Oleaceae	<i>Notelaea</i>	<i>longifolia</i>		Vent.	Large Mock- olive, Large- leaved Olive
Onagraceae	<i>Ludwigia</i>	<i>peplodes</i> <i>subsp.</i> <i>montevidensis</i>		(Kunth) Raven	Water Primrose
	<i>Oenothera</i>	<i>spp.</i>	E	L.	

Family	Genus	Species	Exotic / Noxious	Authority	Common Name
Oxalidaceae	<i>Oxalis</i>	<i>corniculatum</i>	E	L.	Creeping Oxalis
Philesiaceae	<i>Geitonoplesium</i>	<i>cymosum</i>		(R. Br.) A. Cunn. Ex Hook.	
Phytolaccaceae	<i>Phytolacca</i>	<i>octandra</i>	E	L.	Inkweed
Pittosporaceae	<i>Bursaria</i>	<i>spinosa</i>		Cav.	
	<i>Citriobatus</i>	<i>pauciflorus</i>		Cunn. Ex Ettingsh.	Orange Thorn
	<i>Hymenospermum</i>	<i>flavum</i>		(Hook.) F. Muell.	Native Frangipani
	<i>Pittosporum</i>	<i>revolutum</i>		Aiton	
	<i>Pittosporum</i>	<i>undulatum</i>		Vent.	Pittosporum
Plantaginaceae	<i>Plantago</i>	<i>lanceolata</i>	E	L.	Plantain
	<i>Plantago</i>	<i>major</i>	E	L.	Large Plantain
Poaceae	<i>Agrostis</i>	<i>avenacea</i> <i>var. avenacea</i>		J. F. Gmel.	
	<i>Andropogon</i>	<i>virginicus</i>	E	L.	Whisky Grass
	<i>Arundo</i>	<i>donax</i>	E	L.	Giant Reed
	<i>Axonopus</i>	<i>affinis</i>	E	Chase	Narrow-leaved Carpet Grass
	<i>Bromus</i>	<i>catharticus</i>	E	Vahl.	Prairie Grass
	<i>Bromus</i>	<i>molliformis</i>	E	Jn. Lloyd	A Soft Brome
	<i>Chloris</i>	<i>gayana</i>	E	Kunth	Rhodes Grass
	<i>Cortaderia</i>	<i>selloana</i>	E, N	(Schult. & Schult. F.) Asch. & Grabn.	Pampas Grass
	<i>Cynodon</i>	<i>dactylon</i>		(L.) Pers.	Couch, Bermuda Grass
	<i>Dichelachne</i>	<i>micrantha</i>		(Cav.) Domin	Shorthair Plumegrass
	<i>Echinochloa</i>	<i>crus-galli</i>	E	(L.) P. Baeuv.	Barnyard Grass
	<i>Echinochloa</i>	<i>telmatophila</i>		P. W. Michael & Vickery	Swamp Barnyard Grass
	<i>Ehrharta</i>	<i>erecta</i>	E	Lam.	Panic Veldtgrass
	<i>Lolium</i>	<i>spp.</i>	E		Rye Grass
	<i>Panicum</i>	<i>repens</i>	E	L.	Torpedo Grass
	<i>Paspalum</i>	<i>dilatatum</i>	E	Poir.	Paspalum
	<i>Paspalum</i>	<i>urvillei</i>	E	Steud.	Vasey Grass
	<i>Paspalum</i>	<i>vaginatum</i>		Sw.	Salt-water Couch
	<i>Pennisetum</i>	<i>clandestinum</i>	E	Hochst. Ex Chiov.	Kikuyu Grass
	<i>Phalaris</i>	<i>aquatica</i>	E	L.	Phalaris
	<i>Phalaris</i>	<i>arundinacea</i>	E	L.	
	<i>Phragmites</i>	<i>australis</i>		(Cav.) Trin. Ex Steud.	Common Reed
	<i>Poa</i>	<i>annua</i>	E	L.	Winter Grass
	<i>Polypogon</i>	<i>monspeliensis</i>	E	(L.) Desf.	Annual Beardgrass
	<i>Pseudoraphis</i>	<i>spinescens</i>		(R. Br.) Vickery	Spiny Mudgrass
	<i>Sporobolus</i>	<i>indicus</i> var. <i>capensis</i>	E	(L.) R. Br.	Parramatta Grass
	<i>Sporobolus</i>	<i>virginicus</i>		(L.) Kunth	
	<i>Stenotaphrum</i>	<i>secundatum</i>	E	(Walter) Kuntze	Buffalo Grass
	<i>Vulpia</i>	<i>bromoides</i>	E	(L.) Gray	Squirrel Tail Fescue
Podocarpaceae	<i>Podocarpus</i>	<i>elatus</i>		R. Br. Ex Endl.	Plum Pine, Brown Pine

Family	Genus	Species	Exotic / Noxious	Authority	Common Name
Polygonaceae	<i>Muehlenbeckia</i>	<i>gracillima</i>		Meissner	
	<i>Persicaria</i>	<i>decipiens</i>		(R. Br.) K. L. Wilson	Slender Knotweed
	<i>Persicaria</i>	<i>hydropiper</i>		(L.) Spach	Water Pepper
	<i>Persicaria</i>	<i>lapathifolia</i>		(L.) S. F. Gray	Pale Knotweed
	<i>Persicaria</i>	<i>orientale</i>	E	L.	
	<i>Persicaria</i>	<i>strigosa</i>		(R. Br.) Gross	
	<i>Polygonum</i>	<i>arenastrum</i>		Boreau	Wireweed
	<i>Rumex</i>	<i>conglomeratus</i>	E	Murray	Clustered Dock
	<i>Rumex</i>	<i>crispus</i>	E	L.	Curled Dock
Polypodiaceae	<i>Pyrrosia</i>	<i>rupestris</i>		(R. Br.) Ching	Rock Felt Fern
Pontederiaceae	<i>Eichhornia</i>	<i>crassipes</i>	E	(Mart.) Solms	Water Hyacinth
Potamogetonaceae	<i>Potamogeton</i>	<i>crispus</i>		L.	Curly Pondweed
	<i>Potamogeton</i>	<i>ochreateus</i>		Raoul	Blunt Pondweed
	<i>Potamogeton</i>	<i>pectinatus</i>		L.	Sago Pondweed
	<i>Potamogeton</i>	<i>tricarinatus</i>		F. Muell & A. Benn. Ex A. Benn.	Floating Pondweed
Primulaceae	<i>Samolus</i>	<i>repens</i>		(Forster & Forster f.) Pers.	Creeping Brookweed
Ranunculaceae	<i>Clematis</i>	<i>aristata</i>		R. Br. Ex DC.	
	<i>Clematis</i>	<i>glycinoides</i>		DC.	Headache Vine
	<i>Ranunculus</i>	<i>inundatus</i>		R. Br. Ex DC.	
	<i>Ranunculus</i>	<i>scleratus</i>		L.	Celery Buttercup
Rhamnaceae	<i>Alphitonia</i>	<i>excelsa</i>		(Frenzl) Reisseck ex Benth.	Red Ash
Rhamnaceae	<i>Anagallis</i>	<i>arvensis</i>	E	L.	Scarlet Pimpernel, Blue Pimpernel
Rosaceae	<i>Rubus</i>	<i>fruticosus</i> agg.	E	L.	Blackberry
Ruppiaceae	<i>Ruppia</i>	<i>polycarpa</i>		R. Mason	
Rutaceae	<i>Euodia</i>	<i>micrococca</i>		F. Muell.	
	<i>Microcitrus</i>	<i>australasica</i> var. <i>australasica</i>		(F. Muell.) Swingle	Finger Lime
	<i>Sarcomelicope</i>	<i>simplicifolia</i> subsp. <i>Simplicifolia</i>		(Endl.) T. Hartley	
Sapindaceae	<i>Alectryon</i>	<i>coriaceus</i>		(Benth.) Radlk.	Beach Alectryon
	<i>Alectryon</i>	<i>subcinereus</i>		(A. Gray) Radlk.	Wild Quince
	<i>Cupaniopsis</i>	<i>anacardioides</i>		(A. Rich.) Radlk.	Tuckeroo
Sapotaceae	<i>Planchonella</i>	<i>australis</i>		(R. Br.) Pierre	Black Apple
Scrophulariaceae	<i>Bacopa</i>	<i>monnieri</i>		(L.) Pennell	
	<i>Mimulus</i>	<i>repens</i>		R. Br.	Creeping Monkey-flower
	<i>Verbascum</i>	<i>virgatum</i>	E	Stokes	Twiggy Mullein
Sinopteridaceae	<i>Cheilanthes</i>	<i>distans</i>	E	(R. Br.) Mett.	Bristly Cloak Fern
	<i>Pellaea</i>	<i>falcata</i>		(R. Br.) Fee	Sickle Fern
Smilacaceae	<i>Smilax</i>	<i>australis</i>		R. Br.	Sarsaparilla
Solanaceae	<i>Solanum</i>	<i>mauritianum</i>	E	Scop.	Wild Tobacco Bush
	<i>Solanum</i>	<i>nigrum</i>	E	L.	Black-berry Nightshade
Sterculiaceae	<i>Commersonia</i>	<i>fraseri</i>		Gay	Brush Kurrajong

Family	Genus	Species	Exotic / Noxious	Authority	Common Name
Typhaceae	<i>Typha</i>	<i>orientalis</i>		C. Presl	Broad-leaved Cumbungi
Ulmaceae	<i>Trema</i>	<i>aspera</i>		(Brongn.) Blume	Poison Peach
	<i>Urtica</i>	<i>incisa</i>		Poiret	Stinging Nettle
Verbenaceae	<i>Clerodendrum</i>	<i>tomentosum</i>		R. Br.	
	<i>Lantana</i>	<i>camara</i>	E	L.	Lantana
	<i>Verbena</i>	<i>bonariensis</i>	E	L.	Purpletop
	<i>Verbena</i>	<i>rigida</i>	E	Sprengel	Veined Verbena
Vitaceae	<i>Cayratia</i>	<i>clematidea</i>		(F. Muell.) Domin	Slender Grape
	<i>Cissus</i>	<i>antarctica</i>	E	Vent.	Water Vine
Zannichelliaceae	<i>Zannichellia</i>	<i>palustris</i>		L.	ENDANGERED