

Susan Fox

From: Robert Peterson <Robert.Peterson@blacktown.nsw.gov.au>
Sent: Monday, 30 November 2015 12:28 PM
To: Georg Eberl
Subject: RE: MP 06_0239 Proposed Pre-Sort Enclosure, Genesis Waste Facility – Response to Submissions – stormwater
Attachments: RE: Genesis Xero Waste Facility - Eastern Creek Stormwater Management Plan

Georg,

The plan is satisfactory for the proposed works, considering the applicant's response on our comments (see their comments and our response attached). As a result, there are no objections to using the current basins subject to them being augmented as required to meet the stormwater performance requirements

Please note that there are long term concerns that of how this area will be managed, as per our comments in the attached email, viz:

- *Ultimately the stormwater runoff (quality and quantity) from both catchments must be managed onsite (i.e. with the Lighthorse boundaries as defined in the LEC decision) Lot 1 DP 1145808.*
- *While expansion of the current temporary basins will satisfy the required stormwater management outcomes, this is generally not supported as it is not part of the long term solution*

This is due to the fact that the applicant wants to use the existing basins to manage the runoff from land within the Lighthorse boundaries, on land that is outside of those boundaries. Runoff from the area on which the existing basins will be ultimately be managed in the future neighbourhood basin downstream.

Cheers,
Robert Peterson | Contract Engineer
Blacktown City Council | PO Box 63 Blacktown NSW 2148
Phone: 9839 6297
robert.peterson@blacktown.nsw.gov.au

From: Georg Eberl
Sent: Monday, 30 November 2015 12:02 PM
To: Robert Peterson
Subject: FW: MP 06_0239 Proposed Pre-Sort Enclosure, Genesis Waste Facility – Response to Submissions – stormwater

Hi Rob,
Can we sign this off now for Judy or just forward previous Ok if we already have thanks.
Regards
Georg

From: Judith Portelli
Sent: Monday, 30 November 2015 11:56 AM
To: Georg Eberl
Cc: Tony Merrilees; Tony Napoli
Subject: FW: MP 06_0239 Proposed Pre-Sort Enclosure, Genesis Waste Facility – Response to Submissions – stormwater

Georg,
please advise if you have signed off of the Dial a Dump stormwater drainage plan? So we can inform DPE
ta JUDY

From: Jane.Flanagan@planning.nsw.gov.au [<mailto:Jane.Flanagan@planning.nsw.gov.au>]
Sent: Monday, 30 November 2015 11:24 AM
To: Judith Portelli
Cc: georg.erbel@blacktown.nsw.gov.au; David.Mooney@planning.nsw.gov.au
Subject: MP 06_0239 Proposed Pre-Sort Enclosure, Genesis Waste Facility – Response to Submissions – stormwater

Hi Judy,

The proponent has sent us emails from council indicating no objection to the *Proposed Future Stormwater Management Plan* (Dwg No. SKC007, Issue 6, dated 26/10/2015).

Could you please confirm (on Council letterhead) that the plan addresses the stormwater drainage comments made by Council in its letter dated 9/6/2015, and that Council has no remaining stormwater concerns.

Please contact me if you have any queries.

Regards,

Jane Flanagan
Senior Planner
Industry Assessments
Department of Planning & Environment
T: 9228 6416
jane.flanagan@planning.nsw.gov.au
23-33 Bridge Street
SYDNEY NSW 2000

From: Holly Palmer [<mailto:Holly.Palmer@blacktown.nsw.gov.au>]
Sent: Tuesday, 9 June 2015 4:53 PM
To: Jane Flanagan
Cc: information-Planning
Subject: MP 06-0239 Proposed Pre-Sort Enclosure, Genesis Waste Facility – Response to Submissions

Hi Jane,

With regard to the above s75W application, please refer to the attached correspondence which contains Blacktown City Council's response to the Proponent's RtS.

Please advise if you'd also like a hard copy to be posted to you.

If you have any queries, please do not hesitate to contact me.

Kind Regards,

Holly Palmer
Town Planner

From: Jane Flanagan [<mailto:Jane.Flanagan@planning.nsw.gov.au>]
Sent: Friday, 22 May 2015 2:45 PM
To: Holly Palmer
Cc: Judith Portelli
Subject: RE: MP 06-0239 Proposed Pre-Sort Enclosure, Genesis Waste Facility – Response to Submissions

Holly,

We've received the proponent's Response to Submissions (RTS) (please see the first of three attachments; others to follow in separate emails).

Could you please provide any comments on the RTS by Friday 5 June 2015.

Please contact me if you have any queries.

Regards,

Jane Flanagan
Senior Planner
Industry Assessments
Department of Planning & Environment
T: 9228 6416
jane.flanagan@planning.nsw.gov.au
23-33 Bridge Street
SYDNEY NSW 2000

From: Holly Palmer [\[mailto:Holly.Palmer@blacktown.nsw.gov.au\]](mailto:Holly.Palmer@blacktown.nsw.gov.au)
Sent: Monday, 27 April 2015 8:56 AM
To: Jane Flanagan
Subject: MP 06-0239 - Blacktown Council Response re Proposed Pre-Sort Enclosure at Genesis Waste Facility

Good morning Jane,

With regard to the above s75W application, please refer to the attached correspondence which contains Blacktown City Council's response.

I'll also post a hard copy to you.

If you have any queries, please do not hesitate to contact me.

Kind Regards,

Holly Palmer
Town Planner
Major Projects
Blacktown City Council
P | 02 9839 6134
F | 02 9831 1961
W | www.blacktown.nsw.gov.au
62 Flushcombe Rd, Blacktown 2148

This email and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed. If you have received this email in error please notify the system manager.

This footnote also confirms that this email message has been swept for the presence of computer viruses.
