





Transport Infrastructure
Development Corporation

Rail Clearways Program—Kingsgrove to Revesby
Quadruplication Project

Environmental Assessment

Sinclair Knight Merz

Rail Clearways Program – Kingsgrove to Revesby Quadruplication Project

ENVIRONMENTAL ASSESSMENT

ISBN 0-9758357 8 5

This document is printed on 100 percent recycled paper.

Sinclair Knight Merz
ABN 37 001 024 095

Rail Clearways Program Kingsgrove to Revesby Quadruplication Project Environmental Assessment

	Page
List of Contents	
List of Terms and Abbreviations	
Executive Summary	
Introduction and need	i
Background	i
Need and benefits of the proposal	iii
Community and stakeholder involvement	iv
Description of the Proposal	v
Process of approval	vi
Environmental assessment	viii
Existing environment	viii
Environmental impacts and management	ix
Justification and conclusions	xiv
 Part A	
Introduction and need for the Proposal	
 1	
Introduction	1-1
1.1 The Proposal	1-1
1.2 Environmental Assessment	1-5
1.2.1 Role of the Environmental Assessment	1-5
1.2.2 Structure of the Environmental Assessment	1-6
1.2.3 Public exhibition and comment	1-8
1.2.4 Preparation of a Submissions Report	1-9
1.2.5 Making a decision	1-9
1.2.6 Post determination activities	1-10
 2	
Planning and statutory requirements	2-1
2.1 Planning and approval process	2-1
2.2 Approach to assessment	2-2
2.3 Environmental planning instruments	2-5
2.4 Local planning controls	2-6
2.5 Other approval requirements	2-7
2.6 Commonwealth statutory requirements	2-9

	Page
3 Consultation	3-1
3.1 Consultation activities during the environmental assessment	3-1
3.1.1 Objectives	3-1
3.1.2 Consultation activities	3-1
3.2 Community issues	3-6
3.3 Next steps in the consultation process	3-7
4 Need for the Proposal	4-1
4.1 Strategic transport context	4-1
4.2 Strategic planning context	4-5
4.3 Public transport initiatives	4-7
4.3.1 Rail Development Program	4-7
4.3.2 Strategic bus corridors	4-9
4.4 Rail Clearways Program	4-12
4.5 Operations on the East Hills Line	4-15
4.5.1 Development of the Line	4-15
4.5.2 Existing service patterns	4-16
4.5.3 Capacity and reliability issues	4-19
4.6 Passenger growth projections	4-19
4.6.1 Passenger demand	4-19
4.6.2 Patronage forecasts	4-20
4.7 Need for the Proposal	4-20
4.8 Objectives of the Proposal	4-22
Part B Description of the Proposal	
5 Identification of the preferred option	5-1
5.1 Background to design development	5-1
5.2 Influences on the design	5-2
5.2.1 Site features and constraints	5-2
5.2.2 Operations and user requirements	5-3
5.3 Design principles and considerations	5-4
5.3.1 Project inputs	5-4
5.3.2 Environmental inputs	5-4
5.4 Design response to principles and issues	5-5
5.4.1 Alignment	5-5
5.4.2 Bridges	5-5
5.4.3 Public crossings	5-6
5.4.4 Stations	5-6
5.4.5 Signalling and electrical works	5-6
5.4.6 Noise attenuation	5-7
5.4.7 Urban and landscape design	5-7
5.5 Design alternatives	5-8
5.6 Assessment of the options	5-13

	Page
6 Description of the Proposal	6-1
6.1 Proposed alignment	6-1
6.2 Design requirements	6-1
6.2.1 Permanent way	6-1
6.2.2 Earthworks	6-9
6.2.3 Connections	6-9
6.2.4 Drainage and culvert structures	6-9
6.3 Crossings of the corridor	6-12
6.3.1 Pedestrian footbridges and underpasses	6-12
6.3.2 Road bridges	6-13
6.3.3 Rail bridges over roads and waterways	6-17
6.4 Rail electrical works	6-17
6.5 Utilities	6-20
6.6 Urban and landscape design	6-23
6.6.1 Key elements	6-23
6.6.2 Loss of trees	6-26
6.6.3 Retaining walls and embankments	6-26
6.6.4 Noise barriers	6-26
6.6.5 Modifications to overbridges and addition of new structures	6-26
6.7 Noise attenuation	6-26
6.8 Property acquisition	6-27
7 Construction of the Proposal	7-1
7.1 Construction along the corridor	7-1
7.1.1 Outline of construction sequence	7-1
7.1.2 Site establishment works	7-4
7.1.3 Main civil construction works	7-5
7.1.4 Trackwork, testing and commissioning	7-13
7.2 Plant and equipment	7-15
7.3 Construction traffic and access	7-16
7.4 Workforce and working hours	7-17
7.5 Ancillary construction facilities	7-25
7.6 Activities during rail track possessions	7-26
8 Station works and modifications	8-1
8.1 Beverly Hills Station	8-1
8.2 Narwee Station	8-1
8.3 Riverwood Station	8-2
8.4 Padstow Station	8-2
8.5 Revesby Station	8-3

	Page
9 Operation of the Proposal	9-1
9.1 Operational requirements	9-1
9.2 Track configuration	9-2
9.3 Signal configuration	9-4
9.4 Line and infrastructure maintenance	9-4
10 Environmental management	10-1
10.1 Construction environmental management	10-1
10.2 Operational environmental management	10-3
 Part C Environmental Assessment	
11 Environmental context	11-1
11.1 Socio-economic environment	11-1
11.2 Biophysical environment	11-2
11.3 Stakeholder and community values	11-2
11.3.1 Stakeholders	11-2
11.3.2 Community values	11-3
11.3.3 Community issues and concerns	11-4
11.4 Identification of environmental issues	11-4
12 Traffic, transport and access	12-1
12.1 Corridor characteristics	12-1
12.1.1 Road network and traffic	12-1
12.1.2 Bus network and interchanges	12-4
12.1.3 Pedestrian and bicycle network	12-4
12.1.4 Commuter parking	12-6
12.2 Impacts during construction	12-7
12.2.1 Vehicle movements	12-7
12.2.2 Buses and taxis	12-15
12.2.3 Emergency access	12-19
12.2.4 Station access	12-19
12.2.5 Commuter parking	12-19
12.2.6 Pedestrian and cycle crossings	12-21
12.2.7 Construction traffic	12-21
12.3 Impacts during operation	12-29
12.3.1 Road network changes	12-29
12.3.2 Pedestrian and cyclist access	12-33
12.3.3 Vehicle movements	12-33
12.3.4 Buses and taxis	12-33
12.3.5 Commuter parking	12-33
12.4 Management measures	12-38
12.4.1 Traffic management measures	12-38
12.4.2 Corridor management	12-44

	Page
13 Acoustic environment	13-1
13.1 Local characteristics	13-1
13.1.1 Noise catchment areas and sensitive receiver locations	13-1
13.1.2 Ambient noise levels	13-1
13.1.3 Ambient vibration levels	13-11
13.2 Changes to the acoustic environment	13-13
13.2.1 Construction noise	13-13
13.2.2 Operational noise	13-18
13.2.3 Construction vibration	13-21
13.2.4 Operational vibration	13-22
13.3 Management measures	13-24
13.3.1 Management of construction noise	13-24
13.3.2 Management of construction vibration	13-27
13.3.3 Management of operational noise	13-27
13.3.4 Management of operational vibration	13-40
14 Biophysical environment	14-1
14.1 Local characteristics	14-1
14.1.1 Geology and soils	14-1
14.1.2 Contaminated materials and waste	14-4
14.1.3 Ground and surface water	14-7
14.1.4 Flooding	14-10
14.1.5 Biodiversity	14-11
14.2 Changes to biophysical environment	14-25
14.2.1 Geology and soils	14-25
14.2.2 Contaminated materials and waste	14-26
14.2.3 Ground and surface water	14-28
14.2.4 Flooding	14-30
14.2.5 Biodiversity	14-31
14.3 Management measures	14-36
14.3.1 Geology and soils	14-36
14.3.2 Contaminated materials and waste	14-37
14.3.3 Ground and surface water	14-38
14.3.4 Flooding	14-39
14.3.5 Biodiversity	14-40
15 Social environment	15-1
15.1 Local characteristics	15-1
15.1.1 Aboriginal heritage	15-1
15.1.2 Built heritage	15-2
15.1.3 Visual character	15-3
15.1.4 Air quality	15-3
15.1.5 Social	15-5

	Page
15.2 Changes to the social environment	15-6
15.2.1 Aboriginal heritage	15-6
15.2.2 Built heritage	15-6
15.2.3 Visual character	15-7
15.2.4 Air quality	15-13
15.2.5 Social	15-14
15.3 Management measures	15-17
15.3.1 Aboriginal heritage	15-17
15.3.2 Built heritage	15-17
15.3.3 Visual character	15-17
15.3.4 Air quality	15-21
15.3.5 Social	15-21
16 Land use and property	16-1
16.1 Local characteristics	16-1
16.1.1 Existing land use	16-1
16.1.2 Zoning	16-9
16.1.3 Existing property	16-10
16.1.4 Future development	16-10
16.2 Changes to land use and property	16-10
16.2.1 Impacts during construction	16-10
16.2.2 Impacts during operation	16-13
16.3 Management measures	16-14
17 Other environmental considerations	17-1
17.1 Hazard and risk	17-1
17.1.1 Impacts during construction	17-1
17.1.2 Impacts during operation	17-6
17.1.3 Ethane gas pipeline	17-6
17.2 Sustainability initiatives	17-7
17.2.1 Impacts during construction	17-7
17.2.2 Impacts during operation	17-11
17.3 Management measures	17-12
17.3.1 Hazard and risk	17-12
17.3.2 Sustainability program	17-14
Part D Justification and conclusions	
18 Justification and conclusions	18-1
18.1 Cumulative impact assessment	18-1
18.2 Economic assessment	18-4
18.2.1 Approach to assessment	18-4
18.2.2 Assessment parameters	18-5
18.2.3 Project costs	18-5
18.2.4 Project benefits	18-6
18.2.5 Economic benefits	18-6

	Page
18.3 Justification of the Proposal	18-6
18.3.1 Project objectives	18-7
18.3.2 Ecologically sustainable development	18-9
18.4 Conclusions	18-11

References

Appendices

Appendix A: Requirements of the Director-General of the Department of Planning
Appendix B: Checklist of key issues to be addressed in the Environmental Assessment
Appendix C: Draft Statement of Commitments
Appendix D: Validity Statement

Volume Two

Technical Papers

Technical Paper 1 Noise and Vibration Assessment
Technical Paper 2 Flora and Fauna Assessment
Technical Paper 3 Visual Impact Assessment and Urban Design Strategy
Technical Paper 4 Built Heritage
Technical Paper 5 Traffic, Transport, Parking and Access
Technical Paper 6 Hydraulic Assessment of Salt Pan Creek Crossing
Technical paper 7 Ethane Gas Pipeline Risk Assessment

List of figures

Page

Executive summary

Figure S1	Regional location	ii
Figure S2	Planning and approval process	vii

Part A Introduction and need for the Proposal

Chapter 1

Figure 1.1	Regional location	1-3
------------	-------------------	-----

Chapter 2

Figure 2.1	Planning and approval process	2-3
------------	-------------------------------	-----

Chapter 3

There are no figures in Chapter 3.

Chapter 4

Figure 4.1	Planning and transport context	4-3
Figure 4.2	Metropolitan rail expansion	4-8
Figure 4.3	Rail Clearways	4-10
Figure 4.4	Strategic bus corridors	4-11
Figure 4.5	Rail Clearways and program projects	4-13

Part B Description of the Proposal

Chapter 5

Figure 5.1	Quadruplication Option 1a	5-10
Figure 5.2	Quadruplication Option 1b	5-11
Figure 5.3	Quadruplication Option 1c	5-12

Chapter 6

Figure 6.1a to 6.1g	Main features of the Proposal	6-2 to 6-8
Figure 6.2a to 6.2b	Typical rail corridor cross-sections	6-10 to 6-11
Figure 6.3	King Georges Road overbridge	6-15
Figure 6.4	Davies Road overbridge	6-16
Figure 6.5	Broad Arrow Road underbridges	6-18
Figure 6.6	Salt Pan Creek underbridge	6-19
Figure 6.7	Location of Substation	6-21

		Page
Figure 6.8	Potential site of relocated RailCorp signalling depot - East Hills 1	6-24
Figure 6.9	Potential site of relocated RailCorp signalling depot - East Hills 2	6-24
Figure 6.10	Potential site of relocated RailCorp signalling depot - Holsworthy	6-25

Chapter 7

There are no figures in Chapter 7

Chapter 8

Figure 8.1	Proposed works at Revesby Station	8-5
------------	-----------------------------------	-----

Chapter 9

Figure 9.1	Configuration after 2008 Revesby Turnback Project	9-3
Figure 9.2	Configuration – Kingsgrove to Revesby Proposal	9-3

Chapter 10

Figure 10.1	Structure of Construction Environmental Management Plan.	10-2
-------------	--	------

Part C Environmental assessment

Chapter 11

There are no figures in Chapter 11

Chapter 12

Figure 12.1	Road network in the vicinity of the East Hills Line	12-2
Figure 12.2	East Hills Line bus services	12-5
Figure 12.3	Traffic management measures on King Georges Road during construction	12-9
Figure 12.4	Traffic diversions adjacent to King Georges Road during construction	12-10
Figure 12.5	Traffic diversions during partial closure of Belmore Road overbridge and full closure of Bonds Road underbridge	12-12
Figure 12.6	Traffic diversions during closure of Doyle Road overbridge and Memorial Drive overbridge	12-14
Figure 12.7	Traffic diversions during partial closure of Davies Road overbridge	12-16
Figure 12.8a to 12.8g	Construction compounds and rail corridor access	12-22 to 12-28
Figure 12.9	Parking adjacent to Beverly Hills Station	12-35

		Page
Figure 12.10	Parking adjacent to Narwee Station	12-36
Figure 12.11	Parking adjacent to Riverwood Station	12-37
Figure 12.12	Parking adjacent to Padstow Station	12-39
Figure 12.13	Parking adjacent to Revesby Station	12-40

Chapter 13

Figure 13.1a to 13.1g	Location of noise and vibration monitoring points	13-2 to 13-8
Figure 13.2	Out-of-hours work assessment	13-26
Figure 13.3a to 13.3g	Proposed noise barriers	13-32 to 13-38
Figure 13.4	Scale and location of noise barriers at three locations	13-41

Chapter 14

Figure 14.1a to 14.1g	Location of threatened species	14-14 to 14-20
Figure 14.2	Vegetation species adjacent to the rail corridor at Salt Pan Creek	14-21
Figure 14.3	Construction footprint at Salt Pan Creek Bridge	14-32

Chapter 15

Figure 15.1	Areas for visual assessment	15-9
Figure 15.2	Artist impression of retaining wall along Bryant Street (noise barrier above)	15-20

Chapter 16

Figure 16.1a to 16.1g	Land use	16-2 to 16-8
-----------------------	----------	--------------

Chapter 17

There are no figures in Chapter 17

Part D Justification and conclusions

Chapter 18

There are no figures in Chapter 18

Glossary of terms and abbreviations

Term:	Definition
ADG	Australian Dangerous Goods.
AHD	Australian Height Datum. The standard reference level used to express the relative elevation of various features. A height given in metres AHD is essentially the height above sea level.
Airshed	Lower atmosphere within a defined geographic area.
Ambient	The background level at a specific location, being a composite of all sources.
Annual Average Daily Traffic (AADT)	Annual average daily traffic volume representing the total traffic in both directions at a specified location calculated from mechanically obtained axle counts.
Annual Exceedance Probability (AEP)	The probability of a flood event exceeding a nominated level in a year. A one percent AEP is the probability of an event exceeding a nominated level in 100 years.
Aquifer	Geologic formation, group of formations, or part of a formation capable of transmitting and yielding economic quantities of water.
Archaeology	The scientific study of human history, particularly the relics and cultural remains of the distant past.
ARI	Average Recurrence Interval-average or expected period between exceedance of a flood.
ASSMAC	Acid Sulphate Soils Management and Advisory Committee.
ATRICS	Advanced Train Running Information Control System.
Background Noise Level	The ambient sound pressure noise level in the absence of the sound under investigation exceeded for 90 percent of the measurement period. Normally equated to the average minimum A-weighted sound pressure level.
Batter	The side slope of walls, embankments and cuttings or the degree of such slope, usually expressed as a ratio of horizontal distance to one vertical height.
Benthos	Flora and fauna found below water level.
Bore	A cylindrical drill hole sunk into the ground from which water is pumped for use or monitoring.

Term:	Definition
BTEX	Benzene, toluene, ethylbenzene and xylene, volatile organic compounds (VOCs).
Buffer	A physical barrier, structure or width of land which encloses, partially encloses or defines a particular environment. It serves to minimise the impacts of non-desirable external influences on the adjoining environment.
Bund Wall	A wall erected to prevent the escape of various emissions into the environment (liquids, noise or views).
Catchment	The area drained by a stream or body of water or the area of land from which water is collected.
CBD	Central Business District.
CEMP	Construction Environmental Management Plan.
Chainage	Measure of rail track distance from Sydney Central Station in kilometres.
Clay	Very fine grained sediment, often defined as having a particle size less than 2 microns (0.002mm) in diameter.
Compaction	The process of compressing individual grains in a soil or sediment in response to pressure.
Confluence	Flowing together.
Conservation	The management of resources in a way that will benefit both present and future generations.
Contaminant	Any physical, chemical, biological or radiological substance or matter in water or soil that is not of natural origin.
Contamination	The degradation of the natural environment as a result of human activities.
dBA	Decibels using the A-weighted scale measured according to the frequency of the human ear.
DECC	NSW Department of Environment and Climate Change.
Decibel (dB)	A scale unit used in the comparison of powers and levels of sound energy. The number of decibels is ten times the logarithm to the base of ten of the ratio of the powers.
Degree of Saturation	The ratio of the traffic volume entering an intersection in a specific period to the capacity of the intersection during that period.

Term:	Definition
Department of Planning (DoP)	NSW Government department responsible for planning with a role in the assessment of the Proposal and making a recommendation to the Minister for Planning whether it should proceed.
Down rail tracks	Tracks that provide train services away from Sydney.
DPI (Fisheries)	Department of Primary Industries – Fisheries Division.
EEC	Endangered ecological community.
Ecology	The relationship between living things and their environment.
Ecologically Sustainable Development	Using, conserving and enhancing the resources of the community so that ecological processes on which life depends, are maintained and the total quality of life, now and in the future, can be increased.
Ecosystem	A functional unit of energy transfer and nutrient cycling in a given place. It includes all relationships within the biotic community and between the biotic components of the system.
Ecotone	Transition zone between two different plant communities.
Emission	Discharge of a substance to the environment.
EMR	Environmental Management Representative.
Environment	A term for all the conditions (physical, chemical, biological and social) in which an organism or group of organisms, including humans, exists.
Environmental Assessment (EA)	A formal description of a project and an assessment of its likely impact on the physical, social and economic environment. It includes an evaluation of alternatives and an overall justification of the Project. The EA is used as a vehicle to facilitate public comment and as the basis for analysing the Project with respect to granting approval under relevant legislation.
Environment Protection Licence	A licence that allows pollution of the environment under controlled conditions regulated by the Department of Environment and Climate Change.
EMP	Environmental Management Plan.
EPA	NSW Environment Protection Authority (now part of the Department of Environment and Climate Change).
EPBC Act	Environment Protection and Biodiversity Conservation Act (Commonwealth).
Equivalent Continuous Sound Level (LAeq)	The constant sound level which when operating over the same time interval as a fluctuating sound over an extended time, is equivalent to the same sound energy.

Term:	Definition
Erosion	The wearing away of the land surface by the action of water, wind and ice.
ESD	Ecologically sustainable development.
Eutrophication	Excessive nutrients in a water body causing dense plant growth, whose decomposition leads to oxygen depletion and subsequent death of animal life.
Excavate	Dig into natural material and remove using specialist machinery.
Express service	Train service stopping only at a limited number of stations.
Extraction	A term referring to the removal of material from the earth synonymous with quarrying.
Fauna	All animals including birds, reptiles, marsupials and fish.
Flora	All plants.
Frequency	Similar to the pitch of a musical note in sound pressure fluctuations of cycles per second (Hertz). Most sounds comprise a composite of frequencies of varying sound pressure levels in the range of 20 Hertz to 20,000 Hertz.
Friable	Easily crumbled.
Front-end loader	Machine used to lift and place soil, earth, rocks and other materials within an extraction site or to load products into trucks.
Gradient	Rate of change of a given variable with distance, such as temperature or elevation.
g/m ² /month	grams per square metre per month.
Greenhouse effect	Changes in climate that could occur due to increases in atmospheric concentrations of certain gases.
Groundwater	Subsurface water contained within the saturated zone.
Habitat	The place where an organism lives; habitats are measurable and can be described by their flora and physical components.
Heritage	Things of value which are inherited from the past.
Hydrocarbon	Any organic compound, gaseous, liquid or solid, consisting only of carbon and hydrogen.
Impact	The effect of human-induced action on the environment.
Infiltration	The process of surface water soaking into the soil.
Infrastructure	Supporting installations and services supplying the needs of a project.

Term:	Definition
Introduced species	Plants and animals not native to Australia and known or thought to have been brought here by humans.
Landform	A specific feature of the landscape or the general shape of the land.
Layover	Track where trains can be temporarily located between services.
LED	Light-emitting Diode.
LEP	Local Environmental Plan.
LGA	Local Government Area.
Level of Service	A qualitative measure describing operational conditions within a traffic stream and their perception by motorists and/or passengers.
Local (all stops) service	Train service stopping at all stations.
Local track	Rail track normally accommodating local services stopping at each station.
$\mu\text{g}/\text{m}^3$	micrograms per cubic metre.
$\mu\text{S}/\text{cm}$	microsiemens per centimetre.
Main track	Rail track normally accommodating express services with limited stops.
mg/L	milligrams per litre.
Mitigation measures	Measures put in place to reduce an impact.
MLALC	Metropolitan Local Aboriginal Land Council
Modelling	Use of mathematical equations to simulate and predict real events and processes.
Monitoring	Regular measurement of components of the environment to understand their condition and establish if necessary standards are being met.
Native	Local inhabitant of a defined place.
NPV	Net present value: the present value of the net economic/financial benefit.
NPWS	NSW National Parks and Wildlife Service (now part of the Department of Environment and Climate Change).
NSW	New South Wales.
Overbridge	Structure providing a facility to cross over the rail corridor.

Term:	Definition
PAH	Polycyclic aromatic hydrocarbons-toxic products of combustion.
PCB	Polychlorinated biphenyl-toxic organo-chlorine compound previously used in electrical equipment.
Permeable material	Material that permits water to move through it at perceptible rates under the hydraulic gradients normally present.
pH	A measure of acidity or alkalinity of a solution, numerically equal to 7 for neutral solution, increasing with increasing alkalinity and decreasing with increasing acidity. Originally stood for the words potential of hydrogen.
Proponent	The person or organisation proposing to carry out a development, in this case Transport Infrastructure Development Corporation on behalf of the State Government of NSW.
Propagule	Any part of an organism capable of independent growth.
Quadruplication	Duplication of a twin track line to provide a total of four tracks.
Receptor	An environmental modelling term used to describe a map reference point where the impact is predicted. A sensitive receptor is a home, work place, school or other place where people spend some time. An elevated receptor is a point above ground level.
Rehabilitation	Preparation of a final landform following extraction and its stabilisation with vegetation.
Remnant vegetation	Native vegetation remaining after widespread clearing has taken place.
Resource	Potentially usable material in a defined area that can be economically extracted.
RL	Reduced level, usually in metres to an arbitrary datum.
RTA	NSW Roads and Traffic Authority.
Run-off	The proportion of precipitation discharged through surface water systems.
Sedimentation basin	An area where runoff is ponded to allow sediment to be deposited. The longer the time the runoff is held, the smaller the size of the sediment deposited. Such basins have to be regularly cleaned.
Semi-fast service	Train service stopping at a selected number of stations, rather than all but more than the express service.
Shale	A laminated sediment in which the constituent particles are predominantly in the clay size.

Term:	Definition
Silt	Sediment comprising most particles between 0.004mm and 0.063mm.
Species	Taxonomic grouping of organisms that are able to interbreed with each other but not with other species.
SREP	Sydney Regional Environmental Plan.
SEPP	State Environmental Planning Policy.
Stakeholder	An individual or group with an interest in the Proposal.
Stockpile	Mound used to store material.
Stormwater	Rainwater which runs off catchments following rain events. The untreated water is carried into creeks, rivers and lakes.
SWMS	Safe Work Method Statement.
Terrestrial	Relating to the land as distinct from air or water.
TIDC	Transport Infrastructure Development Corporation.
Topography	The physical relief and contours of the area.
Topsoil	The surface layer of a soil profile containing most of the organic material and viable life forms and seeds.
Total Dissolved Solids	The dissolved mineral content of groundwater, commonly expressed in milligrams/Litre.
Total Suspended Solids	A measure of suspended solids concentrations in a water body and expressed in terms of mass per unit of volume.
TPH	Total Petroleum Hydrocarbons.
TSC Act	Threatened Species Conservation Act (NSW).
Turbidity	A measure of light penetration through a water column containing particles of matter in suspension.
Turnback	Configuration of tracks allowing trains to terminate a service and return to its starting point.
Underbridge	Structure providing a facility to cross under the rail corridor.
Up rail tracks	Tracks providing rail services towards Sydney.
Water quality	Degree or lack of contamination.
Water table	The surface of saturation in an unconfined aquifer at which the pressure of the water is equal to that of the atmosphere.
1 in 100 Year Flood Level	The flood which occurs on average once every 100 years. Also known as the 100 year Average Recurrence Interval of a flood.

