



Out of Hours Work Protocol (Version 3.2)

**LH.PS05 14 - 28 April 2024
Campaign - Bruxner Hwy,
Alphadale**

**Northern Rivers Quarry
Blakebrook Quarry
Downer Group**

**Lot 53 and 54 DP 1254990, 550
Nimbin Road, Blakebrook 2**

BALLINA
45 River Street
PO Box 20
BALLINA NSW 2478
02 6686 3280

GUNNEDAH
Germane House
285 Conadilly Street
GUNNEDAH NSW 2380
02 6742 9955



Document Control Sheet

Filename:	11012 - Report Out of Hours Protocol
Job No.:	11012
Job Captain:	Scott Roberts
Author:	Cathryn Wilson
Client:	Downer Group
History	Version 2 (3/12/21) Version 3 (9/2/22)
Version Control	Version 3.2 (5/4/2024) Prepared by: Lincoln Hill (Downer Group) Reviewed by: Eleisha Went (Lismore City Council)

Table of Contents

Contents

1.	Introduction	4
1.1	Purpose and Scope	4
1.1	History of the Project Approvals	5
1.2	Schedule 3 of 07_0020 Specific Development Consent Conditions	5
2.	Scope of Engagement.....	6
3.	Activities.....	7
3.1	Proposed Evening and Night Noise Criteria and Noise Monitoring	7
3.2	Noise Management	8
3.3	Notification of Upcoming Out of Hours Operations.....	11
3.4	Control of Specific Out of Hours Construction Activities.....	11
4.	Conclusion.....	12
5	Attachments.....	13

1. Introduction

Ardill Payne and Partners were commissioned to prepare an Out of Hours Work Protocol (OHWP) for the Blakebrook Quarry on behalf of Downer Group. Blakebrook Quarry is owned by Lismore City Council and is located at 550 Nimbin Road, Lot 53 and 54 DP 1254990, Blakebrook NSW 2480.

1.1 Purpose and Scope

Lismore City Council are the landowner and hold the current NSW Environmental Protection Authority (EPA) licence (EPL 3384) over the Blakebrook Quarry with Downer Group holding the current lease of the Asphalt Plant which is located within the Quarry on Lot 54 DP1254990. The current EPL 3384 enables the production of 100,000-500,000 tonnes annually extracted or processed, with Bitumen Pre-mix or Hot-mix Industries as an ancillary activity.

Council DA 90/341 provided the original consent for the Asphalt Plant with subsequent modifications, one which relocated the plant further to the south east.

Asphalt operations were amalgamated into the State Significant Development Mod 3 Project Approval 07_0020 as of 20 July 2021. To undertake operations outside of hours in Table 1 (Schedule 3 Condition 1) of Project Approval 07_0020, an Out of Hours Work Protocol (OHWP) is required. Schedule 3 Condition 2A requires the OHWP be developed and approved by Department of Planning, Housing and Infrastructure (DPHI).

Current capacity is for 120 truck movements in total (combined Quarry and Asphalt Plant) each calendar day and is permitted to increase to 150 truck movements per day once the Quarry entrance intersection is upgraded (refer Schedule 2 Condition 8).

1.1 History of the Project Approvals

Approval Number	Approved use	Date
DA 90/341	Bituminous hot mix plant	5 December 1990
NSW EPA EPL 3384	Extractive Activity and Hot-mix operations as Ancillary activity	16 September 2020
DPIE Mod 3 Project Approval 07_0020	Amalgamation of asphalt operations to extractive industry operations	20 July 2021

1.2 Schedule 3 of 07_0020 Specific Development Consent Conditions

Table 1. Specific Development Consent Conditions

Consent no.	Consent condition								
1. The Proponent must comply with the operating hours set out in Table 1.	<i>Table 1: Operating hours</i> <table> <tr> <th>Activity</th><th>Permissible Hours</th></tr> <tr> <td>Quarrying operations, Asphalt plant operations and loading and dispatch of laden trucks</td><td> 7 am to 6 pm Monday to Friday 7 am to 3 pm Saturday At no time on Sundays or public holidays </td></tr> <tr> <td>Blasting</td><td> 10 am to 3 pm Monday to Friday (except public holidays) At no time on Sundays or public holidays </td></tr> <tr> <td>Maintenance</td><td>May be conducted at any time, provided that these activities are not audible at any privately-owned residence</td></tr> </table>	Activity	Permissible Hours	Quarrying operations, Asphalt plant operations and loading and dispatch of laden trucks	7 am to 6 pm Monday to Friday 7 am to 3 pm Saturday At no time on Sundays or public holidays	Blasting	10 am to 3 pm Monday to Friday (except public holidays) At no time on Sundays or public holidays	Maintenance	May be conducted at any time, provided that these activities are not audible at any privately-owned residence
Activity	Permissible Hours								
Quarrying operations, Asphalt plant operations and loading and dispatch of laden trucks	7 am to 6 pm Monday to Friday 7 am to 3 pm Saturday At no time on Sundays or public holidays								
Blasting	10 am to 3 pm Monday to Friday (except public holidays) At no time on Sundays or public holidays								
Maintenance	May be conducted at any time, provided that these activities are not audible at any privately-owned residence								
2A. With the prior written agreement of the Secretary, the Proponent may undertake limited campaign asphalt plant operations	With the prior written agreement of the Secretary, the Proponent may undertake limited campaign asphalt plant operations (within the limited imposed under condition 8 of Schedule 2) outside of the operating hours prescribed in Condition 1 of this schedule as requested by public authorities. In such circumstances, the applicant must prepare an Out of Hours Work Protocol. This must: - Be prepared in consultation with the EPA and any residents who may be affected by the noise generated by these works; and - Be approved by the Secretary prior to the commencement of any out of hours Asphalt plant operations.								

Consent no.	Consent condition						
3. The Proponent must ensure that the noise generated by the project does not exceed the daytime criteria in Table 2 at any residence on privately-owned land.	<i>Table 2: Noise criteria dB(A)</i> <table> <tr> <th><i>Receiver^a</i></th><th><i>Day</i> <i>L_{Aeq} (15 minute)</i></th></tr> <tr> <td><i>Location 2 and Location 7</i></td><td><i>36</i></td></tr> <tr> <td><i>All other locations</i></td><td><i>35</i></td></tr> </table> ^a <i>Receiver locations are shown in Appendix 3</i> Refer to Section 3.1 for proposed evening and night criteria (6pm to 7am Monday to Friday). No out of hours work is proposed for Sundays, Public Holidays or Saturdays 3pm to 6pm.	<i>Receiver^a</i>	<i>Day</i> <i>L_{Aeq} (15 minute)</i>	<i>Location 2 and Location 7</i>	<i>36</i>	<i>All other locations</i>	<i>35</i>
<i>Receiver^a</i>	<i>Day</i> <i>L_{Aeq} (15 minute)</i>						
<i>Location 2 and Location 7</i>	<i>36</i>						
<i>All other locations</i>	<i>35</i>						

2. Scope of Engagement

This OHWP describes the management of noise associated with Downer Group out of hours asphalt operations, in accordance with DPHI Project Approval MP07_0020.

The original OHWP was developed in consultation with the residents and the NSW Environment Protection Authority (EPA). The details of their feedback received during community consultation are presented in **Attachment 1**. EPA feedback is presented in **Attachment 5** and considerations have been incorporated into the OHWP where noted.

Further consultation with residents who may be affected by the noise generated by out of hours operations will be undertaken on an ongoing basis following approval of the OHWP by DPHI. The notification procedures proposed for out of hours asphalt operations are described in **Section 3**.

3. Activities

Operations at the Blakebrook Quarry are currently approved by DPHI under Mod 3 Project Approval 07_0020 which refers to standard operating hours as being 7.00 am to 6.00 pm Monday to Friday, 7.00 am to 3.00 pm Saturdays and no work on Sundays or public holidays.

Downer Group has been conducting asphalt operations during standard work hours however require the additional operating hours to service essential road maintenance and repair works. Out of hours operations were previously permitted under DA90/341, with 7 days advanced notification to neighbours and EPA required in each instance.

Per Schedule 3, Condition 2A of the recent Mod 3 approval, with the prior written agreement of the Secretary, the Proponent may undertake limited campaign asphalt plant operations (within the limits imposed under condition 8 of Schedule 2) outside of the operating hours prescribed in Condition 1 of this Schedule, as requested by public authorities.

In such circumstances, the applicant must prepare an Out of Hours Work Protocol. This protocol must:

- (a) be prepared in consultation with the EPA and any residents who may be affected by the noise generated by these works; and
- (b) be approved by the Secretary prior to the commencement of any out of hours Asphalt plant operations.

Proposed hours of operation covered by this OHWP are 6pm to 7am Monday to Sunday. This campaign is for a maximum of 3 nightshifts between 14 – 28 April 2024 to support essential repair works on the Bruxner Highway.

Following adoption of this OHWP nightworks will be undertaken in accordance with the OHWP, Project Approval MP07_0020, EPL3384 and the Noise and Blast Management Plan.

3.1 Proposed Evening and Night Noise Criteria and Noise Monitoring

Per Schedule 3 Condition 3 of the consent conditions, proposed evening and night noise criteria were derived based on the *Industrial Noise Policy (INP)*, upon which the project approval was originally issued.

The proposed Rating Background level (RBL) for evening and night is 30 dB(A). The proposed evening and night project-specific noise level criterion is 35 dB(A) L_{Aeq} (15 minute).

This is considered acceptable as asphalt nightworks are an existing approved operation per DA90/341 and there were no community objections or negative feedback to proposed out of hours work as part of community consultation or at the recent Community Consultative Committee meeting. The EPA has also been consulted on this approach and do not have any identified concerns.

Annual Noise Monitoring Reports are made available on the project website. Noise monitoring reports are internally audited and reviewed as part of the Annual Environmental Monitoring Report and overall compliance audited every 3 years as part of the Independent Environmental Audit (IEA).

As the asphalt plant is an existing approved operation under the Industrial Noise Policy (INP), Section 10 of the INP applies as follows:

“Where noise emissions from the site exceed the project-specific noise levels, the regulatory authorities and the noise-source manager need to negotiate achievable noise limits for the site. The project-specific noise levels should not be applied as mandatory noise limits. The project-specific noise levels supply the initial target levels and drive the process of assessing all feasible and reasonable control measures. Achievable noise limits result from applying all feasible and reasonable noise control measures. For sites with limited mitigation measures the achievable noise limits may sometimes be above the project-specific noise levels.”

3.2 Noise Management

Management of noise impacts from asphalt operations will continue to be carried out in accordance with all project approvals, plans and licences.

No negative feedback or complaints were received during recent community consultation. The OHWP will be made available on the project website.

Downer Group will continue to implement best management practice to minimise the noise generated by the Asphalt Plant to achieve the levels required by Project Approval 07_0020 and EPL 3384. Noise management and control measures include:

- planning controls (e.g. predicted meteorological conditions and potential implications for noise levels are made available to shift managers at the start of each shift, and site inductions for staff, contractors and visitors, to develop an awareness and understanding of potential noise issues); and
- construction and operational controls (regular communication and updates are provided to local residents on the status and nature of site operational activities and minimising noise generation wherever practical).

Potential sources of noise from operations are primarily truck movements and asphalt production. Mitigation strategies are listed in **Table 2**. The site is in a rural area and surrounded by native vegetation (**Figure 1**). The site also operates under a Noise and Blast Management Plan.

Table 2. Potential noise sources and mitigation strategies.

Potential Noise Source	Mitigation Strategy
Truck movements	• Drivers to undertake a site induction • Limiting compression braking • Switching off truck radios • Adhering to imposed speed limit 40 km/h • Traveling to and from site directly and not parking or idling near residential receptors. • Regular servicing of vehicles • Limit reversing where possible to avoid triggering reversing alarms. Trucks to be fitted with low frequency reversing alarms (these can be retrofitted to existing trucks). Broadband alarms can be used instead of the standard Tonal alarms as they are generally less intrusive.
Asphalt Production	• Delivery of materials and equipment during regular work hours. • Limiting contact of loader buckets with metal surfaces • Servicing all machinery and equipment to manufacturer's specifications. • Undertaking as much work as possible during standard work hours. • Limit reversing where possible to avoid triggering reversing alarms. Plant and equipment to be provided with low frequency revering alarms. Broadband alarms can be used instead of the standard Tonal alarms as they are generally less intrusive.




Figure 1. Site Map

3.3 Notification of Upcoming Out of Hours Operations

As described in this document, Downer Group undertook initial community consultation with neighbours via letterbox drop. A list of affected properties and outcomes of community consultation is recorded in **Attachment 1**. Information provided to the community as part of this consultation is included in **Attachment 2**. One phone call was received from one resident stating that they had no objection with the proposed OHWP and that we have not given him any reason to date to object. The latest version of the OHWP will be developed in consultation with EPA and Residents.

Downer Group will notify the Lismore City Council, EPA and local residents of the timing and expected duration of any out of hours construction works at least 7 days prior to the commencement of any activities. This will occur prior to each instance of out of hours work. Refer **Attachment 3** for letter to residents.

Notification of out of hours work will be provided in writing to the EPA via info@epa.nsw.gov.au at least 7 working days prior to activities commencing. The DPHI will also be notified of exact nightwork dates before commencement. Lismore City Council will notify the EPA and DPHI on Downer Group's behalf.

Lismore City Council will remain the initial contact for any complaints via the Contact Centre (02) 6625 0500. Complaints will be dealt with per the Environmental Management Strategy (refer Schedule 5 Condition 1 of Project Approval 07_0020). A complaints register is maintained on Council's website (per Schedule 5 Condition 14) and the Contact Centre operates 24 hours per day, seven days a week, to receive any queries from neighbouring residents or other stakeholders. Residents can also contact NSW EPA Environment Line on 131 555.

Ongoing community consultation opportunities will be provided as part of the Community Consultative Committee process held annually (refer Schedule 5 Condition 7).

3.4 Control of Specific Out of Hours Construction Activities

Downer will generate and maintain an Out of Hours Work Register of all works falling into the category of 'Out of Hours Work' (i.e. outside hours in Schedule 3 Condition 1 of Project Approval 07_0020). These works will be forward planned and advised to all relevant parties as per Section 3.2 and recorded in the Out of Hours

Work Register for tracking of any out of hours works undertaken.

4. Conclusion

Downer Group has been conducting operations during standard work hours however the operations require additional operating hours to service essential road maintenance and repairs. Project Approval 07_0020 Schedule 3 Condition 2A permits the operation to undertake limited campaign outside of operation hours prescribed in Condition 1 of that schedule.

Proposed hours of operation covered by this OHWP are 6pm to 7am Monday to Sunday. For 3 nightshifts between 14 – 28 April 2024. The proposed evening and night project-specific noise level criterion is 35 dB(A) L_{Aeq} (15 minute).

Potential sources of noise are from truck movements and asphalt production and mitigation strategies have been identified for each. Both planning and operational controls will be implemented.

Downer Group will undertake operations outside of standard work hours in accordance with this Out of Hours Work Protocol, including notification to neighbour's and EPA at least 7 days prior in each instance and also recorded in the Out of Hours Work Register. DPHI will also be notified of nightwork dates before commencement.

Complaints will be managed according to the Environmental Management Strategy and via Council's 24 hour Contact Centre. Residents can also contact EPA Environment Line on 131 555.

Adherence to the Out of Hours Work Protocol will be audited annually as part of the Annual Environmental Monitoring Report and every 3 years as part of the Independent Environmental Audit (refer Schedule 5 Conditions 11 & 12). Noise complaints are also reported to the EPA as part of the Annual Return.

Downer Group and Lismore City Council aim to achieve a high standard of conduct to meet expectations of all parties and have documented mitigation strategies in place to ensure minimal impact to residents.

5 Attachments

Attachment 1 - List of effected properties and outcomes of consultation

Attachment 2 - Community Information Sheet

Attachment 3 - Out of Hours Work Notification Letter

Attachment 4 - Consultation Letter to EPA

Attachment 5 - Consultation Response from EPA

Attachment 6 - Campaign Request

ATTACHMENT 1

Stakeholder Engagement Blakebrook Quarry



Notification to the Local Residents

Date: 1-11-2021
Conducted By: JOHN HIGGINS
Start Time: 2-30P
Finish Time: 3-30P

OCCUPANTS NAME	DELIVERED METHOD	ADDRESS	COMMENTS
	LETTER BOX DROP	339 Nimbin Road	✓
	"	359 Nimbin Road	✓
	"	420 Nimbin Road	✓
	"	422 Nimbin Road	✓
	"	444 Nimbin Road	✓
	"	464 Nimbin Road	✓
	"	467 Nimbin Road	✓
JEFF GREBER	"	484 Nimbin Road	✓ RECEIVED A PHONE CALL FROM MR JEFF GREBER STATING HE HAD NO PROBLEMS OR ISSUES WITH THE PROPOSED OHWP. (08/11/2021)
	"	506 Nimbin Road	✓

OCCUPANTS NAME	DELIVERED METHOD	ADDRESS	COMMENTS
	11	533 Nimbin Road	✓
	11	146 Booerie Creek Road	✓
	11	156 Booerie Creek Road	✓
	11	210 A, B & C Booerie Creek Road	✓
	11	212 Booerie Creek Road	✓
	11	263 Booerie Creek Road	✓
	11	277 Booerie Creek Road	✓
	11	289 Booerie Creek Road	✓
	11	309 Booerie Creek Road	✓
	11	329A Booerie Creek Road	✓
	11	330 Booerie Creek Road	✓

OCCUPANTS NAME	DELIVERED METHOD	ADDRESS	COMMENTS
	11	357 Booerie Creek Road	✓
	11	365 Booerie Creek Road	✓
	11	387 Booerie Creek Road	✓
	11	407 Booerie Creek Road	✓
	11	16 Keerong Road	✓
	11	28 Keerong Road	✓
	11	35 Keerong Road	✓
	11	38 Keerong Road	✓
	11	67 Keerong Road	✓

OCCUPANTS NAME	DELIVERED METHOD	ADDRESS	COMMENTS
	11	74 Keerong Road	✓
	11	122 Keerong Road	✓
	11	135 Keerong Road	✓
	11	166 Keerong Road	✓
	11	186B Keerong Road	✓
	11	190 Keerong Road	✓
	11	208A Keerong Road	✓
	11	238 Keerong Road	✓
	11	14 Fathers Road	✓

ATTACHMENT 2



HEAD OFFICE
206-258 SWANBANK RD
SWANBANK Q 4306
PO BOX 4211
RACEVIEW Q 4305
P: 07 3294 4555
F: 07 3294 4559
rpq@rpq.com.au
accounts@rpq.com.au
www.rpq.com.au

01st November 2021

To the Householder

RPQ Group (in partnership with Lismore City Council and Blakebrook Quarry) would like to provide an opportunity for feedback on planned Out of Work Hours Operations at the Blakebrook Quarry.

RPQ Group proposes to undertake nightworks on approximately 5 occasions per month to provide asphalt for local roads projects and emergency works. Night works are required in these instances for projects that cannot be undertaken during the day. These operations will generally occur between 6pm and 7am. RPQ Group will be implementing a number of mitigation strategies to limit noise from truck movements and asphalt production operations.

You will receive notification 7 days prior to every instance of nightwork occurring. If you have any immediate feedback on night work operations at the Quarry, please contact Michael Foley via Phone or Email within 7 days of this letter. Should you have any feedback following that date, please contact Lismore City Council on (02) 6625 0500 and an RPQ representative will respond to discuss and answer any questions you may have.

Kind regards

Michael

Michael Foley
Asphalt Production Manager
TRICO ASPHALT Pty Ltd
RPQ Group



206 - 258 Swanbank Road, Swanbank, Qld 4306
PO Box 4211, Raceview QLD 4305
MB: 0438 157 392 | PH: 07 3294 4555 | FX: 07 3294 4539
Email: michael.foley@rpq.com.au
Web: www.rpq.com.au

Out of Hours Work Protocol V3.2 (14-28 April 2024) - Blakebrook Quarry Asphalt Plant



CSCCompliance

To

Bcc 'johnwraight@bigpond.com.au'; 'birney.jeff@gmail.com'; 'stassi@bigpond.com.au';
'wayne.troy@ymail.com'; 'terriellen.campbell@gmail.com'; **+8 others**



Reply



Reply All



Forward



Mon 08/04/2024 12:28 PM



Out of Hours Work Protocol OHWP V3.2 PR.pdf
2 MB

Dear Residents,

Please see attached revised Out of Hours Work Protocol (Version 3.2) for the Blakebrook Quarry Asphalt Plant.

Due to recent wet weather conditions the below campaign was unable to occur. This revised OHWP relates to the rescheduling of the campaign work between 14-28 April 2024.

As per standard process nearby residents will receive notification 7 days prior to commencement of any campaign works.

Any feedback or concerns please reply to the Commercial Compliance unit via csccompliance@lismore.nsw.gov.au

Sincerely,

Commercial Compliance Unit
Lismore City Council

From: CSCCompliance

Sent: Thursday, March 28, 2024 4:39 PM

Subject: Out of Hours Work Protocol V3.1 - Blakebrook Quarry Asphalt Plant

Dear Residents,

Please see attached revised Out of Hours Work Protocol (Version 3.1) for the Blakebrook Quarry Asphalt Plant.

This OHWP relates to the scheduled campaign works during the month of April 2024.

As per standard process nearby residents will receive notification 7 days prior to commencement of any campaign works.

Any feedback or concerns please reply to the Commercial Compliance unit via csccompliance@lismore.nsw.gov.au

Have a lovely Easter Weekend.

Sincerely,

Commercial Compliance Unit
Lismore City Council

ATTACHMENT 3



Date: xxxxxx

REF MF: PSxxxx

TO THE HOUSEHOLDER

RE: NIGHTSHIFT OPERATIONS – ASPHALT PLANT, LISMORE QUARRY

Please find this letter as notification regarding an approval by Lismore City Council to allow RPQ to operate Nightshift Production from the Asphalt Plant that is situated in the Lismore Quarry, Blakebrook. The Production will be outlined as follows:

- Proposed Dates: enter dates, variation to this date are subject to weather conditions
- Proposed Operating Times – 6pm – 7am.

As part of the operation, we have addressed issues with both transportation noise and the limitation of vehicular movements from the quarry, this is to ensure minimal impact to the residents along the trucking route.

Our aim is to achieve a high standard of conduct and meet all expectations of the relevant parties involved.

Please find my contact details below should any issues arrive throughout the nominated working period.

- Mobile No: 0438157392
- Email: Michael.foley@rpq.com.au

Yours faithfully,

ATTACHMENT 4



Our ref: ED21/30889
Your ref: EPL3384
Contact: Stefanie Stanley

27 October 2021

NSW Environment Protection Authority
Attn: Stuart Murphy
Unit Head Regulatory Operations
Locked Bag 914
COFFS HARBOUR NSW 2480

Dear Stuart

RE: Blakebrook Quarry Asphalt Plant – Out of Hours Work Protocol

RPQ Group are lessees of the Asphalt Plant located within Blakebrook Quarry, 550 Nimbin Road Blakebrook NSW 2480. Blakebrook Quarry is owned by Lismore City Council and operates under EPL3384 and State Project Approval 07_0020.

Mod 3 to amalgamate asphalt operations with Quarry operations was approved by Department of Planning, Industry and Environment (DPIE) on 20th July 2021. Per Schedule 3 Condition 2A, an Out of Hours Work Protocol (OHWP) is required to operate the asphalt plant out of the hours specified in Condition 1 of that Schedule. Also required under this condition is consultation with the EPA on the OHWP.

Proposed out of work hours are 6pm to 7am Monday to Sunday. Out of hours work will occur on approximately 5 nights per month. The OHWP details the community consultation process, ongoing neighbour notification process and noise mitigation measures, including planning and operational controls. Out of hours work will only be undertaken when necessary, including for emergency work and as requested by Police or other public authorities including Transport for NSW (TfNSW).

Consultation is underway with nearby residents who may be affected, and any feedback received during consultation will be provided as an appendix to the OHWP. The protocol is attached for your reference.

RPQ Group and Lismore City Council are committed to ensuring all reasonable and feasible measures are undertaken to minimise the impacts from operations and to ensure compliance with relevant statutory conditions.

Please do not hesitate to contact Stefanie Stanley, Acting Manager, Commercial Services, Lismore City Council on (02) 6627 5628 or via email to stefanie.stanley@lismore.nsw.gov.au.

Yours faithfully

A handwritten signature in black ink that appears to read "Stefanie Stanley". The signature is written in a cursive, flowing style.

Stefanie Stanley
Acting Manager Commercial Services
Lismore City Council

ATTACHMENT 5



DOC21/945505-1

Mr Michael Donnelly
 Acting General Manager
 Lismore City Council
 PO Box 23A
 GOONELLABAH, NSW 2480
 Email: stefanie.stanley@lismore.nsw.gov.au

16 November 2021

Attention: Stefanie Stanley

Blakebrook Quarry Asphalt Plant – Environment Protection Licence 3384 Out of Hours Work Protocol

I refer to your email to the Environment Protection Authority (EPA) on 27 October 2021 in relation to Blakebrook Quarry Asphalt Plant Out of Hours Work Protocol. Schedule 3 Condition 2(a) of the State Project Approval 07_0020 Mod 3, require Lismore City Council to consult with the EPA on the Out-of-Hours Work Protocol (OOHWP).

The EPA's role is to set environmental management objectives rather than being directly involved in the development of strategies to achieve those objectives. It is ultimately the proponent's responsibility to implement sufficient actions and mitigations to meet their statutory obligations and designated environmental objectives. Lismore City Council are advised to ensure when undertaking operations outside of normal hours, that all reasonable and feasible measures are implemented to mitigate any noise impacts on sensitive receivers in accordance with the *Noise Policy for Industry (2017)*.

The following comments are provided for consideration in relation to the proposed Out-of-Hours Work Protocol;

- The noise criteria at Table 1 row 3 in the OHWP are for day operations being 36 dB(A) LAeq (15 minute) for locations 2 and 7 and 35 dB(A) LAeq (15 Minute) for all other locations. Will these noise limits also be applied for evening and night periods that are typically outside of normal operating hours? If not, which noise criteria will the proponent apply for night and evening periods?
- The OHWP should be revised to show which noise emission limit criteria are applicable for the more sensitive night and evening out of hours periods, not just the 'Day' period.
- Consent condition 3 in Schedule 3. Reference to written agreements with noise sensitive receivers needs to be included in OHWP. Those written agreements need to be kept on file by the proponent and be made available to an EPA authorised officer upon request.
- The EPA requests that details of feedback received during OHWP community consultation be submitted to the EPA within 10 days of those community submissions being finalised and collated. The EPA reserves the right to amend its advice based on any significant or critical concerns raised in those submissions.

Phone 131 555
 Phone +61 2 9995 5555
 (from outside NSW)

TTY 133 677
 ABN 43 692 285 758

Locked Bag 5022
 Parramatta
 NSW 2124 Australia

4 Parramatta Square
 12 Darcy St, Parramatta
 NSW 2150 Australia

info@epa.nsw.gov.au
www.epa.nsw.gov.au

- Table 2 (page 7) as further specific mitigation the EPA recommends the use of low frequency reversing alarms on all vehicles and mobile plant that are intended to be used for out of hours operations.
- Documented forward planning of out of hours work is to be submitted in writing to the EPA, at info@epa.nsw.gov.au, at least seven (7) working days prior to any activities commencing.
- Details of complaints made in respect to out of hours work will need to be included with the annual return report required under Environment Protection Licence 3384.
- It is recommended that the OHWP be amended to include the EPA Environment Line contact number 131 555 in the event members of the community wish to make a report directly to the EPA in respect to any perceived offensive noise emissions or other environmental concerns in relation to the premises.

The EPA is currently processing a licence variation application for EPL 3384. As part of that licence variation the EPA proposes to add additional conditions to the licence to establish out of hours operational provisions. As is normal practise a draft of the licence variation will be provided to Council for review and comment prior to formally issuing the variation notice.

If you have any questions about this matter, please contact Johanne Hunt on 02 9860 1476 or via email at Johanne.hunt@epa.nsw.gov.au

Yours sincerely



Robert Donohoe
A/Unit Head
Regulatory Operations Regional

EPA Considerations	Section in OHWP where considerations addressed
Point 1	3.1 Proposed Evening and Night Noise Criteria and Noise Monitoring
Point 2	3.1 Proposed Evening and Night Noise Criteria and Noise Monitoring
Point 3	Noted
Point 4	Community feedback provided to EPA on 3 December 2021 (EPA ref 01031754; LCC ref CI21/50521) Section 3.3 - Notification of Upcoming Out of Hours Operations
Point 5	Section 3.2 (Table 2) – Noise Management
Point 6	Section 3.3 – Notification of Upcoming Out of Hours Operations Section 4 - Conclusion
Point 7	Noted
Point 8	Section 3.3 – Notification of Upcoming Out of Hours Operations Section 4 - Conclusion

Out of Hours Work Protocol V3.2 - Blakebrook Quarry MP07_0020/ EPL3384 - OHWP Consultation



Eleisha Went

To info@epa.nsw.gov.au

Cc [Kirsty Sutherland](#); [Leonie Lockhart](#)



Mon 08/04/2024 12:34 PM

Out of Hours Work Protocol OHWP V3.2.pdf
1 MB

RE: Out of Hours Work Protocol V3.1 - Blakebrook Quarry MP07_0020/ EPL3384 - OHWP Consultation & Campaign Notification [ref:00D7F06iTix.1500GA01Sopv...
Outlook item

Dear EPA,

Please see revised Out of Hours Work Protocol Version 3.2 for Blakebrook Quarry Asphalt Plant.

This OHWP relates to campaign work request for a maximum of 3 night shifts between 14 – 28 April 2024. Noting the OHWP V3.1 campaign request was unable to occur due to recent wet weather conditions.

Residents have been provided with 7 day notification as required under the OHWP.

Kindest Regards,

Eleisha Went | Manager of Operational Compliance | Local Emergency Management Officer | **Lismore City Council**

PO Box 23A, Lismore, 2480 | T 1300 878 387 | M 0427 828 315 | www.lismore.nsw.gov.au


Lismore City Council acknowledges the people of the Bundjalung nation, traditional custodians of the land on which we work.

RE: Out of Hours Work Protocol V3.1 - Blakebrook Quarry MP07_0020/ EPL3384 - OHWP Consultation & Campaign Notification



Kirsty Sutherland <Kirsty.Sutherland@epa.nsw.gov.au>

To [Eleisha Went](#)



Fri 05/04/2024 12:34 PM

i Follow up. Start by Friday, 5 April 2024. Due by Friday, 5 April 2024.
You replied to this message on 05/04/2024 12:34 PM.
Click here to download pictures. To help protect your privacy, Outlook prevented automatic download of some pictures in this message.


CAUTION: This email was sent from outside our organisation. Be cautious, particularly with links and attachments unless you recognise the sender and know the content is safe.

Hi Eleisha

The EPA has no issue with the proposed out of hours works. Please ensure reporting requirements in accordance with condition R1.9 of EPL 3384 are met.

Regards

Kirsty Sutherland
Operations Officer
Regulatory Operations
NSW Environment Protection Authority
D 02 6659 8291 | M 0455 378 492
Kirsty.Sutherland@epa.nsw.gov.au




www.epa.nsw.gov.au [@NSW EPA](#) [EPA YouTube](#)

The EPA acknowledges the traditional custodians of the land and waters where we work. As part of the world's oldest surviving culture, we pay our respect to Aboriginal elders past, present and emerging.

Report pollution and environmental incidents 131 555 or +61 2 9995 5555

ATTACHMENT 6



Downer EDI Limited
ABN 97 003 872 848
80 Lancaster Drive
Goonellabah, NSW 2480
1800 DOWNER
www.downergroup.com

28 March 2024
REF LH.PS05

Attn: Eleisha Went
Commercial Services Compliance Manager
Lismore City Council
PO Box 23A
Lismore, NSW, 2480

Dear Eleisha,

With reference to MP07_0020 Schedule 3, condition 2A and EPL condition L6.3, please find this formal request for approval to operate outside the scope of conditions with the application to operate Nightshift Production from our Asphalt Plant that is situated in the Lismore Quarry, Blakebrook.

The request is outline as follows:

- Proposed Dates: Sunday Night April 7th, 2024 to Wednesday Night April 10th, 2024
- Proposed Operating Time: 06:00pm to 06:00am
- Proposed Approximate Volume per Shift: 200 Tonnes
- Customer: Transport for NSW / Lismore City Council
- Locations: Bruxner Hwy, Alphadale (Near corner of Cowlong Road/Bruxner Hwy)
- Requested From: Ricky Singh – Lismore City Council

As part of the compliance conditions, Trico Asphalt will advise the local community within the surrounding area with formal letter notifications stating the above program and appropriate contact details.

Given the above information, we would greatly appreciate your consideration of this application for request of Nightshift Operations for the proposed dates.

Yours sincerely,


A handwritten signature in black ink, appearing to read "Lincoln Hill".

Lincoln Hill
Surfacing Manager - Lismore

RE: INFO: Out of Hours Work Protocol April 2024 - Blakebrook Quarry (MP07_0020-PA-76)



Brian Davis



To Eleisha Went; James Livingstone; Trico Lismore; CSCompliance;
 Joshua Smith; Lincoln Hill; Craig Eggerling; +2 others
Cc Blakebrook Quarry; Phil George

Thu 04/04/2024 4:56 PM

You forwarded this message on 04/04/2024 5:06 PM.

Eleisha,

As discussed, it is likely the out of hours work this Sunday will be cancelled due to wet weather, as the forecast is predicting rain until next week.

We would like to re-schedule the Works for the following Sunday, being the 14 April.

Given the tumultuous weather, we would like a 2-week window in case further inclement weather is experienced, resulting in delays.

Thanks

Brian Davis | Maintenance Works Engineer | **Lismore City Council**

PO Box 23A, Lismore, 2480 | T 6620 1673 | F 6620 1688 | M 0417 076 723 | www.lismore.nsw.gov.au

Lismore City Council acknowledges the people of the Bundjalung Nation, traditional custodians of the land on which we work.