

**Appendix 2 Groundwater Attribute Data (NRATLAS,
2008)**

Groundwater Works Summary

For information on the meaning of fields please see [Glossary](#)
Document Generated on Wednesday, May 14, 2008

[Print Report](#)

[Works Details](#) [Site Details](#) [Form A](#) [Licensed](#) [Construction](#) [Water Bearing Zones](#) [Drillers Log](#)

Work Requested -- GW303552

Works Details [\(top\)](#)

GROUNDWATER NUMBER GW303552
LIC-NUM 30BL181624
AUTHORISED-PURPOSES DOMESTIC
INTENDED-PURPOSES DOMESTIC
WORK-TYPE Spear
WORK-STATUS Supply Obtained
CONSTRUCTION-METHOD (Unknown)
OWNER-TYPE Private
COMMENCE-DATE
COMPLETION-DATE 2002-12-01
FINAL-DEPTH (metres) 5.50
DRILLED-DEPTH (metres)
CONTRACTOR-NAME
DRILLER-NAME
PROPERTY KRUGER'S
GWMA - ORANGE BASALT
GW-ZONE - PEEL CATCHMENT MISCELLANEOUS FRACTURED ROCK
STANDING-WATER-LEVEL 1.80
SALINITY
YIELD

Site Details [\(top\)](#)

REGION 30 - NORTH COAST
RIVER-BASIN 201 - TWEED RIVER
AREA-DISTRICT
CMA-MAP 9641-3N
GRID-ZONE 56/2
SCALE 1:25,000
ELEVATION
ELEVATION-SOURCE
NORTHING 6874163.00
EASTING 556582.00
LATITUDE 28 15' 26"
LONGITUDE 153 34' 37"
GS-MAP

AMG-ZONE 56
 COORD-SOURCE Map Interpretation
 REMARK

Form-A [\(top\)](#)

COUNTY ROUS
 PARISH CUDGEN
 PORTION-LOT-DP SP32989

Licensed [\(top\)](#)

COUNTY ROUS
 PARISH CUDGEN
 PORTION-LOT-DP 3 32989

Construction [\(top\)](#)

Negative depths indicate Above Ground Level;H-Hole;P-Pipe;OD-Outside Diameter;
 ID-Inside Diameter;C-Cemented;SL-Slot Length;A-Aperture;GS-Grain Size;Q-Quantity

HOLE- NO	PIPE- NO	COMPONENT- CODE	COMPONENT- TYPE	DEPTH- FROM (metres)	DEPTH- TO (metres)	OD (mm)	ID (mm)	INTERVAL DETAIL
1	1	Casing	P.V.C.	0.00	5.50	100		

Water Bearing Zones [\(top\)](#)

no details

Drillers Log [\(top\)](#)

no details

Warning To Clients: This raw data has been supplied to the Department of Infrastructure, Planning and Natural Resources (DIPNR) by drillers, licensees and other sources. The DIPNR does not verify the accuracy of this data. The data is presented for use by you at your own risk. You should consider verifying this data before relying on it. Professional hydrogeological advice should be sought in interpreting and using this data.

Groundwater Works Summary

For information on the meaning of fields please see [Glossary](#)
Document Generated on Wednesday, May 14, 2008

Print Report

[Works Details](#) [Site Details](#) [Form A](#) [Licensed](#) [Construction](#) [Water Bearing Zones](#) [Drillers Log](#)

Work Requested -- GW044188

Works Details [\(top\)](#)

GROUNDWATER NUMBER GW044188
LIC-NUM 30BL102916
AUTHORISED-PURPOSES DOMESTIC
INTENDED-PURPOSES DOMESTIC
WORK-TYPE Well
WORK-STATUS (Unknown)
CONSTRUCTION-METHOD (Unknown)
OWNER-TYPE Private
COMMENCE-DATE
COMPLETION-DATE 1945-01-01
FINAL-DEPTH (metres) 12.10
DRILLED-DEPTH (metres) 12.20
CONTRACTOR-NAME
DRILLER-NAME
PROPERTY PRICHARD'S
GWMA - PEEL VALLEY
GW-ZONE - PEEL CATCHMENT MISCELLANEOUS FRACTURED ROCK
STANDING-WATER-LEVEL
SALINITY
YIELD

Site Details [\(top\)](#)

REGION 30 - NORTH COAST
RIVER-BASIN 202 - BRUNSWICK RIVER
AREA-DISTRICT
CMA-MAP 9641-3N
GRID-ZONE 56/2
SCALE 1:25,000
ELEVATION
ELEVATION-SOURCE (Unknown)
NORTHING 6873149.00
EASTING 555547.00
LATITUDE 28 15' 59"
LONGITUDE 153 33' 59"
GS-MAP 0005C2

AMG-ZONE 56
 COORD-SOURCE GD.,ACC.MAP
 REMARK

Form-A [\(top\)](#)

COUNTY ROUS
 PARISH CUDGEN
 PORTION-LOT-DP DP5 (5)

Licensed [\(top\)](#)

COUNTY ROUS
 PARISH CUDGEN
 PORTION-LOT-DP 2 616751

Construction [\(top\)](#)

Negative depths indicate Above Ground Level;H-Hole;P-Pipe;OD-Outside Diameter;
 ID-Inside Diameter;C-Cemented;SL-Slot Length;A-Aperture;GS-Grain Size;Q-Quantity

HOLE- NO	PIPE- NO	COMPONENT- CODE	COMPONENT- TYPE	DEPTH- FROM (metres)	DEPTH- TO (metres)	OD (mm)	ID (mm)	INTERVAL	DETAIL
1	1	Casing	Concrete Cylinder	0.00	0.00	1371			(Unknown)

Water Bearing Zones [\(top\)](#)

FROM- DEPTH (metres)	TO- DEPTH (metres)	THICKNESS (metres)	ROCK- CAT- DESC	S- W-L	D- D- L	YIELD	TEST- HOLE- DEPTH (metres)	DURATION	SALINITY
11.50	12.10	0.60	Fractured	6.00		0.25			(Unknown)

Drillers Log [\(top\)](#)

FROM	TO	THICKNESS	DESC	GEO-MATERIAL	COMMENT
0.00	4.57	4.57	Soil Red		
4.57	12.19	7.62	Shale Water Supply		

Warning To Clients: This raw data has been supplied to the Department of Infrastructure, Planning and Natural Resources (DIPNR) by drillers, licensees and other sources. The DIPNR does not verify the accuracy of this data. The data is presented for use by you at your own risk. You should consider verifying this data before relying on it. Professional hydrogeological advice should be sought in interpreting and using this data.

Groundwater Works Summary

For information on the meaning of fields please see [Glossary](#)
Document Generated on Wednesday, May 14, 2008

Print Report

[Works Details](#) [Site Details](#) [Form A](#) [Licensed](#) [Construction](#) [Water Bearing Zones](#) [Drillers Log](#)

Work Requested -- GW047078

Works Details [\(top\)](#)

GROUNDWATER NUMBER GW047078
LIC-NUM 30BL107549
AUTHORISED-PURPOSES DOMESTIC IRRIGATION STOCK
INTENDED-PURPOSES IRRIGATION
WORK-TYPE Excavation
WORK-STATUS Supply Obtained
CONSTRUCTION-METHOD Other
OWNER-TYPE Private
COMMENCE-DATE
COMPLETION-DATE 1978-01-01
FINAL-DEPTH (metres) 2.50
DRILLED-DEPTH (metres) 2.50
CONTRACTOR-NAME
DRILLER-NAME
PROPERTY N/A
GWMA - ORANGE BASALT
GW-ZONE - PEEL CATCHMENT MISCELLANEOUS FRACTURED ROCK
STANDING-WATER-LEVEL
SALINITY
YIELD

Site Details [\(top\)](#)

REGION 30 - NORTH COAST
RIVER-BASIN 201 - TWEED RIVER
AREA-DISTRICT
CMA-MAP 9641-3N
GRID-ZONE 56/2
SCALE 1:25,000
ELEVATION
ELEVATION-SOURCE (Unknown)
NORTHING 6873611.00
EASTING 555467.00
LATITUDE 28 15' 44"
LONGITUDE 153 33' 56"
GS-MAP 0005C2

AMG-ZONE 56
COORD-SOURCE GD.,ACC.MAP
REMARK

Form-A [\(top\)](#)

COUNTY ROUS
PARISH CUDGEN
PORTION-LOT-DP L2 DP568845 (5)

Licensed [\(top\)](#)

COUNTY ROUS
PARISH CUDGEN
PORTION-LOT-DP LT2 DP568845 PT5

Water Bearing Zones [\(top\)](#)

no details

Drillers Log [\(top\)](#)

FROM	TO	THICKNESS	DESC	GEO-MATERIAL	COMMENT
0.00	0.50	0.50	Peaty		
0.50	1.50	1.00	Loam Sandy		
1.50	2.50	1.00	Clay Some Rock		

Warning To Clients: This raw data has been supplied to the Department of Infrastructure, Planning and Natural Resources (DIPNR) by drillers, licensees and other sources. The DIPNR does not verify the accuracy of this data. The data is presented for use by you at your own risk. You should consider verifying this data before relying on it. Professional hydrogeological advice should be sought in interpreting and using this data.

Groundwater Works Summary

For information on the meaning of fields please see [Glossary](#)
Document Generated on Wednesday, May 14, 2008

[Print Report](#)

[Works Details](#) [Site Details](#) [Form A](#) [Licensed](#) [Construction](#) [Water Bearing Zones](#) [Drillers Log](#)

Work Requested -- GW047693

Works Details [\(top\)](#)

GROUNDWATER NUMBER GW047693
LIC-NUM
AUTHORISED-PURPOSES
INTENDED-PURPOSES IRRIGATION
WORK-TYPE Bore
WORK-STATUS (Unknown)
CONSTRUCTION-METHOD (Unknown)
OWNER-TYPE Private
COMMENCE-DATE
COMPLETION-DATE 1980-03-01
FINAL-DEPTH (metres) 14.00
DRILLED-DEPTH (metres) 14.00
CONTRACTOR-NAME
DRILLER-NAME
PROPERTY
GWMA
GW-ZONE
STANDING-WATER-LEVEL
SALINITY
YIELD

Site Details [\(top\)](#)

REGION 30 - NORTH COAST
RIVER-BASIN 202 - BRUNSWICK RIVER
AREA-DISTRICT
CMA-MAP 9641-3N
GRID-ZONE 56/2
SCALE 1:25,000
ELEVATION
ELEVATION-SOURCE (Unknown)
NORTHING 6873027.00
EASTING 555437.00
LATITUDE 28 16' 3"
LONGITUDE 153 33' 55"
GS-MAP 0005C2

AMG-ZONE 56
 COORD-SOURCE GD.,ACC.MAP
 REMARK

Form-A [\(top\)](#)

COUNTY ROUS
 PARISH CUDGEN
 PORTION-LOT-DP 5

Licensed [\(top\)](#)

no details

Construction [\(top\)](#)

Negative depths indicate Above Ground Level;H-Hole;P-Pipe;OD-Outside Diameter;
 ID-Inside Diameter;C-Cemented;SL-Slot Length;A-Aperture;GS-Grain Size;Q-Quantity

HOLE- NO	PIPE- NO	COMPONENT- CODE	COMPONENT- TYPE	DEPTH- FROM (metres)	DEPTH- TO (metres)	OD (mm)	ID (mm)	INTERVAL	DETAIL
1	1	Casing	P.V.C.	0.00	14.00	90			Seated on Bottom
1	1	Opening	Slots - Vertical	10.00	14.00	90		1	Slotted In Hole; SL: 0mm; A: 4mm

Water Bearing Zones [\(top\)](#)

no details

Drillers Log [\(top\)](#)

FROM	TO	THICKNESS	DESC	GEO-MATERIAL	COMMENT
0.00	4.57	4.57	Soil Red		
4.57	14.00	9.43	Shale		

Warning To Clients: This raw data has been supplied to the Department of Infrastructure, Planning and Natural Resources (DIPNR) by drillers, licensees and other sources. The DIPNR does not verify the accuracy of this data. The data is presented for use by you at your own risk. You should consider verifying this data before relying on it. Professional hydrogeological advice should be sought in interpreting and using this data.

Groundwater Works Summary

For information on the meaning of fields please see [Glossary](#)
Document Generated on Wednesday, May 14, 2008

[Print Report](#)

[Works Details](#) [Site Details](#) [Form A](#) [Licensed](#) [Construction](#) [Water Bearing Zones](#) [Drillers Log](#)

Work Requested -- GW065030

Works Details [\(top\)](#)

GROUNDWATER NUMBER	GW065030
LIC-NUM	30BL179064
AUTHORISED-PURPOSES	DOMESTIC
INTENDED-PURPOSES	IRRIGATION
WORK-TYPE	Bore
WORK-STATUS	(Unknown)
CONSTRUCTION-METHOD	Rotary Air
OWNER-TYPE	Private
COMMENCE-DATE	
COMPLETION-DATE	1989-10-16
FINAL-DEPTH (metres)	30.00
DRILLED-DEPTH (metres)	30.00
CONTRACTOR-NAME	
DRILLER-NAME	
PROPERTY	" DIOCESE OF GRAFTON "
GWMA	- PEEL VALLEY
GW-ZONE	- PEEL CATCHMENT MISCELLANEOUS FRACTURED ROCK
STANDING-WATER-LEVEL	12.00
SALINITY	
YIELD	3.40

Site Details [\(top\)](#)

REGION	30 - NORTH COAST
RIVER-BASIN	202 - BRUNSWICK RIVER
AREA-DISTRICT	
CMA-MAP	9641-3N
GRID-ZONE	56/2
SCALE	1:25,000
ELEVATION	
ELEVATION-SOURCE	
NORTHING	6873027.00
EASTING	555383.00
LATITUDE	28 16' 3"
LONGITUDE	153 33' 53"
GS-MAP	0005C2

AMG-ZONE 56
 COORD-SOURCE
 REMARK

Form-A [\(top\)](#)

COUNTY ROUS
 PARISH CUDGEN
 PORTION-LOT-DP LOT 101 DP866795

Licensed [\(top\)](#)

COUNTY ROUS
 PARISH CUDGEN
 PORTION-LOT-DP 101 866795

Construction [\(top\)](#)

Negative depths indicate Above Ground Level;H-Hole;P-Pipe;OD-Outside Diameter;
 ID-Inside Diameter;C-Cemented;SL-Slot Length;A-Aperture;GS-Grain Size;Q-Quantity

HOLE- NO	PIPE- NO	COMPONENT- CODE	COMPONENT- TYPE	DEPTH- FROM (metres)	DEPTH- TO (metres)	OD (mm)	ID (mm)	INTERVAL	DETAIL
1		Hole	Hole	0.00	30.00	165			Rotary Air
1	1	Casing	PVC Class 9	0.00	30.00	137			Seated on Bottom
1	1	Opening	Slots - Diagonal	17.00	30.00	137		1	PVC Class 9; SL: 13mm; A: 3mm

Water Bearing Zones [\(top\)](#)

FROM- DEPTH (metres)	TO- DEPTH (metres)	THICKNESS (metres)	ROCK-CAT- DESC	S-W- L	D- D- L	YIELD	TEST- HOLE- DEPTH (metres)	DURATION	SALINITY
17.00	30.00	13.00	Unconsolidated	12.00		3.40			

Drillers Log [\(top\)](#)

FROM	TO	THICKNESS	DESC	GEO-MATERIAL	COMMENT
0.00	15.00	15.00	CLAY		
15.00	17.00	2.00	WEATHERED ROCK		
17.00	20.00	3.00	BASALT		
20.00	24.00	4.00	WEATHERED BASALT		
24.00	30.00	6.00	CLAY & SANDSTONE		

Warning To Clients: This raw data has been supplied to the Department of Infrastructure, Planning and Natural Resources (DIPNR) by drillers, licensees and other sources. The DIPNR does not verify the accuracy of this data. The data is presented for use by you at your own risk. You should consider verifying this data before relying on it. Professional hydrogeological advice should be sought in interpreting and using this data.

Groundwater Works Summary

For information on the meaning of fields please see [Glossary](#)
Document Generated on Wednesday, May 14, 2008

[Print Report](#)

[Works Details](#) [Site Details](#) [Form A](#) [Licensed](#) [Construction](#) [Water Bearing Zones](#) [Drillers Log](#)

Work Requested -- GW065928

Works Details [\(top\)](#)

GROUNDWATER NUMBER GW065928
LIC-NUM 30BL143161
AUTHORISED-PURPOSES IRRIGATION
INTENDED-PURPOSES IRRIGATION
WORK-TYPE Bore
WORK-STATUS (Unknown)
CONSTRUCTION-METHOD Rotary Air
OWNER-TYPE Private
COMMENCE-DATE
COMPLETION-DATE 1991-02-28
FINAL-DEPTH (metres) 42.00
DRILLED-DEPTH (metres) 42.00
CONTRACTOR-NAME
DRILLER-NAME
PROPERTY PRICHARD'S
GWMA - PEEL VALLEY
GW-ZONE - PEEL CATCHMENT MISCELLANEOUS FRACTURED ROCK
STANDING-WATER-LEVEL 7.00
SALINITY
YIELD 2.30

Site Details [\(top\)](#)

REGION 30 - NORTH COAST
RIVER-BASIN 202 - BRUNSWICK RIVER
AREA-DISTRICT
CMA-MAP 9641-3N
GRID-ZONE 56/2
SCALE 1:25,000
ELEVATION
ELEVATION-SOURCE
NORTHING 6872810.00
EASTING 555790.00
LATITUDE 28 16' 10"
LONGITUDE 153 34' 8"
GS-MAP 0005C2

AMG-ZONE 56
 COORD-SOURCE
 REMARK

Form-A [\(top\)](#)

COUNTY ROUS
 PARISH CUDGEN
 PORTION-LOT-DP LOT 2 DP616751

Licensed [\(top\)](#)

COUNTY ROUS
 PARISH CUDGEN
 PORTION-LOT-DP 2 616751

Construction [\(top\)](#)

Negative depths indicate Above Ground Level;H-Hole;P-Pipe;OD-Outside Diameter;
 ID-Inside Diameter;C-Cemented;SL-Slot Length;A-Aperture;GS-Grain Size;Q-Quantity

HOLE- NO	PIPE- NO	COMPONENT- CODE	COMPONENT- TYPE	DEPTH- FROM (metres)	DEPTH- TO (metres)	OD (mm)	ID (mm)	INTERVAL	DETAIL
1		Hole	Hole	0.00	42.00	200			Rotary Air
1	1	Casing	PVC Class 9	0.00	42.00	138			Seated on Bottom
1	1	Opening	Slots - Diagonal	18.00	42.00	138		1	PVC Class 9; Mechanica Slotted; SL 24mm; A: 3mm
1	1	Annulus	Waterworn/Rounded	0.00	42.00	200			Graded; G: 4-6mm

Water Bearing Zones [\(top\)](#)

FROM- DEPTH (metres)	TO- DEPTH (metres)	THICKNESS (metres)	ROCK- CAT- DESC	S- W-L	D- D- L	YIELD	TEST- HOLE- DEPTH (metres)	DURATION	SALINITY
18.00	35.00	17.00	Fractured	7.00		2.30	40.00		

Drillers Log [\(top\)](#)

FROM	TO	THICKNESS	DESC	GEO-MATERIAL	COMMENT
0.00	6.00	6.00	CLAY		
6.00	13.00	7.00	WEATHERED BASALT		
13.00	18.00	5.00	RED CLAY		
18.00	42.00	24.00	FRACTURED GRANITE		

Warning To Clients: This raw data has been supplied to the Department of Infrastructure, Planning and Natural Resources (DIPNR) by drillers, licensees and other sources. The DIPNR does not verify the accuracy of this data. The data is presented for use by you at your own risk. You should consider verifying this data before relying on it. Professional hydrogeological advice should be sought in interpreting and using this data.

Groundwater Works Summary

For information on the meaning of fields please see [Glossary](#)
Document Generated on Wednesday, May 14, 2008

[Print Report](#)

[Works Details](#) [Site Details](#) [Form A](#) [Licensed](#) [Construction](#) [Water Bearing Zones](#) [Drillers Log](#)

Work Requested -- GW069108

Works Details [\(top\)](#)

GROUNDWATER NUMBER	GW069108
LIC-NUM	30BL142672
AUTHORISED-PURPOSES	FARMING
INTENDED-PURPOSES	FARMING
WORK-TYPE	Bore
WORK-STATUS	(Unknown)
CONSTRUCTION-METHOD	Rotary Air
OWNER-TYPE	Private
COMMENCE-DATE	
COMPLETION-DATE	1991-03-07
FINAL-DEPTH (metres)	54.00
DRILLED-DEPTH (metres)	54.00
CONTRACTOR-NAME	
DRILLER-NAME	
PROPERTY	N/A
GWMA	- PEEL VALLEY
GW-ZONE	- PEEL CATCHMENT MISCELLANEOUS FRACTURED ROCK
STANDING-WATER-LEVEL	
SALINITY	
YIELD	0.50

Site Details [\(top\)](#)

REGION	30 - NORTH COAST
RIVER-BASIN	202 - BRUNSWICK RIVER
AREA-DISTRICT	
CMA-MAP	
GRID-ZONE	
SCALE	
ELEVATION	
ELEVATION-SOURCE	
NORTHING	6872990.00
EASTING	555291.00
LATITUDE	28 16' 4"
LONGITUDE	153 33' 49"
GS-MAP	

AMG-ZONE 56
 COORD-SOURCE GD.,ACC.GIS
 REMARK

Form-A [\(top\)](#)

COUNTY ROUS
 PARISH CUDGEN
 PORTION-LOT-DP LOT 2 DP612182

Licensed [\(top\)](#)

COUNTY ROUS
 PARISH CUDGEN
 PORTION-LOT-DP LT2 DP612182

Construction [\(top\)](#)

Negative depths indicate Above Ground Level;H-Hole;P-Pipe;OD-Outside Diameter;
 ID-Inside Diameter;C-Cemented;SL-Slot Length;A-Aperture;GS-Grain Size;Q-Quantity

HOLE- NO	PIPE- NO	COMPONENT- CODE	COMPONENT- TYPE	DEPTH- FROM (metres)	DEPTH- TO (metres)	OD (mm)	ID (mm)	INTERVAL	DETAIL
1		Hole	Hole	0.00	54.00	195			Rotary Air
1	1	Casing	PVC Class 9	0.00	36.00	137			Suspended in Clamps
1	1	Opening	Slots - Diagonal	15.00	36.00	137		1	PVC; SL: 21mm; A: 3mm
1	1	Annulus	Waterworn/Rounded	0.00	54.00	0			GS: 6- 8mm; Q: 1m ³

Water Bearing Zones [\(top\)](#)

FROM- DEPTH (metres)	TO-DEPTH (metres)	THICKNESS (metres)	ROCK- CAT- DESC	S- W- L	D- D- L	YIELD	TEST-HOLE- DEPTH (metres)	DURATION	SALINITY
16.00	40.00	24.00				0.50	54.00		Good

Drillers Log [\(top\)](#)

FROM	TO	THICKNESS	DESC	GEO-MATERIAL	COMMENT
0.00	10.00	10.00			
10.00	13.00	3.00			
13.00	16.00	3.00	Clay & Ash		
16.00	21.00	5.00			
21.00	33.00	12.00			
33.00	40.00	7.00	Aerated Basalt		
40.00	47.00	7.00			

47.00 54.00 7.00

Warning To Clients: This raw data has been supplied to the Department of Infrastructure, Planning and Natural Resources (DIPNR) by drillers, licensees and other sources. The DIPNR does not verify the accuracy of this data. The data is presented for use by you at your own risk. You should consider verifying this data before relying on it. Professional hydrogeological advice should be sought in interpreting and using this data.

Groundwater Works Summary

For information on the meaning of fields please see [Glossary](#)
Document Generated on Wednesday, May 14, 2008

[Print Report](#)

[Works Details](#) [Site Details](#) [Form A](#) [Licensed](#) [Construction](#) [Water Bearing Zones](#) [Drillers Log](#)

Work Requested -- GW304908

Works Details [\(top\)](#)

GROUNDWATER NUMBER GW304908
LIC-NUM 30BL183212
AUTHORISED-PURPOSES DOMESTIC
INTENDED-PURPOSES DOMESTIC
WORK-TYPE Bore
WORK-STATUS
CONSTRUCTION-METHOD Auger - Hollow Flight
OWNER-TYPE
COMMENCE-DATE
COMPLETION-DATE 2004-11-03
FINAL-DEPTH (metres) 5.00
DRILLED-DEPTH (metres) 5.00
CONTRACTOR-NAME
DRILLER-NAME
PROPERTY JAMES-WALKER
GWMA - ORANGE BASALT
GW-ZONE - PEEL CATCHMENT MISCELLANEOUS FRACTURED ROCK
STANDING-WATER-LEVEL 3.00
SALINITY 100.00
YIELD 0.50

Site Details [\(top\)](#)

REGION 30 - NORTH COAST
RIVER-BASIN
AREA-DISTRICT
CMA-MAP
GRID-ZONE
SCALE
ELEVATION
ELEVATION-SOURCE
NORTHING 6873900.00
EASTING 556364.00
LATITUDE 28 15' 35"
LONGITUDE 153 34' 29"
GS-MAP

AMG-ZONE 56
 COORD-SOURCE
 REMARK

Form-A [\(top\)](#)

COUNTY ROUS
 PARISH CUDGEN
 PORTION-LOT-DP 14 28015

Licensed [\(top\)](#)

COUNTY ROUS
 PARISH CUDGEN
 PORTION-LOT-DP 14 28015

Construction [\(top\)](#)

Negative depths indicate Above Ground Level;H-Hole;P-Pipe;OD-Outside Diameter;
 ID-Inside Diameter;C-Cemented;SL-Slot Length;A-Aperture;GS-Grain Size;Q-Quantity

HOLE- NO	PIPE- NO	COMPONENT- CODE	COMPONENT- TYPE	DEPTH- FROM (metres)	DEPTH- TO (metres)	OD (mm)	ID (mm)	INTERVAL	DETAIL
1		Hole	Hole	0.00	5.00	100			Auger - Hollow Flight
1	1	Casing	P.V.C.	0.00	4.50	32	27.2		Glued; Seated on Bottom
1	1	Opening	Slots	0.00	5.00	32			Steel - ERW; SL: 600mm; A: 40mm

Water Bearing Zones [\(top\)](#)

FROM- DEPTH (metres)	TO- DEPTH (metres)	THICKNESS (metres)	ROCK- CAT- DESC	S- W-L	D- D-L	YIELD	TEST- HOLE- DEPTH (metres)	DURATION	SALINITY
3.00	5.00	2.00		3.00	3.50	0.50	5.00	1.00	100.00

Drillers Log [\(top\)](#)

FROM	TO	THICKNESS	DESC	GEO-MATERIAL	COMMENT
0.00	5.00	5.00	sand grey		

Warning To Clients: This raw data has been supplied to the Department of Infrastructure, Planning and Natural Resources (DIPNR) by drillers, licensees and other sources. The DIPNR does not verify the accuracy of this data. The data is presented for use by you at your own risk. You should consider verifying this data before relying on it. Professional hydrogeological advice should be sought in interpreting and using this data.