

Marulan Gas Turbine Facility



Environmental Assessment



PROJECT APPLICATION

VOLUME 1

MAIN REPORT

August 2008

Cover illustration: Note this is a graphical representation of a gas turbine facility it may not represent the actual plant.

Photograph: C. Bergesen.

Statement of Validity

Submission of Environmental Assessment

Prepared under Part 3A of the *Environmental Planning and Assessment Act 1979*

Environmental Assessment prepared by

Name	Nicole Brewer	Ian McCardle
Qualifications	B Eng (Civ & Env), Dip Eng Prac Associate Environmental Engineer	M Sc, B Sc (Hons) Principal Environmental Scientist

Address	URS Australia Pty Ltd Level 3 116 Miller Street NORTH SYDNEY NSW 2060
---------	---

In respect of

Applicant & Land Details

Applicant	<i>EnergyAustralia</i> 570 George Street Sydney NSW 2000
-----------	--

Application No.	MP07_0175
Subject Site	Marulan, NSW

Land to be developed	Lot & DP
----------------------	----------

Development Site	Lot 2 DP1120270
------------------	-----------------

Project Summary	Construction and operation of a gas -fired power station and associated infrastructure.
-----------------	---

Environmental Assessment

An Environmental Assessment is attached.

Declaration

I certify that I have prepared the contents of the Environmental Assessment in accordance with the requirements of the *Environmental Planning and Assessment Act 1979* and Regulation and that, to the best of my knowledge, the information contained in this report is not false or misleading.

Signature



Name	Nicole Brewer
Date	29 August 2008

Ian McCardle
29 August 2008

Contents

Statement of Validity	
Table of Contents	i
List of Appendices	vi
Notes on Text	vii
Abbreviations	x
Glossary	xiii
Executive Summary	ES-1
1 Introduction	1-1
1.1 Background	1-1
1.2 Project Outline	1-1
1.3 Project Objectives	1-7
1.4 The Proponent	1-7
1.5 Environmental Assessment Process	1-7
1.6 Environmental Assessment Preparation and Exhibition	1-12
1.7 Document Structure	1-14
2 Project Need and Objectives.....	2-1
2.1 Introduction	2-1
2.2 Background	2-1
2.3 Electricity Demand	2-4
2.4 Delta Electricity Proposal	2-8
2.5 EnergyAustralia Proposal	2-8
2.6 Project Siting	2-9
2.7 Project Benefits	2-9
3 Alternatives	3-1
3.1 Introduction	3-1
3.2 Power Generation Technology	3-1
3.3 Gas Turbine Technology.....	3-2
3.4 Site Options	3-2
3.5 Air Emissions Control Options	3-3
3.6 Facilities' Water Supply.....	3-3
3.7 Location of Footprint within the Site.....	3-8
3.8 Do Nothing Scenario	3-10
4 Project Description	4-1
4.1 Overview	4-1
4.2 Site Location	4-1
4.3 EnergyAustralia Facility	4-6
4.4 Other Relevant Components	4-13
5 Statutory Planning	5-1
5.1 Introduction	5-1
5.2 Commonwealth Legislation.....	5-1

Contents

5.3	NSW Legislation	5-2
6	Consultation	6-1
6.1	Introduction	6-1
6.2	Objectives	6-1
6.3	Consultation Program and Issues Raised	6-2
6.4	Feedback	6-4
6.5	Heritage Consultation	6-11
6.6	Further Consultation During Environmental Assessment and Approvals.....	6-11
6.7	Consultation during pre-construction	6-12
6.8	Consultation following Project commencement	6-12
6.9	Summary.....	6-12
7	Air Quality	7-1
7.1	Introduction	7-1
7.2	Greenhouse Gas Assessment	7-1
7.3	Air Quality Impacts.....	7-10
7.4	Aviation Safety	7-26
7.5	Summary of Mitigation Measures	7-28
8	Noise and Vibration	8-1
8.1	Introduction	8-1
8.2	Methodology	8-1
8.3	Existing Environment	8-5
8.4	Noise Criteria	8-8
8.5	Assessment of Impacts – EnergyAustralia Facility	8-10
8.6	Assessment of Impacts – Cumulative.....	8-15
8.7	Mitigation Measures.....	8-23
9	Soils and Geology.....	9-1
9.1	Introduction	9-1
9.2	Methodology	9-1
9.3	Existing Environment	9-1
9.4	Assessment of Potential Impacts – EnergyAustralia Facility	9-3
9.5	Assessment of Potential Impacts – Cumulative Impact.....	9-5
9.6	Mitigation Measures.....	9-5
10	Traffic and Transportation	10-1
10.1	Introduction	10-1
10.2	Methodology	10-1
10.3	Existing Environment	10-1
10.4	Assessment of Potential Impacts - EnergyAustralia Facility.....	10-4
10.5	Assessment of Potential Impacts – Cumulative.....	10-11
10.6	Mitigation Measures.....	10-16

Contents

11	Flora and Fauna	11-1
11.1	Introduction	11-1
11.2	Methodology	11-1
11.3	Existing Environment	11-1
11.4	Impact Assessment – EnergyAustralia Facility.....	11-9
11.5	Impact Assessment – Cumulative Impact.....	11-12
11.6	Mitigation Measures.....	11-13
12	Heritage.....	12-1
12.1	Introduction	12-1
12.2	Methodology	12-1
12.3	Existing Environment	12-3
12.4	Assessment of Potential Impacts – EnergyAustralia Facility.....	12-12
12.5	Assessment of Potential Impacts – Cumulative Impact.....	12-12
12.6	Mitigation Measures.....	12-12
12.7	Summary of Mitigation Measures	12-13
13	Visual Amenity	13-1
13.1	Introduction	13-1
13.2	Methodology	13-1
13.3	Existing Environment	13-6
13.4	Assessment of Potential Impacts – EnergyAustralia Facility.....	13-8
13.5	Assessment of Impacts – Cumulative.....	13-16
13.6	Mitigation Measures.....	13-21
14	Water Cycle Management.....	14-1
14.1	Introduction	14-1
14.2	Methodology	14-1
14.3	Existing Environment	14-1
14.4	Flooding Potential	14-3
14.5	Neutral or Beneficial Effect	14-6
14.6	Assessment of Potential Impacts - Construction – EnergyAustralia Facility	14-8
14.7	Assessment of Potential Impacts - Operation – EnergyAustralia Facility.....	14-10
14.8	Assessment of Potential Impacts - Cumulative	14-18
14.9	Summary of Mitigation Measures	14-19
15	Preliminary Hazard Analysis.....	15-1
15.1	Introduction	15-1
15.2	Methodology	15-1
15.3	Risk Criteria.....	15-3
15.4	Assessment of Potential Impacts – Energy Australia Facility.....	15-4
15.5	Assessment of Potential Impacts – Cumulative.....	15-10
15.6	Mitigating Measures.....	15-11

Contents

16	Bush Fire Assessment	16-1
16.1	Introduction	16-1
16.2	Methodology	16-1
16.3	Existing Environment	16-1
16.4	Assessment of Impacts – EnergyAustralia Facility	16-2
16.5	Assessment of Impacts – Cumulative Impacts	16-2
16.6	Summary of Mitigation Measures	16-6
17	Land Use	17-1
17.1	Introduction	17-1
17.2	Existing Land Use	17-1
17.3	Assessment of Impacts – Potential Existing and Future Land Use Conflicts – EnergyAustralia Facility	17-3
17.4	Assessment of Impacts – Potential Existing Land Use Conflicts – Cumulative Impacts	17-3
17.5	Assessment of Impacts – Potential Future Land Use Conflicts – Cumulative.....	17-7
17.6	Mitigation Measures.....	17-9
18	Socio Economic	18-1
18.1	Introduction	18-1
18.2	Existing Socio-Economic Environment	18-1
18.3	Assessment of Economic Impact.....	18-5
18.4	Project Cost Estimate	18-6
18.5	Mitigation Measures.....	18-9
19	Draft Statement of Commitments	19-1
19.1	Introduction	19-1
19.2	Environmental Management.....	19-1
19.3	Draft Statement of Commitments	19-4
20	Conclusions	20-1
20.1	Ecologically Sustainable Development.....	20-1
20.2	Consistency with objects of EP&A Act.....	20-2
20.3	Summary of Environmental Assessment Findings	20-5
20.4	Conclusion	20-6

References

Study Team

Tables, Figures, Appendices

Tables

Table 3-1	Summary of Indicative Water Demand Scenarios	3-4
Table 3-2	Summary of Water Supply Options	3-5
Table 3-3	Water Supply Servicing Options Available	3-6
Table 4-1	EnergyAustralia Facility - Summary of Indicative Water Demands	4-10
Table 4-2	Indicative Waste Disposal for EnergyAustralia's Facility	4-11
Table 4-3	Estimated Employment Generated – EnergyAustralia's Facility	4-12
Table 4-4	Project Timetable - EnergyAustralia Facility	4-12
Table 4-5	Key Project Dates for Delta Electricity	4-14
Table 4-6	Project Timetable – Gas Pipeline	4-14
Table 6-1	Consultation Program	6-3
Table 6-2	Summary of Issues Raised by Stakeholders	6-5
Table 6-3	Summary of Mitigation Measures	6-13
Table 7-1	Estimated Gas Consumption and Electricity Sent Out	7-6
Table 7-2	Comparison of EnergyAustralia Facility to State and National Greenhouse Gas Inventories	7-7
Table 7-3	Estimated Greenhouse Gas Emissions on a Project Lifetime Basis – EnergyAustralia Facility	7-8
Table 7-4	Cumulative Greenhouse Gas Inventory for Delta Electricity and EnergyAustralia Facilities	7-8
Table 7-5	Estimated Greenhouse Gas Emissions on a Project Lifetime Basis – Combined	7-9
Table 7-6	Emission Standards for Electricity Generation	7-12
Table 7-7	DECC Impact Assessment Criteria for Modelled Pollutants	7-12
Table 7-8	Summary of Background data used in Air Quality Modelling - 2006	7-15
Table 7-9	Scenarios Modelled	7-18
Table 7-10	EnergyAustralia Start Up- Stack Parameters and Emissions	7-19
Table 7-11	Delta Electricity Start Up - Stack Parameters and Emissions	7-20
Table 7-12	Delta Electricity General Operation - Stack Parameters and Emissions	7-21
Table 7-13	Summary of predicted Ground Level Concentrations	7-23
Table 7-14	Maximum, Minimum and Average Critical Plume Extents	7-27
Table 7-15	Summary of Mitigation Measures	7-28
Table 8-1	Summary of Residential Receiver Locations Identified	8-6
Table 8-2	Summary of RBL Levels from Unattended Noise Measurements	8-6
Table 8-3	Proposed Reference Curve	8-8

Tables, Figures, Appendices

Table 8-4	Summary of Calculated Noise Levels to Existing Residences – EnergyAustralia Facility	8-13
Table 8-5	Calculated Construction Noise Levels at Existing Receivers	8-16
Table 8-6	Summary of Calculated Cumulative Noise Levels to Existing Residences – EnergyAustralia Facility and Delta Electricity Facility Stage 1	8-18
Table 8-7	Summary of Calculated Noise Levels to Existing Residences – EnergyAustralia Facility and Delta Electricity Facility Stage 2 (with mitigation)	8-19
Table 8-8	Summary of Noise and Vibration Mitigation Measures	8-23
Table 9-1	Summary Description of Geotechnical Units	9-2
Table 9-2	Summary of Mitigation Measures	9-6
Table 10-1	Predicted Weekday Traffic Flow in Canyonleigh and Brayton Roads – No Development	10-4
Table 10-2	Construction Traffic Generation	10-4
Table 10-3	Predicted Weekday Traffic Flow in Canyonleigh and Brayton Roads - EnergyAustralia Facility	10-8
Table 10-4	Construction Scenarios	10-11
Table 10-5	Construction Traffic Generation - Scenario 1	10-12
Table 10-6	Construction Traffic Generation - Scenario 2	10-12
Table 10-7	Predicted Weekday Traffic Flow in Canyonleigh and Brayton Roads	10-15
Table 10-8	Summary of Mitigation Measures	10-16
Table 11-1	Comparison of Biodiversity Impacts and Offsets	11-18
Table 11-2	Summary of Mitigation Measures	11-20
Table 12-1	Summary of Survey Results – Marulan Site	12-6
Table 12-2	Summary of Survey Results – Marulan Site Generally	12-7
Table 12-3	Summary of Mitigation Measures	12-13
Table 13-1	Visibility Criteria	13-2
Table 13-2	Visibility Criteria Matrix	13-3
Table 13-3	Visibility Matrix – EnergyAustralia Facility	13-10
Table 13-4	Summary of Visual Mitigation Measures	13-22
Table 14-1	Estimated Flood Level – Wollondilly River at Marulan	14-5
Table 14-2	Summary of Indicative Water Demands – EnergyAustralia Facility	14-11
Table 14-3	Indicative Waste Disposal for EnergyAustralia Facility	14-17
Table 14-4	Summary of Mitigation Measures	14-19
Table 15-1	Summary of Identified Hazards	15-6
Table 15-2	Release Rates	15-7
Table 15-3	Heat Radiation from Jet Fires	15-7

Tables, Figures, Appendices

Table 15-4	Equipment Failures and Associated Frequencies	15-8
Table 15-5	Summary of Mitigation Measures	15-11
Table 16-1	Recommended APZs for the Marulan Gas Turbine Facilities	16-3
Table 16-2	Summary of Bush Fire Mitigation Measures	16-6
Table 17-1	Project Response to Draft Sydney Canberra Corridor Strategy Sustainability Criteria	17-7
Table 18-1	Population (Census & Projections)	18-2
Table 18-2	Workforce Status (2006 Census)	18-3
Table 18-3	Estimated Capital Cost Breakdown	18-6
Table 18-4	Construction Project Employment Impacts	18-7
Table 18-5	Operational Project Employment Impacts	18-9
Table 18-6	Summary of Mitigation Measures	18-9
Table 19-1	Draft Statement of Commitments	19-4
Table 20-1	Consistency of the Project with objects of the EP&A Act	20-3

Figures

Figure 1-1	Regional Location Map
Figure 1-2	Local Context Map
Figure 1-3	Indicative Location and Layout
Figure 1-4	Gas Pipeline Corridor
Figure 1-5	Approval Process under Part 3A of EP&A Act
Figure 1-6	Overview of Approvals Required by Delta Electricity and EnergyAustralia
Figure 2-1	Stylised NSW Network
Figure 2-2	2007 Projected NSW Summer Outlook to 2016/2017
Figure 4-1	Indicative Location and Layout
Figure 4-2	Residential Receivers Surrounding Marulan Site
Figure 4-3	Proposed Gas Pipeline Corridor
Figure 4-4	Process Diagram - Open Cycle EnergyAustralia
Figure 4-5	EnergyAustralia Indicative Site Layout
Figure 8-1	Location of Residential Receivers and Noise Monitoring Locations
Figure 8-2	Indicative Noise Contours for the EnergyAustralia Facility
Figure 8-3	Indicative Noise Contours For EnergyAustralia Facility and Delta Electricity Facility Stage 1
Figure 8-4	Indicative Noise Contours for EnergyAustralia Facility and Delta Electricity Facility Stage 2 (with Mitigation to Stage 2)
Figure 10-1	Regional Road Network
Figure 10-2	Access Road Preferred Options
Figure 11-1	Important Habitat Features and Resources
Figure 11-2	Vegetation Communities

Tables, Figures, Appendices

Figure 11-3	Proposed Offset Areas
Figure 12-1	New Archaeological Sites Located During Survey
Figure 12-2	Areas of Archaeological Potential
Figure 13-1	Potential View Catchment
Figure 13-2	Potential View Locations and Visibility Ratings for the EnergyAustralia Facility
Figure 13-3	Indicative Cross Section Location 22 for the EnergyAustralia Facility
Figure 13-4	Indicative Cross Section Location 23 for EnergyAustralia
Figure 13-5	Potential View Locations and Visibility Ratings for the Combined Facilities
Figure 13-6	Visual Simulation Location 22 for the Combined Facilities
Figure 13-7	Visual Simulation Location R23 for the Combined Facilities
Figure 14-1	Natural Drainage and Water Features
Figure 14-2	Schematic of Wollondilly River
Figure 14-3	Indicative Water Management with Recycling – EnergyAustralia Facility
Figure 14-4	Indicative Buffer Zone
Figure 15-1	Heat Radiation from Distillate Bund Fire
Figure 16-1	Indicative Plant Layout with Indicative APZ
Figure 18-1	Age Structure (2006 Census)
Figure 18-2	Proportion of Workforce Participation by Age (2006 Census)
Figure 18-3	Occupation of Workforce Participants (2006 Census)

Appendices

Appendix A	Environmental Assessment Requirements
Appendix B	Statutory Authority Correspondence
Appendix C	Consultation Material
Appendix D	Air Quality Assessment
Appendix E	Noise & Vibration Assessment
Appendix F	Traffic Assessment
Appendix G	Visual Assessment
Appendix H	Preliminary Hazard Analysis
Appendix I	Bush Fire Assessment

Notes on Text

As a determination of the project will only be made after the Environmental Assessment has been on public display and submissions considered, the future conditional tense is used throughout this Environmental Assessment when describing the project, alternatives and assessing impacts. “Would” is, therefore, used throughout the text in preference to “will”.

If all approvals are given for the project to proceed, all “would” references should be interpreted as “will”, subject to final conditions of consent.

Notes on Text

Abbreviations

ABBREVIATIONS

AADT	Annual Average Daily Traffic
ABS	Australian Bureau of Statistics
AGO	Australian Greenhouse Office
AHC	Australian Heritage Commission
AHD	Australian Height Datum
AHIMS	Aboriginal Heritage Information Management System
ANEPM	National Environment Protection Measure for Ambient Air Quality
ANZECC	Australia and New Zealand Environment and Conservation Council
ARI	Annual Recurrence Interval
AWS	Automatic Weather Station
BCA	Building Code of Australia
BoM	Bureau of Meteorology
Calmet	A 3-D meteorological model designed to provide data for use in Calpuff
Calpuff	An airquality dispersion model
CASA	Civil Aviation and Safety Authority
CCGT	Combined Cycle Gas Turbine
CEMP	Construction Environmental Management Plan
CHMP	Cultural Heritage Management Plan
CFC	Chloro-Fluorocarbons
CO₂	Carbon dioxide
CO₂-e	Carbon dioxide equivalent
DA	Development Application
DCP	Development Control Plan
DECC	Department of Environment and Climate Change
DEHA	Department of Environment, Heritage and the Arts
DOP	Department of Planning
EA	Environmental Assessment
ECRTN	Environmental Criteria for Road Traffic Noise
EMF	Electric and Magnetic Field
EMP	Environmental Management Plan
EMS	Environmental Management Systems
ENCM	Environmental Noise Control Manual
EP&A Act	NSW Environmental Planning and Assessment Act 1979
EP&A Reg	NSW Environmental Planning and Assessment Regulation 2000
EPA	Environment Protection Authority
EPBC Act	Commonwealth <i>Environment Protection and Biodiversity Conservation Act</i> 1999
EPI	Environmental Planning Instrument
ESD	Ecologically Sustainable Development
GPS	Global Positioning System
GT	Gas Turbine
HAZID	Hazard Identification
HIPAP	Department of Planning's Hazardous Industry Planning Advisory Paper
HHV	Higher Heating Value
HRSG	Heat Recovery Steam Generator
INP	Industrial Noise Policy (EPA, 2000)
IPCC	International Panel on Climate Change
IPRA	International Power (Australia) Pty Ltd
ISO	International Standards Organisation
JSA	Job Safety Analysis
LALC	Local Aboriginal Land Council
LEP	Local Environmental Plan
LGA	Local Government Area

Abbreviations

LHV	Lower Heating Value
LoS	Level of Service
MGA	Map Grid of Australia
MSDS	Material Safety Data Sheet
MSL	Mean Sea Level
MLEP	Mulwaree Local Environment Plan 1995
NA	Not Applicable
NEM	National Electricity Market
NEMMCO	National Electricity Market Management Company
NEPC	National Environment Protection Council
NEPM	National Environment Protection Measure
NGRS	National Greenhouse Response Strategy
NHMRC	National Health and Medical Research Council
NO₂	Nitrogen Dioxide
NO_x	Oxides of Nitrogen
NP&W Act	NSW <i>National Parks and Wildlife Act 1974</i>
NPWS	National Parks and Wildlife Service
NSW	New South Wales
O₃	Ozone
OCGT	Open Cycle Gas Turbine
OEMP	Operation Environmental Management Plan
PAD	potential archaeological deposit
PAH	Polycyclic Aromatic Hydrocarbons
PASS	Potential Acid Sulphate Soils
PB	Parsons Brickerhoff
PFM	Planning Focus Meeting
PHA	Preliminary Hazard Analysis
PHLALC	Peak Hill Local Aboriginal Land Council
PM₁₀	Particles effectively less than 10µm diameter
PM_{2.5}	Particles effectively less than 2.5µm diameter
POEO Act	NSW <i>Protection of the Environment Operations Act 1997</i>
REP	Regional Environmental Plan
RFI Act	NSW <i>Rivers and Foreshores Improvements Act 1948</i>
RNE	Register of the National Estate
ROTAP	Rare or Threatened Australian Plants
RPM	Revolutions per Minute
RTA	NSW Roads and Traffic Authority
SCR	Selective Catalytic Reduction
SEDA	Sustainable Energy Development Authority
SEPP	State Environmental Planning Policy
SIS	Species Impact Statement
SO₂	Sulphur dioxide
SO_x	Sulphur Oxides
SOO	Statement of Opportunities
TAPM	The Air Pollution Model
TCP	Tree Clearance Protocol
TOC	Total Organic Carbon
TPH	Total Petroleum Hydrocarbons
TSC Act	NSW <i>Threatened Species Conservation Act 1995</i>
TSP	Total suspended particulate
TSP Act	NSW <i>Threatened Species Act 1995</i>
TSS	total suspended sediment
VOC	Volatile Organic Compound
WM Act	Water Management Act 2000

Abbreviations

UNITS

μm	Microns
cm	centimetres
g	Grams
GL	Gigalitre (10^9 L or 10^6 m ³)
GWh	Gigawatt Hour
Ha	hectare
hr	Hour
Hz	Hertz
kg	Kilograms
kJ	Kilojoules
kL	Kilolitre (10^3 L or 1 m ³)
km	Kilometre
km/hr	Kilometres per hour
kPa	Kilopascals
kV	Kilovolts
kW	Kilowatts
m	Metres
mg	Milligrams
m²	square metres
m³	cubic metres
MHz	Megahertz
ML	Megalitre (10^6 L or 10^3 m ³)
MW	Megawatts
pa	per annum
ppm	Parts per million
pmpy	per million per year
s	second
SG	Density
t	Tonne
Yr	Year

Abbreviations

Glossary

Aboriginal archaeological site (Aboriginal site)

A place where physical remains or modification of the natural environment indicate past and 'traditional' activities by Aboriginal people. Site types include artefact scatters, isolated artefacts, burials, shell middens, scarred trees, quarries and contact sites.

acid sulphate soils (ASS)

Soils containing pyrite which produces sulphuric acid when exposed to oxygen.

ambient

Surrounding environment.

aquifer

Rock formation containing water in recoverable quantities.

background scatter

Aboriginal artefacts that cannot be usefully related to a place or focus of past activity.

biodiversity

First coined in 1988 as a contraction of biological diversity; diversity traditionally referring to species richness and species abundance. Biodiversity has been defined subsequently as encompassing biological variety at genetic, species and ecosystem scales (DASETT 1992). The maintenance of biodiversity, at all levels, is acknowledged internationally as a high conservation priority, and is protected by the International Convention on Biological Diversity 1992.

bunds

An earthwork or wall to contain and control spillages, normally associated with tank farms, fuelling and chemical storage facilities.

CO₂-e

The carbon dioxide equivalent relates to the greenhouse warming potential (GWP) of a certain gas compared to that of carbon dioxide where carbon dioxide has a GWP of 1. For example, methane (CH₄) has a GWP of 21, meaning that a release of 100 tonnes of CH₄ would be the equivalent to releasing 2100 tonnes of CO₂ in terms of global warming.

Construction Environmental Management Plan

An element of an Environmental Management Plan that addresses the control, training and monitoring measures to be implemented during the construction phase of a project in order to avoid, minimise or ameliorate potentially adverse impacts identified during environmental assessments.

conservation

The management of natural resources in a way that will benefit both present and future generations.

cumulative effect

Refers to the accumulation of effects over time.

dB(A)

The A-weighting has a frequency response corresponding approximately to that of human hearing. People's hearing is most sensitive to sounds at mid frequencies (500 Hz to 4000 Hz), and less sensitive at lower and higher frequencies. Thus, the level of a sound in dBA is a good measure of the "loudness" of that sound. Different sources having the same dBA level generally sound about equally as loud, although the perceived loudness can also be affected by the character of the sound (eg the loudness of human speech and a distant motorbike may be perceived differently, although they are of the same dBA level).

Glossary

dB(C)	The C-Weighting has a relatively flat response. C- weighting is used in evaluating annoying community noises such as low frequency sound.
Ecologically Sustainable Development	Using, conserving and enhancing the community's resources so that ecological processes, on which life depends, are maintained and the total quality of life, now and in the future can be increased. ecosystem An interdependent system of interacting plants, animals and other organisms together with the non-living (physical and chemical) components of their surroundings.
effluent	The outflow of liquid e.g. from sewage or an industrial process.
emergency response	The reaction by emergency services such as Fire, Police, Ambulance, Industrial Fire Brigades, etc., to an emergency.
endangered species	Those plants and animal species likely to become extinct unless action is taken to remove or control the factors that threaten their survival.
environment	The physical, biological, cultural, economic and social characteristics of an area, region or site.
Environmental Assessment	The orderly and systematic evaluation of a proposal, including alternatives and objectives, and its effects on the environment, including the mitigation and management of these effects.
environmental management	That part of the overall management system which includes organisational structure, planning activities, responsibilities, procedures, processes and resources for developing, implementing, achieving, reviewing and maintaining environmental policy. (Refer to related term Environmental Management System).
Environmental Management Plan	The control, training and monitoring measures to be implemented during the design, construction and operation phases of a project in order to avoid, minimise or ameliorate potentially adverse impacts identified during environmental (being socio-economic, cultural, physical, biological) assessments.
Environmental Management System	The concept and major components of an Environmental Management System (EMS) are set out in the Australian/New Zealand Standard (AS/NZS) ISO 14001. An EMS has several key components as set out below: organisational commitment, corporate environmental policy, environmental aspects register, objectives and performance indicators, environmental management program documentation (often called an Environmental Management Plan or EMP), operational and emergency procedures, responsibility and reporting structure, training and awareness program, environmental impact, regulatory and legal compliance, and environmental performance review audits performance monitoring and measurement.
fauna	Animals.
fire fence	A gap in vegetation or fuels which prevents or hinders the spread of fire.

Glossary

flora	Plants.
floristic composition	The plant species present in a particular community, sub-community or site.
free ammonia	The toxic fraction of ammonia (NH ₃) that is undissociated and therefore available for uptake by organisms. The usual source of ammonia to waterways is domestic sewage and industrial effluents.
GGAS	The Greenhouse Gas Reduction Scheme (GGAS) commenced on 1 January 2003. It is one of the first mandatory GHG emissions trading schemes in the world and is specifically associated with the electricity generation sector. GGAS aims to reduce GHG emissions in NSW by 5% per capita below 1989/90 levels by 2007, by encouraging project based activities to offset the production of GHG emissions.
geotechnical	Relating to the form, arrangement and structure of the geology.
Greenhouse Challenge Plus	The programme integrates the Generator Efficiency Standards and the Greenhouse Friendly TM initiative into a single industry programme, focused on reducing greenhouse gas, promoting energy efficiency, integrating greenhouse issues into decision making and allowing for a consistent manner for reporting greenhouse gas emissions.
Greenhouse Gas	A gas which has an effect on the radioactive absorptivity of the earth's atmosphere and the atmosphere's temperature.
Greenhouse Effect	Predicted global climatic change (e.g. global warming) associated with build up of certain gases (such as water vapour, carbon dioxide, methane, chlorofluorocarbons, ozone, nitrous oxide, etc.) within the atmospheric environment of the earth. These are known as Greenhouse Gases.
Greenhouse gas intensity	the amount of greenhouse gases per unit of energy produced from a power station (eg in units of kg CO ₂ -e/MWh).
Greenhouse Gas Protocol	A globally accepted procedure for companies to quantify, report and reduce their greenhouse gas emissions.
groundwater	Subsurface water contained within the saturated zone.
heritage (cultural heritage)	A term which encompasses Aboriginal and post-contact archaeological sites and material remains (cultural resources).
higher heating value	The heat content of fuel, measured in a bomb calorimeter when the products of combustion are cooled to the initial temperature and all of the water vapour formed during combustion is condensed to liquid. This gives the gross, or higher heat content of the fuel, which includes in the reported value the heat of vaporisation of the water produced from combustion of hydrogen atoms in the fuel. The lower heating value excludes the heat of vaporisation of the water produced from combustion of hydrogen atoms in the fuel.
Hydrocarbons	A class or compounds containing only carbon and hydrogen in various structures. Both naturally occurring and from anthropogenic sources.

Glossary

Hydrology	Surface water and groundwater and their interaction with earth materials.
Hydrogeology	The study of subsurface water in its geological context.
INTANAL	Specialist traffic model for intersection analysis.
Invertebrate	An animal without a backbone.
Isolated find	Single stone artefact, not located within a rock shelter which occurs without any associated evidence of Aboriginal occupation within a radius of 60 m.
LA1	The noise level exceeded for 1% of the 15 minute interval.
LA10	The noise level exceeded for 10% of the 15 minute interval. This is commonly referred to as the average maximum noise level.
LA90	The LA90 level is the noise level which is exceeded for 90% of the sample period. During the sample period, the noise level is below the LA90 level for 10% of the time. This measure is commonly referred to as the background noise level.
LAeq	The equivalent continuous sound level (LAeq) is the energy average of the varying noise over the sample period and is equivalent to the level of a constant noise which contains the same energy as the varying noise environment. This measure is also a common measure of environmental noise and road traffic noise.
LAeq (1hr)	The LAeq noise level for a one hour period.
LAeq (15 hr)	The LAeq noise level for the period 7am to 10pm.
LAeq (9 hr)	The LAeq noise level for the period 10pm to 7am.
Leq	The equivalent continuous sound level in dB(A); that is, the constant sound level which has the same acoustic energy as the original fluctuating noise for the same period of time.
Level of Service	A description of the operating performance of a road or intersection as defined in Austroads 'Guide to Traffic Engineering Practice, Pt 2 – Road Capacity.'
Lithologies	Rock types.
Lower Heating Value (LHV)	The heat content of fuel, measured in a bomb calorimeter when the products of combustion are cooled to the initial temperature and all of the water vapour formed during combustion is condensed to liquid. The lower heating value excludes the heat of vaporisation of the water produced from combustion of hydrogen atoms in the fuel.
mean	The sum of n values divided by n.
median	The middle value of a set of values.
middens	Evidence of Aboriginal occupation of an area.

Glossary

Monitoring	The checking of impacts of a proposal or an existing activity in order to improve or evaluate environmental management practices. To check the efficiency and effectiveness of the environmental impact assessment process. To determine if the requirements of environmental legislation and associated regulations are being met.
native vegetation	A broad term for vegetation comprised of plant species which occur naturally in Australia (but which are not necessarily indigenous).
natural gas	Combustible gas formed naturally in the earth.
Organochlorines	A group of organic chemicals used in pesticides. Most organochlorine pesticides have low water-solubility, but high chemical and biological stability. They are fat soluble and tend to accumulate in the fat tissue of organisms.
Operation Environmental Management Plan	An element of an Environmental Management Plan that addresses the control, training and monitoring measures to be implemented during the construction phase of a project in order to avoid, minimise or ameliorate potentially adverse impacts identified during environmental assessments.
Ozone	A form of oxygen having three atoms to the molecule. Ozone is a powerful oxidising agent.
Particulate	Small particles, usually in suspension.
Petroleum hydrocarbons [total petroleum hydrocarbons (TPH)]	A class of organic compounds arising from unburnt fuel sources.
Piles	Type of foundation using columns of concrete, steel or timber.
Plume	Area of impact extending from a source.
Polycyclic aromatic hydrocarbons (PAH)	A class of organic chemicals, PAHs are formed by incomplete combustion of organic material, diagenesis (during or throughout generation) and biosynthesis. PAHs are naturally occurring, however, a significant proportion are the result of anthropogenic combustion.
potable water	Water suitable for drinking.
potential acid sulphate soil (PASS)	Soil material which is waterlogged and contains oxidisable sulphur compounds, usually iron sulphide (pyrite) that has a field pH of 4 or more (1:5 soil:water).
Register of the National Estate	A list of the National Estate developed under the provisions of the Commonwealth's Australian Heritage Commission Act 1975.
risk	Likelihood of a specific undesirable event occurring within a specified period or in specified circumstances. Listed as a frequency or probability.
risk assessment	A process used to determine whether people and the environment are at risk (e.g. health and safety) from exposure to hazardous substances used or produced (mainly in an industrial or work place) so that appropriate control measures or management practices can be introduced to prevent or minimise the risk.

Glossary

security fence	A fence designed to prevent unlawful intrusion to a prohibited area.
sediment/detention pond	Artificial earthen depression to retain water runoff for a period of time so as to control high intensity runoff.
sustainable use	Use of organism, ecosystem or their renewable resource at a rate within its capacity for renewal.
TAPM	The Air Pollution Model is an air quality dispersion model developed by the Commonwealth Scientific Investigation & Research Organisation.
terrestrial	Of or pertaining to the land as distinct from the water.
thermal efficiency	The proportion of energy converted from the fuel to electricity in the generation process is an indication of CO ₂ emissions.
total aromatic hydrocarbons	A class of organic chemicals which contain an aromatic ring (e.g. benzene, anthracene, naphthalene and their derivatives). Used in chemical and pharmaceutical industries.
total organic carbon (TOC)	The amount of carbon in the organic form contained in a sample, measured as a percentage.
total suspended solids (TSS)	Total load of particulates in water, measured in mg/L.
turbidity	Liquid's ability to intercept light. Measured in nephelometric turbidity units (NTU). Cannot be consistently correlated with the concentration of suspended matter.
visibility	Measure of extent to which particular components of a development may be visible from surrounding areas.
visual absorption capacity	An estimation of the capacity of the landscape to absorb development without creating a significant change in visual character or producing a reduction in scenic quality.
volatiles	Any chemical compound which will evaporate quickly due to its low boiling point.
vulnerable species	Those that may soon become endangered unless action is taken.
waders	Synonymous with shorebirds.
weed	Naturalised, non-indigenous plant species which may be noxious weeds (or agriculture), environmental weeds or any other generally undesirable introduced species.
wetlands	Areas largely inundated with water, yet offering elevated land as a habitat for wildlife, notably waterfowl. Can be landlocked.
wind climate	A description of the meteorological conditions created by the wind involving measurements of wind speed, direction and frequency of gusts for average, seasonal and annual conditions.