

ANALYTICAL REPORT

PAGE 2 of 18

CONTACT: MR N SUTHERLAND
 CLIENT: GILBERT & SUTHERLAND PTY LTD
 ADDRESS: P O BOX 857
 ROBINA QLD 4226

LABORATORY: ENV BRISBANE
 BATCH NUMBER: EB13231
 SUB BATCH: 0
 No. OF SAMPLES: 179
 DATE RECEIVED: 23/02/98
 DATE COMPLETED: 16/03/98

ORDER No.: NARUI COC 04840-851

SAMPLE TYPE: SOIL

PROJECT:

SAMPLE NUMBER	ELEMENT UNIT METHOD L.O.R.	pH (H2O2)	Ca(A) %	Ca(KCl) %	Ca(Perox) %	Mg(A) %	Mg(KCl) %
		EA-002 0.1	EA-022 0.02	EA-022 0.02	EA-022 0.02	EA-022 0.02	EA-022 0.02
BH8	1-1.5	3.4	<0.02	<0.02	<0.02	<0.02	<0.02
BH8	2.9-3.4	3.3	<0.02	<0.02	<0.02	<0.02	<0.02
BH8	4.1-4.4	2.6	<0.02	<0.02	<0.02	<0.02	<0.02
BH9	0.5-1	3.1	<0.02	<0.02	<0.02	<0.02	<0.02
BH9	2.2-2.8	3.3	<0.02	<0.02	<0.02	<0.02	<0.02
BH9	3.1-3.4	2.4	<0.02	<0.02	<0.02	<0.02	<0.02
BH10	0.4-1	3.3	<0.02	<0.02	<0.02	<0.02	<0.02
BH10	1.6-1.8	2.9	<0.02	<0.02	<0.02	<0.02	<0.02
BH10	2.7-3.4	2.6	<0.02	<0.02	<0.02	<0.02	<0.02
BH10	3.7-4.1	2.7	<0.02	<0.02	<0.02	<0.02	<0.02
BH11	0.2-0.5	3.4	<0.02	<0.02	<0.02	<0.02	<0.02
BH11	0.5-0.8	2.6	<0.02	<0.02	<0.02	<0.02	<0.02
BH11	1.6-2.5	2.9	<0.02	<0.02	<0.02	<0.02	<0.02
BH11	2.5-3.4	2.7	<0.02	<0.02	<0.02	<0.02	<0.02
BH11	3.5-4.1	2.7	<0.02	<0.02	<0.02	<0.02	<0.02
BH11	1.2-1.6	3.0	<0.02	<0.02	<0.02	<0.02	<0.02
BH12	0.2-0.5	3.3	<0.02	0.04	0.04	<0.02	<0.02
BH12	1-2	3.4	<0.02	<0.02	<0.02	<0.02	<0.02
BH12	3.4-3.8	2.7	<0.02	<0.02	<0.02	<0.02	<0.02
BH12	3.8-3.9	2.6	<0.02	<0.02	<0.02	<0.02	<0.02
BH12	4.7-5.4	2.5	<0.02	<0.02	<0.02	<0.02	<0.02
BH12	5.4-5.6	2.7	<0.02	<0.02	<0.02	<0.02	<0.02
BH13	0.8-1.1	3.6	<0.02	<0.02	<0.02	<0.02	<0.02
BH13	1.9-2.6	3.7	<0.02	0.06	0.06	<0.02	0.02
BH14	0.4-1.3	3.4	<0.02	<0.02	<0.02	<0.02	<0.02
BH14	1.3-1.6	3.1	<0.02	<0.02	<0.02	<0.02	<0.02
BH14	1.9-3.0	2.8	<0.02	<0.02	<0.02	<0.02	<0.02
BH14	3.6-3.8	2.7	<0.02	<0.02	<0.02	<0.02	<0.02
BH15	0.9-1.1	4.2	<0.02	<0.02	<0.02	<0.02	<0.02
BH15	1.1-1.2	2.9	<0.02	<0.02	<0.02	0.02	<0.02

COMMENTS:



This Laboratory is Registered by the National
 Association of Testing Authorities, Australia. The
 test(s) reported herein have been performed in
 accordance with its terms of registration. This
 document shall not be reproduced except in full.

• Results apply to sample(s) as submitted by client.

Alice Springs Laboratory
 Phone: (08) 8952 6020 Fax: (08) 8952 6028

Bendigo Laboratory
 Phone: (03) 5446 1390 Fax: (03) 5446 1389

Brisbane Laboratory
 Phone: (07) 3243 7222 Fax: (07) 3243 7218

Charters Towers Laboratory
 Phone: (077) 87 1155 Fax: (077) 87 1200

Cloncurry Laboratory
 Phone: (077) 42 1323 Fax: (077) 42 1685

Kalgoorlie Laboratory
 Phone: (08) 9021 1457 Fax: (08) 9021 6253

New Zealand Laboratory
 Phone: (07) 575 7654 Fax: (07) 575 7641

Orange Laboratory
 Phone: (06) 339 0000 Fax: (06) 339 1100

Perth Laboratory
 Phone: (08) 9249 2988 Fax: (08) 9249 2942

Townsville Laboratory
 Phone: (077) 79 9155 Fax: (077) 79 9729

This is the Final Report which supersedes any preliminary reports with this batch number.

ANALYTICAL REPORT

PAGE 3 of 18

CONTACT: MR N SUTHERLAND
 CLIENT: GILBERT & SUTHERLAND PTY LTD
 ADDRESS: P O BOX 857
 ROBINA QLD 4226

LABORATORY: ENV BRISBANE
 BATCH NUMBER: EB13231
 SUB BATCH: 0
 No. OF SAMPLES: 179
 DATE RECEIVED: 23/02/98
 DATE COMPLETED: 16/03/98

ORDER No.: NARUI COC 04840-851

SAMPLE TYPE: SOIL

PROJECT:

SAMPLE NUMBER	ELEMENT UNIT METHOD L.O.R.	pH (H2O2)	Ca(A) %	Ca(KCl) %	Ca(Perox) %	Mg(A) %	Mg(KCl) %
		EA-002 0.1	EA-022 0.02	EA-022 0.02	EA-022 0.02	EA-022 0.02	EA-022 0.02
BH15	1.7-3	2.6	<0.02	<0.02	<0.02	<0.02	<0.02
BH15	1.5-1.7	2.8	<0.02	<0.02	<0.02	<0.02	<0.02
BH16	0-0.5	3.7	<0.02	0.06	0.06	<0.02	0.06
BH16	0.5-1	3.9	0.02	0.06	0.08	0.08	0.12
BH16	1.0-1.5	3.4	<0.02	0.06	0.06	0.04	0.12
BH16	1.5-2.0	3.2	0.02	0.04	0.06	0.02	0.08
BH16	2.2-2.7	3.7	<0.02	<0.02	<0.02	<0.02	<0.02
BH16	2.9-3.45	2.9	<0.02	<0.02	<0.02	<0.02	<0.02
BH16	3.45-5	3.0	<0.02	<0.02	<0.02	<0.02	<0.02
BH17	0.2-0.7	3.9	<0.02	0.02	0.02	<0.02	<0.02
BH17	1.2-1.7	3.4	0.04	<0.02	0.04	<0.02	0.04
BH17	1.7-2.7	4.1	0.02	0.06	0.08	0.04	0.08
BH17	2.7-3.2	5.1	0.04	0.08	0.12	0.06	0.08
BH18	0.2-0.9	3.4	<0.02	<0.02	<0.02	<0.02	<0.02
BH18	0.9-1.1	2.9	<0.02	<0.02	<0.02	<0.02	<0.02
BH18	1.5-2.5	2.5	<0.02	<0.02	<0.02	<0.02	<0.02
BH18	2.5-3.3	2.4	<0.02	<0.02	<0.02	<0.02	<0.02
BH19	0.5-1.2	3.5	<0.02	<0.02	<0.02	<0.02	<0.02
BH19	1.8-2.1	3.7	<0.02	<0.02	<0.02	<0.02	<0.02
BH19	2.1-3	4.9	<0.02	0.04	0.04	<0.02	<0.02
BH19	3.45-3.55	5.5	0.02	0.06	0.08	<0.02	<0.02
BH19	4.25-4.4	4.9	<0.02	0.04	0.04	<0.02	<0.02
BH19	4.85-5.2	4.2	0.02	0.08	0.10	<0.02	0.02
BH20	1-5	4.1	<0.02	<0.02	<0.02	<0.02	<0.02
BH20	3	4.5	<0.02	<0.02	<0.02	<0.02	<0.02
BH20	4.55-4.7	3.2	<0.02	<0.02	<0.02	<0.02	<0.02
BH21	0.3-1	3.5	<0.02	<0.02	<0.02	<0.02	<0.02
BH21	2-3	4.2	<0.02	<0.02	<0.02	<0.02	<0.02
BH21	3.34-3.5	3.5	<0.02	<0.02	<0.02	<0.02	<0.02
BH21	3.5-4.5	3.5	<0.02	<0.02	<0.02	<0.02	<0.02

COMMENTS:



No. 825

This Laboratory is Registered by the National
 Association of Testing Authorities, Australia. The
 test(s) reported herein have been performed in
 accordance with its terms of registration. This
 document shall not be reproduced except in full.

• Results apply to sample(s) as submitted by client.

This is the Final Report which supersedes any preliminary reports with this batch number.

Alice Springs Laboratory
 Phone: (08) 8952 6020 Fax: (08) 8952 6028

Bendigo Laboratory
 Phone: (03) 5446 1390 Fax: (03) 5446 1389

Brisbane Laboratory
 Phone: (07) 3243 7222 Fax: (07) 3243 7218

Charters Towers Laboratory
 Phone: (077) 87 4155 Fax: (077) 87 4220

Cloncurry Laboratory
 Phone: (077) 42 1323 Fax: (077) 42 1685


Kalgoorlie Laboratory
 Phone: (08) 9021 1457 Fax: (08) 9021 6253

New Zealand Laboratory
 Phone: (07) 575 7654 Fax: (07) 575 7641

Orange Laboratory
 Phone: (02) 6262 1722 Fax: (02) 6262 1189

Perth Laboratory
 Phone: (08) 9249 2988 Fax: (08) 9249 2942

Townsville Laboratory
 Phone: (077) 79 9155 Fax: (077) 79 9729



ANALYTICAL REPORT

PAGE 4 of 18

CONTACT: MR N SUTHERLAND
CLIENT: GILBERT & SUTHERLAND PTY LTD
ADDRESS: P O BOX 857
ROBINA QLD 4226

LABORATORY: ENV BRISBANE
BATCH NUMBER: EB13231
SUB BATCH: 0
No. OF SAMPLES: 179
DATE RECEIVED: 23/02/98
DATE COMPLETED: 16/03/98

ORDER No.: NARUI COC 04840-851

SAMPLE TYPE: SOIL

PROJECT:

SAMPLE NUMBER	ELEMENT UNIT METHOD L.O.R.	pH (H2O2) EA-002 0.1	Ca(A) % EA-022 0.02	Ca(KCl) % EA-022 0.02	Ca(Perox) % EA-022 0.02	Mg(A) % EA-022 0.02	Mg(KCl) % EA-022 0.02
BH21	4.9-5	3.1	<0.02	<0.02	<0.02	<0.02	<0.02
BH22	0.3-0.6	3.0	<0.02	<0.02	<0.02	<0.02	<0.02
BH22	1.5-2.0	3.5	<0.02	<0.02	<0.02	<0.02	<0.02
BH22	2.4-2.6	2.7	<0.02	<0.02	<0.02	<0.02	<0.02
BH23	0.6-1.1	3.4	<0.02	<0.02	<0.02	<0.02	<0.02
BH23	3-4	5.3	<0.02	<0.02	<0.02	<0.02	<0.02
BH23	5-5.7	4.0	<0.02	<0.02	<0.02	<0.02	<0.02
BH24	0.2-3	4.2	<0.02	<0.02	<0.02	<0.02	<0.02
BH24	3-3.5	3.1	<0.02	<0.02	<0.02	<0.02	<0.02
BH24	3.5-4	2.9	<0.02	<0.02	<0.02	<0.02	<0.02
BH24	4.5-5	4.1	<0.02	<0.02	<0.02	<0.02	<0.02
BH24	5-5.7	3.3	<0.02	<0.02	<0.02	<0.02	<0.02
BH25	0.3-1.0	3.5	<0.02	<0.02	<0.02	<0.02	<0.02
BH25	2-2.95	4.2	<0.02	<0.02	<0.02	<0.02	<0.02
BH25	3.45-3.6	3.2	<0.02	<0.02	<0.02	<0.02	<0.02
BH26	0.5-1	3.1	<0.02	<0.02	<0.02	<0.02	<0.02
BH26	2.5-3	4.1	<0.02	<0.02	<0.02	<0.02	<0.02
BH26	3.7-4.2	2.7	<0.02	<0.02	<0.02	<0.02	<0.02
BH27	0.5-1.0	3.9	<0.02	<0.02	<0.02	<0.02	<0.02
BH27	1.8-2	3.8	<0.02	<0.02	<0.02	<0.02	<0.02
BH27	2.7-3.4	2.6	0.02	<0.02	0.02	<0.02	<0.02
BH28	0.6-0.95	3.2	<0.02	<0.02	<0.02	<0.02	<0.02
BH28	0.95-1.2	3.6	<0.02	<0.02	<0.02	<0.02	<0.02
BH28	1.5-3	3.8	<0.02	<0.02	<0.02	<0.02	<0.02
BH28	1.2-1.5	3.9	<0.02	<0.02	<0.02	<0.02	<0.02
BH28	3-3.5	3.1	<0.02	<0.02	<0.02	<0.02	<0.02
BH29	0.3-0.9	3.4	<0.02	<0.02	<0.02	<0.02	<0.02
BH29	1.6-1.8	3.2	<0.02	<0.02	<0.02	<0.02	<0.02
BH29	1.8-2.3	2.6	<0.02	<0.02	<0.02	<0.02	<0.02
BH29	2.3-3.2	2.9	<0.02	<0.02	<0.02	<0.02	<0.02

COMMENTS:



No. 825

This Laboratory is Registered by the National Association of Testing Authorities, Australia. The test(s) reported herein have been performed in accordance with its terms of registration. This document shall not be reproduced except in full.


• Results apply to sample(s) as submitted by client.

This is the Final Report which supersedes any preliminary reports with this batch number.

Alice Springs Laboratory
Phone: (08) 8952 6020 Fax: (08) 8952 6028
Bendigo Laboratory
Phone: (03) 5446 1390 Fax: (03) 5446 1389
Brisbane Laboratory
Phone: (07) 3243 7222 Fax: (07) 3243 7218
Charters Towers Laboratory
Phone: (077) 87 4155 Fax: (077) 87 4220

Cloncurry Laboratory
Phone: (077) 42 1323 Fax: (077) 42 1685
Kalgoorlie Laboratory
Phone: (08) 9021 1457 Fax: (08) 9021 6253
New Zealand Laboratory
Phone: (07) 575 7654 Fax: (07) 575 7641
Orange Laboratory
Phone: (02) 6363 1722 Fax: (02) 6363 1189

Perth Laboratory
Phone: (08) 9249 2988 Fax: (08) 9249 2942
Townsville Laboratory
Phone: (077) 79 9155 Fax: (077) 79 9729



ANALYTICAL REPORT

PAGE 5 of 18

CONTACT: MR N SUTHERLAND
 CLIENT: GILBERT & SUTHERLAND PTY LTD
 ADDRESS: P O BOX 857
 ROBINA QLD 4226

LABORATORY: ENV BRISBANE
 BATCH NUMBER: EB13231
 SUB BATCH: 0
 No. OF SAMPLES: 179
 DATE RECEIVED: 23/02/98
 DATE COMPLETED: 16/03/98

ORDER No.: NARUI COC 04840-851

SAMPLE TYPE: SOIL

PROJECT:

SAMPLE NUMBER	ELEMENT UNIT METHOD L.O.R.	pH (H2O2)	Ca(A) %	Ca(KCl) %	Ca(Perox) %	Mg(A) %	Mg(KCl) %
		EA-002 0.1	EA-022 0.02	EA-022 0.02	EA-022 0.02	EA-022 0.02	EA-022 0.02
BH29	3-3.5	2.8	<0.02	<0.02	<0.02	<0.02	<0.02
BH30	0.4-0.9	3.8	<0.02	<0.02	<0.02	<0.02	<0.02
BH30	1.1-1.3	2.7	<0.02	<0.02	<0.02	<0.02	<0.02
BH30	1.3-2.0	2.8	<0.02	<0.02	<0.02	<0.02	<0.02
BH31	0.2-0.9	3.9	<0.02	<0.02	<0.02	<0.02	<0.02
BH31	0.9-1.2	3.4	<0.02	<0.02	<0.02	<0.02	<0.02
BH31	1.7-1.8	2.5	<0.02	<0.02	<0.02	0.02	<0.02
BH31	2.8-3.2	2.5	<0.02	<0.02	<0.02	<0.02	<0.02
BH32	0.1-0.5	5.0	0.02	<0.02	0.02	<0.02	<0.02
BH32	0.7-1.0	4.3	<0.02	<0.02	<0.02	0.02	<0.02
BH32	1.1-1.5	4.1	<0.02	<0.02	<0.02	0.02	0.02
BH32	1.5-2.0	4.0	<0.02	<0.02	<0.02	0.02	0.02
BH32	2-2.5	4.0	<0.02	<0.02	<0.02	<0.02	0.02
BH32	2.5-3.0	3.9	<0.02	<0.02	<0.02	0.04	<0.02
BH33	0.25-0.9	3.6	<0.02	<0.02	<0.02	<0.02	<0.02
BH33	0.9-1.9	3.1	<0.02	<0.02	<0.02	<0.02	<0.02
BH33	2.4-3.0	2.5	<0.02	<0.02	<0.02	<0.02	<0.02
BH33	3.2-3.9	3.4	<0.02	<0.02	<0.02	<0.02	<0.02
BH33	3.9-4.1	2.6	<0.02	<0.02	<0.02	<0.02	<0.02
BH34	1-2.4	3.3	<0.02	<0.02	<0.02	<0.02	<0.02
BH34	3-4	3.6	<0.02	<0.02	<0.02	<0.02	<0.02
BH35	0.7-1.4	3.2	<0.02	<0.02	<0.02	<0.02	<0.02
BH35	1.4-2.2	3.3	<0.02	<0.02	<0.02	<0.02	<0.02
BH35	2.2-3.0	2.9	0.02	<0.02	0.02	<0.02	0.02
BH36	0.35-0.5	3.9	<0.02	<0.02	<0.02	<0.02	<0.02
BH36	0.5-1.0	3.0	<0.02	<0.02	<0.02	<0.02	<0.02
BH36	1.3-1.5	2.5	<0.02	<0.02	<0.02	<0.02	<0.02
BH36	1.5-2.5	2.5	<0.02	<0.02	<0.02	<0.02	<0.02
BH37	0-0.5	4.3	<0.02	<0.02	<0.02	<0.02	<0.02
BH37	0.5-1.0	3.6	<0.02	0.02	0.02	<0.02	0.02

COMMENTS:



No. 825
 This Laboratory is Registered by the National
 Association of Testing Authorities, Australia. The
 test(s) reported herein have been performed in
 accordance with its terms of registration. This
 document shall not be reproduced except in full.



This is the Final Report which supersedes any preliminary reports with this batch number.

• Results apply to sample(s) as submitted by client.

Alice Springs Laboratory
 Phone: (08) 8952 6020 Fax: (08) 8952 6028
 Bendigo Laboratory
 Phone: (03) 5446 1390 Fax: (03) 5446 1389
 Brisbane Laboratory
 Phone: (07) 3243 7222 Fax: (07) 3243 7218
 Charters Towers Laboratory
 Phone: (077) 87 4155 Fax: (077) 87 4220

Cloncurry Laboratory
 Phone: (077) 42 1323 Fax: (077) 42 1685
 Kalgoorlie Laboratory
 Phone: (08) 9021 1457 Fax: (08) 9021 6253
 New Zealand Laboratory
 Phone: (07) 575 7654 Fax: (07) 575 7641
 Orange Laboratory
 Phone: (02) 6363 1722 Fax: (02) 6363 1189

Perth Laboratory
 Phone: (08) 9249 2968 Fax: (08) 9249 2942
 Townsville Laboratory
 Phone: (077) 79 9155 Fax: (077) 79 9729



ANALYTICAL REPORT

PAGE 6 of 18

CONTACT: MR N SUTHERLAND
CLIENT: GILBERT & SUTHERLAND PTY LTD
ADDRESS: P O BOX 857
ROBINA QLD 4226

LABORATORY: ENV BRISBANE
BATCH NUMBER: EB13231
SUB BATCH: 0
No. OF SAMPLES: 179
DATE RECEIVED: 23/02/98
DATE COMPLETED: 16/03/98

ORDER No.: NARUI COC 04840-851

SAMPLE TYPE: SOIL

PROJECT:

SAMPLE NUMBER	ELEMENT UNIT METHOD L.O.R.	pH (H2O2)	Ca(A) %	Ca(KCl) %	Ca(Perox) %	Mg(A) %	Mg(KCl) %
		EA-002 0.1	EA-022 0.02	EA-022 0.02	EA-022 0.02	EA-022 0.02	EA-022 0.02
BH37	1-1.5	3.3	<0.02	<0.02	<0.02	<0.02	0.02
BH37	1.5-2.5	3.4	<0.02	<0.02	<0.02	<0.02	0.04
BH37	2.5-3	3.4	<0.02	0.02	0.02	<0.02	0.08
BH38	0.4-1.7	3.8	<0.02	<0.02	<0.02	<0.02	<0.02
BH38	2.5-3.9	2.9	<0.02	<0.02	<0.02	<0.02	<0.02
BH38	3.9-4.4	2.3	<0.02	0.08	0.08	<0.02	0.06
BH38	4.4-4.9	2.2	<0.02	0.08	0.08	<0.02	0.06
BH38	5.5-5.9	2.7	<0.02	<0.02	<0.02	<0.02	<0.02
BH39	0.5-1.7	3.4	<0.02	<0.02	<0.02	<0.02	<0.02
BH39	1.7-3	3.8	<0.02	<0.02	<0.02	<0.02	<0.02
BH39	3.6-3.9	3.1	<0.02	<0.02	<0.02	<0.02	<0.02
BH39	3.9-4	2.9	<0.02	<0.02	<0.02	<0.02	<0.02
BH40	0.2-0.5	2.5	<0.02	0.28	0.28	<0.02	0.08
BH40	1-1.5	2.3	<0.02	0.04	0.04	<0.02	0.04
BH40	1.6-2.0	3.5	<0.02	<0.02	<0.02	<0.02	<0.02
BH40	2.0-2.1	3.6	<0.02	<0.02	<0.02	<0.02	<0.02
BH40	2.1-3	2.6	<0.02	0.02	0.02	0.02	<0.02
BH41	1-1.5	2.2	<0.02	0.28	0.28	<0.02	0.14
BH41	1.76-1.86	2.2	<0.02	0.10	0.10	<0.02	0.06
BH41	2-3	2.5	<0.02	0.04	0.04	<0.02	0.04
BH41	4-4.5	2.3	<0.02	0.12	0.12	0.02	0.12
BH41	5-5.7	3.0	<0.02	0.02	0.02	<0.02	<0.02
BH42	1.3-1.6	3.0	<0.02	<0.02	<0.02	<0.02	<0.02
BH42	2-3	3.0	<0.02	<0.02	<0.02	<0.02	<0.02
BH42	4-4.5	3.0	<0.02	<0.02	<0.02	<0.02	<0.02
BH42	5.5-5.8	2.9	<0.02	<0.02	<0.02	0.02	<0.02
BH4	3-4	3.0	<0.02	<0.02	<0.02	<0.02	<0.02
BH22	0-300	2.3	<0.02	<0.02	<0.02	<0.02	0.06
BH36	2.5-4.0	2.7	<0.02	<0.02	<0.02	<0.02	<0.02

COMMENTS:



No. 825
This Laboratory is Registered by the National Association of Testing Authorities, Australia. The test(s) reported herein have been performed in accordance with its terms of registration. This document shall not be reproduced except in full.


• Results apply to sample(s) as submitted by client.

This is the Final Report which supersedes any preliminary reports with this batch number.

Alice Springs Laboratory
Phone: (08) 8952 6020 Fax: (08) 8952 6028
Bendigo Laboratory
Phone: (03) 5446 1390 Fax: (03) 5446 1389
Brisbane Laboratory
Phone: (07) 3243 7222 Fax: (07) 3243 7218
Charters Towers Laboratory
Phone: (077) 87 4155 Fax: (077) 87 4220

Cloncurry Laboratory
Phone: (077) 42 1323 Fax: (077) 42 1685
Kalgoorlie Laboratory
Phone: (08) 9021 1457 Fax: (08) 9021 6253
New Zealand Laboratory
Phone: (07) 575 7654 Fax: (07) 575 7641
Orange Laboratory
Phone: (02) 6363 1722 Fax: (02) 6363 1189

Perth Laboratory
Phone: (08) 9249 2988 Fax: (08) 9249 2942
Townsville Laboratory
Phone: (077) 79 9155 Fax: (077) 79 9729



ANALYTICAL REPORT

PAGE 7 of 18

CONTACT: MR N SUTHERLAND
 CLIENT: GILBERT & SUTHERLAND PTY LTD
 ADDRESS: P O BOX 857
 ROBINA QLD 4226

LABORATORY: ENV BRISBANE
 BATCH NUMBER: EB13231
 SUB BATCH: 0
 No. OF SAMPLES: 179
 DATE RECEIVED: 23/02/98
 DATE COMPLETED: 16/03/98

ORDER No.: NARUI COC 04840-851

SAMPLE TYPE: SOIL

PROJECT:

SAMPLE NUMBER	ELEMENT UNIT METHOD L.O.R.	Mg(Perox) % EA-022 0.02	S(KCl) % EA-022 0.02	S(Perox) % EA-022 0.02	S(Pos) % EA-022 0.02	TAA mole/tonne EA-022 2	TPA mole/tonne EA-022 2
BH1	0.5-1.9	<0.02	<0.02	<0.02	<0.02	2	4
BH1	2.1-2.3	<0.02	0.02	0.10	0.08	6	30
BH1	2.6-2.8	<0.02	<0.02	0.06	0.06	8	22
BH1	3.8-4.0	<0.02	0.02	0.12	0.10	10	52
BH2	0.5-1	<0.02	<0.02	<0.02	<0.02	<2	42
BH2	1.25-1.5	<0.02	<0.02	0.02	0.02	8	284
BH2	2.2-2.4	<0.02	<0.02	0.04	0.04	8	460
BH2	3.5-4.5	<0.02	<0.02	0.02	0.02	12	774
BH3	0.5-1	<0.02	<0.02	<0.02	<0.02	<2	28
BH3	1.6-2.0	<0.02	<0.02	0.06	0.06	18	150
BH3	2.0-2.3	<0.02	<0.02	0.10	0.10	26	164
BH3	3-3.2	<0.02	<0.02	0.08	0.08	30	164
BH4	0.6-1.05	<0.02	<0.02	<0.02	<0.02	<2	38
BH4	1.05-1.3	<0.02	<0.02	<0.02	<0.02	<2	28
BH4	2-3	<0.02	<0.02	0.02	0.02	18	256
BH5	0.7-0.9	<0.02	<0.02	<0.02	<0.02	<2	18
BH5	1.6-1.8	<0.02	<0.02	0.02	0.02	10	54
BH5	2.6-2.9	<0.02	<0.02	0.08	0.08	18	186
BH5	4-4.5	<0.02	<0.02	0.02	0.02	6	148
BH6	1-1.6	<0.02	<0.02	<0.02	<0.02	<2	12
BH6	1.6-1.85	<0.02	0.02	0.08	0.06	10	20
BH6	1.85-3.6	<0.02	0.02	0.16	0.14	12	60
BH6	3.6-3.9	0.04	0.22	0.96	0.74	38	454
BH6	3.9-5.8	<0.02	0.04	0.10	0.06	8	36
BH7	0.5-0.8	<0.02	<0.02	<0.02	<0.02	<2	10
BH7	0.9-1.2	<0.02	<0.02	<0.02	<0.02	14	44
BH7	1.2-1.6	<0.02	<0.02	<0.02	<0.02	<2	18
BH7	2-2.4	<0.02	<0.02	<0.02	<0.02	2	40
BH7	2.4-2.6	<0.02	<0.02	0.02	0.02	14	82
BH8	0-0.5	<0.02	<0.02	<0.02	<0.02	<2	12

COMMENTS:



No. 825
 This Laboratory is Registered by the National Association of Testing Authorities, Australia. The test(s) reported herein have been performed in accordance with its terms of registration. This document shall not be reproduced except in full.

• Results apply to sample(s) as submitted by client.

Alice Springs Laboratory
 Phone: (08) 8952 6020 Fax: (08) 8952 6028
 Bendigo Laboratory
 Phone: (03) 5446 1390 Fax: (03) 5446 1389
 Brisbane Laboratory
 Phone: (07) 3243 7222 Fax: (07) 3243 7218
 Charters Towers Laboratory
 Phone: (077) 87 4155 Fax: (077) 87 4220

Cloncurry Laboratory
 Phone: (077) 42 1323 Fax: (077) 42 1685
 Kalgoorlie Laboratory
 Phone: (08) 9021 1457 Fax: (08) 9021 6253
 New Zealand Laboratory
 Phone: (07) 575 7654 Fax: (07) 575 7641
 Orange Laboratory
 Phone: (02) 6363 1722 Fax: (02) 6363 1189

Perth Laboratory
 Phone: (08) 9249 2988 Fax: (08) 9249 2942
 Townsville Laboratory
 Phone: (077) 79 9155 Fax: (077) 79 9729

This is the Final Report which supersedes any preliminary reports with this batch number.

ANALYTICAL REPORT

PAGE 8 of 18

CONTACT: MR N SUTHERLAND
CLIENT: GILBERT & SUTHERLAND PTY LTD
ADDRESS: P O BOX 857
ROBINA QLD 4226

LABORATORY: ENV BRISBANE
BATCH NUMBER: EB13231
SUB BATCH: 0
No. OF SAMPLES: 179
DATE RECEIVED: 23/02/98
DATE COMPLETED: 16/03/98

ORDER No.: NARUI COC 04840-851

SAMPLE TYPE: SOIL

PROJECT:

SAMPLE NUMBER	ELEMENT UNIT METHOD L.O.R.	Mg(Perox) % EA-022 0.02	S(KCl) % EA-022 0.02	S(Perox) % EA-022 0.02	S(Pos) % EA-022 0.02	TAA mole/tonne EA-022 2	TPA mole/tonne EA-022 2
BH8	1-1.5	<0.02	<0.02	<0.02	<0.02	<2	<2
BH8	2.9-3.4	<0.02	<0.02	<0.02	<0.02	<2	2
BH8	4.1-4.4	<0.02	<0.02	0.02	0.02	10	96
BH9	0.5-1	<0.02	<0.02	<0.02	<0.02	<2	8
BH9	2.2-2.8	<0.02	<0.02	<0.02	<0.02	<2	4
BH9	3.1-3.4	<0.02	<0.02	0.04	0.04	12	126
BH10	0.4-1	<0.02	<0.02	<0.02	<0.02	<2	<2
BH10	1.6-1.8	<0.02	<0.02	<0.02	<0.02	14	68
BH10	2.7-3.4	<0.02	<0.02	0.04	0.04	14	140
BH10	3.7-4.1	<0.02	<0.02	<0.02	<0.02	4	46
BH11	0.2-0.5	<0.02	<0.02	<0.02	<0.02	<2	10
BH11	0.5-0.8	<0.02	<0.02	<0.02	<0.02	4	66
BH11	1.6-2.5	<0.02	<0.02	0.02	0.02	4	46
BH11	2.5-3.4	<0.02	<0.02	0.04	0.04	8	90
BH11	3.5-4.1	<0.02	<0.02	0.04	0.04	8	78
BH11	1.2-1.6	<0.02	<0.02	<0.02	<0.02	<2	18
BH12	0.2-0.5	<0.02	<0.02	<0.02	<0.02	<2	38
BH12	1-2	<0.02	<0.02	<0.02	<0.02	<2	6
BH12	3.4-3.8	<0.02	<0.02	<0.02	<0.02	2	56
BH12	3.8-3.9	<0.02	<0.02	0.04	0.04	10	166
BH12	4.7-5.4	<0.02	<0.02	0.02	0.02	6	96
BH12	5.4-5.6	<0.02	<0.02	0.06	0.06	14	128
BH13	0.8-1.1	<0.02	<0.02	<0.02	<0.02	4	8
BH13	1.9-2.6	0.02	<0.02	0.02	0.02	<2	48
BH14	0.4-1.3	<0.02	<0.02	<0.02	<0.02	<2	6
BH14	1.3-1.6	<0.02	<0.02	<0.02	<0.02	2	16
BH14	1.9-3.0	<0.02	<0.02	0.02	0.02	6	70
BH14	3.6-3.8	<0.02	<0.02	0.02	0.02	10	86
BH15	0.9-1.1	<0.02	<0.02	<0.02	<0.02	6	6
BH15	1.1-1.2	0.02	<0.02	0.06	0.06	26	174

COMMENTS:




No. 825
This Laboratory is Registered by the National Association of Testing Authorities, Australia. The test(s) reported herein have been performed in accordance with its terms of registration. This document is a copy of the original report submitted by client.

Alice Springs Laboratory
Phone: (08) 8952 6020 Fax: (08) 8952 6028
Bendigo Laboratory
Phone: (03) 5446 1390 Fax: (03) 5446 1389
Brisbane Laboratory
Phone: (07) 3243 7222 Fax: (07) 3243 7218
Charlton Towers Laboratory
Phone: (077) 87 4155 Fax: (077) 87 4220

Cloncurry Laboratory
Phone: (077) 42 1323 Fax: (077) 42 1685
Kalgoorlie Laboratory
Phone: (08) 9021 1457 Fax: (08) 9021 6253
New Zealand Laboratory
Phone: (07) 575 7654 Fax: (07) 575 7641
Orange Laboratory
Phone: (02) 6363 1722 Fax: (02) 6363 1189

Perth Laboratory
Phone: (08) 9249 2988 Fax: (08) 9249 2942
Townsville Laboratory
Phone: (077) 79 9155 Fax: (077) 79 9729

This is the Final Report which supersedes any preliminary reports with this batch number.



ANALYTICAL REPORT

PAGE 9 of 18

CONTACT: MR N SUTHERLAND
CLIENT: GILBERT & SUTHERLAND PTY LTD
ADDRESS: P O BOX 857
ROBINA QLD 4226

LABORATORY: ENV BRISBANE
BATCH NUMBER: EB13231
SUB BATCH: 0
No. OF SAMPLES: 179
DATE RECEIVED: 23/02/98
DATE COMPLETED: 16/03/98

ORDER No.: NARUI COC 04840-851

SAMPLE TYPE: SOIL

PROJECT:

SAMPLE NUMBER	ELEMENT UNIT METHOD L.O.R.	Mg(Perox)	S(KCl)	S(Perox)	S(Pos)	TAA	TPA
		%	%	%	%	mole/tonne	mole/tonne
		EA-022 0.02	EA-022 0.02	EA-022 0.02	EA-022 0.02	EA-022 2	EA-022 2
BH15	1.7-3	<0.02	<0.02	0.10	0.10	30	244
BH15	1.5-1.7	<0.02	<0.02	0.02	0.02	6	70
BH16	0-0.5	0.06	<0.02	0.02	0.02	34	42
BH16	0.5-1	0.20	<0.02	0.02	0.02	24	24
BH16	1.0-1.5	0.16	<0.02	0.02	0.02	36	36
BH16	1.5-2.0	0.10	0.02	0.10	0.08	12	30
BH16	2.2-2.7	<0.02	<0.02	<0.02	<0.02	<2	2
BH16	2.9-3.45	<0.02	0.02	0.16	0.14	4	28
BH16	3.45-5	<0.02	0.02	0.08	0.06	2	24
BH17	0.2-0.7	<0.02	<0.02	0.02	0.02	18	22
BH17	1.2-1.7	0.04	0.02	0.04	0.02	30	30
BH17	1.7-2.7	0.12	<0.02	0.02	0.02	2	2
BH17	2.7-3.2	0.14	<0.02	0.02	0.02	<2	<2
BH18	0.2-0.9	<0.02	<0.02	<0.02	<0.02	<2	18
BH18	0.9-1.1	<0.02	<0.02	<0.02	<0.02	4	38
BH18	1.5-2.5	<0.02	<0.02	<0.02	<0.02	2	52
BH18	2.5-3.3	<0.02	<0.02	0.02	0.02	6	74
BH19	0.5-1.2	<0.02	<0.02	<0.02	<0.02	<2	4
BH19	1.8-2.1	<0.02	<0.02	0.04	0.04	4	10
BH19	2.1-3	<0.02	<0.02	0.06	0.06	<2	2
BH19	3.45-3.55	<0.02	<0.02	0.04	0.04	<2	<2
BH19	4.25-4.4	<0.02	<0.02	<0.02	<0.02	<2	4
BH19	4.85-5.2	0.02	<0.02	0.04	0.04	<2	28
BH20	1.0-1.5	<0.02	<0.02	<0.02	<0.02	<2	<2
BH20	1.5-3.0	<0.02	<0.02	<0.02	<0.02	<2	<2
BH20	4.55-4.7	<0.02	<0.02	0.04	0.04	36	110
BH21	0.3-1	<0.02	<0.02	<0.02	<0.02	<2	2
BH21	2-3	<0.02	<0.02	<0.02	<0.02	<2	<2
BH21	3.34-3.5	<0.02	<0.02	<0.02	<0.02	10	18
BH21	3.5-4.5	<0.02	<0.02	0.02	0.02	16	64

COMMENTS:



No. 825
This Laboratory is Registered by the National Association of Testing Authorities, Australia. The test(s) reported herein have been performed in accordance with its terms of registration. This document shall not be reproduced except in full.

This is the Final Report which supersedes any preliminary reports with this batch number.

• Results apply to sample(s) as submitted by client.

Alice Springs Laboratory
Phone: (08) 8952 6020 Fax: (08) 8952 6028
Bendigo Laboratory
Phone: (03) 5446 1390 Fax: (03) 5446 1389
Brisbane Laboratory
Phone: (07) 3243 7222 Fax: (07) 3243 7218
Charters Towers Laboratory
Phone: (077) 87 4155 Fax: (077) 87 4220

Cloncurry Laboratory
Phone: (077) 42 1323 Fax: (077) 42 1685
Kalgoorlie Laboratory
Phone: (08) 9021 1457 Fax: (08) 9021 6253
New Zealand Laboratory
Phone: (07) 575 7654 Fax: (07) 575 7641
Orange Laboratory
Phone: (02) 6363 1722 Fax: (02) 6363 1189

Perth Laboratory
Phone: (08) 9249 2988 Fax: (08) 9249 2942
Townsville Laboratory
Phone: (077) 79 9155 Fax: (077) 79 9729

ANALYTICAL REPORT

PAGE 10 of 18

CONTACT: MR N SUTHERLAND
CLIENT: GILBERT & SUTHERLAND PTY LTD
ADDRESS: P O BOX 857
ROBINA QLD 4226

LABORATORY: ENV BRISBANE
BATCH NUMBER: EB13231
SUB BATCH: 0
No. OF SAMPLES: 179
DATE RECEIVED: 23/02/98
DATE COMPLETED: 16/03/98

ORDER No.: NARUI COC 04840-851

SAMPLE TYPE: SOIL

PROJECT:

SAMPLE NUMBER	ELEMENT UNIT METHOD L.O.R.	Mg(Perox) % EA-022 0.02	S(KCl) % EA-022 0.02	S(Perox) % EA-022 0.02	S(Pos) % EA-022 0.02	TAA mole/tonne EA-022 2	TPA mole/tonne EA-022 2
BH21	4.9-5	<0.02	<0.02	0.04	0.04	24	122
BH22	0.3-0.6	<0.02	<0.02	0.02	0.02	8	50
BH22	1.5-2.0	<0.02	<0.02	<0.02	<0.02	<2	8
BH22	2.4-2.6	<0.02	<0.02	0.02	0.02	18	110
BH23	0.6-1.1	<0.02	<0.02	<0.02	<0.02	<2	8
BH23	3-4	<0.02	<0.02	<0.02	<0.02	<2	<2
BH23	5-5.7	<0.02	<0.02	<0.02	<0.02	<2	4
BH24	0.2-3	<0.02	<0.02	<0.02	<0.02	<2	4
BH24	3-3.5	<0.02	<0.02	0.02	0.02	18	76
BH24	3.5-4	<0.02	<0.02	0.02	0.02	12	70
BH24	4.5-5	<0.02	<0.02	<0.02	<0.02	<2	<2
BH24	5-5.7	<0.02	0.02	0.08	0.06	12	34
BH25	0.3-1.0	<0.02	<0.02	<0.02	<0.02	<2	6
BH25	2-2.95	<0.02	<0.02	<0.02	<0.02	<2	<2
BH25	3.45-3.6	<0.02	<0.02	<0.02	<0.02	<2	12
BH26	0.5-1	<0.02	<0.02	<0.02	<0.02	2	16
BH26	2.5-3	<0.02	<0.02	<0.02	<0.02	<2	2
BH26	3.7-4.2	<0.02	<0.02	0.02	0.02	10	98
BH27	0.5-1.0	<0.02	<0.02	<0.02	<0.02	<2	2
BH27	1.8-2	<0.02	<0.02	<0.02	<0.02	<2	4
BH27	2.7-3.4	<0.02	<0.02	<0.02	<0.02	18	194
BH28	0.6-0.95	<0.02	<0.02	<0.02	<0.02	2	16
BH28	0.95-1.2	<0.02	<0.02	<0.02	<0.02	12	20
BH28	1.5-3	<0.02	<0.02	<0.02	<0.02	8	34
BH28	1.2-1.5	<0.02	<0.02	0.02	0.02	16	72
BH28	3-3.5	<0.02	<0.02	0.02	0.02	12	72
BH29	0.3-0.9	<0.02	<0.02	<0.02	<0.02	<2	6
BH29	1.6-1.8	<0.02	<0.02	<0.02	<0.02	2	22
BH29	1.8-2.3	<0.02	<0.02	0.04	0.04	12	136
BH29	2.3-3.2	<0.02	<0.02	<0.02	<0.02	6	58

COMMENTS:



No. 825

This Laboratory is Registered by the National Association of Testing Authorities, Australia. The test(s) reported herein have been performed in accordance with its terms of registration. This document shall not be reproduced except in full.

This is the Final Report which supersedes any preliminary reports with this batch number.

• Results apply to sample(s) as submitted by client.

Alice Springs Laboratory
Phone: (08) 8952 6020 Fax: (08) 8952 6028

Bendigo Laboratory
Phone: (03) 5446 1390 Fax: (03) 5446 1389

Brisbane Laboratory
Phone: (07) 3243 7222 Fax: (07) 3243 7218

Charlton Towers Laboratory
Phone: (077) 87 4155 Fax: (077) 87 4220

Cloncurry Laboratory
Phone: (077) 42 1323 Fax: (077) 42 1685


Kalgoorlie Laboratory
Phone: (08) 9021 1457 Fax: (08) 9021 6253

New Zealand Laboratory
Phone: (07) 575 7654 Fax: (07) 575 7641

Orange Laboratory
Phone: (02) 6363 1722 Fax: (02) 6363 1189

Perth Laboratory
Phone: (08) 9249 2968 Fax: (08) 9249 2942

Townsville Laboratory
Phone: (077) 79 9155 Fax: (077) 79 9729



ANALYTICAL REPORT

PAGE 11 of 18

CONTACT: MR N SUTHERLAND
CLIENT: GILBERT & SUTHERLAND PTY LTD
ADDRESS: P O BOX 857
ROBINA QLD 4226

LABORATORY: ENV BRISBANE
BATCH NUMBER: EB13231
SUB BATCH: 0
No. OF SAMPLES: 179
DATE RECEIVED: 23/02/98
DATE COMPLETED: 16/03/98

ORDER No.: NARUI COC 04840-851

SAMPLE TYPE: SOIL

PROJECT:

SAMPLE NUMBER	ELEMENT UNIT METHOD L.O.R.	Mg(Perox)	S(KCl)	S(Perox)	S(Pos)	TAA	TPA
		%	%	%	%	mole/tonne	mole/tonne
		EA-022 0.02	EA-022 0.02	EA-022 0.02	EA-022 0.02	EA-022 2	EA-022 2
BH29	3-3.5	<0.02	<0.02	0.04	0.04	36	256
BH30	0.4-0.9	<0.02	<0.02	<0.02	<0.02	<2	2
BH30	1.1-1.3	<0.02	<0.02	0.02	0.02	12	178
BH30	1.3-2.0	<0.02	<0.02	0.02	0.02	6	70
BH31	0.2-0.9	<0.02	<0.02	<0.02	<0.02	<2	2
BH31	0.9-1.2	<0.02	<0.02	<0.02	<0.02	<2	10
BH31	1.7-1.8	0.02	<0.02	0.06	0.06	12	188
BH31	2.8-3.2	<0.02	<0.02	0.06	0.06	16	196
BH32	0.1-0.5	<0.02	<0.02	<0.02	<0.02	<2	2
BH32	0.7-1.0	0.02	<0.02	<0.02	<0.02	2	4
BH32	1.1-1.5	0.04	<0.02	<0.02	<0.02	6	8
BH32	1.5-2.0	0.04	<0.02	<0.02	<0.02	6	14
BH32	2-2.5	0.02	<0.02	<0.02	<0.02	6	6
BH32	2.5-3.0	0.04	<0.02	<0.02	<0.02	<2	6
BH33	0.25-0.9	<0.02	<0.02	<0.02	<0.02	<2	4
BH33	0.9-1.9	<0.02	<0.02	<0.02	<0.02	2	14
BH33	2.4-3.0	<0.02	<0.02	0.04	0.04	18	168
BH33	3.2-3.9	<0.02	<0.02	<0.02	<0.02	2	12
BH33	3.9-4.1	<0.02	<0.02	0.02	0.02	12	116
BH34	1-2.4	<0.02	<0.02	0.02	0.02	4	6
BH34	3-4	<0.02	<0.02	<0.02	<0.02	6	8
BH35	0.7-1.4	<0.02	<0.02	<0.02	<0.02	4	16
BH35	1.4-2.2	<0.02	<0.02	<0.02	<0.02	2	20
BH35	2.2-3.0	0.02	<0.02	0.10	0.10	12	210
BH36	0.35-0.5	<0.02	<0.02	<0.02	<0.02	<2	8
BH36	0.5-1.0	<0.02	<0.02	<0.02	<0.02	<2	32
BH36	1.3-1.5	<0.02	<0.02	0.04	0.04	14	180
BH36	1.5-2.5	<0.02	<0.02	0.08	0.08	34	208
BH37	0-0.5	<0.02	<0.02	<0.02	<0.02	10	10
BH37	0.5-1.0	0.02	<0.02	<0.02	<0.02	36	42

COMMENTS:



No. 825

This Laboratory is Registered by the National Association of Testing Authorities, Australia. The test(s) reported herein have been performed in accordance with its terms of registration. This document shall not be reproduced except in full.

This is the Final Report which supersedes any preliminary reports with this batch number.

• Results apply to sample(s) as submitted by client.

Alice Springs Laboratory
Phone: (08) 8952 6020 Fax: (08) 8952 6028

Bendigo Laboratory
Phone: (03) 5446 1390 Fax: (03) 5446 1389

Brisbane Laboratory
Phone: (07) 3243 7222 Fax: (07) 3243 7218

Charters Towers Laboratory
Phone: (077) 87 4155 Fax: (077) 87 4220

Cloncurry Laboratory
Phone: (077) 42 1323 Fax: (077) 42 1685


Kalgoorlie Laboratory
Phone: (08) 9021 1457 Fax: (08) 9021 6253

New Zealand Laboratory
Phone: (07) 575 7654 Fax: (07) 575 7641

Orange Laboratory
Phone: (02) 6363 1722 Fax: (02) 6363 1189

Perth Laboratory
Phone: (08) 9249 2988 Fax: (08) 9249 2942

Townsville Laboratory
Phone: (077) 79 9155 Fax: (077) 79 9729



ANALYTICAL REPORT

PAGE 12 of 18

CONTACT: MR N SUTHERLAND
CLIENT: GILBERT & SUTHERLAND PTY LTD
ADDRESS: P O BOX 857
ROBINA QLD 4226

LABORATORY: ENV BRISBANE
BATCH NUMBER: EB13231
SUB BATCH: 0
No. OF SAMPLES: 179
DATE RECEIVED: 23/02/98
DATE COMPLETED: 16/03/98

ORDER No.: NARUI COC 04840-851

SAMPLE TYPE: SOIL

PROJECT:

SAMPLE NUMBER	ELEMENT UNIT METHOD L.O.R.	Mg(Perox)	S(KCl)	S(Perox)	S(Pos)	TAA	TPA
		%	%	%	%	mole/tonne	mole/tonne
		EA-022	EA-022	EA-022	EA-022	EA-022	EA-022
		0.02	0.02	0.02	0.02	2	2
BH37	1-1.5	0.02	<0.02	<0.02	<0.02	66	66
BH37	1.5-2.5	0.04	<0.02	<0.02	<0.02	68	68
BH37	2.5-3	0.08	0.02	0.02	<0.02	56	56
BH38	0.4-1.7	<0.02	<0.02	<0.02	<0.02	<2	<2
BH38	2.5-3.9	<0.02	0.02	0.06	0.04	4	24
BH38	3.9-4.4	0.06	0.30	1.10	0.80	34	572
BH38	4.4-4.9	0.06	0.30	1.18	0.88	26	582
BH38	5.5-5.9	<0.02	0.10	0.18	0.08	8	86
BH39	0.5-1.7	<0.02	<0.02	<0.02	<0.02	<2	10
BH39	1.7-3	<0.02	<0.02	<0.02	<0.02	<2	6
BH39	3.6-3.9	<0.02	<0.02	<0.02	<0.02	<2	18
BH39	3.9-4	<0.02	<0.02	<0.02	<0.02	4	52
BH40	0.2-0.5	0.08	<0.02	0.30	0.30	86	1360
BH40	1-1.5	0.04	<0.02	0.30	0.30	44	502
BH40	1.6-2.0	<0.02	<0.02	0.02	0.02	<2	4
BH40	2.0-2.1	<0.02	0.02	0.04	0.02	6	20
BH40	2.1-3	0.02	<0.02	0.10	0.10	18	270
BH41	1-1.5	0.14	0.12	1.02	0.90	36	2280
BH41	1.76-1.86	0.06	0.28	1.26	0.98	56	774
BH41	2-3	0.04	0.16	0.66	0.50	18	346
BH41	4-4.5	0.14	0.36	1.50	1.14	18	658
BH41	5-5.7	<0.02	0.06	0.12	0.06	<2	36
BH42	1.3-1.6	<0.02	0.06	0.14	0.08	16	56
BH42	2-3	<0.02	0.04	0.12	0.08	10	56
BH42	4-4.5	<0.02	0.02	0.08	0.06	8	24
BH42	5.5-5.8	0.02	0.02	0.12	0.10	4	34
BH4	3-4	<0.02	<0.02	<0.02	<0.02	18	112
BH22	0-300	0.06	<0.02	0.04	0.04	82	484
BH36	2.5-4.0	<0.02	<0.02	0.04	0.04	10	78

COMMENTS:



No. 825

This Laboratory is Registered by the National Association of Testing Authorities, Australia. The test(s) reported herein have been performed in accordance with its terms of registration. This document shall not be reproduced except in full.

• Results apply to sample(s) as submitted by client.

Alice Springs Laboratory
Phone: (08) 8952 6020 Fax: (08) 8952 6028

Bendigo Laboratory
Phone: (03) 5446 1390 Fax: (03) 5446 1389

Brisbane Laboratory
Phone: (07) 3243 7222 Fax: (07) 3243 7218

Charters Towers Laboratory
Phone: (077) 87 4155 Fax: (077) 87 4220

Cloncurry Laboratory
Phone: (077) 42 1323 Fax: (077) 42 1685

Kalgoorlie Laboratory
Phone: (08) 9021 1457 Fax: (08) 9021 6253

New Zealand Laboratory
Phone: (07) 575 7654 Fax: (07) 575 7641

Orange Laboratory
Phone: (02) 6263 1722 Fax: (02) 6263 1180

Perth Laboratory
Phone: (08) 9249 2988 Fax: (08) 9249 2942

Townsville Laboratory
Phone: (077) 79 9155 Fax: (077) 79 9729

This is the Final Report which supersedes any preliminary reports with this batch number.