



Solar Access Analysis
for the proposed development at
23-37 Lindfield Avenue, Lindfield

October 7, 2010

Report Reference No. WA869-01F02(rev2)- SA Report

Document Control

Revision Number	Date	Revision History	Prepared By (initials)	Reviewed & Authorised By (initials)
0	26/05/2010	Initial	TH	TR
1	04/06/2010	Revised with Updated Drawings	TH	TR
2	07/10/2010	Revised with Updated Drawings	AB	

The work presented in this document was carried out in accordance with the Windtech Consultants Pty Ltd Quality Assurance System, which is based on Australian Standard / NZS ISO 9001.

This document is issued subject to review and authorisation by the Team Leader noted by the initials printed in the last column above. If no initials appear, this document shall be considered as preliminary or draft only and no reliance shall be placed upon it other than for information to be verified later.

This document is prepared for our Client's particular requirements which are based on a specific brief with limitations as agreed to with the Client. It is not intended for and should not be relied upon by a third party and no responsibility is undertaken to any third party without prior consent provided by Windtech Consultants Pty Ltd. This report should not be reproduced, presented or reviewed except in full. Prior to passing on to a third party, the Client is to fully inform the third party of the specific brief and limitations associated with the commission.

The information contained herein is for the purpose of wind, thermal and or solar effects only. No claims are made and no liability is accepted in respect of design and construction issues falling outside of the scope of this report.

1.0 Introduction

This study has been undertaken to assess the level of solar access into the Living Areas and associated Private Open Spaces of the proposed development located at 23-37 Lindfield Avenue, Lindfield. The proposed development consists of a mixed-use building with a total of 102 residential units across the 7 residential floors within the proposed development.

The analysis of the solar access is carried out using a solar access meter derived from the solar chart for the Sydney region, provided in R.O. Phillips (1992)¹, and attached in Appendix A of this report. The results for the number of hours of direct solar access for each residential dwelling are accurate to within 15 minutes.

The analysis presented in this report is based on architectural drawings prepared by PTI Architecture, dated October 2010. All living areas are identified by Building letter, level and number (eg: Building A, Level 3, Unit 4 is labeled as A.3.04) in accordance with the aforementioned drawings and unit numbering system attached to Appendix B of this Report. All private open spaces are identified by the living areas that they are attached to in accordance with the aforementioned drawings attached to Appendix B of this report.

2.0 Solar Access Criteria

The number of hours of solar access for each of the residential units of the proposed development are compared to criteria from the State Environmental Planning Policy No. 65 and Residential Flat Design Code guidelines and the Stephen Parsonage v Ku-ring-gai Council (June 2004) judgment from the Land and Environment Court.

The State Environmental Planning Policy No. 65 (SEPP65) for the design of quality residential flat development requires that a residential development should be designed in such a way as to optimise the amount of available solar access. The Residential Flat Design Code has the following guidelines, listed as "Rules of Thumb":

"Living rooms and private open spaces for at least 70 percent of apartments in a development should receive a minimum of three hours direct sunlight between 9am and 3pm in mid-winter. In dense urban areas a minimum of two hours may be acceptable.

Limit the number of single-aspect apartments with a southerly aspect (SW-SE) to a maximum of 10 percent of the total units proposed. Developments which seek to vary from the minimum standards must demonstrate how site constraints and orientation prohibit the achievement of these standards and how energy efficiency is addressed."

¹ R.O Phillips, *Sunshine and Shade in Australia 6th edition*, CSIRO Technical Report 92/2.

The outcome of the Stephen Parsonage v Ku-ring-gai Council (June 2004) judgment from the Land and Environment Court (LEC), which is now used as another general rule of thumb by the LEC for the calculation of the number of hours of solar access, is summarized as follows:

*Solar Access to a **Living Area** is calculated at the glass line of and at the centre (horizontally and vertically) of the window. To be assessed as being in sunlight, at least half of the window area must be exposed to direct solar access.*

*Solar access to a **Private Open Space** is calculated at ground level (or floor slab level). To be assessed as being in sunlight, at least half of the ground level area of the private open space must be exposed to direct solar access.*

Overshadowing by fences, roof overhangs and changes in level should be taken into account. Overshadowing by vegetation should be ignored, unless it is in the form of a dense hedge which may appear like a solid fence.

3.0 Methodology

The overall solar access to the living areas pertaining to all living spaces within the proposed development has been assessed. The assessment is based on drawings prepared by PTI Architecture, dated October 2010.

The analysis includes the solar access to **Living Areas** and **Private Open Spaces** between the hours **09:00 to 15:00** on **June 21** (winter solstice) relating to the guidelines outlined by **SEPP65**. The requirement for three hours of solar access between the specified times of day applies, however in dense urban areas a minimum of two hours may be acceptable.

For the living areas, solar access is calculated at the centre of the glass line of the main window of the living area (vertically and horizontally). For a window to be considered to have an adequate amount of usable direct solar access, *at least half* of the glass area should be exposed to sunlight. Also, for windows, the definition for solar access is based on the definition given in the Parsonage v Ku-ring-gai Council Judgment by the LEC, which requires that sun at a horizontal angle of incidence less than 22.5° to the glass plane be excluded in the solar access calculation. For private open spaces, solar access is calculated at ground level (or floor slab level), in line with the Parsonage v Ku-ring-gai Council Judgment by the LEC. To be assessed as being in sunlight, at least half of the ground level area of the private open space must be exposed to direct solar access. If a tenancy has more than one point of analysis (e.g. if a tenancy has more than one window or if a balcony has multiple aspects justifying more points of analysis), the number of hours of solar access that each window provides can be added if the various windows allow solar access at different times of the day. If they both allow solar access at the same time then they cannot be double-counted.

The report will present the results based on both of the minimum requirements of two and three hours as outlined by SEPP65.

3.1 Example of a Solar Access Analysis to the Living Area Glass-Line


An example of how the solar access to a main living area window of a generic residential apartment is measured is presented in Figure 1. Figure 1 show how the morning sun is blocked by the protruding bedroom at the north-eastern end of the apartment. Once the sun clears the bedroom then the main living area window receives direct solar access for the rest of the day.

An inspection of scaled plan and elevation drawings is required to determine the extent of the window that is exposed to direct sunlight. The requirements for this study are that at least half of the window area should be exposed to direct sunlight.

The second living area window will only receive solar access after midday, although after the 22.5° minimum horizontal angle of incidence rule is applied this secondary Living Area window will only be considered to have usable solar access from 1:30pm to 3pm. However, since the main living area window will also receive solar access for these same hours, the solar access from these two windows cannot be added. Hence for some residential units that may face south, solar access to the main living area may still be possible if there is a second window facing either east or west, for example.

The diagram in Figure 1 does not account for obstructions in the vertical plane, these are accounted for afterwards. The number of hours of solar access calculated is also be corrected for overshadowing by balconies and neighbouring buildings, or any other type of fixed obstruction.

The angular width of the sun path between the hours of 9am and 3pm is determined from the solar chart for the Sydney region, attached in Appendix A of this report. This can also be adjusted for different times of the year. For this study the sun's path on the winter solstice (June 21) is selected for analysis.



Note: This figure shows only obstructions in the horizontal plane from the window. Obstructions in the vertical plane, such as balconies above and surrounding buildings, also need to be accounted for in the assessment.

The percent of area of the window exposed to direct solar access is determined by detailed inspection of scaled plan and elevation drawings.

Solar access to the Living Area from the Second Living Area Window is only available during the afternoon. The Main Living Area Window also allows solar access during these same hours, therefore solar access through the Second Living Area Window is not counted (to avoid double-counting solar access hours).

Figure 1: Example of Solar Access to the Main Window of a Residential Apartment

4.0 Results

The amount of direct solar access, in hours, to the various Living Areas and associated Private Open Spaces of the proposed development for the various criteria described in Section 2 of this report is presented in Table 1. The table presents the results based on the applicable minimum requirements of two and three hours as outlined by SEPP65.

Table 1 outlines the amount and time of direct solar access to these residential dwellings on the winter solstice (June 21), between the hours of 9am and 3pm.

Note that the unit number indicated in Table 1 reflects the Building Letter, the level and the number of the unit (e.g.: Building A, Level 3, Unit 4 is labeled as A.3.04). The unit numbering scheme used in this analysis is also shown in Appendix B of this report.

Table 1: Solar Access for Each Residential Unit

Unit Number	Living Areas		Private Open Spaces	
	Number of Hours	Times of Occurrence	Number of Hours	Times of Occurrence
A.1.01	3	9.00-12.00	4	9.00-13.00
A.1.02	4	9.00-13.00	5	9.00-14.00
A.1.03	3	9.30-12.30	4.75	9.00-13.45
A.1.04	1	11.30-12.30	3	10.30-13.30
A.1.05	1.5	11.30-13.00	2.75	11.30-14.15
A.1.06	1.5	11.30-13.00	2.5	11.30-14.00
A.1.07	0.5	11.30-12.00	2.5	11.30-14.00
A.1.08	0	N/A	0	N/A
A.1.09	0	N/A	0	N/A
A.1.10	0	N/A	0	N/A
A.2.01	3	9.00-12.00	4	9.00-13.00
A.2.02	4	9.00-13.00	5	9.00-14.00
A.2.03	3	10.00-13.00	4	9.45-13.45
A.2.04	2	10.30-12.30	2.25	10.45-13.00
A.2.05	2.5	10.30-13.00	2.75	10.45-13.30

Table 1: Solar Access for Each Residential Unit (cont..)

Unit Number	Living Areas		Private Open Spaces	
	Number of Hours	Times of Occurrence	Number of Hours	Times of Occurrence
A.2.06	2.25	10.45-13.00	3.25	11.00-14.15
A.2.07	2.25	10.45-13.00	3.25	10.45-14.00
A.2.08	2	10.00-12.00	3	10.00-13.00
A.2.09	0	N/A	0	N/A
A.2.10	0	N/A	0	N/A
A.3.01	3	9.00-12.00	4	9.00-13.00
A.3.02	4	9.00-13.00	5	9.00-14.00
A.3.03	3	10.00-13.00	4.25	9.30-13.45
A.3.04	2.25	9.45-12.00	3	10.00-13.00
A.3.05	2.25	9.45-12.00	3.5	10.00-13.30
A.3.06	3	10.00-13.00	4.25	10.00-14.15
A.3.07	4	9.00-13.00	4	10.00-14.00
A.3.08	2	10.00-12.00	3	10.00-13.00
A.3.09	0	N/A	0	N/A
A.3.10	0	N/A	0	N/A
A.4.01	3	9.00-12.00	4	9.00-13.00
A.4.02	4	9.00-13.00	5	9.00-14.00
A.4.03	4	9.00-13.00	4.75	9.00-13.45
A.4.04	3	9.00-12.00	4	9.00-13.00
A.4.05	3	9.00-12.00	4.5	9.00-13.30
A.4.06	3.75	9.15-13.00	5	9.15-14.15
A.4.07	3	9.00-12.00	4.75	9.15-14.00
A.4.08	3	9.00-12.00	4	9.00-13.00

Table 1: Solar Access for Each Residential Unit (cont..)

Unit Number	Living Areas		Private Open Spaces	
	Number of Hours	Times of Occurrence	Number of Hours	Times of Occurrence
A.4.09	0	N/A	0	N/A
A.4.10	0	N/A	0	N/A
A.5.01	3	9.00-12.00	6	9.00-15.00
A.5.02	3	9.00-12.00	6	9.00-15.00
A.5.03	3	9.00-12.00	6	9.00-15.00
A.5.04	3	9.00-12.00	6	9.00-15.00
B.2.01	2.25	10.45-13.00	4.5	10.30-15.00
B.2.02	1	10.30-11.30	4.5	10.30-15.00
B.2.03	2	10.30-12.30	4	11.00-15.00
B.2.04	1.75	10.45-12.30	4	11.00-15.00
B.2.05	2	10.30-12.30	4	11.00-15.00
B.2.06	3.5	9.00-12.30	4	11.00-15.00
B.2.07	3	12.00-15.00	6	9.00-15.00
B.2.08	0	N/A	0	N/A
B.2.09	0	N/A	0	N/A
B.2.10	0	N/A	0	N/A
B.3.01	2.25	9.45-12.00	5	10.00-15.00
B.3.02	2	9.30-11.30	2.5	9.30-12.00
B.3.03	3	9.30-12.30	3.5	9.30-13.00
B.3.04	2.5	10.00-12.30	3.25	10.45-14.00
B.3.05	3	10.00-13.00	4	10.00-14.00
B.3.06	3.5	9.00-12.30	5	9.00-14.00
B.3.07	3	12.00-15.00	0	N/A

Table 1: Solar Access for Each Residential Unit (cont..)

Unit Number	Living Areas		Private Open Spaces	
	Number of Hours	Times of Occurrence	Number of Hours	Times of Occurrence
B.3.08	0	N/A	0	N/A
B.3.09	0	N/A	0	N/A
B.3.10	0	N/A	0	N/A
B.4.01	3	9.00-12.00	4	9.00-13.00
B.4.02	2.5	9.00-11.30	3	9.00-12.00
B.4.03	3.5	9.00-12.30	4	9.00-13.00
B.4.04	3.5	9.00-12.30	4	10.00-14.00
B.4.05	3.5	9.00-12.30	5	9.00-14.00
B.4.06	3.5	9.00-12.30	5	9.00-14.00
B.4.07	3	12.00-15.00	0	N/A
B.4.08	0	N/A	0	N/A
B.4.09	0	N/A	0	N/A
B.4.10	0	N/A	0	N/A
B.5.01	3	9.00-12.00	6	9.00-15.00
B.5.02	2.5	9.00-11.30	3	9.00-12.00
B.5.03	3.5	9.00-12.30	4	9.00-13.00
B.5.04	3.5	9.00-12.30	5	9.00-14.00
B.5.05	4	9.00-13.00	5	9.00-14.00
B.5.06	3.5	9.00-12.30	5	9.00-14.00
B.5.07	3	12.00-15.00	4	11.00-15.00
B.5.08	0	N/A	0	N/A
B.5.09	0	N/A	0	N/A
B.5.10	0	N/A	0	N/A

Table 1: Solar Access for Each Residential Unit (cont..)

Unit Number	Living Areas		Private Open Spaces	
	Number of Hours	Times of Occurrence	Number of Hours	Times of Occurrence
B.6.01	3	9.00-12.00	4	9.00-13.00
B.6.02	2.5	9.00-11.30	3	9.00-12.00
B.6.03	3.5	9.00-12.30	4	9.00-13.00
B.6.04	3.5	9.00-12.30	5	9.00-14.00
B.6.05	3.5	9.00-12.30	5	9.00-14.00
B.6.06	3.5	9.00-12.30	5	9.00-14.00
B.6.07	3	12.00-15.00	0	N/A
B.6.08	0	N/A	0	N/A
B.6.09	0	N/A	0	N/A
B.6.10	0	N/A	0	N/A
B.7.01	3	9.00-12.00	6	9.00-15.00
B.7.02	2.5	9.00-11.30	3	9.00-12.00
B.7.03	3.5	9.00-12.30	4	9.00-13.00
B.7.04	3.5	9.00-12.30	5	9.00-14.00
B.7.05	4	9.00-13.00	5	9.00-14.00
B.7.06	6	9.00-15.00	5	10.00-15.00
B.7.07	6	9.00-15.00	3	12.00-15.00
B.7.08	6	9.00-15.00	3	12.00-15.00

The results of the analysis are summarized below and in Table 2 for criteria compliant with SEPP65 for **two and three** hours of solar access between 9am and 3pm on June 21.

- The results for **Living Areas** concluded that **72** out of **102** Living Areas had solar access for **2 or more hours**. This equates **71%** of all Living Areas comply with 2 hours of direct solar access between 09:00-15:00 on June 21.
- The results for **Private Open Spaces** concluded that **75** out of **102** Living Areas had solar access for **2 or more hours**. This equates **74%** of all Private Open Spaces comply with 2 hours of direct solar access between 09:00-15:00 on June 21.
- The results for **Living Areas** concluded that **54** out of **102** Living Areas had solar access for **3 or more hours**. This equates **53%** of all Living Areas comply with 3 hours of direct solar access between 09:00-15:00 on June 21.
- The results for **Private Open Spaces** concluded that **69** out of **102** Living Areas had solar access for **3 or more hours**. This equates **68%** of all Private Open Spaces comply with 3 hours of direct solar access between 09:00-15:00 on June 21.

Table 2: Percentage of Lots Complying

Design Code	CASE	Solar Access for a minimum of 2 hours	Solar Access for a minimum of 3 hours
SEPP65	Living Areas	71%	54%
	Private Open Spaces	74%	68%

The number of south facing single-aspect units within the development is required to be below 10% of the total number of proposed dwellings. For this development, it is found that **none** of the residential units will have south facing single-aspects.

5.0 Conclusion

A solar access analysis for the Living Areas and associated Private Open Spaces of the proposed development located at 23-37 Lindfield Avenue, Lindfield, has been undertaken. The proposed development consists of a mixed-use building with a total of 102 residential units across the 7 residential floors within the proposed development.

The assessment has been carried out using a solar access meter derived from the solar chart for the Sydney Region, provided in R.O. Phillips (1992)², and attached in Appendix A of this report. The results of the study provide the number of hours of direct solar access for each residential dwelling, and are accurate to within 15 minutes. The methodology of this assessment is in compliance with the *Stephen Parsonage v Ku-ring-gai Council* (June 2004) judgment, as detailed within this report.

The requirement for the SEPP65 design code states the living rooms and private open spaces in the development should receive a minimum of **three hours** direct sunlight between 9am and 3pm in mid-winter. In dense urban areas a minimum of **two hours** may be acceptable.

The results of the analysis requirements are summarised as follows:

- No apartments were found to have single-aspect south facing units.
- A total of 71% of all Living Areas comply with 2 hours or more of direct solar access between 09:00-15:00 on June 21.
- A total of 54% of all Living Areas comply with 3 hours or more of direct solar access between 09:00-15:00 on June 21.
- A total of 74% of all Private Open Spaces comply with 2 hours or more of direct solar access between 09:00-15:00 on June 21.
- A total of 68% of all Private Open Spaces comply with 3 hours or more of direct solar access between 09:00-15:00 on June 21.

Based on the above results, the proposed development will satisfy the SEPP65 requirements for solar access to the living areas and private open spaces. This is assuming that the area is designated as a high density urban area.

² R.O Phillips, *Sunshine and Shade in Australia 6th edition*, CSIRO Technical Report 92/2.

Appendix A

Solar Chart for the Sydney Region





Figure A1: Solar Chart for the Sydney Region

Appendix B

Unit Numbering System



GENERAL LEGEND

1:1 @ 500	PERFORMER 01
1:1 @ 500	PERFORMER 02
1:1 @ 500	PERFORMER 03
1:1 @ 500	PERFORMER 04
1:1 @ 500	PERFORMER 05
1:1 @ 500	PERFORMER 06
1:1 @ 500	PERFORMER 07
1:1 @ 500	PERFORMER 08
1:1 @ 500	PERFORMER 09
1:1 @ 500	PERFORMER 10
1:1 @ 500	PERFORMER 11
1:1 @ 500	PERFORMER 12
1:1 @ 500	PERFORMER 13
1:1 @ 500	PERFORMER 14
1:1 @ 500	PERFORMER 15
1:1 @ 500	PERFORMER 16
1:1 @ 500	PERFORMER 17
1:1 @ 500	PERFORMER 18
1:1 @ 500	PERFORMER 19
1:1 @ 500	PERFORMER 20
1:1 @ 500	PERFORMER 21
1:1 @ 500	PERFORMER 22
1:1 @ 500	PERFORMER 23
1:1 @ 500	PERFORMER 24
1:1 @ 500	PERFORMER 25
1:1 @ 500	PERFORMER 26
1:1 @ 500	PERFORMER 27
1:1 @ 500	PERFORMER 28
1:1 @ 500	PERFORMER 29
1:1 @ 500	PERFORMER 30
1:1 @ 500	PERFORMER 31
1:1 @ 500	PERFORMER 32
1:1 @ 500	PERFORMER 33
1:1 @ 500	PERFORMER 34
1:1 @ 500	PERFORMER 35
1:1 @ 500	PERFORMER 36
1:1 @ 500	PERFORMER 37
1:1 @ 500	PERFORMER 38
1:1 @ 500	PERFORMER 39
1:1 @ 500	PERFORMER 40
1:1 @ 500	PERFORMER 41
1:1 @ 500	PERFORMER 42
1:1 @ 500	PERFORMER 43
1:1 @ 500	PERFORMER 44
1:1 @ 500	PERFORMER 45
1:1 @ 500	PERFORMER 46
1:1 @ 500	PERFORMER 47
1:1 @ 500	PERFORMER 48
1:1 @ 500	PERFORMER 49
1:1 @ 500	PERFORMER 50

NOTE

1. Consultants to verify all dimensions on site before any construction.
2. Typical dimensions to face unless indicated to midline.
3. All drawings to be read in conjunction with the specifications and approved schedule.

This drawing is the property of P1941 Lindfield Retail & Residential Development Pty Ltd. It is to be used for the construction of the development only. It is not to be used for any other purpose without the written consent of P1941 Lindfield Retail & Residential Development Pty Ltd. All rights reserved.

NO.	DATE	DESCRIPTION	BY	CHECKED
1	27/10/2010	ISSUED FOR CONSTRUCTION	AM	AM
2	27/10/2010	ISSUED FOR CONSTRUCTION	AM	AM

REVISIONS

PROJECT: LINDFIELD RETAIL & RESIDENTIAL DEVELOPMENT
LEVEL 1 PLAN

CLIENT: COOGEE BAY VILLAGE PTY LTD

ARCHITECTURE: P1941 ARCHITECTURE

ENGINEER: P1941 ENGINEERING

DATE: 27/10/2010

SCALE: 1:200 @ A1, 1:400 @ A3



DRAWN BY: VD

CHECKED BY: AM

P1941

A DA 06 B

LEVEL 3
1:200



GENERAL LEGEND

	BOUNDARY #1
	BOUNDARY #2
	BOUNDARY #3
	BOUNDARY #4
	BOUNDARY #5
	BOUNDARY #6
	BOUNDARY #7
	BOUNDARY #8
	BOUNDARY #9
	BOUNDARY #10
	BOUNDARY #11
	BOUNDARY #12
	BOUNDARY #13
	BOUNDARY #14
	BOUNDARY #15
	BOUNDARY #16
	BOUNDARY #17
	BOUNDARY #18
	BOUNDARY #19
	BOUNDARY #20
	BOUNDARY #21
	BOUNDARY #22
	BOUNDARY #23
	BOUNDARY #24
	BOUNDARY #25
	BOUNDARY #26
	BOUNDARY #27
	BOUNDARY #28
	BOUNDARY #29
	BOUNDARY #30
	BOUNDARY #31
	BOUNDARY #32
	BOUNDARY #33
	BOUNDARY #34
	BOUNDARY #35
	BOUNDARY #36
	BOUNDARY #37
	BOUNDARY #38
	BOUNDARY #39
	BOUNDARY #40
	BOUNDARY #41
	BOUNDARY #42
	BOUNDARY #43
	BOUNDARY #44
	BOUNDARY #45
	BOUNDARY #46
	BOUNDARY #47
	BOUNDARY #48
	BOUNDARY #49
	BOUNDARY #50
	BOUNDARY #51
	BOUNDARY #52
	BOUNDARY #53
	BOUNDARY #54
	BOUNDARY #55
	BOUNDARY #56
	BOUNDARY #57
	BOUNDARY #58
	BOUNDARY #59
	BOUNDARY #60
	BOUNDARY #61
	BOUNDARY #62
	BOUNDARY #63
	BOUNDARY #64
	BOUNDARY #65
	BOUNDARY #66
	BOUNDARY #67
	BOUNDARY #68
	BOUNDARY #69
	BOUNDARY #70
	BOUNDARY #71
	BOUNDARY #72
	BOUNDARY #73
	BOUNDARY #74
	BOUNDARY #75
	BOUNDARY #76
	BOUNDARY #77
	BOUNDARY #78
	BOUNDARY #79
	BOUNDARY #80
	BOUNDARY #81
	BOUNDARY #82
	BOUNDARY #83
	BOUNDARY #84
	BOUNDARY #85
	BOUNDARY #86
	BOUNDARY #87
	BOUNDARY #88
	BOUNDARY #89
	BOUNDARY #90
	BOUNDARY #91
	BOUNDARY #92
	BOUNDARY #93
	BOUNDARY #94
	BOUNDARY #95
	BOUNDARY #96
	BOUNDARY #97
	BOUNDARY #98
	BOUNDARY #99
	BOUNDARY #100

NOTE

1. Consult with your architect for any other drawings.
2. Refer to the architect for any other drawings.
3. Refer to the architect for any other drawings.
4. Refer to the architect for any other drawings.
5. Refer to the architect for any other drawings.

This drawing is the property of Project 11888 and shall not be used for any other purpose without the written consent of Project 11888. All rights reserved.

NO.	DESCRIPTION	REV.	DATE	BY
1	ISSUED FOR PERMIT		08/10/10	AM
2	ISSUED FOR PERMIT		08/10/10	AM
3	ISSUED FOR PERMIT		08/10/10	AM
4	ISSUED FOR PERMIT		08/10/10	AM
5	ISSUED FOR PERMIT		08/10/10	AM
6	ISSUED FOR PERMIT		08/10/10	AM
7	ISSUED FOR PERMIT		08/10/10	AM
8	ISSUED FOR PERMIT		08/10/10	AM
9	ISSUED FOR PERMIT		08/10/10	AM
10	ISSUED FOR PERMIT		08/10/10	AM
11	ISSUED FOR PERMIT		08/10/10	AM
12	ISSUED FOR PERMIT		08/10/10	AM
13	ISSUED FOR PERMIT		08/10/10	AM
14	ISSUED FOR PERMIT		08/10/10	AM
15	ISSUED FOR PERMIT		08/10/10	AM
16	ISSUED FOR PERMIT		08/10/10	AM
17	ISSUED FOR PERMIT		08/10/10	AM
18	ISSUED FOR PERMIT		08/10/10	AM
19	ISSUED FOR PERMIT		08/10/10	AM
20	ISSUED FOR PERMIT		08/10/10	AM
21	ISSUED FOR PERMIT		08/10/10	AM
22	ISSUED FOR PERMIT		08/10/10	AM
23	ISSUED FOR PERMIT		08/10/10	AM
24	ISSUED FOR PERMIT		08/10/10	AM
25	ISSUED FOR PERMIT		08/10/10	AM
26	ISSUED FOR PERMIT		08/10/10	AM
27	ISSUED FOR PERMIT		08/10/10	AM
28	ISSUED FOR PERMIT		08/10/10	AM
29	ISSUED FOR PERMIT		08/10/10	AM
30	ISSUED FOR PERMIT		08/10/10	AM
31	ISSUED FOR PERMIT		08/10/10	AM
32	ISSUED FOR PERMIT		08/10/10	AM
33	ISSUED FOR PERMIT		08/10/10	AM
34	ISSUED FOR PERMIT		08/10/10	AM
35	ISSUED FOR PERMIT		08/10/10	AM
36	ISSUED FOR PERMIT		08/10/10	AM
37	ISSUED FOR PERMIT		08/10/10	AM
38	ISSUED FOR PERMIT		08/10/10	AM
39	ISSUED FOR PERMIT		08/10/10	AM
40	ISSUED FOR PERMIT		08/10/10	AM
41	ISSUED FOR PERMIT		08/10/10	AM
42	ISSUED FOR PERMIT		08/10/10	AM
43	ISSUED FOR PERMIT		08/10/10	AM
44	ISSUED FOR PERMIT		08/10/10	AM
45	ISSUED FOR PERMIT		08/10/10	AM
46	ISSUED FOR PERMIT		08/10/10	AM
47	ISSUED FOR PERMIT		08/10/10	AM
48	ISSUED FOR PERMIT		08/10/10	AM
49	ISSUED FOR PERMIT		08/10/10	AM
50	ISSUED FOR PERMIT		08/10/10	AM
51	ISSUED FOR PERMIT		08/10/10	AM
52	ISSUED FOR PERMIT		08/10/10	AM
53	ISSUED FOR PERMIT		08/10/10	AM
54	ISSUED FOR PERMIT		08/10/10	AM
55	ISSUED FOR PERMIT		08/10/10	AM
56	ISSUED FOR PERMIT		08/10/10	AM
57	ISSUED FOR PERMIT		08/10/10	AM
58	ISSUED FOR PERMIT		08/10/10	AM
59	ISSUED FOR PERMIT		08/10/10	AM
60	ISSUED FOR PERMIT		08/10/10	AM
61	ISSUED FOR PERMIT		08/10/10	AM
62	ISSUED FOR PERMIT		08/10/10	AM
63	ISSUED FOR PERMIT		08/10/10	AM
64	ISSUED FOR PERMIT		08/10/10	AM
65	ISSUED FOR PERMIT		08/10/10	AM
66	ISSUED FOR PERMIT		08/10/10	AM
67	ISSUED FOR PERMIT		08/10/10	AM
68	ISSUED FOR PERMIT		08/10/10	AM
69	ISSUED FOR PERMIT		08/10/10	AM
70	ISSUED FOR PERMIT		08/10/10	AM
71	ISSUED FOR PERMIT		08/10/10	AM
72	ISSUED FOR PERMIT		08/10/10	AM
73	ISSUED FOR PERMIT		08/10/10	AM
74	ISSUED FOR PERMIT		08/10/10	AM
75	ISSUED FOR PERMIT		08/10/10	AM
76	ISSUED FOR PERMIT		08/10/10	AM
77	ISSUED FOR PERMIT		08/10/10	AM
78	ISSUED FOR PERMIT		08/10/10	AM
79	ISSUED FOR PERMIT		08/10/10	AM
80	ISSUED FOR PERMIT		08/10/10	AM
81	ISSUED FOR PERMIT		08/10/10	AM
82	ISSUED FOR PERMIT		08/10/10	AM
83	ISSUED FOR PERMIT		08/10/10	AM
84	ISSUED FOR PERMIT		08/10/10	AM
85	ISSUED FOR PERMIT		08/10/10	AM
86	ISSUED FOR PERMIT		08/10/10	AM
87	ISSUED FOR PERMIT		08/10/10	AM
88	ISSUED FOR PERMIT		08/10/10	AM
89	ISSUED FOR PERMIT		08/10/10	AM
90	ISSUED FOR PERMIT		08/10/10	AM
91	ISSUED FOR PERMIT		08/10/10	AM
92	ISSUED FOR PERMIT		08/10/10	AM
93	ISSUED FOR PERMIT		08/10/10	AM
94	ISSUED FOR PERMIT		08/10/10	AM
95	ISSUED FOR PERMIT		08/10/10	AM
96	ISSUED FOR PERMIT		08/10/10	AM
97	ISSUED FOR PERMIT		08/10/10	AM
98	ISSUED FOR PERMIT		08/10/10	AM
99	ISSUED FOR PERMIT		08/10/10	AM
100	ISSUED FOR PERMIT		08/10/10	AM


ARCHITECTURE

PROJECT: COOGEE BAY VILLAGE PTY LTD
LINDFIELD RETAIL & RESIDENTIAL DEVELOPMENT
LEVEL 3 PLAN

DATE: 7/10/2010
SCALE: 1:200 @ A1, 1:400 @ A3


DESIGNER: AM
PROJECT NO.: P194.1

CLIENT: DA 08 B



GENERAL LEGEND

	LEVEL 4
	BOUNDARY 1
	BOUNDARY 2
	BOUNDARY 3
	BOUNDARY 4
	BOUNDARY 5
	BOUNDARY 6
	BOUNDARY 7
	BOUNDARY 8
	BOUNDARY 9
	BOUNDARY 10
	BOUNDARY 11
	BOUNDARY 12
	BOUNDARY 13
	BOUNDARY 14
	BOUNDARY 15
	BOUNDARY 16
	BOUNDARY 17
	BOUNDARY 18
	BOUNDARY 19
	BOUNDARY 20
	BOUNDARY 21
	BOUNDARY 22
	BOUNDARY 23
	BOUNDARY 24
	BOUNDARY 25
	BOUNDARY 26
	BOUNDARY 27
	BOUNDARY 28
	BOUNDARY 29
	BOUNDARY 30
	BOUNDARY 31
	BOUNDARY 32
	BOUNDARY 33
	BOUNDARY 34
	BOUNDARY 35
	BOUNDARY 36
	BOUNDARY 37
	BOUNDARY 38
	BOUNDARY 39
	BOUNDARY 40
	BOUNDARY 41
	BOUNDARY 42
	BOUNDARY 43
	BOUNDARY 44
	BOUNDARY 45
	BOUNDARY 46
	BOUNDARY 47
	BOUNDARY 48
	BOUNDARY 49
	BOUNDARY 50
	BOUNDARY 51
	BOUNDARY 52
	BOUNDARY 53
	BOUNDARY 54
	BOUNDARY 55
	BOUNDARY 56
	BOUNDARY 57
	BOUNDARY 58
	BOUNDARY 59
	BOUNDARY 60
	BOUNDARY 61
	BOUNDARY 62
	BOUNDARY 63
	BOUNDARY 64
	BOUNDARY 65
	BOUNDARY 66
	BOUNDARY 67
	BOUNDARY 68
	BOUNDARY 69
	BOUNDARY 70
	BOUNDARY 71
	BOUNDARY 72
	BOUNDARY 73
	BOUNDARY 74
	BOUNDARY 75
	BOUNDARY 76
	BOUNDARY 77
	BOUNDARY 78
	BOUNDARY 79
	BOUNDARY 80
	BOUNDARY 81
	BOUNDARY 82
	BOUNDARY 83
	BOUNDARY 84
	BOUNDARY 85
	BOUNDARY 86
	BOUNDARY 87
	BOUNDARY 88
	BOUNDARY 89
	BOUNDARY 90
	BOUNDARY 91
	BOUNDARY 92
	BOUNDARY 93
	BOUNDARY 94
	BOUNDARY 95
	BOUNDARY 96
	BOUNDARY 97
	BOUNDARY 98
	BOUNDARY 99
	BOUNDARY 100



NOTE

1. Check the level of dimensions on site before any work commences.
2. If you are unable to see the level of dimensions on site, please refer to the site plan or contact the architect.
3. If you are unable to see the level of dimensions on site, please refer to the site plan or contact the architect.
4. If you are unable to see the level of dimensions on site, please refer to the site plan or contact the architect.

THIS DRAWING IS THE PROPERTY OF PTU ARCHITECTURE AND IS NOT TO BE REPRODUCED OR COPIED IN ANY MANNER WITHOUT THE WRITTEN PERMISSION OF PTU ARCHITECTURE. PTU ARCHITECTURE IS NOT RESPONSIBLE FOR ANY DAMAGE TO PROPERTY OR PERSONS ARISING FROM THE USE OF THIS DRAWING.

REV	DATE	BY	CHKD
1	12/22/2010	AM	AM
2	01/04/2011	AM	AM
3	01/04/2011	AM	AM
4	01/04/2011	AM	AM
5	01/04/2011	AM	AM
6	01/04/2011	AM	AM
7	01/04/2011	AM	AM
8	01/04/2011	AM	AM
9	01/04/2011	AM	AM
10	01/04/2011	AM	AM
11	01/04/2011	AM	AM
12	01/04/2011	AM	AM
13	01/04/2011	AM	AM
14	01/04/2011	AM	AM
15	01/04/2011	AM	AM
16	01/04/2011	AM	AM
17	01/04/2011	AM	AM
18	01/04/2011	AM	AM
19	01/04/2011	AM	AM
20	01/04/2011	AM	AM
21	01/04/2011	AM	AM
22	01/04/2011	AM	AM
23	01/04/2011	AM	AM
24	01/04/2011	AM	AM
25	01/04/2011	AM	AM
26	01/04/2011	AM	AM
27	01/04/2011	AM	AM
28	01/04/2011	AM	AM
29	01/04/2011	AM	AM
30	01/04/2011	AM	AM
31	01/04/2011	AM	AM
32	01/04/2011	AM	AM
33	01/04/2011	AM	AM
34	01/04/2011	AM	AM
35	01/04/2011	AM	AM
36	01/04/2011	AM	AM
37	01/04/2011	AM	AM
38	01/04/2011	AM	AM
39	01/04/2011	AM	AM
40	01/04/2011	AM	AM
41	01/04/2011	AM	AM
42	01/04/2011	AM	AM
43	01/04/2011	AM	AM
44	01/04/2011	AM	AM
45	01/04/2011	AM	AM
46	01/04/2011	AM	AM
47	01/04/2011	AM	AM
48	01/04/2011	AM	AM
49	01/04/2011	AM	AM
50	01/04/2011	AM	AM
51	01/04/2011	AM	AM
52	01/04/2011	AM	AM
53	01/04/2011	AM	AM
54	01/04/2011	AM	AM
55	01/04/2011	AM	AM
56	01/04/2011	AM	AM
57	01/04/2011	AM	AM
58	01/04/2011	AM	AM
59	01/04/2011	AM	AM
60	01/04/2011	AM	AM
61	01/04/2011	AM	AM
62	01/04/2011	AM	AM
63	01/04/2011	AM	AM
64	01/04/2011	AM	AM
65	01/04/2011	AM	AM
66	01/04/2011	AM	AM
67	01/04/2011	AM	AM
68	01/04/2011	AM	AM
69	01/04/2011	AM	AM
70	01/04/2011	AM	AM
71	01/04/2011	AM	AM
72	01/04/2011	AM	AM
73	01/04/2011	AM	AM
74	01/04/2011	AM	AM
75	01/04/2011	AM	AM
76	01/04/2011	AM	AM
77	01/04/2011	AM	AM
78	01/04/2011	AM	AM
79	01/04/2011	AM	AM
80	01/04/2011	AM	AM
81	01/04/2011	AM	AM
82	01/04/2011	AM	AM
83	01/04/2011	AM	AM
84	01/04/2011	AM	AM
85	01/04/2011	AM	AM
86	01/04/2011	AM	AM
87	01/04/2011	AM	AM
88	01/04/2011	AM	AM
89	01/04/2011	AM	AM
90	01/04/2011	AM	AM
91	01/04/2011	AM	AM
92	01/04/2011	AM	AM
93	01/04/2011	AM	AM
94	01/04/2011	AM	AM
95	01/04/2011	AM	AM
96	01/04/2011	AM	AM
97	01/04/2011	AM	AM
98	01/04/2011	AM	AM
99	01/04/2011	AM	AM
100	01/04/2011	AM	AM

ARCHITECTURE
 PTU ARCHITECTURE
 12000 @ A1, 1400 @ A3
 7/10/2010
 AM
 P1941

EXISTING THREE STOREY BUILDING


COOGEE BAY VILLAGE PTY LTD

LINDFIELD RETAIL & RESIDENTIAL DEVELOPMENT

LEVEL 4 PLAN

A DA 09 B

LEVEL 7
1:200



GENERAL LEGEND

	FINISH
	FOUNDATION
	STRUCTURAL WALLS
	SHIMMER FINISH
	BRICK WITH CERAMIC
	ELECTRICAL CLOSET
	CONCRETE FLOOR
	MECHANICAL CLOSET
	GARAGE CLOSET
	WALLING DOOR AND ENTRY
	ENTRY/EXIT
	FORMING AND FINISH CONCRETE
	FLOOR AREA
	HATCHING AREA
	STAIRS
	TERRACE
	BALCONY

NOTE

1. Construction to work as shown unless otherwise indicated.
2. Material specifications to be taken in accordance with the Australian Standards and other relevant standards.
3. Dimensions shown in millimeters unless otherwise stated.

The drawings are the property of Project Services Pty Ltd and shall remain the property of Project Services Pty Ltd. All rights reserved. No part of this drawing may be reproduced or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or by any information storage and retrieval system, without the prior written permission of Project Services Pty Ltd. Ref: 10/000/01/001

NO.	REVISION	DATE	BY	CHKD.
1	ISSUED FOR PERMIT	20/07/10		
2	ISSUED FOR CONSTRUCTION	20/07/10		
3	ISSUED FOR CONSTRUCTION	20/07/10		



ARCHITECTURE
Project Services Pty Ltd
10/000/01/001/001
10/000/01/001/001
10/000/01/001/001

**COOGEE BAY VILLAGE
PTY LTD**

**LINDFIELD RETAIL &
RESIDENTIAL DEVELOPMENT**

LEVEL 7 PLAN

DATE	1:200 @ A1, 1:400 @ A3
DATE	7/10/2010
DATE	VD
DATE	AM
DATE	PI9A.1



A DA 12 B