
APPENDIX B

Contour Plots for Category 2 Pollutants




Figure B.1: Predicted 99.9 percentile 1-hour average CCl₄ increment due to the proposed operation




Figure B.2: Predicted 99.9 percentile 1-hour average chlorobenzene increment due to the proposed operation




Figure B.3: Predicted 99.9 percentile 1-hour average mercury increment due to the proposed operation




Figure B.4: Predicted 99.9 percentile 1-hour average benzene increment due to the proposed operation




Figure B.5: Predicted 99.9 percentile 1-hour average PAH increment due to the proposed operation




Figure B.6: Predicted 99.9 percentile 1-hour average chloroform increment due to the proposed operation




Figure B.7: Predicted 99.9 percentile 1-hour average EDC increment due to the proposed operation




Figure B.8: Predicted 99.9 percentile 1-hour average TCE increment due to the proposed operation




Figure B.9: Predicted 99.9 percentile 1-hour average toluene increment due to the proposed operation




Figure B.10: Predicted 99.9 percentile 1-hour average xylene increment due to the proposed operation




Figure B.11: Predicted 99.9 percentile 1-hour average 1,2-DCE increment due to the proposed operation




Figure B.12: Predicted 99.9 percentile 1-hour average 1,1,1-TCA increment due to the proposed operation




Figure B.14: Predicted 99.9 percentile 1-hour average HCl increment due to the proposed operation




Figure B.15: Predicted 99.9 percentile 1-hour average Dioxins and Furans increment due to the proposed operation