




App 6 RSFMP GW Data Summary Draft WaterLevels_AHD

LocCode	Date	Water_Level	Max	Min	Range
RSFMP01	4/02/2019 0:00	260.71			
RSFMP01	15/03/2019 0:00	260.73			
RSFMP01	9/04/2019 0:00	260.79			
RSFMP01	1/05/2019 0:00	260.56			
RSFMP01	5/06/2019 0:00	260.53			
RSFMP01	2/07/2019 0:00	260.50			
RSFMP01	2/08/2019 0:00	260.40			
RSFMP01	14/10/2019 0:00	260.52			
RSFMP01	5/11/2019 0:00	260.44	260.79	260.40	0.270
RSFMP02	4/02/2019 0:00	258.08			
RSFMP02	15/03/2019 0:00	258.08			
RSFMP02	9/04/2019 0:00	258.09			
RSFMP02	1/05/2019 0:00	258.09			
RSFMP02	5/06/2019 0:00	258.09			
RSFMP02	2/07/2019 0:00	258.09			
RSFMP02	2/08/2019 0:00	258.09			
RSFMP02	14/10/2019 0:00	258.08			
RSFMP02	5/11/2019 0:00	258.08	258.09	258.08	-
RSFMP04	4/02/2019 0:00	261.71			
RSFMP04	15/03/2019 0:00	261.68			
RSFMP04	9/04/2019 0:00	261.70			
RSFMP04	1/05/2019 0:00	261.70			
RSFMP04	5/06/2019 0:00	261.70			
RSFMP04	2/07/2019 0:00	261.70			
RSFMP04	2/08/2019 0:00	261.70			
RSFMP04	14/10/2019 0:00	261.71			
RSFMP04	5/11/2019 0:00	261.69	261.71	261.68	0.020



Date	ChemName	Concentration	Output Unit
4/09/2019 15:00	Nitrate (as N)	0.32	mg/L
14/10/2019 15:00	Nitrate (as N)	0.50	mg/L
2/07/2019 15:00	Nitrate (as N)	0.18	mg/L
5/06/2019 15:00	Nitrate (as N)	0.17	mg/L
1/08/2019 15:00	Nitrate (as N)	0.24	mg/L
12/11/2019 15:00	Nitrate (as N)	0.55	mg/L
9/04/2019 16:06	Nitrate (as N)	0.13	mg/L
1/05/2019 15:00	Nitrate (as N)	0.89	mg/L
4/12/2019 15:00	Nitrate (as N)	0.29	mg/L
12/11/2019 15:00	Nitrite (as N)	0.01	mg/L
5/06/2019 15:00	Nitrite (as N)	0.01	mg/L
14/10/2019 15:00	Nitrite (as N)	0.01	mg/L
4/09/2019 15:00	Nitrite (as N)	0.01	mg/L
9/04/2019 16:06	Nitrite (as N)	0.01	mg/L
1/08/2019 15:00	Nitrite (as N)	0.01	mg/L
2/07/2019 15:00	Nitrite (as N)	0.01	mg/L
1/05/2019 15:00	Nitrite (as N)	0.01	mg/L
4/12/2019 15:00	Nitrite (as N)	0.01	mg/L
12/11/2019 15:00	Sulfate as SO4 - Turbidimetric	2,080.00	mg/L
4/09/2019 15:00	Sulfate as SO4 - Turbidimetric	2,140.00	mg/L
2/07/2019 15:00	Sulfate as SO4 - Turbidimetric	1,960.00	mg/L
14/10/2019 15:00	Sulfate as SO4 - Turbidimetric	2,080.00	mg/L
5/06/2019 15:00	Sulfate as SO4 - Turbidimetric	2,160.00	mg/L
1/08/2019 15:00	Sulfate as SO4 - Turbidimetric	2,120.00	mg/L
9/04/2019 16:06	Sulfate as SO4 - Turbidimetric	2,020.00	mg/L
1/05/2019 15:00	Sulfate as SO4 - Turbidimetric	2,000.00	mg/L
4/12/2019 15:00	Sulfate as SO4 - Turbidimetric	1,950.00	mg/L
9/04/2019 16:06	Chloride	12,200.00	mg/L
4/09/2019 15:00	Chloride	12,800.00	mg/L
12/11/2019 15:00	Chloride	11,100.00	mg/L
5/06/2019 15:00	Chloride	12,500.00	mg/L
1/05/2019 15:00	Chloride	11,000.00	mg/L
14/10/2019 15:00	Chloride	11,500.00	mg/L
1/08/2019 15:00	Chloride	13,100.00	mg/L
2/07/2019 15:00	Chloride	10,500.00	mg/L
4/12/2019 15:00	Chloride	11,500.00	mg/L
1/08/2019 15:00	Fluoride	0.20	mg/L
12/11/2019 15:00	Fluoride	0.20	mg/L
4/09/2019 15:00	Fluoride	0.30	mg/L
9/04/2019 16:06	Fluoride	0.20	mg/L
1/05/2019 15:00	Fluoride	0.20	mg/L
14/10/2019 15:00	Fluoride	0.30	mg/L
2/07/2019 15:00	Fluoride	0.30	mg/L
5/06/2019 15:00	Fluoride	0.30	mg/L
4/12/2019 15:00	Fluoride	0.20	mg/L
4/09/2019 15:00	Cyanide Total	0.00	mg/L
5/06/2019 15:00	Cyanide Total	0.00	mg/L
9/04/2019 16:06	Cyanide Total	0.00	mg/L
4/12/2019 15:00	Cyanide Total	0.00	mg/L
2/07/2019 15:00	Cyanide Total	0.00	mg/L
14/10/2019 15:00	Cyanide Total	0.00	mg/L
12/11/2019 15:00	Cyanide Total	0.00	mg/L
1/08/2019 15:00	Cyanide Total	0.00	mg/L
1/05/2019 15:00	Cyanide Total	0.00	mg/L
9/04/2019 16:06	Aluminium	0.10	mg/L
9/04/2019 16:06	Iron	0.10	mg/L
4/12/2019 15:00	Lead	0.01	mg/L
14/10/2019 15:00	Lead	0.01	mg/L
5/06/2019 15:00	Lead	0.01	mg/L
1/08/2019 15:00	Lead	0.01	mg/L
1/05/2019 15:00	Lead	0.01	mg/L
4/09/2019 15:00	Lead	0.01	mg/L
9/04/2019 16:06	Lead	0.01	mg/L
12/11/2019 15:00	Lead	0.01	mg/L
2/07/2019 15:00	Lead	0.01	mg/L
1/05/2019 15:00	Magnesium	1,080.00	mg/L
4/09/2019 15:00	Magnesium	1,110.00	mg/L
2/07/2019 15:00	Magnesium	1,160.00	mg/L
12/11/2019 15:00	Magnesium	1,220.00	mg/L
14/10/2019 15:00	Magnesium	1,220.00	mg/L
1/08/2019 15:00	Magnesium	1,250.00	mg/L
5/06/2019 15:00	Magnesium	1,150.00	mg/L
9/04/2019 16:06	Magnesium	1,150.00	mg/L
4/12/2019 15:00	Magnesium	1,190.00	mg/L
14/10/2019 15:00	Manganese	0.06	mg/L
1/08/2019 15:00	Manganese	0.09	mg/L
2/07/2019 15:00	Manganese	0.25	mg/L
4/12/2019 15:00	Manganese	0.12	mg/L
4/09/2019 15:00	Manganese	0.04	mg/L
5/06/2019 15:00	Manganese	1.15	mg/L
1/05/2019 15:00	Manganese	1.83	mg/L
12/11/2019 15:00	Manganese	0.10	mg/L
4/09/2019 15:00	Mercury	0.00	mg/L
14/10/2019 15:00	Mercury	0.00	mg/L
9/04/2019 16:06	Mercury	0.00	mg/L
4/12/2019 15:00	Mercury	0.00	mg/L
1/05/2019 15:00	Mercury	0.00	mg/L
5/06/2019 15:00	Mercury	0.00	mg/L
12/11/2019 15:00	Mercury	0.00	mg/L
1/08/2019 15:00	Mercury	0.00	mg/L
2/07/2019 15:00	Mercury	0.00	mg/L
5/06/2019 15:00	Nickel	0.04	mg/L
12/11/2019 15:00	Nickel	0.02	mg/L
1/05/2019 15:00	Nickel	0.05	mg/L
14/10/2019 15:00	Nickel	0.01	mg/L
4/09/2019 15:00	Nickel	0.02	mg/L
4/12/2019 15:00	Nickel	0.01	mg/L
1/08/2019 15:00	Nickel	0.01	mg/L
9/04/2019 16:06	Nickel	0.03	mg/L

2/07/2019 15:00	Nickel	0.02	mg/L
1/08/2019 15:00	Potassium	52.00	mg/L
5/06/2019 15:00	Potassium	47.00	mg/L
1/05/2019 15:00	Potassium	47.00	mg/L
12/11/2019 15:00	Potassium	51.00	mg/L
2/07/2019 15:00	Potassium	43.00	mg/L
4/09/2019 15:00	Potassium	44.00	mg/L
14/10/2019 15:00	Potassium	46.00	mg/L
9/04/2019 16:06	Potassium	50.00	mg/L
4/12/2019 15:00	Potassium	50.00	mg/L
1/08/2019 15:00	Sodium	7,240.00	mg/L
1/05/2019 15:00	Sodium	6,420.00	mg/L
14/10/2019 15:00	Sodium	6,910.00	mg/L
2/07/2019 15:00	Sodium	6,660.00	mg/L
4/09/2019 15:00	Sodium	6,530.00	mg/L
9/04/2019 16:06	Sodium	6,780.00	mg/L
12/11/2019 15:00	Sodium	7,250.00	mg/L
5/06/2019 15:00	Sodium	6,840.00	mg/L
4/12/2019 15:00	Sodium	7,040.00	mg/L
1/08/2019 15:00	Arsenic	0.01	mg/L
2/07/2019 15:00	Arsenic	0.01	mg/L
12/11/2019 15:00	Arsenic	0.01	mg/L
5/06/2019 15:00	Arsenic	0.01	mg/L
9/04/2019 16:06	Arsenic	0.01	mg/L
1/05/2019 15:00	Arsenic	0.01	mg/L
4/09/2019 15:00	Arsenic	0.01	mg/L
14/10/2019 15:00	Arsenic	0.01	mg/L
4/12/2019 15:00	Arsenic	0.01	mg/L
1/08/2019 15:00	Barium	0.09	mg/L
14/10/2019 15:00	Barium	0.09	mg/L
1/05/2019 15:00	Barium	0.12	mg/L
5/06/2019 15:00	Barium	0.11	mg/L
4/12/2019 15:00	Barium	0.10	mg/L
2/07/2019 15:00	Barium	0.09	mg/L
12/11/2019 15:00	Barium	0.12	mg/L
4/09/2019 15:00	Barium	0.09	mg/L
5/06/2019 15:00	Beryllium	0.01	mg/L
4/09/2019 15:00	Beryllium	0.01	mg/L
4/12/2019 15:00	Beryllium	0.01	mg/L
2/07/2019 15:00	Beryllium	0.01	mg/L
12/11/2019 15:00	Beryllium	0.01	mg/L
1/08/2019 15:00	Beryllium	0.01	mg/L
14/10/2019 15:00	Beryllium	0.01	mg/L
1/05/2019 15:00	Beryllium	0.01	mg/L
14/10/2019 15:00	Boron	0.49	mg/L
4/12/2019 15:00	Boron	0.68	mg/L
2/07/2019 15:00	Boron	0.63	mg/L
4/09/2019 15:00	Boron	0.70	mg/L
1/05/2019 15:00	Boron	0.65	mg/L
5/06/2019 15:00	Boron	0.52	mg/L
1/08/2019 15:00	Boron	0.40	mg/L
12/11/2019 15:00	Boron	1.01	mg/L
1/05/2019 15:00	Cadmium	0.00	mg/L
14/10/2019 15:00	Cadmium	0.00	mg/L
1/08/2019 15:00	Cadmium	0.00	mg/L
9/04/2019 16:06	Cadmium	0.00	mg/L
5/06/2019 15:00	Cadmium	0.00	mg/L
12/11/2019 15:00	Cadmium	0.00	mg/L
4/12/2019 15:00	Cadmium	0.00	mg/L
4/09/2019 15:00	Cadmium	0.00	mg/L
2/07/2019 15:00	Cadmium	0.00	mg/L
2/07/2019 15:00	Chromium (III+VI)	0.01	mg/L
9/04/2019 16:06	Chromium (III+VI)	0.01	mg/L
14/10/2019 15:00	Chromium (III+VI)	0.01	mg/L
4/12/2019 15:00	Chromium (III+VI)	0.01	mg/L
1/05/2019 15:00	Chromium (III+VI)	0.01	mg/L
5/06/2019 15:00	Chromium (III+VI)	0.02	mg/L
1/08/2019 15:00	Chromium (III+VI)	0.01	mg/L
4/09/2019 15:00	Chromium (III+VI)	0.01	mg/L
12/11/2019 15:00	Chromium (III+VI)	0.01	mg/L
5/06/2019 15:00	Cobalt	0.03	mg/L
14/10/2019 15:00	Cobalt	0.01	mg/L
1/08/2019 15:00	Cobalt	0.01	mg/L
4/12/2019 15:00	Cobalt	0.01	mg/L
4/09/2019 15:00	Cobalt	0.01	mg/L
2/07/2019 15:00	Cobalt	0.01	mg/L
12/11/2019 15:00	Cobalt	0.01	mg/L
1/05/2019 15:00	Cobalt	0.05	mg/L
14/10/2019 15:00	Copper	0.01	mg/L
12/11/2019 15:00	Copper	0.01	mg/L
4/09/2019 15:00	Copper	0.01	mg/L
1/08/2019 15:00	Copper	0.02	mg/L
5/06/2019 15:00	Copper	0.01	mg/L
9/04/2019 16:06	Copper	0.01	mg/L
4/12/2019 15:00	Copper	0.01	mg/L
1/05/2019 15:00	Copper	0.01	mg/L
2/07/2019 15:00	Copper	0.01	mg/L
2/07/2019 15:00	Vanadium	0.10	mg/L
1/05/2019 15:00	Vanadium	0.10	mg/L
5/06/2019 15:00	Vanadium	0.10	mg/L
4/09/2019 15:00	Vanadium	0.10	mg/L
1/08/2019 15:00	Vanadium	0.10	mg/L
14/10/2019 15:00	Vanadium	0.10	mg/L
4/12/2019 15:00	Vanadium	0.10	mg/L
12/11/2019 15:00	Vanadium	0.10	mg/L
1/05/2019 15:00	Zinc	0.05	mg/L
5/06/2019 15:00	Zinc	0.05	mg/L
2/07/2019 15:00	Zinc	0.05	mg/L
9/04/2019 16:06	Zinc	0.05	mg/L
12/11/2019 15:00	Zinc	0.05	mg/L

14/10/2019 15:00	Zinc	0.05	mg/L
4/12/2019 15:00	Zinc	0.05	mg/L
1/08/2019 15:00	Zinc	0.05	mg/L
4/09/2019 15:00	Zinc	0.05	mg/L
1/08/2019 15:00	Calcium	256.00	mg/L
2/07/2019 15:00	Calcium	229.00	mg/L
14/10/2019 15:00	Calcium	226.00	mg/L
12/11/2019 15:00	Calcium	246.00	mg/L
1/05/2019 15:00	Calcium	225.00	mg/L
4/09/2019 15:00	Calcium	231.00	mg/L
9/04/2019 16:06	Calcium	264.00	mg/L
5/06/2019 15:00	Calcium	227.00	mg/L
4/12/2019 15:00	Calcium	233.00	mg/L
14/10/2019 15:00	Ammonia as N	0.17	mg/L
4/09/2019 15:00	Ammonia as N	0.22	mg/L
9/04/2019 16:06	Ammonia as N	0.24	mg/L
5/06/2019 15:00	Ammonia as N	0.30	mg/L
1/08/2019 15:00	Ammonia as N	0.22	mg/L
1/05/2019 15:00	Ammonia as N	0.23	mg/L
2/07/2019 15:00	Ammonia as N	0.21	mg/L
12/11/2019 15:00	Ammonia as N	0.25	mg/L
4/12/2019 15:00	Ammonia as N	0.18	mg/L
1/05/2019 15:00	Phosphorus	760.00	µg/L
12/11/2019 15:00	Phosphorus	150.00	µg/L
14/10/2019 15:00	Phosphorus	50.00	µg/L
2/07/2019 15:00	Phosphorus	50.00	µg/L
1/08/2019 15:00	Phosphorus	50.00	µg/L
4/09/2019 15:00	Phosphorus	90.00	µg/L
5/06/2019 15:00	Phosphorus	60.00	µg/L
4/12/2019 15:00	Phosphorus	80.00	µg/L
2/07/2019 15:00	Reactive Phosphorus as P	0.01	mg/L
12/11/2019 15:00	Reactive Phosphorus as P	0.01	mg/L
14/10/2019 15:00	Reactive Phosphorus as P	0.01	mg/L
1/08/2019 15:00	Reactive Phosphorus as P	0.01	mg/L
1/05/2019 15:00	Reactive Phosphorus as P	0.01	mg/L
4/09/2019 15:00	Reactive Phosphorus as P	0.01	mg/L
9/04/2019 16:06	Reactive Phosphorus as P	0.01	mg/L
5/06/2019 15:00	Reactive Phosphorus as P	0.01	mg/L
4/12/2019 15:00	Reactive Phosphorus as P	0.01	mg/L
14/10/2019 15:00	Nitrogen (Total)	0.50	mg/L
12/11/2019 15:00	Nitrogen (Total)	1.00	mg/L
2/07/2019 15:00	Nitrogen (Total)	1.20	mg/L
5/06/2019 15:00	Nitrogen (Total)	0.80	mg/L
1/08/2019 15:00	Nitrogen (Total)	0.50	mg/L
1/05/2019 15:00	Nitrogen (Total)	1.90	mg/L
4/09/2019 15:00	Nitrogen (Total)	1.70	mg/L
4/12/2019 15:00	Nitrogen (Total)	0.50	mg/L
1/08/2019 15:00	Selenium	0.10	mg/L
1/05/2019 15:00	Selenium	0.10	mg/L
5/06/2019 15:00	Selenium	0.10	mg/L
14/10/2019 15:00	Selenium	0.10	mg/L
12/11/2019 15:00	Selenium	0.10	mg/L
4/12/2019 15:00	Selenium	0.10	mg/L
4/09/2019 15:00	Selenium	0.10	mg/L
2/07/2019 15:00	Selenium	0.10	mg/L
9/04/2019 16:06	Selenium	0.10	mg/L
12/11/2019 15:00	Alkalinity (Bicarbonate as CaCO3)	304.00	mg/L
5/06/2019 15:00	Alkalinity (Bicarbonate as CaCO3)	303.00	mg/L
1/08/2019 15:00	Alkalinity (Bicarbonate as CaCO3)	231.00	mg/L
14/10/2019 15:00	Alkalinity (Bicarbonate as CaCO3)	262.00	mg/L
2/07/2019 15:00	Alkalinity (Bicarbonate as CaCO3)	237.00	mg/L
4/12/2019 15:00	Alkalinity (Bicarbonate as CaCO3)	269.00	mg/L
1/05/2019 15:00	Alkalinity (Bicarbonate as CaCO3)	258.00	mg/L
9/04/2019 16:06	Alkalinity (Bicarbonate as CaCO3)	304.00	mg/L
4/09/2019 15:00	Alkalinity (Bicarbonate as CaCO3)	248.00	mg/L
5/06/2019 15:00	Alkalinity (total) as CaCO3	303.00	mg/L
2/07/2019 15:00	Alkalinity (total) as CaCO3	237.00	mg/L
1/05/2019 15:00	Alkalinity (total) as CaCO3	258.00	mg/L
4/12/2019 15:00	Alkalinity (total) as CaCO3	269.00	mg/L
4/09/2019 15:00	Alkalinity (total) as CaCO3	248.00	mg/L
14/10/2019 15:00	Alkalinity (total) as CaCO3	262.00	mg/L
1/08/2019 15:00	Alkalinity (total) as CaCO3	231.00	mg/L
12/11/2019 15:00	Alkalinity (total) as CaCO3	304.00	mg/L
9/04/2019 16:06	Alkalinity (total) as CaCO3	304.00	mg/L
4/12/2019 15:00	Alkalinity (Carbonate as CaCO3)	1.00	mg/L
14/10/2019 15:00	Alkalinity (Carbonate as CaCO3)	1.00	mg/L
1/05/2019 15:00	Alkalinity (Carbonate as CaCO3)	1.00	mg/L
4/09/2019 15:00	Alkalinity (Carbonate as CaCO3)	1.00	mg/L
5/06/2019 15:00	Alkalinity (Carbonate as CaCO3)	1.00	mg/L
2/07/2019 15:00	Alkalinity (Carbonate as CaCO3)	1.00	mg/L
9/04/2019 16:06	Alkalinity (Carbonate as CaCO3)	1.00	mg/L
1/08/2019 15:00	Alkalinity (Carbonate as CaCO3)	1.00	mg/L
12/11/2019 15:00	Alkalinity (Carbonate as CaCO3)	1.00	mg/L
14/10/2019 15:00	Alkalinity (Hydroxide) as CaCO3	1.00	mg/L
2/07/2019 15:00	Alkalinity (Hydroxide) as CaCO3	1.00	mg/L
4/09/2019 15:00	Alkalinity (Hydroxide) as CaCO3	1.00	mg/L
1/08/2019 15:00	Alkalinity (Hydroxide) as CaCO3	1.00	mg/L
5/06/2019 15:00	Alkalinity (Hydroxide) as CaCO3	1.00	mg/L
4/12/2019 15:00	Alkalinity (Hydroxide) as CaCO3	1.00	mg/L
1/05/2019 15:00	Alkalinity (Hydroxide) as CaCO3	1.00	mg/L
12/11/2019 15:00	Alkalinity (Hydroxide) as CaCO3	1.00	mg/L
9/04/2019 16:06	Alkalinity (Hydroxide) as CaCO3	1.00	mg/L
2/07/2019 0:00	EC (field)	33,400.00	µS/cm
4/09/2019 0:00	EC (field)	24,310.00	µS/cm
5/06/2019 0:00	EC (field)	33,200.00	µS/cm
2/08/2019 0:00	EC (field)	32,500.00	µS/cm
1/05/2019 0:00	EC (field)	33,400.00	µS/cm
1/05/2019 15:00	Electrical conductivity *(lab)	29,100.00	µS/cm
14/10/2019 15:00	Electrical conductivity *(lab)	37,200.00	µS/cm
12/11/2019 15:00	Electrical conductivity *(lab)	36,900.00	µS/cm

1/08/2019 15:00	Electrical conductivity *(lab)	38,900.00	µS/cm
2/07/2019 15:00	Electrical conductivity *(lab)	37,200.00	µS/cm
4/09/2019 15:00	Electrical conductivity *(lab)	36,700.00	µS/cm
5/06/2019 15:00	Electrical conductivity *(lab)	37,800.00	µS/cm
9/04/2019 16:06	Electrical conductivity *(lab)	36,000.00	µS/cm
4/12/2019 15:00	Electrical conductivity *(lab)	38,400.00	µS/cm
5/06/2019 15:00	Cyanide (Free)	0.00	mg/L
1/05/2019 15:00	Cyanide (Free)	0.00	mg/L
1/08/2019 15:00	Cyanide (Free)	0.00	mg/L
4/09/2019 15:00	Cyanide (Free)	0.00	mg/L
2/07/2019 15:00	Cyanide (Free)	0.00	mg/L
9/04/2019 16:06	Cyanide (Free)	0.00	mg/L
4/12/2019 15:00	Cyanide (Free)	0.00	mg/L
14/10/2019 15:00	Cyanide (Free)	0.00	mg/L
12/11/2019 15:00	Cyanide (Free)	0.00	mg/L
12/11/2019 15:00	Hardness as CaCO3	5,640.00	mg/L
1/05/2019 15:00	Hardness as CaCO3	5,010.00	mg/L
2/07/2019 15:00	Hardness as CaCO3	5,350.00	mg/L
9/04/2019 16:06	Hardness as CaCO3	5,390.00	mg/L
4/09/2019 15:00	Hardness as CaCO3	5,150.00	mg/L
1/08/2019 15:00	Hardness as CaCO3	5,790.00	mg/L
14/10/2019 15:00	Hardness as CaCO3	5,590.00	mg/L
5/06/2019 15:00	Hardness as CaCO3	5,300.00	mg/L
4/12/2019 15:00	Hardness as CaCO3	5,480.00	mg/L
12/11/2019 15:00	Ionic Balance	8.44	%
9/04/2019 16:06	Ionic Balance	1.47	%
14/10/2019 15:00	Ionic Balance	5.15	%
4/09/2019 15:00	Ionic Balance	2.82	%
1/05/2019 15:00	Ionic Balance	3.18	%
2/07/2019 15:00	Ionic Balance	7.57	%
1/08/2019 15:00	Ionic Balance	1.60	%
5/06/2019 15:00	Ionic Balance	0.13	%
4/12/2019 15:00	Ionic Balance	5.93	%
2/07/2019 15:00	Nitrite + Nitrate as N	0.18	mg/L
4/09/2019 15:00	Nitrite + Nitrate as N	0.32	mg/L
14/10/2019 15:00	Nitrite + Nitrate as N	0.50	mg/L
1/05/2019 15:00	Nitrite + Nitrate as N	0.89	mg/L
1/08/2019 15:00	Nitrite + Nitrate as N	0.24	mg/L
12/11/2019 15:00	Nitrite + Nitrate as N	0.55	mg/L
9/04/2019 16:06	Nitrite + Nitrate as N	0.13	mg/L
5/06/2019 15:00	Nitrite + Nitrate as N	0.17	mg/L
4/12/2019 15:00	Nitrite + Nitrate as N	0.29	mg/L
4/09/2019 0:00	pH (Field)	6.64	pH Units
2/08/2019 0:00	pH (Field)	6.73	pH Units
2/07/2019 0:00	pH (Field)	6.56	pH Units
9/04/2019 0:00	pH (Field)	6.95	pH Units
1/05/2019 0:00	pH (Field)	6.22	pH Units
5/06/2019 0:00	pH (Field)	6.40	pH Units
5/11/2019 0:00	pH (Field)	5.98	pH Units
14/10/2019 15:00	pH (Lab)	7.25	pH Units
4/09/2019 15:00	pH (Lab)	7.22	pH Units
4/12/2019 15:00	pH (Lab)	7.21	pH Units
12/11/2019 15:00	pH (Lab)	7.19	pH Units
5/06/2019 15:00	pH (Lab)	7.07	pH Units
9/04/2019 16:06	pH (Lab)	7.19	pH Units
1/08/2019 15:00	pH (Lab)	7.46	pH Units
1/05/2019 15:00	pH (Lab)	6.81	pH Units
2/07/2019 15:00	pH (Lab)	7.30	pH Units
1/05/2019 15:00	Sodium Absorption Ratio	39.50	-
4/09/2019 15:00	Sodium Absorption Ratio	39.60	-
14/10/2019 15:00	Sodium Absorption Ratio	40.20	-
12/11/2019 15:00	Sodium Absorption Ratio	42.00	-
5/06/2019 15:00	Sodium Absorption Ratio	40.90	-
2/07/2019 15:00	Sodium Absorption Ratio	39.60	-
1/08/2019 15:00	Sodium Absorption Ratio	41.40	-
4/12/2019 15:00	Sodium Absorption Ratio	41.40	-
2/07/2019 15:00	TDS	24,400.00	mg/L
5/06/2019 15:00	TDS	28,500.00	mg/L
4/09/2019 15:00	TDS	25,700.00	mg/L
1/05/2019 15:00	TDS	25,100.00	mg/L
12/11/2019 15:00	TDS	26,000.00	mg/L
14/10/2019 15:00	TDS	24,000.00	mg/L
1/08/2019 15:00	TDS	28,600.00	mg/L
4/12/2019 15:00	TDS	31,400.00	mg/L
4/09/2019 0:00	Temp (Field)	23.20	oC
2/07/2019 0:00	Temp (Field)	6.56	oC
5/06/2019 0:00	Temp (Field)	20.20	oC
2/08/2019 0:00	Temp (Field)	19.80	oC
1/05/2019 0:00	Temp (Field)	21.90	oC
9/04/2019 0:00	Temp (Field)	25.00	oC
5/06/2019 15:00	Kjeldahl Nitrogen Total	0.60	mg/L
2/07/2019 15:00	Kjeldahl Nitrogen Total	1.00	mg/L
14/10/2019 15:00	Kjeldahl Nitrogen Total	0.50	mg/L
4/09/2019 15:00	Kjeldahl Nitrogen Total	1.40	mg/L
1/08/2019 15:00	Kjeldahl Nitrogen Total	0.50	mg/L
12/11/2019 15:00	Kjeldahl Nitrogen Total	1.00	mg/L
1/05/2019 15:00	Kjeldahl Nitrogen Total	1.00	mg/L
4/12/2019 15:00	Kjeldahl Nitrogen Total	0.50	mg/L
1/08/2019 15:00	Anions Total	418.00	meq/L
9/04/2019 16:06	Anions Total	392.00	meq/L
1/05/2019 15:00	Anions Total	357.00	meq/L
2/07/2019 15:00	Anions Total	342.00	meq/L
4/09/2019 15:00	Anions Total	410.00	meq/L
12/11/2019 15:00	Anions Total	362.00	meq/L
14/10/2019 15:00	Anions Total	373.00	meq/L
5/06/2019 15:00	Anions Total	404.00	meq/L
4/12/2019 15:00	Anions Total	370.00	meq/L
14/10/2019 15:00	Cations Total	413.00	meq/L
9/04/2019 16:06	Cations Total	404.00	meq/L
5/06/2019 15:00	Cations Total	405.00	meq/L

4/09/2019 15:00	Cations Total	388.00	meq/L
1/08/2019 15:00	Cations Total	432.00	meq/L
1/05/2019 15:00	Cations Total	380.00	meq/L
12/11/2019 15:00	Cations Total	429.00	meq/L
2/07/2019 15:00	Cations Total	398.00	meq/L
4/12/2019 15:00	Cations Total	417.00	meq/L
2/07/2019 15:00	TSS	65.00	mg/L
12/11/2019 15:00	TSS	91.00	mg/L
14/10/2019 15:00	TSS	178.00	mg/L
1/05/2019 15:00	TSS	128.00	mg/L
4/09/2019 15:00	TSS	31.00	mg/L
4/12/2019 15:00	TSS	55.00	mg/L
5/06/2019 15:00	TSS	70.00	mg/L
9/04/2019 16:06	TSS	31.00	mg/L
1/08/2019 15:00	TSS	62.00	mg/L
12/11/2019 15:00	Cyanide (WAD)	0.00	mg/L
14/10/2019 15:00	Cyanide (WAD)	0.00	mg/L
1/05/2019 15:00	Cyanide (WAD)	0.00	mg/L
4/09/2019 15:00	Cyanide (WAD)	0.00	mg/L
2/07/2019 15:00	Cyanide (WAD)	0.00	mg/L
9/04/2019 16:06	Cyanide (WAD)	0.00	mg/L
5/06/2019 15:00	Cyanide (WAD)	0.00	mg/L
1/08/2019 15:00	Cyanide (WAD)	0.00	mg/L
4/12/2019 15:00	Cyanide (WAD)	0.00	mg/L
9/04/2019 16:06	Total Dissolved Solids (Calc.)	23,400.00	mg/L
1/08/2019 15:00	Total Dissolved Solids (Calc.)	25,300.00	mg/L
5/06/2019 15:00	Total Dissolved Solids (Calc.)	24,600.00	mg/L
4/09/2019 15:00	Total Dissolved Solids (Calc.)	23,800.00	mg/L
1/05/2019 15:00	Total Dissolved Solids (Calc.)	18,900.00	mg/L
14/10/2019 15:00	Total Dissolved Solids (Calc.)	24,200.00	mg/L
2/07/2019 15:00	Total Dissolved Solids (Calc.)	24,200.00	mg/L
12/11/2019 15:00	Total Dissolved Solids (Calc.)	24,000.00	mg/L
4/12/2019 15:00	Total Dissolved Solids (Calc.)	25,000.00	mg/L

Date	ChemName	Concentration	Output Unit
4/09/2019 15:00	Nitrate (as N)	27.10	mg/L
5/06/2019 15:00	Nitrate (as N)	28.80	mg/L
14/10/2019 15:00	Nitrate (as N)	25.60	mg/L
9/04/2019 16:06	Nitrate (as N)	28.70	mg/L
1/08/2019 15:00	Nitrate (as N)	27.70	mg/L
4/12/2019 15:00	Nitrate (as N)	24.40	mg/L
2/07/2019 15:00	Nitrate (as N)	26.00	mg/L
12/11/2019 15:00	Nitrate (as N)	25.60	mg/L
12/11/2019 15:00	Nitrite (as N)	0.01	mg/L
9/04/2019 16:06	Nitrite (as N)	0.07	mg/L
4/09/2019 15:00	Nitrite (as N)	0.02	mg/L
5/06/2019 15:00	Nitrite (as N)	0.03	mg/L
2/07/2019 15:00	Nitrite (as N)	0.01	mg/L
1/08/2019 15:00	Nitrite (as N)	0.01	mg/L
14/10/2019 15:00	Nitrite (as N)	0.02	mg/L
4/12/2019 15:00	Nitrite (as N)	0.01	mg/L
14/10/2019 15:00	Sulfate as SO4 - Turbidimetric	1,560.00	mg/L
4/09/2019 15:00	Sulfate as SO4 - Turbidimetric	1,650.00	mg/L
5/06/2019 15:00	Sulfate as SO4 - Turbidimetric	1,310.00	mg/L
2/07/2019 15:00	Sulfate as SO4 - Turbidimetric	2,620.00	mg/L
12/11/2019 15:00	Sulfate as SO4 - Turbidimetric	1,650.00	mg/L
9/04/2019 16:06	Sulfate as SO4 - Turbidimetric	928.00	mg/L
4/12/2019 15:00	Sulfate as SO4 - Turbidimetric	1,470.00	mg/L
1/08/2019 15:00	Sulfate as SO4 - Turbidimetric	1,540.00	mg/L
12/11/2019 15:00	Chloride	7,840.00	mg/L
9/04/2019 16:06	Chloride	7,550.00	mg/L
14/10/2019 15:00	Chloride	8,150.00	mg/L
4/09/2019 15:00	Chloride	8,600.00	mg/L
5/06/2019 15:00	Chloride	8,030.00	mg/L
2/07/2019 15:00	Chloride	7,080.00	mg/L
4/12/2019 15:00	Chloride	8,110.00	mg/L
1/08/2019 15:00	Chloride	8,970.00	mg/L
4/12/2019 15:00	Fluoride	0.30	mg/L
4/09/2019 15:00	Fluoride	0.40	mg/L
5/06/2019 15:00	Fluoride	0.60	mg/L
12/11/2019 15:00	Fluoride	0.30	mg/L
1/08/2019 15:00	Fluoride	0.30	mg/L
9/04/2019 16:06	Fluoride	0.40	mg/L
2/07/2019 15:00	Fluoride	0.40	mg/L
14/10/2019 15:00	Fluoride	0.40	mg/L
4/09/2019 15:00	Cyanide Total	0.00	mg/L
5/06/2019 15:00	Cyanide Total	0.00	mg/L
2/07/2019 15:00	Cyanide Total	0.01	mg/L
4/12/2019 15:00	Cyanide Total	0.01	mg/L
14/10/2019 15:00	Cyanide Total	0.00	mg/L
9/04/2019 16:06	Cyanide Total	0.00	mg/L
1/08/2019 15:00	Cyanide Total	0.00	mg/L
1/05/2019 15:00	Cyanide Total	0.01	mg/L
12/11/2019 15:00	Cyanide Total	0.01	mg/L
9/04/2019 16:06	Aluminium	2.56	mg/L
9/04/2019 16:06	Iron	2.23	mg/L
4/09/2019 15:00	Lead	0.00	mg/L
4/12/2019 15:00	Lead	0.00	mg/L
12/11/2019 15:00	Lead	0.01	mg/L
1/08/2019 15:00	Lead	0.00	mg/L
2/07/2019 15:00	Lead	0.01	mg/L
14/10/2019 15:00	Lead	0.00	mg/L
9/04/2019 16:06	Lead	0.09	mg/L
5/06/2019 15:00	Lead	0.00	mg/L
9/04/2019 16:06	Magnesium	487.00	mg/L
2/07/2019 15:00	Magnesium	592.00	mg/L
1/08/2019 15:00	Magnesium	599.00	mg/L
4/12/2019 15:00	Magnesium	635.00	mg/L
5/06/2019 15:00	Magnesium	552.00	mg/L
4/09/2019 15:00	Magnesium	575.00	mg/L
12/11/2019 15:00	Magnesium	629.00	mg/L
14/10/2019 15:00	Magnesium	616.00	mg/L
4/09/2019 15:00	Manganese	0.14	mg/L
5/06/2019 15:00	Manganese	0.16	mg/L
2/07/2019 15:00	Manganese	0.11	mg/L
4/12/2019 15:00	Manganese	0.14	mg/L
1/08/2019 15:00	Manganese	0.15	mg/L
14/10/2019 15:00	Manganese	0.17	mg/L
12/11/2019 15:00	Manganese	0.15	mg/L
14/10/2019 15:00	Mercury	0.00	mg/L
5/06/2019 15:00	Mercury	0.00	mg/L
9/04/2019 16:06	Mercury	0.00	mg/L
1/08/2019 15:00	Mercury	0.00	mg/L
12/11/2019 15:00	Mercury	0.00	mg/L
4/12/2019 15:00	Mercury	0.00	mg/L
2/07/2019 15:00	Mercury	0.00	mg/L
4/09/2019 15:00	Mercury	0.00	mg/L
14/10/2019 15:00	Nickel	0.01	mg/L
9/04/2019 16:06	Nickel	0.01	mg/L
1/08/2019 15:00	Nickel	0.01	mg/L
2/07/2019 15:00	Nickel	0.01	mg/L
5/06/2019 15:00	Nickel	0.01	mg/L
4/09/2019 15:00	Nickel	0.00	mg/L
12/11/2019 15:00	Nickel	0.01	mg/L
4/12/2019 15:00	Nickel	0.01	mg/L
12/11/2019 15:00	Potassium	14.00	mg/L
5/06/2019 15:00	Potassium	18.00	mg/L
1/08/2019 15:00	Potassium	15.00	mg/L
2/07/2019 15:00	Potassium	15.00	mg/L
4/12/2019 15:00	Potassium	15.00	mg/L
9/04/2019 16:06	Potassium	17.00	mg/L
14/10/2019 15:00	Potassium	14.00	mg/L
4/09/2019 15:00	Potassium	12.00	mg/L
5/06/2019 15:00	Sodium	4,310.00	mg/L

14/10/2019 15:00	Sodium	4,760.00	mg/L
4/12/2019 15:00	Sodium	5,060.00	mg/L
4/09/2019 15:00	Sodium	4,640.00	mg/L
9/04/2019 16:06	Sodium	4,010.00	mg/L
2/07/2019 15:00	Sodium	4,490.00	mg/L
1/08/2019 15:00	Sodium	4,710.00	mg/L
12/11/2019 15:00	Sodium	4,940.00	mg/L
5/06/2019 15:00	Arsenic	0.01	mg/L
4/09/2019 15:00	Arsenic	0.01	mg/L
14/10/2019 15:00	Arsenic	0.01	mg/L
4/12/2019 15:00	Arsenic	0.01	mg/L
1/08/2019 15:00	Arsenic	0.01	mg/L
9/04/2019 16:06	Arsenic	0.02	mg/L
2/07/2019 15:00	Arsenic	0.01	mg/L
12/11/2019 15:00	Arsenic	0.01	mg/L
4/12/2019 15:00	Barium	0.17	mg/L
12/11/2019 15:00	Barium	0.19	mg/L
1/08/2019 15:00	Barium	0.22	mg/L
2/07/2019 15:00	Barium	0.22	mg/L
14/10/2019 15:00	Barium	0.19	mg/L
5/06/2019 15:00	Barium	0.26	mg/L
4/09/2019 15:00	Barium	0.19	mg/L
2/07/2019 15:00	Beryllium	0.01	mg/L
1/08/2019 15:00	Beryllium	0.00	mg/L
4/12/2019 15:00	Beryllium	0.00	mg/L
14/10/2019 15:00	Beryllium	0.00	mg/L
5/06/2019 15:00	Beryllium	0.00	mg/L
12/11/2019 15:00	Beryllium	0.01	mg/L
4/09/2019 15:00	Beryllium	0.00	mg/L
4/12/2019 15:00	Boron	0.62	mg/L
4/09/2019 15:00	Boron	0.51	mg/L
2/07/2019 15:00	Boron	0.64	mg/L
14/10/2019 15:00	Boron	0.52	mg/L
12/11/2019 15:00	Boron	0.62	mg/L
1/08/2019 15:00	Boron	0.58	mg/L
5/06/2019 15:00	Boron	0.58	mg/L
14/10/2019 15:00	Cadmium	0.00	mg/L
12/11/2019 15:00	Cadmium	0.00	mg/L
2/07/2019 15:00	Cadmium	0.00	mg/L
4/09/2019 15:00	Cadmium	0.00	mg/L
9/04/2019 16:06	Cadmium	0.00	mg/L
1/08/2019 15:00	Cadmium	0.00	mg/L
5/06/2019 15:00	Cadmium	0.00	mg/L
4/12/2019 15:00	Cadmium	0.00	mg/L
1/08/2019 15:00	Chromium (III+VI)	0.00	mg/L
5/06/2019 15:00	Chromium (III+VI)	0.00	mg/L
9/04/2019 16:06	Chromium (III+VI)	0.00	mg/L
12/11/2019 15:00	Chromium (III+VI)	0.01	mg/L
14/10/2019 15:00	Chromium (III+VI)	0.00	mg/L
4/09/2019 15:00	Chromium (III+VI)	0.00	mg/L
4/12/2019 15:00	Chromium (III+VI)	0.00	mg/L
2/07/2019 15:00	Chromium (III+VI)	0.01	mg/L
12/11/2019 15:00	Cobalt	0.02	mg/L
1/08/2019 15:00	Cobalt	0.02	mg/L
5/06/2019 15:00	Cobalt	0.01	mg/L
2/07/2019 15:00	Cobalt	0.01	mg/L
4/12/2019 15:00	Cobalt	0.02	mg/L
14/10/2019 15:00	Cobalt	0.02	mg/L
4/09/2019 15:00	Cobalt	0.02	mg/L
12/11/2019 15:00	Copper	0.01	mg/L
5/06/2019 15:00	Copper	0.00	mg/L
4/09/2019 15:00	Copper	0.01	mg/L
9/04/2019 16:06	Copper	0.01	mg/L
1/08/2019 15:00	Copper	0.01	mg/L
2/07/2019 15:00	Copper	0.01	mg/L
4/12/2019 15:00	Copper	0.01	mg/L
14/10/2019 15:00	Copper	0.00	mg/L
4/09/2019 15:00	Vanadium	0.01	mg/L
1/08/2019 15:00	Vanadium	0.01	mg/L
12/11/2019 15:00	Vanadium	0.10	mg/L
5/06/2019 15:00	Vanadium	0.01	mg/L
2/07/2019 15:00	Vanadium	0.10	mg/L
14/10/2019 15:00	Vanadium	0.01	mg/L
4/12/2019 15:00	Vanadium	0.01	mg/L
12/11/2019 15:00	Zinc	0.05	mg/L
14/10/2019 15:00	Zinc	0.01	mg/L
9/04/2019 16:06	Zinc	0.02	mg/L
5/06/2019 15:00	Zinc	0.02	mg/L
1/08/2019 15:00	Zinc	0.02	mg/L
4/09/2019 15:00	Zinc	0.02	mg/L
2/07/2019 15:00	Zinc	0.05	mg/L
4/12/2019 15:00	Zinc	0.02	mg/L
1/08/2019 15:00	Calcium	220.00	mg/L
2/07/2019 15:00	Calcium	204.00	mg/L
9/04/2019 16:06	Calcium	212.00	mg/L
4/09/2019 15:00	Calcium	186.00	mg/L
5/06/2019 15:00	Calcium	232.00	mg/L
12/11/2019 15:00	Calcium	196.00	mg/L
14/10/2019 15:00	Calcium	198.00	mg/L
4/12/2019 15:00	Calcium	210.00	mg/L
2/07/2019 15:00	Ammonia as N	0.03	mg/L
9/04/2019 16:06	Ammonia as N	0.09	mg/L
5/06/2019 15:00	Ammonia as N	0.08	mg/L
1/08/2019 15:00	Ammonia as N	0.04	mg/L
12/11/2019 15:00	Ammonia as N	0.07	mg/L
4/12/2019 15:00	Ammonia as N	0.05	mg/L
4/09/2019 15:00	Ammonia as N	0.05	mg/L
14/10/2019 15:00	Ammonia as N	0.03	mg/L
1/08/2019 15:00	Phosphorus	510.00	µg/L
4/12/2019 15:00	Phosphorus	350.00	µg/L

5/06/2019 15:00	Phosphorus	350.00	µg/L
2/07/2019 15:00	Phosphorus	640.00	µg/L
12/11/2019 15:00	Phosphorus	470.00	µg/L
14/10/2019 15:00	Phosphorus	230.00	µg/L
4/09/2019 15:00	Phosphorus	260.00	µg/L
12/11/2019 15:00	Reactive Phosphorus as P	0.01	mg/L
5/06/2019 15:00	Reactive Phosphorus as P	0.01	mg/L
14/10/2019 15:00	Reactive Phosphorus as P	0.01	mg/L
4/09/2019 15:00	Reactive Phosphorus as P	0.01	mg/L
4/12/2019 15:00	Reactive Phosphorus as P	0.01	mg/L
2/07/2019 15:00	Reactive Phosphorus as P	0.01	mg/L
9/04/2019 16:06	Reactive Phosphorus as P	0.01	mg/L
1/08/2019 15:00	Reactive Phosphorus as P	0.01	mg/L
1/08/2019 15:00	Nitrogen (Total)	28.90	mg/L
2/07/2019 15:00	Nitrogen (Total)	28.70	mg/L
14/10/2019 15:00	Nitrogen (Total)	29.30	mg/L
4/12/2019 15:00	Nitrogen (Total)	26.30	mg/L
4/09/2019 15:00	Nitrogen (Total)	31.00	mg/L
5/06/2019 15:00	Nitrogen (Total)	29.80	mg/L
12/11/2019 15:00	Nitrogen (Total)	28.70	mg/L
2/07/2019 15:00	Selenium	0.10	mg/L
9/04/2019 16:06	Selenium	0.04	mg/L
14/10/2019 15:00	Selenium	0.03	mg/L
4/12/2019 15:00	Selenium	0.03	mg/L
5/06/2019 15:00	Selenium	0.04	mg/L
4/09/2019 15:00	Selenium	0.03	mg/L
1/08/2019 15:00	Selenium	0.03	mg/L
12/11/2019 15:00	Selenium	0.10	mg/L
14/10/2019 15:00	Alkalinity (Bicarbonate as CaCO3)	168.00	mg/L
1/08/2019 15:00	Alkalinity (Bicarbonate as CaCO3)	147.00	mg/L
9/04/2019 16:06	Alkalinity (Bicarbonate as CaCO3)	172.00	mg/L
4/09/2019 15:00	Alkalinity (Bicarbonate as CaCO3)	148.00	mg/L
2/07/2019 15:00	Alkalinity (Bicarbonate as CaCO3)	152.00	mg/L
4/12/2019 15:00	Alkalinity (Bicarbonate as CaCO3)	162.00	mg/L
5/06/2019 15:00	Alkalinity (Bicarbonate as CaCO3)	214.00	mg/L
12/11/2019 15:00	Alkalinity (Bicarbonate as CaCO3)	180.00	mg/L
14/10/2019 15:00	Alkalinity (total) as CaCO3	168.00	mg/L
9/04/2019 16:06	Alkalinity (total) as CaCO3	172.00	mg/L
4/12/2019 15:00	Alkalinity (total) as CaCO3	162.00	mg/L
1/08/2019 15:00	Alkalinity (total) as CaCO3	147.00	mg/L
12/11/2019 15:00	Alkalinity (total) as CaCO3	180.00	mg/L
4/09/2019 15:00	Alkalinity (total) as CaCO3	148.00	mg/L
5/06/2019 15:00	Alkalinity (total) as CaCO3	214.00	mg/L
2/07/2019 15:00	Alkalinity (total) as CaCO3	152.00	mg/L
4/12/2019 15:00	Alkalinity (Carbonate as CaCO3)	1.00	mg/L
14/10/2019 15:00	Alkalinity (Carbonate as CaCO3)	1.00	mg/L
2/07/2019 15:00	Alkalinity (Carbonate as CaCO3)	1.00	mg/L
4/09/2019 15:00	Alkalinity (Carbonate as CaCO3)	1.00	mg/L
1/08/2019 15:00	Alkalinity (Carbonate as CaCO3)	1.00	mg/L
9/04/2019 16:06	Alkalinity (Carbonate as CaCO3)	1.00	mg/L
12/11/2019 15:00	Alkalinity (Carbonate as CaCO3)	1.00	mg/L
5/06/2019 15:00	Alkalinity (Carbonate as CaCO3)	1.00	mg/L
4/12/2019 15:00	Alkalinity (Hydroxide) as CaCO3	1.00	mg/L
1/08/2019 15:00	Alkalinity (Hydroxide) as CaCO3	1.00	mg/L
4/09/2019 15:00	Alkalinity (Hydroxide) as CaCO3	1.00	mg/L
12/11/2019 15:00	Alkalinity (Hydroxide) as CaCO3	1.00	mg/L
14/10/2019 15:00	Alkalinity (Hydroxide) as CaCO3	1.00	mg/L
9/04/2019 16:06	Alkalinity (Hydroxide) as CaCO3	1.00	mg/L
5/06/2019 15:00	Alkalinity (Hydroxide) as CaCO3	1.00	mg/L
2/07/2019 15:00	Alkalinity (Hydroxide) as CaCO3	1.00	mg/L
5/06/2019 0:00	EC (field)	20,860.00	µS/cm
4/09/2019 0:00	EC (field)	21,780.00	µS/cm
2/07/2019 0:00	EC (field)	22,900.00	µS/cm
2/08/2019 0:00	EC (field)	22,800.00	µS/cm
2/07/2019 15:00	Electrical conductivity *(lab)	25,200.00	µS/cm
12/11/2019 15:00	Electrical conductivity *(lab)	25,700.00	µS/cm
4/12/2019 15:00	Electrical conductivity *(lab)	26,800.00	µS/cm
5/06/2019 15:00	Electrical conductivity *(lab)	24,900.00	µS/cm
14/10/2019 15:00	Electrical conductivity *(lab)	26,000.00	µS/cm
1/08/2019 15:00	Electrical conductivity *(lab)	27,100.00	µS/cm
9/04/2019 16:06	Electrical conductivity *(lab)	22,000.00	µS/cm
4/09/2019 15:00	Electrical conductivity *(lab)	25,600.00	µS/cm
1/05/2019 15:00	Cyanide (Free)	0.00	mg/L
9/04/2019 16:06	Cyanide (Free)	0.00	mg/L
5/06/2019 15:00	Cyanide (Free)	0.00	mg/L
4/12/2019 15:00	Cyanide (Free)	0.00	mg/L
12/11/2019 15:00	Cyanide (Free)	0.00	mg/L
14/10/2019 15:00	Cyanide (Free)	0.00	mg/L
1/08/2019 15:00	Cyanide (Free)	0.00	mg/L
2/07/2019 15:00	Cyanide (Free)	0.00	mg/L
4/09/2019 15:00	Cyanide (Free)	0.00	mg/L
4/09/2019 15:00	Hardness as CaCO3	2,830.00	mg/L
2/07/2019 15:00	Hardness as CaCO3	2,950.00	mg/L
9/04/2019 16:06	Hardness as CaCO3	2,530.00	mg/L
1/08/2019 15:00	Hardness as CaCO3	3,020.00	mg/L
4/12/2019 15:00	Hardness as CaCO3	3,140.00	mg/L
14/10/2019 15:00	Hardness as CaCO3	3,030.00	mg/L
12/11/2019 15:00	Hardness as CaCO3	3,080.00	mg/L
5/06/2019 15:00	Hardness as CaCO3	2,850.00	mg/L
4/09/2019 15:00	Ionic Balance	3.93	%
12/11/2019 15:00	Ionic Balance	3.30	%
14/10/2019 15:00	Ionic Balance	0.42	%
1/08/2019 15:00	Ionic Balance	4.06	%
4/12/2019 15:00	Ionic Balance	3.78	%
2/07/2019 15:00	Ionic Balance	0.53	%
9/04/2019 16:06	Ionic Balance	2.21	%
5/06/2019 15:00	Ionic Balance	2.61	%
1/08/2019 15:00	Nitrite + Nitrate as N	27.70	mg/L
12/11/2019 15:00	Nitrite + Nitrate as N	25.60	mg/L
4/09/2019 15:00	Nitrite + Nitrate as N	27.10	mg/L

4/12/2019 15:00	Nitrite + Nitrate as N	24.40	mg/L
9/04/2019 16:06	Nitrite + Nitrate as N	28.80	mg/L
14/10/2019 15:00	Nitrite + Nitrate as N	25.60	mg/L
5/06/2019 15:00	Nitrite + Nitrate as N	28.80	mg/L
2/07/2019 15:00	Nitrite + Nitrate as N	26.00	mg/L
2/08/2019 0:00	pH (Field)	6.73	pH Units
5/11/2019 0:00	pH (Field)	5.16	pH Units
4/09/2019 0:00	pH (Field)	6.64	pH Units
5/06/2019 0:00	pH (Field)	6.74	pH Units
9/04/2019 0:00	pH (Field)	6.92	pH Units
2/07/2019 0:00	pH (Field)	6.45	pH Units
4/12/2019 15:00	pH (Lab)	7.18	pH Units
1/08/2019 15:00	pH (Lab)	7.38	pH Units
4/09/2019 15:00	pH (Lab)	7.18	pH Units
12/11/2019 15:00	pH (Lab)	7.08	pH Units
14/10/2019 15:00	pH (Lab)	7.21	pH Units
2/07/2019 15:00	pH (Lab)	7.29	pH Units
9/04/2019 16:06	pH (Lab)	7.51	pH Units
5/06/2019 15:00	pH (Lab)	7.33	pH Units
4/12/2019 15:00	Sodium Absorption Ratio	39.30	-
2/07/2019 15:00	Sodium Absorption Ratio	36.00	-
14/10/2019 15:00	Sodium Absorption Ratio	37.60	-
1/08/2019 15:00	Sodium Absorption Ratio	37.30	-
12/11/2019 15:00	Sodium Absorption Ratio	38.70	-
4/09/2019 15:00	Sodium Absorption Ratio	37.90	-
5/06/2019 15:00	Sodium Absorption Ratio	35.10	-
14/10/2019 15:00	TDS	19,300.00	mg/L
4/12/2019 15:00	TDS	17,600.00	mg/L
5/06/2019 15:00	TDS	19,000.00	mg/L
12/11/2019 15:00	TDS	17,400.00	mg/L
2/07/2019 15:00	TDS	16,600.00	mg/L
4/09/2019 15:00	TDS	16,600.00	mg/L
1/08/2019 15:00	TDS	17,400.00	mg/L
5/06/2019 0:00	Temp (Field)	20.50	oC
9/04/2019 0:00	Temp (Field)	25.00	oC
4/09/2019 0:00	Temp (Field)	19.10	oC
2/07/2019 0:00	Temp (Field)	6.45	oC
2/08/2019 0:00	Temp (Field)	20.50	oC
5/06/2019 15:00	Kjeldahl Nitrogen Total	1.00	mg/L
1/08/2019 15:00	Kjeldahl Nitrogen Total	1.20	mg/L
14/10/2019 15:00	Kjeldahl Nitrogen Total	3.70	mg/L
2/07/2019 15:00	Kjeldahl Nitrogen Total	2.70	mg/L
12/11/2019 15:00	Kjeldahl Nitrogen Total	3.10	mg/L
4/09/2019 15:00	Kjeldahl Nitrogen Total	3.90	mg/L
4/12/2019 15:00	Kjeldahl Nitrogen Total	1.90	mg/L
4/12/2019 15:00	Anions Total	263.00	meq/L
9/04/2019 16:06	Anions Total	236.00	meq/L
12/11/2019 15:00	Anions Total	259.00	meq/L
2/07/2019 15:00	Anions Total	257.00	meq/L
5/06/2019 15:00	Anions Total	258.00	meq/L
14/10/2019 15:00	Anions Total	266.00	meq/L
4/09/2019 15:00	Anions Total	280.00	meq/L
1/08/2019 15:00	Anions Total	288.00	meq/L
4/12/2019 15:00	Cations Total	283.00	meq/L
5/06/2019 15:00	Cations Total	245.00	meq/L
4/09/2019 15:00	Cations Total	259.00	meq/L
2/07/2019 15:00	Cations Total	254.00	meq/L
14/10/2019 15:00	Cations Total	268.00	meq/L
1/08/2019 15:00	Cations Total	266.00	meq/L
9/04/2019 16:06	Cations Total	226.00	meq/L
12/11/2019 15:00	Cations Total	277.00	meq/L
2/07/2019 15:00	TSS	816.00	mg/L
14/10/2019 15:00	TSS	614.00	mg/L
12/11/2019 15:00	TSS	466.00	mg/L
9/04/2019 16:06	TSS	1,470.00	mg/L
4/12/2019 15:00	TSS	488.00	mg/L
4/09/2019 15:00	TSS	425.00	mg/L
1/08/2019 15:00	TSS	693.00	mg/L
5/06/2019 15:00	TSS	1,010.00	mg/L
5/06/2019 15:00	Cyanide (WAD)	0.00	mg/L
4/09/2019 15:00	Cyanide (WAD)	0.00	mg/L
4/12/2019 15:00	Cyanide (WAD)	0.01	mg/L
2/07/2019 15:00	Cyanide (WAD)	0.00	mg/L
9/04/2019 16:06	Cyanide (WAD)	0.00	mg/L
14/10/2019 15:00	Cyanide (WAD)	0.00	mg/L
1/05/2019 15:00	Cyanide (WAD)	0.00	mg/L
12/11/2019 15:00	Cyanide (WAD)	0.00	mg/L
1/08/2019 15:00	Cyanide (WAD)	0.00	mg/L
14/10/2019 15:00	Total Dissolved Solids (Calc.)	16,900.00	mg/L
1/08/2019 15:00	Total Dissolved Solids (Calc.)	17,600.00	mg/L
12/11/2019 15:00	Total Dissolved Solids (Calc.)	16,700.00	mg/L
2/07/2019 15:00	Total Dissolved Solids (Calc.)	16,400.00	mg/L
9/04/2019 16:06	Total Dissolved Solids (Calc.)	14,300.00	mg/L
4/09/2019 15:00	Total Dissolved Solids (Calc.)	16,600.00	mg/L
4/12/2019 15:00	Total Dissolved Solids (Calc.)	17,400.00	mg/L
5/06/2019 15:00	Total Dissolved Solids (Calc.)	16,200.00	mg/L

Date	ChemName	Concentration	Output Unit
4/12/2019 15:00	Nitrate (as N)	5.73	mg/L
5/06/2019 15:00	Nitrate (as N)	6.41	mg/L
14/10/2019 15:00	Nitrate (as N)	11.80	mg/L
1/05/2019 15:00	Nitrate (as N)	2.76	mg/L
9/04/2019 16:06	Nitrate (as N)	1.17	mg/L
4/09/2019 15:00	Nitrate (as N)	10.70	mg/L
12/11/2019 15:00	Nitrate (as N)	6.13	mg/L
1/08/2019 15:00	Nitrate (as N)	9.90	mg/L
9/07/2019 15:00	Nitrate (as N)	9.47	mg/L
1/05/2019 15:00	Nitrite (as N)	0.15	mg/L
12/11/2019 15:00	Nitrite (as N)	0.02	mg/L
14/10/2019 15:00	Nitrite (as N)	0.01	mg/L
1/08/2019 15:00	Nitrite (as N)	0.01	mg/L
5/06/2019 15:00	Nitrite (as N)	0.02	mg/L
9/04/2019 16:06	Nitrite (as N)	0.09	mg/L
9/07/2019 15:00	Nitrite (as N)	0.01	mg/L
4/12/2019 15:00	Nitrite (as N)	0.11	mg/L
4/09/2019 15:00	Nitrite (as N)	0.01	mg/L
4/12/2019 15:00	Sulfate as SO4 - Turbidimetric	538.00	mg/L
4/09/2019 15:00	Sulfate as SO4 - Turbidimetric	1,040.00	mg/L
5/06/2019 15:00	Sulfate as SO4 - Turbidimetric	922.00	mg/L
9/07/2019 15:00	Sulfate as SO4 - Turbidimetric	985.00	mg/L
9/04/2019 16:06	Sulfate as SO4 - Turbidimetric	10.00	mg/L
1/08/2019 15:00	Sulfate as SO4 - Turbidimetric	1,110.00	mg/L
12/11/2019 15:00	Sulfate as SO4 - Turbidimetric	221.00	mg/L
1/05/2019 15:00	Sulfate as SO4 - Turbidimetric	565.00	mg/L
14/10/2019 15:00	Sulfate as SO4 - Turbidimetric	1,270.00	mg/L
4/09/2019 15:00	Chloride	6,190.00	mg/L
5/06/2019 15:00	Chloride	4,840.00	mg/L
1/05/2019 15:00	Chloride	2,900.00	mg/L
12/11/2019 15:00	Chloride	900.00	mg/L
9/07/2019 15:00	Chloride	5,400.00	mg/L
14/10/2019 15:00	Chloride	6,060.00	mg/L
1/08/2019 15:00	Chloride	6,030.00	mg/L
4/12/2019 15:00	Chloride	2,730.00	mg/L
9/04/2019 16:06	Chloride	246.00	mg/L
4/12/2019 15:00	Fluoride	0.10	mg/L
9/04/2019 16:06	Fluoride	0.10	mg/L
5/06/2019 15:00	Fluoride	0.10	mg/L
1/08/2019 15:00	Fluoride	0.10	mg/L
9/07/2019 15:00	Fluoride	0.10	mg/L
4/09/2019 15:00	Fluoride	0.10	mg/L
12/11/2019 15:00	Fluoride	0.10	mg/L
1/05/2019 15:00	Fluoride	0.10	mg/L
14/10/2019 15:00	Fluoride	0.10	mg/L
1/05/2019 15:00	Cyanide Total	0.00	mg/L
9/04/2019 16:06	Cyanide Total	0.00	mg/L
4/09/2019 15:00	Cyanide Total	0.00	mg/L
12/11/2019 15:00	Cyanide Total	0.01	mg/L
14/10/2019 15:00	Cyanide Total	0.01	mg/L
9/07/2019 15:00	Cyanide Total	0.00	mg/L
5/06/2019 15:00	Cyanide Total	0.00	mg/L
4/12/2019 15:00	Cyanide Total	0.01	mg/L
1/08/2019 15:00	Cyanide Total	0.00	mg/L
9/04/2019 16:06	Aluminium	1.19	mg/L
9/04/2019 16:06	Iron	11.50	mg/L
5/06/2019 15:00	Lead	0.00	mg/L
1/05/2019 15:00	Lead	0.00	mg/L
12/11/2019 15:00	Lead	0.01	mg/L
9/07/2019 15:00	Lead	0.00	mg/L
9/04/2019 16:06	Lead	0.01	mg/L
4/12/2019 15:00	Lead	0.01	mg/L
1/08/2019 15:00	Lead	0.00	mg/L
4/09/2019 15:00	Lead	0.00	mg/L
14/10/2019 15:00	Lead	0.00	mg/L
9/04/2019 16:06	Magnesium	2.00	mg/L
5/06/2019 15:00	Magnesium	292.00	mg/L
14/10/2019 15:00	Magnesium	398.00	mg/L
12/11/2019 15:00	Magnesium	36.00	mg/L
4/09/2019 15:00	Magnesium	360.00	mg/L
1/05/2019 15:00	Magnesium	149.00	mg/L
4/12/2019 15:00	Magnesium	135.00	mg/L
9/07/2019 15:00	Magnesium	344.00	mg/L
1/08/2019 15:00	Magnesium	363.00	mg/L
4/09/2019 15:00	Manganese	0.74	mg/L
4/12/2019 15:00	Manganese	0.38	mg/L
1/05/2019 15:00	Manganese	0.56	mg/L
5/06/2019 15:00	Manganese	1.06	mg/L
14/10/2019 15:00	Manganese	0.66	mg/L
1/08/2019 15:00	Manganese	0.80	mg/L
9/07/2019 15:00	Manganese	0.67	mg/L
12/11/2019 15:00	Manganese	0.11	mg/L
12/11/2019 15:00	Mercury	0.00	mg/L
9/07/2019 15:00	Mercury	0.00	mg/L
4/09/2019 15:00	Mercury	0.00	mg/L
14/10/2019 15:00	Mercury	0.00	mg/L
9/04/2019 16:06	Mercury	0.00	mg/L
4/12/2019 15:00	Mercury	0.00	mg/L
1/08/2019 15:00	Mercury	0.00	mg/L
1/05/2019 15:00	Mercury	0.00	mg/L
5/06/2019 15:00	Mercury	0.00	mg/L
9/04/2019 16:06	Nickel	0.00	mg/L
1/08/2019 15:00	Nickel	0.01	mg/L
12/11/2019 15:00	Nickel	0.00	mg/L
4/09/2019 15:00	Nickel	0.01	mg/L
5/06/2019 15:00	Nickel	0.01	mg/L
14/10/2019 15:00	Nickel	0.01	mg/L
4/12/2019 15:00	Nickel	0.01	mg/L
9/07/2019 15:00	Nickel	0.01	mg/L

1/05/2019 15:00	Nickel	0.00	mg/L
14/10/2019 15:00	Potassium	9.00	mg/L
4/09/2019 15:00	Potassium	8.00	mg/L
12/11/2019 15:00	Potassium	4.00	mg/L
9/04/2019 16:06	Potassium	1.00	mg/L
1/08/2019 15:00	Potassium	10.00	mg/L
9/07/2019 15:00	Potassium	9.00	mg/L
5/06/2019 15:00	Potassium	9.00	mg/L
1/05/2019 15:00	Potassium	5.00	mg/L
4/12/2019 15:00	Potassium	6.00	mg/L
14/10/2019 15:00	Sodium	3,670.00	mg/L
9/04/2019 16:06	Sodium	200.00	mg/L
1/05/2019 15:00	Sodium	1,570.00	mg/L
9/07/2019 15:00	Sodium	3,090.00	mg/L
5/06/2019 15:00	Sodium	2,680.00	mg/L
4/09/2019 15:00	Sodium	3,320.00	mg/L
1/08/2019 15:00	Sodium	3,250.00	mg/L
12/11/2019 15:00	Sodium	687.00	mg/L
4/12/2019 15:00	Sodium	1,770.00	mg/L
14/10/2019 15:00	Arsenic	0.00	mg/L
4/12/2019 15:00	Arsenic	0.00	mg/L
12/11/2019 15:00	Arsenic	0.00	mg/L
5/06/2019 15:00	Arsenic	0.00	mg/L
1/05/2019 15:00	Arsenic	0.00	mg/L
1/08/2019 15:00	Arsenic	0.00	mg/L
4/09/2019 15:00	Arsenic	0.00	mg/L
9/04/2019 16:06	Arsenic	0.01	mg/L
9/07/2019 15:00	Arsenic	0.00	mg/L
1/05/2019 15:00	Barium	0.38	mg/L
9/07/2019 15:00	Barium	0.36	mg/L
5/06/2019 15:00	Barium	0.42	mg/L
1/08/2019 15:00	Barium	0.32	mg/L
14/10/2019 15:00	Barium	0.25	mg/L
4/12/2019 15:00	Barium	0.16	mg/L
12/11/2019 15:00	Barium	0.07	mg/L
4/09/2019 15:00	Barium	0.27	mg/L
1/08/2019 15:00	Beryllium	0.00	mg/L
4/12/2019 15:00	Beryllium	0.00	mg/L
14/10/2019 15:00	Beryllium	0.00	mg/L
12/11/2019 15:00	Beryllium	0.00	mg/L
4/09/2019 15:00	Beryllium	0.00	mg/L
9/07/2019 15:00	Beryllium	0.00	mg/L
5/06/2019 15:00	Beryllium	0.00	mg/L
1/05/2019 15:00	Beryllium	0.00	mg/L
14/10/2019 15:00	Boron	0.34	mg/L
9/07/2019 15:00	Boron	0.31	mg/L
12/11/2019 15:00	Boron	0.17	mg/L
5/06/2019 15:00	Boron	0.27	mg/L
4/12/2019 15:00	Boron	0.27	mg/L
1/08/2019 15:00	Boron	0.35	mg/L
1/05/2019 15:00	Boron	0.17	mg/L
4/09/2019 15:00	Boron	0.32	mg/L
1/05/2019 15:00	Cadmium	0.00	mg/L
9/07/2019 15:00	Cadmium	0.00	mg/L
4/09/2019 15:00	Cadmium	0.00	mg/L
9/04/2019 16:06	Cadmium	0.00	mg/L
5/06/2019 15:00	Cadmium	0.00	mg/L
1/08/2019 15:00	Cadmium	0.00	mg/L
4/12/2019 15:00	Cadmium	0.00	mg/L
12/11/2019 15:00	Cadmium	0.00	mg/L
14/10/2019 15:00	Cadmium	0.00	mg/L
1/08/2019 15:00	Chromium (III+VI)	0.00	mg/L
1/05/2019 15:00	Chromium (III+VI)	0.00	mg/L
4/09/2019 15:00	Chromium (III+VI)	0.00	mg/L
9/07/2019 15:00	Chromium (III+VI)	0.00	mg/L
5/06/2019 15:00	Chromium (III+VI)	0.00	mg/L
9/04/2019 16:06	Chromium (III+VI)	0.01	mg/L
4/12/2019 15:00	Chromium (III+VI)	0.01	mg/L
14/10/2019 15:00	Chromium (III+VI)	0.00	mg/L
12/11/2019 15:00	Chromium (III+VI)	0.00	mg/L
4/12/2019 15:00	Cobalt	0.01	mg/L
9/07/2019 15:00	Cobalt	0.01	mg/L
1/05/2019 15:00	Cobalt	0.01	mg/L
4/09/2019 15:00	Cobalt	0.02	mg/L
12/11/2019 15:00	Cobalt	0.00	mg/L
14/10/2019 15:00	Cobalt	0.02	mg/L
5/06/2019 15:00	Cobalt	0.02	mg/L
1/08/2019 15:00	Cobalt	0.02	mg/L
1/08/2019 15:00	Copper	0.00	mg/L
12/11/2019 15:00	Copper	0.01	mg/L
9/04/2019 16:06	Copper	0.01	mg/L
9/07/2019 15:00	Copper	0.00	mg/L
4/12/2019 15:00	Copper	0.02	mg/L
14/10/2019 15:00	Copper	0.01	mg/L
1/05/2019 15:00	Copper	0.00	mg/L
5/06/2019 15:00	Copper	0.03	mg/L
4/09/2019 15:00	Copper	0.06	mg/L
4/09/2019 15:00	Vanadium	0.01	mg/L
5/06/2019 15:00	Vanadium	0.01	mg/L
14/10/2019 15:00	Vanadium	0.01	mg/L
1/08/2019 15:00	Vanadium	0.01	mg/L
4/12/2019 15:00	Vanadium	0.03	mg/L
9/07/2019 15:00	Vanadium	0.01	mg/L
1/05/2019 15:00	Vanadium	0.01	mg/L
12/11/2019 15:00	Vanadium	0.01	mg/L
1/05/2019 15:00	Zinc	0.01	mg/L
12/11/2019 15:00	Zinc	0.01	mg/L
5/06/2019 15:00	Zinc	0.02	mg/L
4/12/2019 15:00	Zinc	0.03	mg/L
1/08/2019 15:00	Zinc	0.03	mg/L

9/07/2019 15:00	Zinc	0.03	mg/L
4/09/2019 15:00	Zinc	0.07	mg/L
9/04/2019 16:06	Zinc	0.01	mg/L
14/10/2019 15:00	Zinc	0.03	mg/L
1/08/2019 15:00	Calcium	104.00	mg/L
9/07/2019 15:00	Calcium	88.00	mg/L
5/06/2019 15:00	Calcium	75.00	mg/L
4/12/2019 15:00	Calcium	35.00	mg/L
1/05/2019 15:00	Calcium	46.00	mg/L
12/11/2019 15:00	Calcium	13.00	mg/L
4/09/2019 15:00	Calcium	87.00	mg/L
9/04/2019 16:06	Calcium	2.00	mg/L
14/10/2019 15:00	Calcium	89.00	mg/L
14/10/2019 15:00	Ammonia as N	0.04	mg/L
1/05/2019 15:00	Ammonia as N	0.08	mg/L
9/07/2019 15:00	Ammonia as N	0.16	mg/L
9/04/2019 16:06	Ammonia as N	0.04	mg/L
1/08/2019 15:00	Ammonia as N	0.02	mg/L
5/06/2019 15:00	Ammonia as N	0.02	mg/L
4/09/2019 15:00	Ammonia as N	0.11	mg/L
4/12/2019 15:00	Ammonia as N	0.06	mg/L
12/11/2019 15:00	Ammonia as N	0.14	mg/L
14/10/2019 15:00	Phosphorus	240.00	µg/L
4/12/2019 15:00	Phosphorus	160.00	µg/L
1/05/2019 15:00	Phosphorus	3,210.00	µg/L
5/06/2019 15:00	Phosphorus	120.00	µg/L
12/11/2019 15:00	Phosphorus	5,100.00	µg/L
4/09/2019 15:00	Phosphorus	380.00	µg/L
9/07/2019 15:00	Phosphorus	470.00	µg/L
1/08/2019 15:00	Phosphorus	100.00	µg/L
1/05/2019 15:00	Reactive Phosphorus as P	0.01	mg/L
4/12/2019 15:00	Reactive Phosphorus as P	0.01	mg/L
12/11/2019 15:00	Reactive Phosphorus as P	0.02	mg/L
1/08/2019 15:00	Reactive Phosphorus as P	0.01	mg/L
9/07/2019 15:00	Reactive Phosphorus as P	0.02	mg/L
9/04/2019 16:06	Reactive Phosphorus as P	0.17	mg/L
5/06/2019 15:00	Reactive Phosphorus as P	0.01	mg/L
4/09/2019 15:00	Reactive Phosphorus as P	0.01	mg/L
14/10/2019 15:00	Reactive Phosphorus as P	0.01	mg/L
5/06/2019 15:00	Nitrogen (Total)	6.80	mg/L
1/05/2019 15:00	Nitrogen (Total)	12.20	mg/L
1/08/2019 15:00	Nitrogen (Total)	10.40	mg/L
12/11/2019 15:00	Nitrogen (Total)	11.60	mg/L
4/09/2019 15:00	Nitrogen (Total)	13.10	mg/L
14/10/2019 15:00	Nitrogen (Total)	14.50	mg/L
4/12/2019 15:00	Nitrogen (Total)	7.20	mg/L
9/07/2019 15:00	Nitrogen (Total)	12.10	mg/L
5/06/2019 15:00	Selenium	0.01	mg/L
14/10/2019 15:00	Selenium	0.01	mg/L
1/05/2019 15:00	Selenium	0.01	mg/L
9/07/2019 15:00	Selenium	0.01	mg/L
4/09/2019 15:00	Selenium	0.01	mg/L
12/11/2019 15:00	Selenium	0.01	mg/L
4/12/2019 15:00	Selenium	0.01	mg/L
1/08/2019 15:00	Selenium	0.01	mg/L
9/04/2019 16:06	Selenium	0.01	mg/L
1/08/2019 15:00	Alkalinity (Bicarbonate as CaCO3)	115.00	mg/L
5/06/2019 15:00	Alkalinity (Bicarbonate as CaCO3)	130.00	mg/L
4/12/2019 15:00	Alkalinity (Bicarbonate as CaCO3)	94.00	mg/L
4/09/2019 15:00	Alkalinity (Bicarbonate as CaCO3)	128.00	mg/L
12/11/2019 15:00	Alkalinity (Bicarbonate as CaCO3)	73.00	mg/L
14/10/2019 15:00	Alkalinity (Bicarbonate as CaCO3)	138.00	mg/L
9/04/2019 16:06	Alkalinity (Bicarbonate as CaCO3)	143.00	mg/L
9/07/2019 15:00	Alkalinity (Bicarbonate as CaCO3)	131.00	mg/L
1/05/2019 15:00	Alkalinity (Bicarbonate as CaCO3)	98.00	mg/L
1/08/2019 15:00	Alkalinity (total) as CaCO3	115.00	mg/L
4/12/2019 15:00	Alkalinity (total) as CaCO3	94.00	mg/L
5/06/2019 15:00	Alkalinity (total) as CaCO3	130.00	mg/L
4/09/2019 15:00	Alkalinity (total) as CaCO3	128.00	mg/L
1/05/2019 15:00	Alkalinity (total) as CaCO3	98.00	mg/L
12/11/2019 15:00	Alkalinity (total) as CaCO3	73.00	mg/L
9/07/2019 15:00	Alkalinity (total) as CaCO3	131.00	mg/L
14/10/2019 15:00	Alkalinity (total) as CaCO3	138.00	mg/L
9/04/2019 16:06	Alkalinity (total) as CaCO3	143.00	mg/L
1/05/2019 15:00	Alkalinity (Carbonate as CaCO3)	1.00	mg/L
12/11/2019 15:00	Alkalinity (Carbonate as CaCO3)	1.00	mg/L
4/09/2019 15:00	Alkalinity (Carbonate as CaCO3)	1.00	mg/L
4/12/2019 15:00	Alkalinity (Carbonate as CaCO3)	1.00	mg/L
9/07/2019 15:00	Alkalinity (Carbonate as CaCO3)	1.00	mg/L
9/04/2019 16:06	Alkalinity (Carbonate as CaCO3)	1.00	mg/L
14/10/2019 15:00	Alkalinity (Carbonate as CaCO3)	1.00	mg/L
1/08/2019 15:00	Alkalinity (Carbonate as CaCO3)	1.00	mg/L
5/06/2019 15:00	Alkalinity (Carbonate as CaCO3)	1.00	mg/L
14/10/2019 15:00	Alkalinity (Hydroxide) as CaCO3	1.00	mg/L
5/06/2019 15:00	Alkalinity (Hydroxide) as CaCO3	1.00	mg/L
1/05/2019 15:00	Alkalinity (Hydroxide) as CaCO3	1.00	mg/L
9/07/2019 15:00	Alkalinity (Hydroxide) as CaCO3	1.00	mg/L
12/11/2019 15:00	Alkalinity (Hydroxide) as CaCO3	1.00	mg/L
1/08/2019 15:00	Alkalinity (Hydroxide) as CaCO3	1.00	mg/L
4/09/2019 15:00	Alkalinity (Hydroxide) as CaCO3	1.00	mg/L
9/04/2019 16:06	Alkalinity (Hydroxide) as CaCO3	1.00	mg/L
4/12/2019 15:00	Alkalinity (Hydroxide) as CaCO3	1.00	mg/L
2/07/2019 0:00	EC (field)	13,690.00	µS/cm
1/05/2019 0:00	EC (field)	8,150.00	µS/cm
5/06/2019 0:00	EC (field)	12,840.00	µS/cm
4/09/2019 0:00	EC (field)	15,380.00	µS/cm
9/07/2019 15:00	Electrical conductivity *(lab)	13,400.00	µS/cm
1/08/2019 15:00	Electrical conductivity *(lab)	18,900.00	µS/cm
4/12/2019 15:00	Electrical conductivity *(lab)	9,520.00	µS/cm
1/05/2019 15:00	Electrical conductivity *(lab)	8,300.00	µS/cm

9/04/2019 16:06	Electrical conductivity *(lab)	1,110.00	µS/cm
4/09/2019 15:00	Electrical conductivity *(lab)	18,800.00	µS/cm
5/06/2019 15:00	Electrical conductivity *(lab)	16,000.00	µS/cm
12/11/2019 15:00	Electrical conductivity *(lab)	3,760.00	µS/cm
14/10/2019 15:00	Electrical conductivity *(lab)	19,800.00	µS/cm
12/11/2019 15:00	Cyanide (Free)	0.01	mg/L
14/10/2019 15:00	Cyanide (Free)	0.00	mg/L
4/12/2019 15:00	Cyanide (Free)	0.00	mg/L
1/05/2019 15:00	Cyanide (Free)	0.00	mg/L
4/09/2019 15:00	Cyanide (Free)	0.00	mg/L
9/07/2019 15:00	Cyanide (Free)	0.00	mg/L
9/04/2019 16:06	Cyanide (Free)	0.00	mg/L
1/08/2019 15:00	Cyanide (Free)	0.00	mg/L
5/06/2019 15:00	Cyanide (Free)	0.00	mg/L
4/09/2019 15:00	Hardness as CaCO3	1,700.00	mg/L
1/05/2019 15:00	Hardness as CaCO3	728.00	mg/L
14/10/2019 15:00	Hardness as CaCO3	1,860.00	mg/L
1/08/2019 15:00	Hardness as CaCO3	1,750.00	mg/L
9/07/2019 15:00	Hardness as CaCO3	1,640.00	mg/L
9/04/2019 16:06	Hardness as CaCO3	13.00	mg/L
12/11/2019 15:00	Hardness as CaCO3	181.00	mg/L
5/06/2019 15:00	Hardness as CaCO3	1,390.00	mg/L
4/12/2019 15:00	Hardness as CaCO3	643.00	mg/L
4/12/2019 15:00	Ionic Balance	0.05	%
14/10/2019 15:00	Ionic Balance	0.78	%
9/07/2019 15:00	Ionic Balance	2.37	%
1/08/2019 15:00	Ionic Balance	5.06	%
1/05/2019 15:00	Ionic Balance	7.03	%
9/04/2019 16:06	Ionic Balance	4.30	%
4/09/2019 15:00	Ionic Balance	5.36	%
5/06/2019 15:00	Ionic Balance	4.54	%
12/11/2019 15:00	Ionic Balance	3.30	%
1/08/2019 15:00	Nitrite + Nitrate as N	9.90	mg/L
9/04/2019 16:06	Nitrite + Nitrate as N	1.26	mg/L
4/12/2019 15:00	Nitrite + Nitrate as N	5.84	mg/L
14/10/2019 15:00	Nitrite + Nitrate as N	11.80	mg/L
4/09/2019 15:00	Nitrite + Nitrate as N	10.70	mg/L
1/05/2019 15:00	Nitrite + Nitrate as N	2.91	mg/L
9/07/2019 15:00	Nitrite + Nitrate as N	9.47	mg/L
5/06/2019 15:00	Nitrite + Nitrate as N	6.43	mg/L
12/11/2019 15:00	Nitrite + Nitrate as N	6.15	mg/L
5/11/2019 0:00	pH (Field)	6.07	pH_Units
4/09/2019 0:00	pH (Field)	5.78	pH_Units
2/07/2019 0:00	pH (Field)	6.02	pH_Units
1/05/2019 0:00	pH (Field)	6.91	pH_Units
9/04/2019 0:00	pH (Field)	6.91	pH_Units
5/06/2019 0:00	pH (Field)	6.11	pH_Units
5/12/2019 0:00	pH (Field)	6.16	pH_Units
1/05/2019 15:00	pH (Lab)	6.83	pH_Units
14/10/2019 15:00	pH (Lab)	6.64	pH_Units
4/12/2019 15:00	pH (Lab)	6.70	pH_Units
4/09/2019 15:00	pH (Lab)	6.61	pH_Units
1/08/2019 15:00	pH (Lab)	6.84	pH_Units
9/07/2019 15:00	pH (Lab)	6.75	pH_Units
12/11/2019 15:00	pH (Lab)	6.77	pH_Units
5/06/2019 15:00	pH (Lab)	6.66	pH_Units
9/04/2019 16:06	pH (Lab)	7.23	pH_Units
1/08/2019 15:00	Sodium Absorption Ratio	33.80	-
4/09/2019 15:00	Sodium Absorption Ratio	35.00	-
14/10/2019 15:00	Sodium Absorption Ratio	37.00	-
1/05/2019 15:00	Sodium Absorption Ratio	25.30	-
5/06/2019 15:00	Sodium Absorption Ratio	31.30	-
12/11/2019 15:00	Sodium Absorption Ratio	22.20	-
9/07/2019 15:00	Sodium Absorption Ratio	33.20	-
4/12/2019 15:00	Sodium Absorption Ratio	30.40	-
1/08/2019 15:00	TDS	11,000.00	mg/L
1/05/2019 15:00	TDS	6,790.00	mg/L
12/11/2019 15:00	TDS	9,560.00	mg/L
14/10/2019 15:00	TDS	13,100.00	mg/L
5/06/2019 15:00	TDS	9,940.00	mg/L
4/12/2019 15:00	TDS	6,180.00	mg/L
4/09/2019 15:00	TDS	12,300.00	mg/L
9/07/2019 15:00	TDS	11,600.00	mg/L
5/06/2019 0:00	Temp (Field)	20.10	oC
2/07/2019 0:00	Temp (Field)	16.80	oC
4/09/2019 0:00	Temp (Field)	20.70	oC
1/05/2019 0:00	Temp (Field)	21.00	oC
9/04/2019 0:00	Temp (Field)	25.00	oC
4/09/2019 15:00	Kjeldahl Nitrogen Total	2.40	mg/L
12/11/2019 15:00	Kjeldahl Nitrogen Total	5.50	mg/L
5/06/2019 15:00	Kjeldahl Nitrogen Total	0.40	mg/L
1/05/2019 15:00	Kjeldahl Nitrogen Total	9.30	mg/L
14/10/2019 15:00	Kjeldahl Nitrogen Total	2.70	mg/L
1/08/2019 15:00	Kjeldahl Nitrogen Total	0.50	mg/L
9/07/2019 15:00	Kjeldahl Nitrogen Total	2.60	mg/L
4/12/2019 15:00	Kjeldahl Nitrogen Total	1.40	mg/L
4/12/2019 15:00	Anions Total	90.10	meq/L
14/10/2019 15:00	Anions Total	200.00	meq/L
1/05/2019 15:00	Anions Total	95.50	meq/L
4/09/2019 15:00	Anions Total	199.00	meq/L
9/04/2019 16:06	Anions Total	9.80	meq/L
5/06/2019 15:00	Anions Total	158.00	meq/L
12/11/2019 15:00	Anions Total	31.40	meq/L
1/08/2019 15:00	Anions Total	196.00	meq/L
9/07/2019 15:00	Anions Total	175.00	meq/L
12/11/2019 15:00	Cations Total	33.60	meq/L
1/08/2019 15:00	Cations Total	177.00	meq/L
9/07/2019 15:00	Cations Total	167.00	meq/L
4/09/2019 15:00	Cations Total	178.00	meq/L
4/12/2019 15:00	Cations Total	90.00	meq/L

14/10/2019 15:00	Cations Total	197.00	meq/L
5/06/2019 15:00	Cations Total	144.00	meq/L
9/04/2019 16:06	Cations Total	8.99	meq/L
1/05/2019 15:00	Cations Total	83.00	meq/L
4/12/2019 15:00	TSS	375.00	mg/L
12/11/2019 15:00	TSS	6,170.00	mg/L
1/08/2019 15:00	TSS	373.00	mg/L
4/09/2019 15:00	TSS	629.00	mg/L
1/05/2019 15:00	TSS	9,680.00	mg/L
14/10/2019 15:00	TSS	449.00	mg/L
5/06/2019 15:00	TSS	728.00	mg/L
9/07/2019 15:00	TSS	623.00	mg/L
9/04/2019 16:06	TSS	2,380.00	mg/L
4/12/2019 15:00	Cyanide (WAD)	0.00	mg/L
9/04/2019 16:06	Cyanide (WAD)	0.00	mg/L
14/10/2019 15:00	Cyanide (WAD)	0.00	mg/L
1/05/2019 15:00	Cyanide (WAD)	0.00	mg/L
9/07/2019 15:00	Cyanide (WAD)	0.00	mg/L
5/06/2019 15:00	Cyanide (WAD)	0.00	mg/L
1/08/2019 15:00	Cyanide (WAD)	0.00	mg/L
12/11/2019 15:00	Cyanide (WAD)	0.01	mg/L
4/09/2019 15:00	Cyanide (WAD)	0.00	mg/L
4/12/2019 15:00	Total Dissolved Solids (Calc.)	6,190.00	mg/L
9/04/2019 16:06	Total Dissolved Solids (Calc.)	722.00	mg/L
5/06/2019 15:00	Total Dissolved Solids (Calc.)	10,400.00	mg/L
12/11/2019 15:00	Total Dissolved Solids (Calc.)	2,440.00	mg/L
1/08/2019 15:00	Total Dissolved Solids (Calc.)	12,300.00	mg/L
1/05/2019 15:00	Total Dissolved Solids (Calc.)	5,400.00	mg/L
14/10/2019 15:00	Total Dissolved Solids (Calc.)	12,900.00	mg/L
4/09/2019 15:00	Total Dissolved Solids (Calc.)	12,200.00	mg/L
9/07/2019 15:00	Total Dissolved Solids (Calc.)	8,710.00	mg/L

Date	ChemName	Concentration	Output Unit
12/11/2019 15:00	Nitrate (as N)	20.50	mg/L
14/10/2019 15:00	Nitrate (as N)	18.80	mg/L
4/12/2019 15:00	Nitrate (as N)	19.70	mg/L
4/12/2019 15:00	Nitrite (as N)	0.04	mg/L
12/11/2019 15:00	Nitrite (as N)	0.07	mg/L
14/10/2019 15:00	Nitrite (as N)	0.04	mg/L
12/11/2019 15:00	Sulfate as SO4 - Turbidimetric	898.00	mg/L
14/10/2019 15:00	Sulfate as SO4 - Turbidimetric	856.00	mg/L
4/12/2019 15:00	Sulfate as SO4 - Turbidimetric	990.00	mg/L
14/10/2019 15:00	Chloride	3,830.00	mg/L
4/12/2019 15:00	Chloride	4,280.00	mg/L
12/11/2019 15:00	Chloride	4,110.00	mg/L
4/12/2019 15:00	Fluoride	0.10	mg/L
12/11/2019 15:00	Fluoride	0.20	mg/L
14/10/2019 15:00	Fluoride	0.30	mg/L
12/11/2019 15:00	Cyanide Total	0.20	mg/L
4/12/2019 15:00	Cyanide Total	0.12	mg/L
14/10/2019 15:00	Cyanide Total	0.13	mg/L
4/12/2019 15:00	Lead	0.00	mg/L
12/11/2019 15:00	Lead	0.00	mg/L
14/10/2019 15:00	Lead	0.00	mg/L
14/10/2019 15:00	Magnesium	198.00	mg/L
12/11/2019 15:00	Magnesium	209.00	mg/L
4/12/2019 15:00	Magnesium	238.00	mg/L
14/10/2019 15:00	Manganese	0.23	mg/L
4/12/2019 15:00	Manganese	0.14	mg/L
12/11/2019 15:00	Manganese	0.20	mg/L
4/12/2019 15:00	Mercury	0.00	mg/L
14/10/2019 15:00	Mercury	0.00	mg/L
12/11/2019 15:00	Mercury	0.00	mg/L
12/11/2019 15:00	Nickel	0.01	mg/L
14/10/2019 15:00	Nickel	0.00	mg/L
4/12/2019 15:00	Nickel	0.00	mg/L
12/11/2019 15:00	Potassium	6.00	mg/L
14/10/2019 15:00	Potassium	6.00	mg/L
4/12/2019 15:00	Potassium	7.00	mg/L
14/10/2019 15:00	Sodium	2,430.00	mg/L
12/11/2019 15:00	Sodium	2,610.00	mg/L
4/12/2019 15:00	Sodium	2,820.00	mg/L
4/12/2019 15:00	Arsenic	0.00	mg/L
14/10/2019 15:00	Arsenic	0.00	mg/L
12/11/2019 15:00	Arsenic	0.00	mg/L
14/10/2019 15:00	Barium	0.09	mg/L
12/11/2019 15:00	Barium	0.06	mg/L
4/12/2019 15:00	Barium	0.07	mg/L
4/12/2019 15:00	Beryllium	0.00	mg/L
12/11/2019 15:00	Beryllium	0.00	mg/L
14/10/2019 15:00	Beryllium	0.00	mg/L
14/10/2019 15:00	Boron	0.35	mg/L
4/12/2019 15:00	Boron	0.32	mg/L
12/11/2019 15:00	Boron	0.31	mg/L
12/11/2019 15:00	Cadmium	0.00	mg/L
4/12/2019 15:00	Cadmium	0.00	mg/L
14/10/2019 15:00	Cadmium	0.00	mg/L
4/12/2019 15:00	Chromium (III+VI)	0.00	mg/L
14/10/2019 15:00	Chromium (III+VI)	0.00	mg/L
12/11/2019 15:00	Chromium (III+VI)	0.00	mg/L
4/12/2019 15:00	Cobalt	0.03	mg/L
12/11/2019 15:00	Cobalt	0.04	mg/L
14/10/2019 15:00	Cobalt	0.04	mg/L
4/12/2019 15:00	Copper	0.02	mg/L
12/11/2019 15:00	Copper	0.00	mg/L
14/10/2019 15:00	Copper	0.00	mg/L
12/11/2019 15:00	Vanadium	0.01	mg/L
4/12/2019 15:00	Vanadium	0.01	mg/L
14/10/2019 15:00	Vanadium	0.01	mg/L
4/12/2019 15:00	Zinc	0.03	mg/L
14/10/2019 15:00	Zinc	0.06	mg/L
12/11/2019 15:00	Zinc	0.05	mg/L
14/10/2019 15:00	Calcium	76.00	mg/L
12/11/2019 15:00	Calcium	68.00	mg/L
4/12/2019 15:00	Calcium	83.00	mg/L
12/11/2019 15:00	Ammonia as N	0.03	mg/L
4/12/2019 15:00	Ammonia as N	0.02	mg/L
14/10/2019 15:00	Ammonia as N	0.04	mg/L
4/12/2019 15:00	Phosphorus	180.00	µg/L
14/10/2019 15:00	Phosphorus	120.00	µg/L
12/11/2019 15:00	Phosphorus	520.00	µg/L
4/12/2019 15:00	Reactive Phosphorus as P	0.01	mg/L
14/10/2019 15:00	Reactive Phosphorus as P	0.01	mg/L
12/11/2019 15:00	Reactive Phosphorus as P	0.02	mg/L
12/11/2019 15:00	Nitrogen (Total)	22.90	mg/L
4/12/2019 15:00	Nitrogen (Total)	20.20	mg/L
14/10/2019 15:00	Nitrogen (Total)	21.20	mg/L
12/11/2019 15:00	Selenium	0.02	mg/L
4/12/2019 15:00	Selenium	0.01	mg/L
14/10/2019 15:00	Selenium	0.01	mg/L
14/10/2019 15:00	Alkalinity (Bicarbonate as CaCO3)	90.00	mg/L
4/12/2019 15:00	Alkalinity (Bicarbonate as CaCO3)	62.00	mg/L
12/11/2019 15:00	Alkalinity (Bicarbonate as CaCO3)	42.00	mg/L
4/12/2019 15:00	Alkalinity (total) as CaCO3	62.00	mg/L
14/10/2019 15:00	Alkalinity (total) as CaCO3	90.00	mg/L
12/11/2019 15:00	Alkalinity (total) as CaCO3	42.00	mg/L
14/10/2019 15:00	Alkalinity (Carbonate as CaCO3)	1.00	mg/L
4/12/2019 15:00	Alkalinity (Carbonate as CaCO3)	1.00	mg/L
12/11/2019 15:00	Alkalinity (Carbonate as CaCO3)	1.00	mg/L
12/11/2019 15:00	Alkalinity (Hydroxide) as CaCO3	1.00	mg/L
4/12/2019 15:00	Alkalinity (Hydroxide) as CaCO3	1.00	mg/L
14/10/2019 15:00	Alkalinity (Hydroxide) as CaCO3	1.00	mg/L

12/11/2019 15:00	Electrical conductivity *(lab)	13,800.00	µS/cm
14/10/2019 15:00	Electrical conductivity *(lab)	13,100.00	µS/cm
4/12/2019 15:00	Electrical conductivity *(lab)	15,000.00	µS/cm
12/11/2019 15:00	Cyanide (Free)	0.06	mg/L
14/10/2019 15:00	Cyanide (Free)	0.02	mg/L
4/12/2019 15:00	Cyanide (Free)	0.05	mg/L
14/10/2019 15:00	Hardness as CaCO3	1,000.00	mg/L
12/11/2019 15:00	Hardness as CaCO3	1,030.00	mg/L
4/12/2019 15:00	Hardness as CaCO3	1,190.00	mg/L
14/10/2019 15:00	Ionic Balance	0.68	%
12/11/2019 15:00	Ionic Balance	0.44	%
4/12/2019 15:00	Ionic Balance	1.38	%
12/11/2019 15:00	Nitrite + Nitrate as N	20.60	mg/L
14/10/2019 15:00	Nitrite + Nitrate as N	18.80	mg/L
4/12/2019 15:00	Nitrite + Nitrate as N	19.70	mg/L
5/12/2019 0:00	pH (Field)	5.88	pH Units
12/11/2019 15:00	pH (Lab)	6.24	pH Units
14/10/2019 15:00	pH (Lab)	6.89	pH Units
4/12/2019 15:00	pH (Lab)	6.49	pH Units
14/10/2019 15:00	Sodium Absorption Ratio	33.30	-
4/12/2019 15:00	Sodium Absorption Ratio	35.60	-
12/11/2019 15:00	Sodium Absorption Ratio	35.40	-
4/12/2019 15:00	TDS	9,170.00	mg/L
12/11/2019 15:00	TDS	8,860.00	mg/L
14/10/2019 15:00	TDS	8,470.00	mg/L
14/10/2019 15:00	Kjeldahl Nitrogen Total	2.40	mg/L
12/11/2019 15:00	Kjeldahl Nitrogen Total	2.30	mg/L
4/12/2019 15:00	Kjeldahl Nitrogen Total	0.50	mg/L
4/12/2019 15:00	Anions Total	142.00	meq/L
12/11/2019 15:00	Anions Total	135.00	meq/L
14/10/2019 15:00	Anions Total	128.00	meq/L
12/11/2019 15:00	Cations Total	134.00	meq/L
4/12/2019 15:00	Cations Total	146.00	meq/L
14/10/2019 15:00	Cations Total	126.00	meq/L
12/11/2019 15:00	TSS	1,060.00	mg/L
14/10/2019 15:00	TSS	830.00	mg/L
4/12/2019 15:00	TSS	799.00	mg/L
4/12/2019 15:00	Cyanide (WAD)	0.05	mg/L
12/11/2019 15:00	Cyanide (WAD)	0.08	mg/L
14/10/2019 15:00	Cyanide (WAD)	0.02	mg/L
12/11/2019 15:00	Total Dissolved Solids (Calc.)	8,970.00	mg/L
4/12/2019 15:00	Total Dissolved Solids (Calc.)	9,750.00	mg/L
14/10/2019 15:00	Total Dissolved Solids (Calc.)	8,520.00	mg/L

Date	ChemName	Concentration	Output Unit
2/08/2019 0:00	EC (field)	15,400.00	µS/cm
2/08/2019 0:00	pH (Field)	6.03	pH Units
2/08/2019 0:00	Temp (Field)	20.30	oC

Date	ChemName	Concentration	Output Unit
4/09/2019 15:00	Nitrate (as N)	21.50	mg/L
14/10/2019 15:00	Nitrate (as N)	22.30	mg/L
1/08/2019 15:00	Nitrate (as N)	23.00	mg/L
12/11/2019 15:00	Nitrate (as N)	22.40	mg/L
2/07/2019 15:00	Nitrate (as N)	19.00	mg/L
9/04/2019 16:06	Nitrate (as N)	24.90	mg/L
5/06/2019 15:00	Nitrate (as N)	19.60	mg/L
1/05/2019 15:00	Nitrate (as N)	21.30	mg/L
4/12/2019 15:00	Nitrate (as N)	22.40	mg/L
12/11/2019 15:00	Nitrite (as N)	0.01	mg/L
4/09/2019 15:00	Nitrite (as N)	0.01	mg/L
9/04/2019 16:06	Nitrite (as N)	0.01	mg/L
14/10/2019 15:00	Nitrite (as N)	0.01	mg/L
2/07/2019 15:00	Nitrite (as N)	0.01	mg/L
5/06/2019 15:00	Nitrite (as N)	0.01	mg/L
4/12/2019 15:00	Nitrite (as N)	0.01	mg/L
1/05/2019 15:00	Nitrite (as N)	0.01	mg/L
1/08/2019 15:00	Nitrite (as N)	0.01	mg/L
12/11/2019 15:00	Sulfate as SO4 - Turbidimetric	1,710.00	mg/L
2/07/2019 15:00	Sulfate as SO4 - Turbidimetric	1,740.00	mg/L
9/04/2019 16:06	Sulfate as SO4 - Turbidimetric	1,800.00	mg/L
1/05/2019 15:00	Sulfate as SO4 - Turbidimetric	1,800.00	mg/L
5/06/2019 15:00	Sulfate as SO4 - Turbidimetric	1,940.00	mg/L
14/10/2019 15:00	Sulfate as SO4 - Turbidimetric	1,790.00	mg/L
4/09/2019 15:00	Sulfate as SO4 - Turbidimetric	1,710.00	mg/L
4/12/2019 15:00	Sulfate as SO4 - Turbidimetric	1,700.00	mg/L
1/08/2019 15:00	Sulfate as SO4 - Turbidimetric	1,850.00	mg/L
12/11/2019 15:00	Chloride	7,630.00	mg/L
5/06/2019 15:00	Chloride	8,310.00	mg/L
2/07/2019 15:00	Chloride	7,310.00	mg/L
9/04/2019 16:06	Chloride	7,680.00	mg/L
4/12/2019 15:00	Chloride	7,700.00	mg/L
14/10/2019 15:00	Chloride	7,850.00	mg/L
1/08/2019 15:00	Chloride	8,710.00	mg/L
1/05/2019 15:00	Chloride	7,400.00	mg/L
4/09/2019 15:00	Chloride	8,400.00	mg/L
1/05/2019 15:00	Fluoride	0.20	mg/L
2/07/2019 15:00	Fluoride	0.20	mg/L
12/11/2019 15:00	Fluoride	0.20	mg/L
9/04/2019 16:06	Fluoride	0.30	mg/L
4/12/2019 15:00	Fluoride	0.20	mg/L
1/08/2019 15:00	Fluoride	0.10	mg/L
4/09/2019 15:00	Fluoride	0.20	mg/L
5/06/2019 15:00	Fluoride	0.30	mg/L
14/10/2019 15:00	Fluoride	0.20	mg/L
4/09/2019 15:00	Cyanide Total	0.02	mg/L
1/05/2019 15:00	Cyanide Total	0.03	mg/L
9/04/2019 16:06	Cyanide Total	0.00	mg/L
14/10/2019 15:00	Cyanide Total	0.03	mg/L
1/08/2019 15:00	Cyanide Total	0.03	mg/L
12/11/2019 15:00	Cyanide Total	0.02	mg/L
4/12/2019 15:00	Cyanide Total	0.05	mg/L
2/07/2019 15:00	Cyanide Total	0.04	mg/L
5/06/2019 15:00	Cyanide Total	0.03	mg/L
9/04/2019 16:06	Aluminium	1.38	mg/L
9/04/2019 16:06	Iron	0.05	mg/L
4/12/2019 15:00	Lead	0.01	mg/L
1/05/2019 15:00	Lead	0.01	mg/L
2/07/2019 15:00	Lead	0.01	mg/L
14/10/2019 15:00	Lead	0.01	mg/L
1/08/2019 15:00	Lead	0.01	mg/L
5/06/2019 15:00	Lead	0.01	mg/L
12/11/2019 15:00	Lead	0.01	mg/L
9/04/2019 16:06	Lead	0.01	mg/L
4/09/2019 15:00	Lead	0.01	mg/L
14/10/2019 15:00	Magnesium	537.00	mg/L
4/09/2019 15:00	Magnesium	505.00	mg/L
1/08/2019 15:00	Magnesium	543.00	mg/L
1/05/2019 15:00	Magnesium	510.00	mg/L
5/06/2019 15:00	Magnesium	540.00	mg/L
9/04/2019 16:06	Magnesium	456.00	mg/L
12/11/2019 15:00	Magnesium	540.00	mg/L
2/07/2019 15:00	Magnesium	575.00	mg/L
4/12/2019 15:00	Magnesium	546.00	mg/L
1/08/2019 15:00	Manganese	0.07	mg/L
12/11/2019 15:00	Manganese	0.07	mg/L
14/10/2019 15:00	Manganese	0.06	mg/L
5/06/2019 15:00	Manganese	0.08	mg/L
2/07/2019 15:00	Manganese	0.08	mg/L
4/09/2019 15:00	Manganese	0.07	mg/L
4/12/2019 15:00	Manganese	0.06	mg/L
1/05/2019 15:00	Manganese	0.07	mg/L
12/11/2019 15:00	Mercury	0.00	mg/L
1/05/2019 15:00	Mercury	0.00	mg/L
9/04/2019 16:06	Mercury	0.00	mg/L
14/10/2019 15:00	Mercury	0.00	mg/L
4/12/2019 15:00	Mercury	0.00	mg/L
4/09/2019 15:00	Mercury	0.00	mg/L
2/07/2019 15:00	Mercury	0.00	mg/L
1/08/2019 15:00	Mercury	0.00	mg/L
5/06/2019 15:00	Mercury	0.00	mg/L
14/10/2019 15:00	Nickel	0.02	mg/L
12/11/2019 15:00	Nickel	0.02	mg/L
4/12/2019 15:00	Nickel	0.02	mg/L
1/08/2019 15:00	Nickel	0.02	mg/L
2/07/2019 15:00	Nickel	0.02	mg/L
9/04/2019 16:06	Nickel	0.02	mg/L
1/05/2019 15:00	Nickel	0.02	mg/L
5/06/2019 15:00	Nickel	0.02	mg/L

4/09/2019 15:00	Nickel	0.02	mg/L
4/09/2019 15:00	Potassium	6.00	mg/L
12/11/2019 15:00	Potassium	6.00	mg/L
1/08/2019 15:00	Potassium	7.00	mg/L
5/06/2019 15:00	Potassium	7.00	mg/L
9/04/2019 16:06	Potassium	7.00	mg/L
14/10/2019 15:00	Potassium	6.00	mg/L
2/07/2019 15:00	Potassium	6.00	mg/L
1/05/2019 15:00	Potassium	7.00	mg/L
4/12/2019 15:00	Potassium	7.00	mg/L
9/04/2019 16:06	Sodium	4,460.00	mg/L
4/09/2019 15:00	Sodium	4,670.00	mg/L
1/08/2019 15:00	Sodium	4,930.00	mg/L
1/05/2019 15:00	Sodium	4,740.00	mg/L
2/07/2019 15:00	Sodium	5,110.00	mg/L
12/11/2019 15:00	Sodium	5,020.00	mg/L
5/06/2019 15:00	Sodium	4,940.00	mg/L
14/10/2019 15:00	Sodium	4,990.00	mg/L
4/12/2019 15:00	Sodium	5,080.00	mg/L
14/10/2019 15:00	Arsenic	0.00	mg/L
2/07/2019 15:00	Arsenic	0.01	mg/L
5/06/2019 15:00	Arsenic	0.00	mg/L
4/12/2019 15:00	Arsenic	0.00	mg/L
12/11/2019 15:00	Arsenic	0.01	mg/L
4/09/2019 15:00	Arsenic	0.00	mg/L
1/08/2019 15:00	Arsenic	0.00	mg/L
9/04/2019 16:06	Arsenic	0.00	mg/L
1/05/2019 15:00	Arsenic	0.00	mg/L
4/12/2019 15:00	Barium	0.02	mg/L
12/11/2019 15:00	Barium	0.02	mg/L
14/10/2019 15:00	Barium	0.02	mg/L
1/08/2019 15:00	Barium	0.02	mg/L
2/07/2019 15:00	Barium	0.02	mg/L
5/06/2019 15:00	Barium	0.03	mg/L
4/09/2019 15:00	Barium	0.02	mg/L
1/05/2019 15:00	Barium	0.02	mg/L
1/08/2019 15:00	Beryllium	0.01	mg/L
14/10/2019 15:00	Beryllium	0.01	mg/L
4/09/2019 15:00	Beryllium	0.00	mg/L
2/07/2019 15:00	Beryllium	0.01	mg/L
12/11/2019 15:00	Beryllium	0.01	mg/L
1/05/2019 15:00	Beryllium	0.01	mg/L
4/12/2019 15:00	Beryllium	0.01	mg/L
5/06/2019 15:00	Beryllium	0.01	mg/L
1/05/2019 15:00	Boron	0.27	mg/L
4/12/2019 15:00	Boron	0.30	mg/L
12/11/2019 15:00	Boron	0.42	mg/L
14/10/2019 15:00	Boron	0.25	mg/L
1/08/2019 15:00	Boron	0.28	mg/L
5/06/2019 15:00	Boron	0.25	mg/L
2/07/2019 15:00	Boron	0.48	mg/L
4/09/2019 15:00	Boron	0.24	mg/L
5/06/2019 15:00	Cadmium	0.00	mg/L
4/09/2019 15:00	Cadmium	0.00	mg/L
2/07/2019 15:00	Cadmium	0.00	mg/L
1/05/2019 15:00	Cadmium	0.00	mg/L
1/08/2019 15:00	Cadmium	0.00	mg/L
9/04/2019 16:06	Cadmium	0.00	mg/L
14/10/2019 15:00	Cadmium	0.00	mg/L
12/11/2019 15:00	Cadmium	0.00	mg/L
4/12/2019 15:00	Cadmium	0.00	mg/L
14/10/2019 15:00	Chromium (III+VI)	0.00	mg/L
1/08/2019 15:00	Chromium (III+VI)	0.00	mg/L
4/09/2019 15:00	Chromium (III+VI)	0.00	mg/L
4/12/2019 15:00	Chromium (III+VI)	0.00	mg/L
1/05/2019 15:00	Chromium (III+VI)	0.00	mg/L
2/07/2019 15:00	Chromium (III+VI)	0.01	mg/L
12/11/2019 15:00	Chromium (III+VI)	0.01	mg/L
5/06/2019 15:00	Chromium (III+VI)	0.00	mg/L
9/04/2019 16:06	Chromium (III+VI)	0.00	mg/L
14/10/2019 15:00	Cobalt	0.07	mg/L
2/07/2019 15:00	Cobalt	0.06	mg/L
1/05/2019 15:00	Cobalt	0.06	mg/L
5/06/2019 15:00	Cobalt	0.07	mg/L
4/09/2019 15:00	Cobalt	0.06	mg/L
4/12/2019 15:00	Cobalt	0.07	mg/L
1/08/2019 15:00	Cobalt	0.07	mg/L
12/11/2019 15:00	Cobalt	0.07	mg/L
2/07/2019 15:00	Copper	0.01	mg/L
9/04/2019 16:06	Copper	0.01	mg/L
1/08/2019 15:00	Copper	0.01	mg/L
4/12/2019 15:00	Copper	0.01	mg/L
1/05/2019 15:00	Copper	0.00	mg/L
5/06/2019 15:00	Copper	0.01	mg/L
12/11/2019 15:00	Copper	0.02	mg/L
4/09/2019 15:00	Copper	0.01	mg/L
14/10/2019 15:00	Copper	0.03	mg/L
1/05/2019 15:00	Vanadium	0.01	mg/L
2/07/2019 15:00	Vanadium	0.10	mg/L
12/11/2019 15:00	Vanadium	0.10	mg/L
5/06/2019 15:00	Vanadium	0.01	mg/L
4/12/2019 15:00	Vanadium	0.01	mg/L
14/10/2019 15:00	Vanadium	0.01	mg/L
1/08/2019 15:00	Vanadium	0.01	mg/L
4/09/2019 15:00	Vanadium	0.01	mg/L
1/08/2019 15:00	Zinc	0.04	mg/L
4/09/2019 15:00	Zinc	0.04	mg/L
1/05/2019 15:00	Zinc	0.04	mg/L
2/07/2019 15:00	Zinc	0.05	mg/L
4/12/2019 15:00	Zinc	0.05	mg/L

5/06/2019 15:00	Zinc	0.05	mg/L
12/11/2019 15:00	Zinc	0.05	mg/L
14/10/2019 15:00	Zinc	0.05	mg/L
9/04/2019 16:06	Zinc	0.04	mg/L
1/05/2019 15:00	Calcium	29.00	mg/L
4/09/2019 15:00	Calcium	22.00	mg/L
2/07/2019 15:00	Calcium	21.00	mg/L
9/04/2019 16:06	Calcium	18.00	mg/L
5/06/2019 15:00	Calcium	17.00	mg/L
1/08/2019 15:00	Calcium	24.00	mg/L
12/11/2019 15:00	Calcium	18.00	mg/L
14/10/2019 15:00	Calcium	22.00	mg/L
4/12/2019 15:00	Calcium	25.00	mg/L
4/12/2019 15:00	Ammonia as N	0.08	mg/L
1/05/2019 15:00	Ammonia as N	0.08	mg/L
12/11/2019 15:00	Ammonia as N	0.04	mg/L
14/10/2019 15:00	Ammonia as N	0.04	mg/L
2/07/2019 15:00	Ammonia as N	0.01	mg/L
9/04/2019 16:06	Ammonia as N	0.09	mg/L
4/09/2019 15:00	Ammonia as N	0.04	mg/L
1/08/2019 15:00	Ammonia as N	0.06	mg/L
5/06/2019 15:00	Ammonia as N	0.08	mg/L
4/09/2019 15:00	Phosphorus	40.00	µg/L
12/11/2019 15:00	Phosphorus	60.00	µg/L
5/06/2019 15:00	Phosphorus	30.00	µg/L
1/05/2019 15:00	Phosphorus	30.00	µg/L
4/12/2019 15:00	Phosphorus	60.00	µg/L
14/10/2019 15:00	Phosphorus	40.00	µg/L
1/08/2019 15:00	Phosphorus	50.00	µg/L
2/07/2019 15:00	Phosphorus	50.00	µg/L
2/07/2019 15:00	Reactive Phosphorus as P	0.01	mg/L
5/06/2019 15:00	Reactive Phosphorus as P	0.01	mg/L
12/11/2019 15:00	Reactive Phosphorus as P	0.01	mg/L
1/08/2019 15:00	Reactive Phosphorus as P	0.01	mg/L
14/10/2019 15:00	Reactive Phosphorus as P	0.01	mg/L
4/09/2019 15:00	Reactive Phosphorus as P	0.01	mg/L
4/12/2019 15:00	Reactive Phosphorus as P	0.01	mg/L
9/04/2019 16:06	Reactive Phosphorus as P	0.01	mg/L
1/05/2019 15:00	Reactive Phosphorus as P	0.01	mg/L
2/07/2019 15:00	Nitrogen (Total)	20.70	mg/L
4/09/2019 15:00	Nitrogen (Total)	21.70	mg/L
1/05/2019 15:00	Nitrogen (Total)	22.10	mg/L
5/06/2019 15:00	Nitrogen (Total)	20.10	mg/L
12/11/2019 15:00	Nitrogen (Total)	23.00	mg/L
14/10/2019 15:00	Nitrogen (Total)	24.40	mg/L
4/12/2019 15:00	Nitrogen (Total)	23.80	mg/L
1/08/2019 15:00	Nitrogen (Total)	24.20	mg/L
12/11/2019 15:00	Selenium	0.10	mg/L
9/04/2019 16:06	Selenium	0.03	mg/L
5/06/2019 15:00	Selenium	0.01	mg/L
4/09/2019 15:00	Selenium	0.02	mg/L
14/10/2019 15:00	Selenium	0.02	mg/L
4/12/2019 15:00	Selenium	0.01	mg/L
1/08/2019 15:00	Selenium	0.02	mg/L
2/07/2019 15:00	Selenium	0.10	mg/L
1/05/2019 15:00	Selenium	0.02	mg/L
1/08/2019 15:00	Alkalinity (Bicarbonate as CaCO3)	2.00	mg/L
14/10/2019 15:00	Alkalinity (Bicarbonate as CaCO3)	5.00	mg/L
4/12/2019 15:00	Alkalinity (Bicarbonate as CaCO3)	6.00	mg/L
5/06/2019 15:00	Alkalinity (Bicarbonate as CaCO3)	1.00	mg/L
9/04/2019 16:06	Alkalinity (Bicarbonate as CaCO3)	1.00	mg/L
12/11/2019 15:00	Alkalinity (Bicarbonate as CaCO3)	1.00	mg/L
4/09/2019 15:00	Alkalinity (Bicarbonate as CaCO3)	1.00	mg/L
1/05/2019 15:00	Alkalinity (Bicarbonate as CaCO3)	1.00	mg/L
2/07/2019 15:00	Alkalinity (Bicarbonate as CaCO3)	1.00	mg/L
12/11/2019 15:00	Alkalinity (total) as CaCO3	1.00	mg/L
4/12/2019 15:00	Alkalinity (total) as CaCO3	6.00	mg/L
9/04/2019 16:06	Alkalinity (total) as CaCO3	1.00	mg/L
5/06/2019 15:00	Alkalinity (total) as CaCO3	1.00	mg/L
1/05/2019 15:00	Alkalinity (total) as CaCO3	1.00	mg/L
4/09/2019 15:00	Alkalinity (total) as CaCO3	1.00	mg/L
14/10/2019 15:00	Alkalinity (total) as CaCO3	5.00	mg/L
1/08/2019 15:00	Alkalinity (total) as CaCO3	2.00	mg/L
2/07/2019 15:00	Alkalinity (total) as CaCO3	1.00	mg/L
9/04/2019 16:06	Alkalinity (Carbonate as CaCO3)	1.00	mg/L
4/12/2019 15:00	Alkalinity (Carbonate as CaCO3)	1.00	mg/L
12/11/2019 15:00	Alkalinity (Carbonate as CaCO3)	1.00	mg/L
14/10/2019 15:00	Alkalinity (Carbonate as CaCO3)	1.00	mg/L
1/08/2019 15:00	Alkalinity (Carbonate as CaCO3)	1.00	mg/L
4/09/2019 15:00	Alkalinity (Carbonate as CaCO3)	1.00	mg/L
5/06/2019 15:00	Alkalinity (Carbonate as CaCO3)	1.00	mg/L
1/05/2019 15:00	Alkalinity (Carbonate as CaCO3)	1.00	mg/L
2/07/2019 15:00	Alkalinity (Carbonate as CaCO3)	1.00	mg/L
5/06/2019 15:00	Alkalinity (Hydroxide) as CaCO3	1.00	mg/L
1/05/2019 15:00	Alkalinity (Hydroxide) as CaCO3	1.00	mg/L
9/04/2019 16:06	Alkalinity (Hydroxide) as CaCO3	1.00	mg/L
14/10/2019 15:00	Alkalinity (Hydroxide) as CaCO3	1.00	mg/L
1/08/2019 15:00	Alkalinity (Hydroxide) as CaCO3	1.00	mg/L
4/09/2019 15:00	Alkalinity (Hydroxide) as CaCO3	1.00	mg/L
4/12/2019 15:00	Alkalinity (Hydroxide) as CaCO3	1.00	mg/L
2/07/2019 15:00	Alkalinity (Hydroxide) as CaCO3	1.00	mg/L
12/11/2019 15:00	Alkalinity (Hydroxide) as CaCO3	1.00	mg/L
1/05/2019 0:00	EC (field)	21,650.00	µS/cm
5/06/2019 0:00	EC (field)	22,900.00	µS/cm
2/07/2019 0:00	EC (field)	23,100.00	µS/cm
2/08/2019 0:00	EC (field)	21,340.00	µS/cm
4/09/2019 0:00	EC (field)	21,580.00	µS/cm
1/08/2019 15:00	Electrical conductivity *(lab)	26,800.00	µS/cm
12/11/2019 15:00	Electrical conductivity *(lab)	25,300.00	µS/cm
1/05/2019 15:00	Electrical conductivity *(lab)	19,900.00	µS/cm

5/06/2019 15:00	Electrical conductivity *(lab)	26,200.00	µS/cm
4/09/2019 15:00	Electrical conductivity *(lab)	25,200.00	µS/cm
9/04/2019 16:06	Electrical conductivity *(lab)	23,000.00	µS/cm
2/07/2019 15:00	Electrical conductivity *(lab)	25,600.00	µS/cm
4/12/2019 15:00	Electrical conductivity *(lab)	25,900.00	µS/cm
14/10/2019 15:00	Electrical conductivity *(lab)	25,600.00	µS/cm
2/07/2019 15:00	Cyanide (Free)	0.00	mg/L
9/04/2019 16:06	Cyanide (Free)	0.00	mg/L
14/10/2019 15:00	Cyanide (Free)	0.00	mg/L
5/06/2019 15:00	Cyanide (Free)	0.00	mg/L
1/05/2019 15:00	Cyanide (Free)	0.00	mg/L
12/11/2019 15:00	Cyanide (Free)	0.00	mg/L
4/09/2019 15:00	Cyanide (Free)	0.01	mg/L
1/08/2019 15:00	Cyanide (Free)	0.00	mg/L
4/12/2019 15:00	Cyanide (Free)	0.00	mg/L
9/04/2019 16:06	Hardness as CaCO3	1,920.00	mg/L
14/10/2019 15:00	Hardness as CaCO3	2,270.00	mg/L
4/09/2019 15:00	Hardness as CaCO3	2,130.00	mg/L
5/06/2019 15:00	Hardness as CaCO3	2,270.00	mg/L
1/05/2019 15:00	Hardness as CaCO3	2,170.00	mg/L
2/07/2019 15:00	Hardness as CaCO3	2,420.00	mg/L
12/11/2019 15:00	Hardness as CaCO3	2,270.00	mg/L
1/08/2019 15:00	Hardness as CaCO3	2,300.00	mg/L
4/12/2019 15:00	Hardness as CaCO3	2,310.00	mg/L
12/11/2019 15:00	Ionic Balance	2.53	%
2/07/2019 15:00	Ionic Balance	5.53	%
14/10/2019 15:00	Ionic Balance	0.71	%
1/05/2019 15:00	Ionic Balance	0.72	%
1/08/2019 15:00	Ionic Balance	4.36	%
4/09/2019 15:00	Ionic Balance	5.13	%
5/06/2019 15:00	Ionic Balance	2.70	%
4/12/2019 15:00	Ionic Balance	2.81	%
9/04/2019 16:06	Ionic Balance	4.42	%
5/06/2019 15:00	Nitrite + Nitrate as N	19.60	mg/L
12/11/2019 15:00	Nitrite + Nitrate as N	22.40	mg/L
14/10/2019 15:00	Nitrite + Nitrate as N	22.30	mg/L
4/12/2019 15:00	Nitrite + Nitrate as N	22.40	mg/L
9/04/2019 16:06	Nitrite + Nitrate as N	24.90	mg/L
2/07/2019 15:00	Nitrite + Nitrate as N	19.00	mg/L
1/05/2019 15:00	Nitrite + Nitrate as N	21.30	mg/L
1/08/2019 15:00	Nitrite + Nitrate as N	23.00	mg/L
4/09/2019 15:00	Nitrite + Nitrate as N	21.50	mg/L
5/11/2019 0:00	pH (Field)	3.82	pH_Units
1/05/2019 0:00	pH (Field)	4.41	pH_Units
5/06/2019 0:00	pH (Field)	3.93	pH_Units
2/07/2019 0:00	pH (Field)	3.85	pH_Units
4/09/2019 0:00	pH (Field)	4.07	pH_Units
2/08/2019 0:00	pH (Field)	4.01	pH_Units
9/04/2019 0:00	pH (Field)	6.92	pH_Units
5/12/2019 0:00	pH (Field)	3.77	pH_Units
14/10/2019 15:00	pH (Lab)	5.28	pH_Units
2/07/2019 15:00	pH (Lab)	5.00	pH_Units
12/11/2019 15:00	pH (Lab)	4.19	pH_Units
1/08/2019 15:00	pH (Lab)	5.35	pH_Units
9/04/2019 16:06	pH (Lab)	4.33	pH_Units
4/09/2019 15:00	pH (Lab)	5.16	pH_Units
4/12/2019 15:00	pH (Lab)	5.34	pH_Units
1/05/2019 15:00	pH (Lab)	4.67	pH_Units
5/06/2019 15:00	pH (Lab)	4.60	pH_Units
5/06/2019 15:00	Sodium Absorption Ratio	45.20	-
12/11/2019 15:00	Sodium Absorption Ratio	45.80	-
14/10/2019 15:00	Sodium Absorption Ratio	45.60	-
2/07/2019 15:00	Sodium Absorption Ratio	45.20	-
1/08/2019 15:00	Sodium Absorption Ratio	44.80	-
1/05/2019 15:00	Sodium Absorption Ratio	44.20	-
4/09/2019 15:00	Sodium Absorption Ratio	44.00	-
4/12/2019 15:00	Sodium Absorption Ratio	46.00	-
14/10/2019 15:00	TDS	17,700.00	mg/L
1/05/2019 15:00	TDS	11,400.00	mg/L
12/11/2019 15:00	TDS	16,300.00	mg/L
2/07/2019 15:00	TDS	16,500.00	mg/L
4/12/2019 15:00	TDS	14,800.00	mg/L
1/08/2019 15:00	TDS	16,900.00	mg/L
4/09/2019 15:00	TDS	15,300.00	mg/L
5/06/2019 15:00	TDS	16,600.00	mg/L
5/06/2019 0:00	Temp (Field)	19.20	oC
4/09/2019 0:00	Temp (Field)	19.40	oC
9/04/2019 0:00	Temp (Field)	25.00	oC
1/05/2019 0:00	Temp (Field)	20.70	oC
2/07/2019 0:00	Temp (Field)	16.30	oC
2/08/2019 0:00	Temp (Field)	20.10	oC
4/09/2019 15:00	Kjeldahl Nitrogen Total	0.20	mg/L
5/06/2019 15:00	Kjeldahl Nitrogen Total	0.50	mg/L
1/08/2019 15:00	Kjeldahl Nitrogen Total	1.20	mg/L
1/05/2019 15:00	Kjeldahl Nitrogen Total	0.80	mg/L
2/07/2019 15:00	Kjeldahl Nitrogen Total	1.70	mg/L
12/11/2019 15:00	Kjeldahl Nitrogen Total	0.60	mg/L
14/10/2019 15:00	Kjeldahl Nitrogen Total	2.10	mg/L
4/12/2019 15:00	Kjeldahl Nitrogen Total	1.40	mg/L
5/06/2019 15:00	Anions Total	275.00	meq/L
1/05/2019 15:00	Anions Total	246.00	meq/L
9/04/2019 16:06	Anions Total	254.00	meq/L
12/11/2019 15:00	Anions Total	251.00	meq/L
2/07/2019 15:00	Anions Total	242.00	meq/L
4/09/2019 15:00	Anions Total	272.00	meq/L
1/08/2019 15:00	Anions Total	284.00	meq/L
4/12/2019 15:00	Anions Total	253.00	meq/L
14/10/2019 15:00	Anions Total	259.00	meq/L
1/08/2019 15:00	Cations Total	260.00	meq/L
5/06/2019 15:00	Cations Total	260.00	meq/L

2/07/2019 15:00	Cations Total	271.00	meq/L
4/12/2019 15:00	Cations Total	267.00	meq/L
14/10/2019 15:00	Cations Total	262.00	meq/L
9/04/2019 16:06	Cations Total	233.00	meq/L
1/05/2019 15:00	Cations Total	250.00	meq/L
4/09/2019 15:00	Cations Total	246.00	meq/L
12/11/2019 15:00	Cations Total	264.00	meq/L
12/11/2019 15:00	TSS	291.00	mg/L
14/10/2019 15:00	TSS	86.00	mg/L
4/09/2019 15:00	TSS	72.00	mg/L
1/08/2019 15:00	TSS	284.00	mg/L
9/04/2019 16:06	TSS	100.00	mg/L
4/12/2019 15:00	TSS	197.00	mg/L
5/06/2019 15:00	TSS	164.00	mg/L
2/07/2019 15:00	TSS	199.00	mg/L
1/05/2019 15:00	TSS	61.00	mg/L
9/04/2019 16:06	Cyanide (WAD)	0.00	mg/L
1/08/2019 15:00	Cyanide (WAD)	0.00	mg/L
4/12/2019 15:00	Cyanide (WAD)	0.02	mg/L
2/07/2019 15:00	Cyanide (WAD)	0.00	mg/L
4/09/2019 15:00	Cyanide (WAD)	0.01	mg/L
14/10/2019 15:00	Cyanide (WAD)	0.00	mg/L
1/05/2019 15:00	Cyanide (WAD)	0.00	mg/L
12/11/2019 15:00	Cyanide (WAD)	0.01	mg/L
5/06/2019 15:00	Cyanide (WAD)	0.00	mg/L
12/11/2019 15:00	Total Dissolved Solids (Calc.)	16,400.00	mg/L
2/07/2019 15:00	Total Dissolved Solids (Calc.)	16,600.00	mg/L
4/09/2019 15:00	Total Dissolved Solids (Calc.)	16,400.00	mg/L
5/06/2019 15:00	Total Dissolved Solids (Calc.)	17,000.00	mg/L
1/05/2019 15:00	Total Dissolved Solids (Calc.)	12,900.00	mg/L
9/04/2019 16:06	Total Dissolved Solids (Calc.)	15,000.00	mg/L
4/12/2019 15:00	Total Dissolved Solids (Calc.)	16,800.00	mg/L
14/10/2019 15:00	Total Dissolved Solids (Calc.)	16,600.00	mg/L
1/08/2019 15:00	Total Dissolved Solids (Calc.)	17,400.00	mg/L