

Department of Planning, Industry and Environment
Locked Bag 5022
PARRAMATTA NSW 2124
Attention: Bianca Thornton

Notice Number 1593774
Date 09-Apr-2020

RE: Remondis Resource Recovery Facility & Truck Depot - SEARs 10447

I refer to your request for the Environment Protection Authority's (EPA) requirements for the environmental assessment (EA) in regard to the above proposal received by EPA on 2 April 2020.

The EPA has considered the details of the proposal as provided by the applicant and has identified the information it requires to issue its general terms of approval in Attachment A. In summary, the EPA's key information requirements for the proposal include an adequate assessment of:

1. Management of various waste types, including capacity of facility to manage the volume and throughput of wastes anticipated;
2. Odour and other air emissions;
3. Sediment and erosion controls, particularly during construction; and
4. Storage and handling of hazardous wastes, and contaminated soils.

In carrying out the assessment, the proponent should refer to the relevant guidelines as listed in Attachment B and any relevant industry codes of practice and best practice management guidelines.

Please note that this response does not cover biodiversity or Aboriginal cultural heritage issues, which are the responsibility of the Office of Environment and Heritage.

The Proponent should be made aware that any commitments made in the EA may be formalised as approval conditions and may also be placed as formal licence conditions.

The Proponent should be made aware that, consistent with provisions under Part 9.4 of the *Protection of the Environment Operations Act 1997* (the Act) the EPA may require the provision of a financial assurance and/or assurances. The amount and form of the assurance(s) would be determined by the EPA and required as a condition of an Environment Protection Licence (EPL).

In addition, as a requirement of an EPL, the EPA will require the Proponent to prepare, test and implement a Pollution Incident Response Management Plan and/or Plans in accordance with Section 153A of the Act. The Proponent should be aware that the description of the proposal makes it a waste levy liable facility, and therefore a weighbridge shall be required to be installed, and that certain information about waste entering and leaving the facility is to be recorded and reported to the EPA.

Yours sincerely

A handwritten signature in blue ink, appearing to be "S. James", written over a dotted line.

.....
Steven James
Unit Head Metro North
Environment Protection Authority
(by Delegation)

ATTACHMENT A: EIS REQUIREMENTS FOR Remondis Resource Recovery Facility and Truck Depot

How to use these requirements

The EPA requirements have been structured in accordance with the DIPNR EIS Guidelines, as follows. It is suggested that the EIS follow the same structure:

- A. Executive summary
- B. The proposal
- C. The location
- D. Identification and prioritisation of issues
- E. The environmental issues
- F. List of approvals and licences
- G. Compilation of mitigation measures
- H. Justification for the proposal

A Executive summary

The executive summary should include a brief discussion of the extent to which the proposal achieves identified environmental outcomes.

B The proposal

1. Objectives of the proposal

- The objectives of the proposal should be clearly stated and refer to:
 - a) the size and type of the operation, the nature of the processes and the products, by-products and wastes produced
 - b) a life cycle approach to the production, use or disposal of products
 - c) the anticipated level of performance in meeting required environmental standards and cleaner production principles
 - d) the staging and timing of the proposal and any plans for future expansion
 - e) the proposal's relationship to any other industry or facility.

2. Description of the proposal

General

- Outline the production process including:
 - a) the environmental "mass balance" for the process – quantify in-flow and out-flow of materials, any points of discharge to the environment and their respective destinations (sewer, stormwater, atmosphere, recycling, landfill etc)
 - b) any life-cycle strategies for the products.
- Outline cleaner production actions, including:
 - a) measures to minimise waste (typically through addressing source reduction)
 - b) proposals for use or recycling of by-products
 - c) proposed disposal methods for solid and liquid waste
 - d) air management systems including all potential sources of air emissions, proposals to re-use or treat emissions, emission levels relative to relevant standards in regulations, discharge points
 - e) water management system including all potential sources of water pollution, proposals for re-use, treatment etc, emission levels of any wastewater discharged, discharge points, summary of options explored to avoid a discharge, reduce its frequency or reduce its impacts, and rationale for selection of option to discharge.
 - f) soil contamination treatment and prevention systems.
- Outline construction works including:
 - a) actions to address any existing soil contamination
 - b) any earthworks or site clearing; re-use and disposal of cleared material (including use of spoil on-site)
 - c) construction timetable and staging; hours of construction; proposed construction methods

- d) environment protection measures, including noise mitigation measures, dust control measures and erosion and sediment control measures.
- Include a site diagram showing the site layout and location of environmental controls.

Air

- Identify all sources or potential sources of air emissions from the development.

Note: emissions can be classed as either:

- *point (e.g. emissions from stack or vent) or*
- *fugitive (from wind erosion, leakages or spillages, associated with loading or unloading, conveyors, storage facilities, plant and yard operation, vehicle movements (dust from road, exhausts, loss from load), land clearing and construction works).*
- Provide details of the project that are essential for predicting and assessing air impacts including:
 - a) the quantities and physio-chemical parameters (e.g. concentration, moisture content, bulk density, particle sizes etc) of materials to be used, transported, produced or stored
 - b) an outline of procedures for handling, transport, production and storage
 - c) the management of solid, liquid and gaseous waste streams with potential to generate emissions to air.

Noise and vibration

- Identify all noise sources or potential sources from the development (including both construction and operation phases). Detail all potentially noisy activities including ancillary activities such as transport of goods and raw materials.
- Specify the times of operation for all phases of the development and for all noise producing activities.
- For projects with a significant potential traffic noise impact provide details of road alignment (include gradients, road surface, topography, bridges, culverts etc), and land use along the proposed road and measurement locations – diagrams should be to a scale sufficient to delineate individual residential blocks.

Water

- Provide details of the project that are essential for predicting and assessing impacts to waters including:
 - a) the quantity and physio-chemical properties of all potential water pollutants and the risks they pose to the environment and human health, including the risks they pose to Water Quality Objectives in the ambient waters (as defined on <http://www.environment.nsw.gov.au/ieo/index.htm>, using technical criteria derived from *the Australian and New Zealand Guidelines for Fresh and Marine Water Quality*, ANZECC 2000)
 - b) the management of discharges with potential for water impacts
 - c) drainage works and associated infrastructure; land-forming and excavations; working capacity of structures; and water resource requirements of the proposal.

- Outline site layout, demonstrating efforts to avoid proximity to water resources (especially for activities with significant potential impacts e.g. effluent ponds) and showing potential areas of modification of contours, drainage etc.
- Outline how total water cycle considerations are to be addressed showing total water balances for the development (with the objective of minimising demands and impacts on water resources). Include water requirements (quantity, quality and source(s)) and proposed storm and wastewater disposal, including type, volumes, proposed treatment and management methods and re-use options.

Waste and chemicals

Provide details of the quantity and type of both liquid waste and non-liquid waste generated, handled, processed or disposed of at the premises. Waste must be classified according to the EPA's *Waste Classification Guidelines 2014 (as amended from time to time)*

- Provide details of liquid waste and non-liquid waste management at the facility, including:
 - a) the transportation, assessment and handling of waste arriving at or generated at the site
 - b) any stockpiling of wastes or recovered materials at the site
 - c) any waste processing related to the facility, including reuse, recycling, reprocessing (including composting) or treatment both on- and off-site
 - d) the method for disposing of all wastes or recovered materials at the facility
 - e) the emissions arising from the handling, storage, processing and reprocessing of waste at the facility
 - f) the proposed controls for managing the environmental impacts of these activities.
- Provide details of spoil disposal with particular attention to:
 - a) the quantity of spoil material likely to be generated
 - b) proposed strategies for the handling, stockpiling, reuse/recycling and disposal of spoil
 - c) the need to maximise reuse of spoil material in the construction industry
 - d) identification of the history of spoil material and whether there is any likelihood of contaminated material, and if so, measures for the management of any contaminated material
 - e) designation of transportation routes for transport of spoil.
- Provide details of procedures for the assessment, handling, storage, transport and disposal of all hazardous and dangerous materials used, stored, processed or disposed of at the site, in addition to the requirements for liquid and non-liquid wastes.
- Provide details of the type and quantity of any chemical substances to be used or stored and describe arrangements for their safe use and storage.
- Reference should be made to the guidelines: EPA's *Waste Classification Guidelines 2014 (as amended from time to time)*

ESD

- Demonstrate that the planning process and any subsequent development incorporates objectives and mechanisms for achieving ESD, including:

- a) an assessment of a range of options available for use of the resource, including the benefits of each option to future generations

proper valuation and pricing of environmental resources

- b) identification of who will bear the environmental costs of the proposal.

3. Rehabilitation

- Outline considerations of site maintenance, and proposed plans for the final condition of the site (ensuring its suitability for future uses).

4. Consideration of alternatives and justification for the proposal

- Consider the environmental consequences of adopting alternatives, including alternative:
 - a) sites and site layouts
 - b) access modes and routes
 - c) materials handling and production processes
 - d) waste and water management
 - e) impact mitigation measures
 - f) energy sources
- Selection of the preferred option should be justified in terms of:
 - a) ability to satisfy the objectives of the proposal
 - b) relative environmental and other costs of each alternative
 - c) acceptability of environmental impacts and contribution to identified environmental objectives
 - d) acceptability of any environmental risks or uncertainties
 - e) reliability of proposed environmental impact mitigation measures
 - f) efficient use (including maximising re-use) of land, raw materials, energy and other resources.

C The location

1. General

- Provide an overview of the affected environment to place the proposal in its local and regional environmental context including:
 - a) meteorological data (e.g. rainfall, temperature and evaporation, wind speed and direction)
 - b) topography (landform element, slope type, gradient and length)
 - c) surrounding land uses (potential synergies and conflicts)
 - d) geomorphology (rates of landform change and current erosion and deposition processes)
 - e) soil types and properties (including erodibility; engineering and structural properties; dispersibility; permeability; presence of acid sulfate soils and potential acid sulfate soils)
 - f) ecological information (water system habitat, vegetation, fauna)
 - g) availability of services and the accessibility of the site for passenger and freight transport.

2. Air

- Describe the topography and surrounding land uses. Provide details of the exact locations of dwellings, schools and hospitals. Where appropriate provide a perspective view of the study area such as the terrain file used in dispersion models.
- Describe surrounding buildings that may effect plume dispersion.
- Provide and analyse site representative data on following meteorological parameters:
 - a) temperature and humidity
 - b) rainfall, evaporation and cloud cover
 - c) wind speed and direction

3. Noise and vibration

- Identify any noise sensitive locations likely to be affected by activities at the site, such as residential properties, schools, churches, and hospitals. Typically the location of any noise sensitive locations in relation to the site should be included on a map of the locality.
- Identify the land use zoning of the site and the immediate vicinity and the potentially affected areas.

4. Water

- Describe the catchment including proximity of the development to any waterways and provide an assessment of their sensitivity/significance from a public health, ecological and/or economic perspective. The Water Quality and River Flow Objectives on the website: <http://www.environment.nsw.gov.au/ieo/index.htm> should be used to identify the agreed environmental

values and human uses for any affected waterways. This will help with the description of the local and regional area.

5. Soil Contamination Issues

- Provide details of site history – if earthworks are proposed, this needs to be considered with regard to possible soil contamination, for example if the site was previously a landfill site or if irrigation of effluent has occurred.

D Identification and prioritisation of issues / scoping of impact assessment

- Provide an overview of the methodology used to identify and prioritise issues. The methodology should take into account:
 - a) relevant NSW government guidelines
 - b) industry guidelines
 - c) EISs for similar projects
 - d) relevant research and reference material
 - e) relevant preliminary studies or reports for the proposal
 - f) consultation with stakeholders.
- Provide a summary of the outcomes of the process including:
 - a) all issues identified including local, regional and global impacts (e.g. increased/ decreased greenhouse emissions)
 - b) key issues which will require a full analysis (including comprehensive baseline assessment)
 - c) issues not needing full analysis though they may be addressed in the mitigation strategy
 - d) justification for the level of analysis proposed (the capacity of the proposal to give rise to high concentrations of pollution compared with the ambient environment or environmental outcomes is an important factor in setting the level of assessment).

E The environmental issues

1. General

- The potential impacts identified in the scoping study need to be assessed to determine their significance, particularly in terms of achieving environmental outcomes, and minimising environmental pollution.
- Identify gaps in information and data relevant to significant impacts of the proposal and any actions proposed to fill those information gaps so as to enable development of appropriate management and mitigation measures. This is in accordance with ESD requirements.

Note: The level of detail should match the level of importance of the issue in decision making which is dependent on the environmental risk.

Describe baseline conditions

- Provide a description of existing environmental conditions for any potential impacts.

Assess impacts

- For any potential impacts relevant for the assessment of the proposal provide a detailed analysis of the impacts of the proposal on the environment including the cumulative impact of the proposal on the receiving environment especially where there are sensitive receivers.
- Describe the methodology used and assumptions made in undertaking this analysis (including any modelling or monitoring undertaken) and indicate the level of confidence in the predicted outcomes and the resilience of the environment to cope with the predicted impacts.
- The analysis should also make linkages between different areas of assessment where necessary to enable a full assessment of environmental impacts e.g. assessment of impacts on air quality will often need to draw on the analysis of traffic, health, social, soil and/or ecological systems impacts; etc.
- The assessment needs to consider impacts at all phases of the project cycle including: exploration (if relevant or significant), construction, routine operation, start-up operations, upset operations and decommissioning if relevant.
- The level of assessment should be commensurate with the risk to the environment.

Describe management and mitigation measures

- Describe any mitigation measures and management options proposed to prevent, control, abate or mitigate identified environmental impacts associated with the proposal and to reduce risks to human health and prevent the degradation of the environment. This should include an assessment of the effectiveness and reliability of the measures and any residual impacts after these measures are implemented.
- Proponents are expected to implement a 'reasonable level of performance' to minimise environmental impacts. The proponent must indicate how the proposal meets reasonable levels of performance. For example, reference technology based criteria if available, or identify good practice for this type of activity or development. A 'reasonable level of performance' involves adopting and implementing technology and

management practices to achieve certain pollutant emissions levels in economically viable operations. Technology-based criteria evolve gradually over time as technologies and practices change.

- Use environmental impacts as key criteria in selecting between alternative sites, designs and technologies, and to avoid options having the highest environmental impacts.
- Outline any proposed approach (such as an Environmental Management Plan) that will demonstrate how commitments made in the EIS will be implemented. Areas that should be described include:
 - a) operational procedures to manage environmental impacts
 - b) monitoring procedures
 - c) training programs
 - d) community consultation
 - e) complaint mechanisms including site contacts
 - f) strategies to use monitoring information to improve performance
 - g) strategies to achieve acceptable environmental impacts and to respond in event of exceedences.

4. Air

Describe baseline conditions

- Provide a description of existing air quality and meteorology, using existing information and site representative ambient monitoring data.

Assess impacts

- The EIS must include an Air Quality Impact Assessment (AQIA) to identify all pollutants of concern and estimate emissions by quantity (and size for particles), source and discharge point.
- The AQIA must identify and describe in detail all possible sources of air pollution and activities or processes with the potential to cause air pollutants including odours and fugitive dust emissions beyond the boundary of any pipeline route. This should cover both the construction and operational phases of the development. The AQIA should include cumulative impacts associated with existing developments and any developments having been granted development consent but which have not commenced.
- The EIS must describe in detail the measures proposed to mitigate the impacts and quantify the extent to which the mitigation measures are likely to be effective in achieving the relevant environmental outcomes.
- Estimate the resulting ground level concentrations of all pollutants. This should include fumes and particulates from diesel plant and equipment at the facility. Where necessary (e.g. potentially significant impacts and complex terrain effects), use an appropriate dispersion model to estimate ambient pollutant concentrations. Discuss choice of model and parameters with the EPA.
- Describe the effects and significance of pollutant concentration on the environment, human health, amenity and regional ambient air quality standards or goals.
- Describe the contribution that the development will make to regional and global pollution, particularly in sensitive locations.

- For potentially odorous emissions provide the emission rates in terms of odour units (determined by techniques compatible with EPA procedures). Use sampling and analysis techniques for individual or complex odours and for point or diffuse sources, as appropriate.

Note: With dust and odour, it may be possible to use data from existing similar activities to generate emission rates.

- Consider and assess odour impacts from the various waste types such as putrescible wastes (food, garden organics), liquid wastes, hazardous wastes and chemicals.

Describe management and mitigation measures

- The applicant should design management and mitigation measures to ensure:
 - emissions do not cause adverse impacts upon human health and the environment;
 - there are no offensive odours from the facility beyond the boundary of the premises;
- Outline specifications of pollution control equipment (including manufacturer's performance guarantees where available) and management protocols for odour and both point and fugitive emissions. Where possible, this should include cleaner production processes.
- The EIS must describe in detail the measures proposed to mitigate the impacts and quantify the extent to which the mitigation measures are likely to be effective in achieving the relevant environmental outcomes..

5. Noise and vibration

Describe baseline conditions

- Determine the existing background (LA90) and ambient (LAeq) noise levels, as relevant, in accordance with the *NSW Noise Policy for Industry*.
- Determine the existing road traffic noise levels in accordance with the *NSW Road Noise Policy*, where road traffic noise impacts may occur.
- The noise impact assessment report should provide details of all monitoring of existing ambient noise levels including:
 - a) details of equipment used for the measurements
 - b) a brief description of where the equipment was positioned
 - c) a statement justifying the choice of monitoring site(s), including the procedure used to choose the site(s), having regards to Fact Sheets A and B of the *NSW Noise Policy for Industry*.
 - d) details of the exact location of the monitoring site and a description of land uses in surrounding areas
 - e) a description of the dominant and background noise sources at the site
 - f) day, evening and night assessment background levels for each day of the monitoring period
 - g) the final Rating Background Level (RBL) value

- h) graphs of the measured noise levels for each day should be provided
- i) a record of periods of affected data (due to adverse weather and extraneous noise), methods used to exclude invalid data and a statement indicating the need for any re-monitoring.

Assess impacts

- The environmental outcome of the project should be to minimise adverse impacts due to noise from the project. The EIS must clearly outline the noise mitigation, monitoring and management measures the proponent intends to apply to the project to minimise noise pollution.

A noise assessment should be undertaken in accordance with the New South Wales Noise Policy for Industry (EPA 2017).

- Determine the project noise trigger levels for the site.
- Determine expected noise level and noise character likely to be generated from noise sources during:
 - a) site establishment
 - b) construction
 - c) operational phases
 - d) transport including traffic noise generated by the proposal
 - e) other services.
- The noise impact assessment report should include:
 - a) a plan showing the assumed location of each noise source for each prediction scenario
 - b) a list of the number and type of noise sources used in each prediction scenario to simulate all potential significant operating conditions on the site
 - c) any assumptions made in the predictions in terms of source heights, directivity effects, shielding from topography, buildings or barriers, etc
 - d) methods used to predict noise impacts including identification of any noise models used.
 - e) the weather conditions considered for the noise predictions
 - f) the predicted noise impacts from each noise source as well as the combined noise level for each prediction scenario
 - g) for developments where a significant level of noise impact is likely to occur, noise contours for the key prediction scenarios should be derived
 - h) an assessment of the need to include modification factors as detailed in Fact Sheet C of the *NSW Noise Policy for Industry*.
- Discuss the findings from the predictive modelling and, where relevant noise criteria have not been met, recommend additional feasible and reasonable mitigation measures.
- The noise impact assessment report should include details of any mitigation proposed including the attenuation that will be achieved and the revised noise impact predictions following mitigation.
 - a) Where relevant noise/vibration levels cannot be met after application of all feasible and reasonable mitigation measures the residual level of noise impact needs to be quantified
- For the assessment of existing and future traffic noise, details of data for the road should be included such as assumed traffic volume; percentage heavy vehicles by time of day; and details of the calculation process. These details should be consistent with any traffic study carried out in the EIS.

Describe management and mitigation measures

- Determine the most appropriate noise mitigation measures and expected noise reduction including both noise controls and management of impacts for both construction and operational noise. This will include selecting quiet equipment and construction methods, noise barriers or acoustic screens, location of stockpiles, temporary offices, compounds and vehicle routes, scheduling of activities, etc.
- For traffic noise impacts, provide a description of the ameliorative measures considered (if required), reasons for inclusion or exclusion, and procedures for calculation of noise levels including ameliorative measures. Also include, where necessary, a discussion of any potential problems associated with the proposed ameliorative measures, such as overshadowing effects from barriers. Appropriate ameliorative measures may include:
 - a) use of alternative transportation modes, alternative routes, or other methods of avoiding the new road usage
 - b) control of traffic (eg: limiting times of access or speed limitations)
 - c) resurfacing of the road using a quiet surface
 - d) use of (additional) noise barriers or bunds
 - e) treatment of the façade to reduce internal noise levels buildings where the night-time criteria is a major concern
 - f) more stringent limits for noise emission from vehicles (i.e. using specially designed 'quite' trucks and/or trucks to use air bag suspension
 - g) driver education
 - h) appropriate truck routes
 - i) limit usage of exhaust brakes
 - j) use of premium muffles on trucks
 - k) reducing speed limits for trucks
 - l) ongoing community liaison and monitoring of complaints
 - m) phasing in the increased road use.

4. Water

The environmental outcome for the project should ensure:

- polluted water (including process waters, wash down waters, polluted stormwater or sewage) is captured on the site and directed to reticulated sewer where available or else collected, treated and beneficially reused, where this is safe and practicable to do so.
- Promote integrated water cycle management that optimises opportunities for sustainable water supply, wastewater and stormwater management and reuse initiatives where it is safe and practicable to do so.
- Appropriate stormwater management during construction and operation
- bunding is designed in accordance with the EPA's Bunding and Spill Management guidelines.

The EIS should document how the above outcomes will be achieved. The EIS should also demonstrate how the stormwater management system will satisfy relevant contemporary guidelines such as *Managing Urban Stormwater - Soils and Construction - Volume 2E Mines and Quarries* (DECC June 2008).

Describe baseline conditions

- Describe existing surface and groundwater quality – an assessment needs to be undertaken for any water resource likely to be affected by the proposal and for all conditions (e.g. a wet weather sampling program is needed if runoff events may cause impacts).
Note: Methods of sampling and analysis need to conform with an accepted standard (e.g. Approved Methods for the Sampling and Analysis of Water Pollutants in NSW (DEC 2004) or be approved and analyses undertaken by accredited laboratories).
- Provide site drainage details and surface runoff yield.

Describe the state of the receiving waters and relate this to the relevant Water Quality and River Flow Objectives (i.e. are Water Quality and River Flow Objectives being achieved?).

Assess impacts

- No proposal should breach section 120 of the *Protection of the Environment Operations Act 1997* (i.e. pollution of waters is prohibited unless undertaken in accordance with relevant regulations).
- Identify and estimate the quantity of all pollutants that may be introduced into the water cycle by source and discharge point including residual discharges after mitigation measures are implemented.
- Identify any potential impacts on quality or quantity of groundwater describing their source.
- Identify potential impacts associated with geomorphological activities with potential to increase surface water and sediment runoff or to reduce surface runoff and sediment transport. Also consider possible impacts such as bed lowering, bank lowering, instream siltation, floodplain erosion and floodplain siltation.
- Identify impacts associated with the disturbance of acid sulfate soils and potential acid sulfate soils.
- Containment of spills and leaks shall be in accordance with EPA's guidelines section 'Bunding and Spill Management' at <http://www.epa.nsw.gov.au/mao/bundingspill.htm> and the most recent versions of the Australian Standards referred to in the Guidelines. Containment should be designed for no-discharge.
- Where a licensed discharge is proposed, provide the rationale as to why it represents the best environmental outcome and what measures can be taken to reduce its environmental impact.
- Assess impacts for the construction and operational phases of the proposal.

Describe management and mitigation measures

- Outline stormwater management to control pollutants at the source and contain them within the site. Also describe measures for maintaining and monitoring any stormwater controls.
- Outline erosion and sediment control measures directed at minimising disturbance of land, minimising water flow through the site and filtering, trapping or detaining sediment. Also include measures to maintain and monitor controls as well as rehabilitation strategies.

- Describe waste water treatment measures that are appropriate to the type and volume of waste water and are based on a hierarchy of avoiding generation of waste water.
- Outline pollution control measures relating to storage of materials, possibility of accidental spills (e.g. preparation of contingency plans), appropriate disposal methods, and generation of leachate.
- Any proposed monitoring should be undertaken in accordance with the *Approved Methods for the Sampling and Analysis of Water Pollutants in NSW* (DEC 2004).

5. Soils and contamination

Describe baseline conditions

- Provide any details (in addition to those provided in the location description - Section C) that are needed to describe the existing situation in terms of soil types and properties and soil contamination.

Assess impacts

- Identify any likely impacts resulting from the construction or operation of the proposal, including the likelihood of:
 - a) disturbing any existing contaminated soil
 - b) contamination of soil by operation of the activity
 - c) subsidence or instability
 - d) soil erosion
 - e) disturbing acid sulfate or potential acid sulfate soils.
- Reference should be made relevant guidelines e.g. *Contaminated Sites – Guidelines for Consultants Reporting on Contaminated Sites* (OEH, 2011); *Guidelines on the Duty to Report Contamination under the Contaminated Land Management Act 1997* (EPA, 2015).

Describe management and mitigation measures

- Describe and assess the effectiveness or adequacy of any soil management and mitigation measures during construction and operation of the proposal including:
 - a) erosion and sediment control measures
 - b) proposals for site remediation – see *Managing Land Contamination, Planning Guidelines SEPP 55 – Remediation of Land* (Department of Urban Affairs and Planning and Environment Protection Authority, 1998)
 - c) proposals for the management of these soils – see *Acid Sulfate Soil Manual* (Acid Sulfate Soil Advisory Committee 1998) and *Acid Sulfate Soils Assessment Guidelines* (Acid Sulfate Soil Advisory Committee 1998).

6. Waste and chemicals

Describe baseline conditions

- Describe any existing waste or chemicals operations related to the proposal, particularly given the historical industrial uses of the site.

Assess impacts

- Describe the sources, types and quantities of all waste types proposed to be received, and handled at the premises.
- Describe the waste processing capacity of the facility. Give consideration that all wastes must be received, processed and stored indoors.
- Provide the maximum annual throughput of waste and the maximum amount of waste anticipated to be stored at the premises at any one time. Consider Fire + Rescue NSW's *Fire Safety in Waste Facilities* guideline 2019.
- Assess the adequacy of proposed measures to minimise natural resource consumption and minimise impacts from the handling, transporting, storage, processing and reprocessing of waste and/or chemicals.
- Assess the requirements for handling and storing different types of hazardous wastes and contaminated soils, including potential impact on employees and visitors at the facility.
- Assess the impacts of leachate generating wastes which are proposed to be received.
- Detail procedures for dealing with wastes not permitted to be accepted at the premises.
- Detail how the proponent will meet the EPA's record keeping and reporting requirements for waste facilities, see the EPA's *Waste Levy Guideline 2018*.
- Reference should be made to: the EPA's *Waste Classification Guidelines 2014*.

Describe management and mitigation measures

- Consider specific impacts from the various waste types that are proposed to be received at the facility and that all wastes are to be received and handled indoors.
- Detail leachate and odour minimising measures to be implemented specific to the impacts identified for leachate and odour generating wastes .
- Describe sources of waste types proposed, and impacts of wastes leaving the facility being transported to other uses, processing or disposal options, and the lawful status of those facilities to receive wastes.
- Outline measures to minimise the consumption of natural resources.
- Outline measures to avoid the generation of waste and promote the re-use and recycling and reprocessing of any waste.
- Outline measures to support any approved regional or industry waste plans.

7. Cumulative impacts

- Identify the extent that the receiving environment is already stressed by existing development and background levels of emissions to which this proposal will contribute.
- Assess the impact of the proposal against the long term air, noise and water quality objectives for the area or region.
- Identify infrastructure requirements flowing from the proposal (e.g. water and sewerage services, transport infrastructure upgrades).
- Assess likely impacts from such additional infrastructure and measures reasonably available to the proponent to contain such requirements or mitigate their impacts (e.g. travel demand management strategies).

F. List of approvals and licences

- Identify all approvals and licences required under environment protection legislation including details of all scheduled activities, types of ancillary activities and types of discharges (to air, land, water).

G. Compilation of mitigation measures

- Outline how the proposal and its environmental protection measures would be implemented and managed in an integrated manner so as to demonstrate that the proposal is capable of complying with statutory obligations under EPA licences or approvals (e.g. outline of an environmental management plan).
- The mitigation strategy should include the environmental management and cleaner production principles which would be followed when planning, designing, establishing and operating the proposal. It should include two sections, one setting out the program for managing the proposal and the other outlining the monitoring program with a feedback loop to the management program.

H. Justification for the Proposal

- Reasons should be included which justify undertaking the proposal in the manner proposed, having regard to the potential environmental impacts.

ATTACHMENT B: GUIDANCE MATERIAL

Title	Web address
Relevant Legislation	
<i>Contaminated Land Management Act 1997</i>	http://www.legislation.nsw.gov.au/#/view/act/1997/140
<i>Environmentally Hazardous Chemicals Act 1985</i>	http://www.legislation.nsw.gov.au/#/view/act/1985/14
<i>Environmental Planning and Assessment Act 1979</i>	http://www.legislation.nsw.gov.au/#/view/act/1979/203
<i>Protection of the Environment Operations Act 1997</i>	http://www.legislation.nsw.gov.au/#/view/act/1997/156
<i>Water Management Act 2000</i>	http://www.legislation.nsw.gov.au/#/view/act/2000/92
Licensing	
Guide to Licensing	www.epa.nsw.gov.au/licensing/licenceguide.htm
Air Issues	
Air Quality	
Approved methods for modelling and assessment of air pollutants in NSW (2016)	http://www.epa.nsw.gov.au/air/appmethods.htm
POEO (Clean Air) Regulation 2010	http://www.legislation.nsw.gov.au/#/view/regulation/2010/428
Noise and Vibration	
NSW Noise Policy for Industry	http://www.epa.nsw.gov.au/your-environment/noise/industrial-noise/noise-policy-for-industry-(2017)
Interim Construction Noise Guideline (DECC, 2009)	http://www.epa.nsw.gov.au/noise/constructnoise.htm
Assessing Vibration: a technical guideline (DEC, 2006)	http://www.epa.nsw.gov.au/noise/vibrationguide.htm
NSW Road Noise Policy (DECCW, 2011)	http://www.epa.nsw.gov.au/your-environment/noise/transport-noise
NSW Rail Infrastructure Noise Guideline (EPA, 2013)	http://www.epa.nsw.gov.au/your-environment/noise/transport-noise
Human Health Risk Assessment	

Environmental Health Risk Assessment: Guidelines for assessing human health risks from environmental hazards (enHealth, 2012)	http://www.eh.org.au/documents/item/916
Waste, Chemicals and Hazardous Materials and Radiation	
Waste	
Environmental Guidelines: Solid Waste Landfills (EPA, 2016)	http://www.epa.nsw.gov.au/waste/landfill-sites.htm
Draft Environmental Guidelines - Industrial Waste Landfilling (April 1998)	http://www.epa.nsw.gov.au/resources/waste/envguidlms/industrialfill.pdf
EPA's Waste Classification Guidelines 2014	http://www.epa.nsw.gov.au/wasteregulation/classify-guidelines.htm
Resource recovery orders and exemptions	http://www.epa.nsw.gov.au/wasteregulation/orders-exemptions.htm
European Unions Waste Incineration Directive 2000	http://ec.europa.eu/environment/archives/air/stationary/wid/legislation.htm
EPA's Energy from Waste Policy Statement	http://www.epa.nsw.gov.au/wastestrategy/energy-from-waste.htm
NSW Waste Avoidance and Resource Recovery Strategy 2014-2021	http://www.epa.nsw.gov.au/wastestrategy/warr.htm
Chemicals subject to Chemical Control Orders	
Chemical Control Orders (regulated through the EHC Act)	http://www.epa.nsw.gov.au/pesticides/CCOs.htm
National Protocol - Approval/Licensing of Trials of Technologies for the Treatment/Disposal of Schedule X Wastes - July 1994	Available in libraries
National Protocol for Approval/Licensing of Commercial Scale Facilities for the Treatment/Disposal of Schedule X Wastes - July 1994	Available in libraries
Water and Soils	
Acid sulphate soils	
Coastal acid sulfate soils guidance material	http://www.environment.nsw.gov.au/acidsulfatesoil/ and http://www.epa.nsw.gov.au/mao/acidsulfatesoils.htm
Acid Sulfate Soils Planning Maps	http://www.environment.nsw.gov.au/acidsulfatesoil/riskmaps.htm
Contaminated Sites Assessment and Remediation	
Managing land contamination: Planning Guidelines – SEPP 55 Remediation of Land	http://www.epa.nsw.gov.au/clm/planning.htm

Guidelines for Consultants Reporting on Contaminated Sites (EPA, 2000)	http://www.epa.nsw.gov.au/resources/clm/20110650consultantsgline.pdf
Guidelines for the NSW Site Auditor Scheme - 2nd edition (DEC, 2006)	http://www.epa.nsw.gov.au/resources/clm/auditorglines06121.pdf
Sampling Design Guidelines (EPA, 1995)	http://www.epa.nsw.gov.au/resources/clm/95059samppgdline.pdf
National Environment Protection (Assessment of Site Contamination) Measure 1999 (or update)	http://www.scew.gov.au/nepms/assessment-site-contamination
Soils – general	
Managing land and soil	http://www.environment.nsw.gov.au/soils/landandsoil.htm
Managing urban stormwater for the protection of soils	http://www.environment.nsw.gov.au/stormwater/publications.htm
Landslide risk management guidelines	http://australiangeomechanics.org/admin/wp-content/uploads/2010/11/LRM2000-Concepts.pdf
Site Investigations for Urban Salinity (DLWC, 2002)	http://www.environment.nsw.gov.au/resources/salinity/booklet3siteinvestigationsforurbansalinity.pdf
Local Government Salinity Initiative Booklets	http://www.environment.nsw.gov.au/salinity/solutions/urban.htm
Water	
Water Quality Objectives	http://www.environment.nsw.gov.au/ieo/index.htm
ANZECC (2000) Guidelines for Fresh and Marine Water Quality	http://www.environment.gov.au/water/publications/quality/nwqms-guidelines-4-vol1.html
Applying Goals for Ambient Water Quality Guidance for Operations Officers - Mixing Zones	Contact the EPA on 131555
Approved Methods for the Sampling and Analysis of Water Pollutant in NSW (2004)	http://www.environment.nsw.gov.au/resources/legislation/approved-methods-water.pdf