



File Ref. No: FRN21/3643 BFS22/1977 8000021033  
TRIM Doc. No: D22/40061  
Contact: Station Officer Aaron Ross

19 May 2022

Gabrielle Allan  
NSW Department of Planning and Environment  
Locked Bag 5022  
PARRAMATTA NSW 2124

Dear Gabrielle,

**Re: Advice on Environmental Impact Statement (EIS) – Dendrobium Mine Extension Project – (SSI-33143123)**

Fire and Rescue NSW (FRNSW) acknowledge correspondence received on 03 May 2022, requesting advice on the EIS for the Dendrobium Mine Extension Project – (SSI-33143123). FRNSW have reviewed the EIS along with the Preliminary Hazards Analysis (PHA) and attended a Multi-Agency Meeting where the revised project was presented on 18 May 2022.

Given the size and complexity of the facility and the proposed extension, and to ensure first responders have information readily available to render safe any incident, FRNSW make the following recommendations:

1. That an Emergency Response Plan (ERP) is developed / updated for the site in accordance with HIPAP No.1.<sup>1</sup>
2. That an Emergency Services Information Package (ESIP) is developed / updated in accordance with FRNSW fire safety guideline – Emergency services information package and tactical fire plans.<sup>2</sup>

For further information please contact the Operational Liaison and Special Hazards Unit, referencing FRNSW file number BFS22/1977. Please ensure that all correspondence in relation to this matter is submitted electronically to [firesafety@fire.nsw.gov.au](mailto:firesafety@fire.nsw.gov.au).

Yours sincerely,



Superintendent John Hawes  
Manager  
Operational Liaison Special Hazards Unit

Cc: [gabrielle.allan@dpie.nsw.gov.au](mailto:gabrielle.allan@dpie.nsw.gov.au)

---

<sup>1</sup> <https://www.planning.nsw.gov.au/-/media/Files/DPE/Other/hazardous-industry-planning-advisory-paper-no-1-emergency-planning-2011-01.pdf?la=en>

<sup>2</sup> [https://www.fire.nsw.gov.au/gallery/files/pdf/guidelines/guidelines\\_ESIP\\_and\\_TFP.pdf](https://www.fire.nsw.gov.au/gallery/files/pdf/guidelines/guidelines_ESIP_and_TFP.pdf)