



File Ref. No: FRN23/2888 BFS23/4814 8000030405
TRIM Doc. No: D23/83286
Contact: Station Officer Richard Jay

31 August 2023

Megan Ramsdale
NSW Department of Planning and Environment
Locked Bag 5022
PARRAMATTA NSW 2124

Dear Megan,

Re: Advice on Secretary's Environmental Assessment Requirements (SEARs) – BERYL BATTERY ENERGY STORAGE SYSTEM – 5 HOLLEYS LANE, GULGONG 2852 (SSD-6140977)

Fire and Rescue NSW (FRNSW) acknowledge correspondence received on 24 August 2023, requesting input into the preparation of the SEARs for the BERYL BATTERY ENERGY STORAGE SYSTEM – 5 HOLLEYS LANE, GULGONG 2852 (SSD-6140977) FRNSW have reviewed the SEARs along with the Scoping Report and make the following comments:

There is currently insufficient information available regarding the fire safety and emergency response management aspects of the project. FRNSW note the Scoping Report details a 100 MW / 200 MWh BESS. It is the experience of FRNSW that BESS facilities present special problems of firefighting when responding to and managing an incident. FRNSW requests to be consulted and given the opportunity to review the hazard and risk analysis and provide comment regarding the proposed fire and life safety systems at the preliminary and final design phases of the project.

For further information please contact the Operational Liaison and Special Hazards Unit, referencing FRNSW file number BFS23/4814. Please ensure that all correspondence in relation to this matter is submitted electronically to firesafety@fire.nsw.gov.au.

Yours sincerely,

A handwritten signature in black ink, appearing to read "R. Nicoletti".

A/Superintendent Robert Nicoletti
Manager
Operational and Liaison and Special Hazards Unit

Cc: megan.ramsdale@planning.nsw.gov.au