



File Ref. No: FRN24/2069 BFS24/3989 8000036505
TRIM Doc. No: D24/84333
Contact: Senior Firefighter Barton Hill

16 July 2024

JULIA GREEN
NSW Department of Planning and Environment
Locked Bag 5022
PARRAMATTA NSW 2124

Dear JULIA,

Re: Advice on Secretary's Environmental Assessment Requirements (SEARs) – VICTORIA TO NSW INTERCONNECTOR WEST (SSI-72887208)

Fire and Rescue NSW (FRNSW) acknowledge correspondence received on 5 July 2024, requesting input into the preparation of the SEARs for the VICTORIA TO NSW INTERCONNECTOR WEST (SSI-72887208). FRNSW have reviewed the SEARs along with the Scoping Report with particular focus to Section 4 and Section 9.3 Hazard and Risk.

There is currently insufficient information available regarding the fire safety and emergency response management aspects of the project. If required, FRNSW will review and provide comment at the Exhibition stage of the project.

For further information please contact the Operational Liaison and Special Hazards Unit, referencing FRNSW file number BFS24/3989. Please ensure that all correspondence in relation to this matter is submitted electronically to firesafety@fire.nsw.gov.au.

Yours sincerely,

A handwritten signature in black ink, appearing to read "James O'Carroll".

Superintendent James O'Carroll
Manager
Operational and Liaison and Special Hazards Unit

Cc: julia.a.green@dpie.nsw.gov.au