

Our ref: HMS ID 12428

Nicholas Kumar
Senior Environmental Assessment Officer
Department of Planning, Housing and Infrastructure
nicholas.kumar@dpie.nsw.gov.au

Letter uploaded to the Major Projects Planning Portal

Advice on Environmental Impact Statement – State Significant Development

Proposal: South Coree Battery Energy Storage System

Major Project reference: SSD-77238990

Received: 5 November 2025

Dear Nicholas,

Thank you for seeking advice from the Heritage Council of NSW regarding the above State Significant Development proposal. In preparing this advice Heritage NSW has reviewed the following documents:

- Relevant sections of *Environmental Impact Statement South Coree Battery Energy Storage System* - prepared by NGH, dated 22 October 2025.

Heritage NSW notes that the proposed works will not directly impact any items listed on the State Heritage Register, and that no areas of archaeological potential have been identified by the assessment. We have no further comment on the proposal at this time, and have included recommended draft conditions of approval for the project in **Attachment A**.

Please note that the above comments relate only to environmental heritage regulation matters. If you have any questions about this correspondence, please contact James Cole, Senior Assessments Officer at Heritage NSW on (02) 9873 8500 or heritagemailbox@environment.nsw.gov.au

Yours sincerely,

Corey O'Driscoll

Corey O'Driscoll
Practice Lead – Major Projects
Heritage NSW
Department of Climate Change, Energy, the Environment and Water
As Delegate of the Heritage Council of NSW
25 November 2025

Attachment A – Recommended draft conditions of approval for environmental heritage

Below are our recommended draft conditions for the protection of environmental heritage.

Environmental heritage

1. All reasonable steps must be taken to avoid harm, modification of or impact to heritage items and relics except as authorised by this approval.
2. Ensure workers on site receive suitable heritage inductions prior to carrying out any development on site, and that records are kept of these inductions.
3. A procedure for the management of unexpected relics and human remains must be developed in consultation with Heritage NSW. This procedure must:
 - a. be prepared in accordance with Heritage NSW guidelines and codes of practice
 - b. include a hold point requiring the development of a detailed historical archaeological assessment in the event an unexpected relic is identified.
 - i. The archaeological assessment must be prepared in accordance with the guideline *Archaeological Assessments* (1996) and *Assessing Significance for Historical Archaeological Sites and Relics* (2009) to inform and guide archaeological mitigation measures.
 - ii. If harm cannot be avoided in whole or part, an Archaeological Research Design and Excavation Methodology with a nominated Excavation Director should also be prepared to guide any proposed excavations or salvage program.
 - iii. The Archaeological Assessment must be provided to the Secretary of the Department of Planning, Housing and Infrastructure for approval in consultation with Heritage NSW.
 - c. be implemented for the duration of the project.