

Kingscliff Mixed Use Development

4-8 BELL’S BOULEVARD, KINGSCLIFF, NSW

LANDSCAPE DRAWINGS

SSDA


DRAWING REGISTER


Dwg No.	Drawing Title	Size	Scale
L-SSDA-01	Cover Page	A1	N/A
L-SSDA-02	Tree Removal + Retention Plan	A1	1:200
L-SSDA-03	Ground Floor Landscape Plan	A1	1:200
L-SSDA-04	Ground Floor Fences walls + Levels Plan	A1	1:200
L-SSDA-05	Level 01 Landscape Plan	A1	1:200
L-SSDA-06	Level 02 Landscape Plan	A1	1:200
L-SSDA-07	Level 03 Landscape Plan	A1	1:200
L-SSDA-08	Level 04 Landscape Plan	A1	1:200
L-SSDA-09	Roof Top Landscape Plan	A1	1:200
L-SSDA-10	Soil Depth Plans	A1	1:400
L-SSDA-11	Communal Open Space Plans	A1	1:400
L-SSDA-12	Public Domain Tree Canopy Calculation	A1	1:300
L-SSDA-13	Public Domain - Mature Existing Tree Facade Conflict	A1	1:300
L-SSDA-14	Section A	A1	N/A
L-SSDA-15	Section B	A1	N/A
L-SSDA-16	Typical Landscape Details	A1	As Shown
L-SSDA-17	Typical Upper Level Planting Detail	A1	1:20
L-SSDA-18	Planting Palette	A1	N/A
L-SSDA-19	Ground Floor Tree Plan	A1	1:200
L-SSDA-20	Roof Top Tree Plan	A1	1:200
L-SSDA-21	Planting Schedule	A1	N/A

GENERAL NOTES

- * FOR DEVELOPMENT APPLICATION ONLY
- * Do not scale from drawings
- * Larger scale drawings and written dimensions take preference
- * All dimensions in mm unless otherwise stated.
- * All tree dimensions and RLs in metres.
- * Use figured dimensions only.
- * Verify all dimensions on site before the commencement of any works.
- * Contractors shall locate and protect all services prior to construction.
- * All work shall be carried out in accordance with ASA, BCA and Local Government Regulations.
- * Structural Details shall be subject to Engineer's Specifications.
- * Drainage & Water Feature Details shall be subject to Hydraulic Engineer's Specifications.
- * All work shall be carried out in a professional manner by Qualified Tradesman according to Landscape Drawings and Engineer's Specifications.
- *Protect all adjoining property building, walls and paving. Damaged elements are to be replaced.
- * No responsibility will be taken by 360 degrees. for any variations in design, construction method, materials specified, and general specifications without permission from the Project Engineer or Landscape Architect.
- *Service location on plans are indicative only . 360 accepts no responsibility for the accuracy of service location. it is the responsibility of the contractor to determine service locations prior to the commencement of work. Any damages remains the responsibility of the contractor.
- * This Drawing is copyright to 360 degrees.

LOCATION PLAN






Tree No.	Botanical Name	Common Name	Retain or Removed
1	Araucaria heterophylla	Norfolk Island pine	Remove
2	Cupaniopsis anacardiodes	Tuckeroo	Remove
3	Cupaniopsis anacardiodes	Tuckeroo	Remove
4	Araucaria heterophylla	Norfolk Island pine	Remove
5	Cupaniopsis anacardiodes	Tuckeroo	Remove
6	Cupaniopsis anacardiodes	Tuckeroo	Remove
7	Araucaria heterophylla	Norfolk Island pine	Remove
8	Cupaniopsis anacardiodes	Tuckeroo	Remove
9	Cupaniopsis anacardiodes	Tuckeroo	Remove
10	Araucaria heterophylla	Norfolk Island pine	Remove
11	Cupaniopsis anacardiodes	Tuckeroo	Remove
12	Cupaniopsis anacardiodes	Tuckeroo	Remove
13	Cupaniopsis anacardiodes	Tuckeroo	Remove
14	Cupaniopsis anacardiodes	Tuckeroo	Remove
15	Cupaniopsis anacardiodes	Tuckeroo	Remove
16	Cupaniopsis anacardiodes	Tuckeroo	Remove
17	Cupaniopsis anacardiodes	Tuckeroo	Remove
18	Cupaniopsis anacardiodes	Tuckeroo	Remove
19	Casuarina equisetifolia	Coastal She-oak	Remove
20	Acacia fimbriata	Fringed Wattle	Remove
21	Cupaniopsis anacardiodes	Tuckeroo	Remove
22	Casuarina equisetifolia	Coastal She-oak	Remove
23	Casuarina equisetifolia	Coastal She-oak	Remove
24	Hibiscus tiliaceus	Sea Hibiscus	Retain
25	Hibiscus tiliaceus	Sea Hibiscus	Retain
26	Hibiscus tiliaceus	Sea Hibiscus	Retain
27	Hibiscus tiliaceus	Sea Hibiscus	Retain
28	Hibiscus tiliaceus	Sea Hibiscus	Retain
29	Hibiscus tiliaceus	Sea Hibiscus	Retain
30	Hibiscus tiliaceus	Sea Hibiscus	Retain
31	Cupaniopsis anacardiodes	Tuckeroo	Retain
32	Cupaniopsis anacardiodes	Tuckeroo	Retain

Note: Refer to Arboricultural Impact Assessment Report, Commercial Development Report. By Arbor Ecological Pty Ltd.

LEGEND


- 1 Green Roof to retail tenancies (refer plant schedules)
- 2 Green roof to GF Lobby Entries (refer plant schedules)
- 3 Lift Lobbies with planters to corridor edge
- 4 Green roof to inner courtyard



- List of Changes;
- Architectural Backgrounds updated
 - Addition of gardens to South East corner.

LEGEND


- 1 Lift Lobbies with planters to corridor edge
(refer plant schedules)



- List of Changes:
- Architectural Backgrounds updated
 - Amendment to garden size.

LEGEND

- 1 Lift Lobbies with planters to corridor edge
(refer plant schedules)



- List of Changes:
- Architectural Backgrounds updated
 - Amendment to garden size.


LEGEND

- 1
- Lift Lobbies with planters to corridor edge
(refer plant schedules)
- 2
- Edge planters with lush greenery to soften and
provide privacy.





- List of Changes;
- Architectural Backgrounds updated
 - Amended garden positions.

- 1 Rooftop Pool Lobby
- 2 Stair access up to pool deck
- 3 Lift access to pool deck
- 4 Toilet facilities
- 5 Outdoor Lounge seating & tables
- 6 Palms surrounding pool deck
- 7 15m Pool with overflow edge
- 8 Perimeter garden and planting
- 9 Sun Lounges/ daybeds with Umbrellas
- 10 Solar Power & Plant Provision areas
- 11 Outdoor Pool bar



- Architectural Backgrounds updated
- Amended garden positions.

ISS.	AMENDMENT	DATE	BY
A	SSDA	24.06.26	JG



IMPORTANT NOTES:

- Do not scale from drawings.
- All discrepancies to be brought to the attention of the Landscape Architect
- Large scale drawings and written dimensions take precedence. All dimensions in mm unless otherwise stated.
- Use metric units.
- Use figured dimensions only.
- All work to be done prior to commencement of any works.
- Contractors shall locate and protect all services prior to construction.
- All work shall be carried out in accordance with A.S. B.C.A and Local Government Regulations.
- Construction Details shall be subject to Engineer's Specifications.
- Drainage & Water Feature Details shall be subject to Hydrologist's Specifications.
- Work shall be carried out in professional manner by Qualified Tradesmen according to Drawings and Engineer's Specifications.
- No responsibility shall be taken by 360 degrees. For any variations in design, construction method, materials specified, general specifications without permission from the Project Engineer or Landscape Architect.

CLIENT	Bells Boulevard Pty Ltd
--------	-------------------------

ARCHITECT
[Redacted]

CHECKED
GD

DWG. TITLE	Roof Top Landscape Plan
PROJECT	Kingscliff Mixed Use Development 4-8 Bells Boulevard, Kingscliff, NSW

360 
Studio 1, 1 Marys Place
Surry Hills NSW 2010
p +612 9332 3601
w www.360.net.au
ARN: 90 146 901 322


L-SSDA-09

Landscape area
Deep Soil Areas = 408m²
Garden area on Structure = 653m²

- 1200mm for large trees
- 1000mm for Medium trees
- 800mm metres for small trees to 5m
- 600mm for shrubs to 3m
- 450mm for grasses and shrubs to 1m
- 300mm for trailing, vines and ground covers
- 200mm for lawn

ADG minimum requirement is 7% Deep Soil
COMPLIANT

Landscape area
Garden area on Structure = 22m2

Legend & Schedule - Soil Diagram	
Hatch	Soil Depth
	450mm Soil Depth
	600mm Soil Depth
	800mm Soil Depth
	1000mm + Soil Depth
	Deep Soil
	Non-compliant Deep Soil

Ground Floor
Deep Soil Areas 408m2
Non Compliant Deep Soil 15m2
Soil on Podium 653m2
Level 01
335m2
Level 02
22m3
Level 03
22m2
Level 04
89m2
Roof Level
148m2

- Architectural Backgrounds updated
- Amendment to garden positions.

Landscape area
Garden area on Structure = 22m²

Landscape area
Garden area on Structure = 100m²

Landscape area
Garden area on Structure = 148m2

ISS.	AMENDMENT	DATE	BY			IMPORTANT NOTES: Do not scale from drawings. All discrepancies be brought to the attention of the Landscape Architect. Upper: Contouring only when dimensions take precedence. All dimensions in mm unless otherwise stated. Lower: Spot heights only when dimensions take precedence. All dimensions in mm unless otherwise stated. Use Appropriate Dimensions only. Verify all dimensions on site before the commencement of any works. Construct and locate and protect all services prior to construction. All works shall be carried out in accordance with AS/NZS 3820 and Local Government Regulations. Structural details shall be subject to Engineer's Specification. Drainage & Water: Details shall be subject to Hydraulic Engineer's Specifications. Gravel: Details shall be subject to Civil Engineer's Specifications. Engineer's Specifications shall be subject to Engineer's Specifications. No responsibility will be taken by 360 Design for any variations in design, construction methods, materials specified, and general specifications without permission from the Project Engineer or Landscape Architect. This Drawing is copyright © 360 Design.	CLIENT Bells Boulevard Pty Ltd	ARCHITECT 360	CHECKED GD	DWG. TITLE Soil Depth Plans	PROJECT Kingscliff Mixed Use Development 4-8 Bells Boulevard, Kingscliff, NSW	 Studio 1, 1 Marys Place Burry Hills NSW 2100 P +61(0) 89392 9801 W www.360.net.au AEN: BO 146 901 382	L-SSDA-010
A	SSDA	14.11.25	LB										
B	SSDA	09.12.15	LB										
C	SSDA	11.12.25	LB										
D	SSDA	16.06.26	JG										
E	SSDA	24.06.26	JG										



The Communal Open Space has been designed to comply with NSW ADG and meet minimum requirements, specifically

- provide minimum area equal to 25% of the site.

ADG minimum requirement is 25% Common Landscape
COMPLIANT

List of Changes;




- Architectural Backgrounds updated
- Amendment to garden positions.



Common Lawn 204m²
Common Garden 728m²
Common Hardstand 792m²
Private Gardens 150m²

Common Garden (Non-Accessible) 335m2
Common Hardstand 76m2


Common Garden (Non-Accessible) 22m2
Common Hardstand 76m2



Common Garden (Non-Accessible) 22m2
Common Hardstand 76m2

Common Garden (Non-Accessible) 100m2
Common Hardstand 210m2

Common Garden (Non-Accessible) 147m2
Common Hardstand 98m2


Legend & Schedule - Landscape Areas	
Hatch	Area
	Common Lawn
	Common Garden
	Common Hardstand
	Common Garden (Non-Accessible)
	Common Pool
	Private garden

Site Area 4450m2

- 204m2 Common Lawn
- 728m2 Common Gardens
- 626m2 Non-accessible Common Garden
- Awnings
- 1328m2 Common Hardstand

Total Communal Area
2886 m2

ISS.	AMENDMENT	DATE	BY
A	SSDA	14.11.25	LB
B	SSDA	09.12.25	LB
C	SSDA	11.12.25	LB
D	SSDA	16.06.26	JG
E	SSDA	24.06.26	JG



IMPORTANT NOTES:

Do not scale from drawings!

All discrepancies to be brought to the attention of the Landscape Architect

Larger scale drawings and vertical dimensions take preference. All dimensions in units unless otherwise stated

All dimensions and R/L to be double checked

Use figured dimensions only

Verify all dimensions on site before the commencement of any works.

Contractors shall locate and protect all services prior to construction

All work shall be carried out in accordance with AS/NZS, BCA and Local Government Regulations.

Structural Details shall be subject to Engineer's Specifications.

Drainage & Water Features Details shall be subject to Hydraulic Engineer's Specifications.

All work shall be carried out in a professional manner by Qualified Tradesmen according to Landscape Drawings Engineer's Specifications.

Liability shall be limited to a maximum of 300 dollars. For any variations in design, construction method, materials or quantities shall be subject to written permission from the Project Engineer or Landscape Architect.

CLIENT	Bells Boulevard Phy Ltd
--------	----------------------------

SCALE
N/A

ARCHITECT
[REDACTED]

	DRAWN IG
--	-------------

CHECKED
GD

	ISSUE
	SSDA

CHECKED
GD

	ISSUE
	SSDA

DWG. TITLE **Communal Open Space Area Plans**


PROJECT **Kingscliff Mixed Use Development**
4-8 Bells Boulevard, Kingscliff, NSW



PUBLIC DOMAIN - EXISTING TREE CANOPY COVERAGE

LEGEND

Existing Tree Canopies



PUBLIC DOMAIN - MATURE EXISTING TREE FACADE CONFLICT. RATIONALE FOR PROPOSED REMOVAL.

LEGEND


Mature Tree Canopies of Existing Trees near Public Domain areas, Showing Clash with Building Facade.

Note: Trees hatched orange have been proposed for Removal. Refer to Arboricultural Impact Assessment Report, Commercial Development Report. By Arbor Ecological Pty Ltd.


- List of Changes;
- Architectural Backgrounds updated
 - New Drawing added.

LEGEND

- 1
- Privacy Wall along boundary to Stage 2 Townhouses
- 2
- Overland flow and conveyance corridor (ephemeral creek)
- 3
- Deep Soil Landscape Zone (3m wide)
- 4
- Racquet Club Pavilion
- 5
- Mature and specimen screen planting to boundary setback landscape providing outlook and privacy between Town Houses and Apartments
- 6
- Circulation walking paths
- 7
- 2 x BBQ / Dining banquettes sat within garden
- 8
- Groundfloor gardens (refer planting palette)
- 9
- Central Palm Lawn
- 10
- Privacy screening planting to apartments
- 11
- Courtyard Lobby / Atrium with banquette seating nestled within gardens
- 12
- Trailing and climbing plants to L01-L04 external lobby planters
- 13
- Planter to L01 roof over retail
- 14
- New pedestrian paths accessing retail tenancies
- 15
- Landscape gardens to retail frontage interface to street verge
- 16
- New Trees to Public Domain (Tuckeroo – Cupaniopsis Anacardioides)
- 17
- Existing Pedestrian Path and grass verge
- 18
- Bells Boulevard
- 19
- Median with existing Fig Trees (to be retained)



KEY PLAN



Stage 2

SITE - 4-8 Bells Boulevard

Public Domain - Bells Boulevard

- List of Changes:
- Architectural Backgrounds updated
- Amendment to garden positions.

	ISS. AMENDMENT	DATE	BY	01.25m2.5m6.25m 1:125 @ A1 _ 1:250 @ A3	IMPORTANT NOTES: Do not scale from drawings All dimensions to be checked by the client prior to construction Large scale drawings and written dimensions take precedence. All dimensions in mm unless otherwise stated. All dimensions and scale in metres Use metric dimensions only Verify all dimensions on site before the commencement of any works Coordinate and check any proposed services prior to construction All work shall be carried out in accordance with AS/NZS 4840 and Local Government Regulations Structural Details shall be subject to Engineer's Specifications Engineer's Specifications shall be subject to Engineer's Specifications Change a Water Feature Details that be subject to Hydraulic Engineer's Specifications All work shall be carried out in a professional manner by Qualified Tradesperson according to Landscape Drawings and Engineer's Specifications The responsibility for the design is the responsibility of the design, construction method, material specified, and general specification without permission from the Project Engineer or Landscape Architect This Drawing is copyright to 360° Design	CLIENT	ARCHITECT	CHECKED	DWG. TITLE	Section A Kingscliff Mixed Use Development 4-8 Bells Boulevard, Kingscliff, NSW	360° Studio 1, 1 Marys Place Burry Hills NSW 2010 P +612 93382 3801 W www.360°net.au ABN: 60 148 901 382	L-SSDA-014
	A SSDA	14.11.25	LB			Bells Boulevard Pty Ltd	360°	GD	PROJECT			
	B SSDA	09.12.25	LB									
	C SSDA	11.12.25	LB									
	D SSDA	16.06.26	JG									
	E SSDA	24.06.26	JG									
						</						