




VEHICLE ENTERING



VEHICLE EXITING



- KEY:
- Vertical Clearance
  - Driveway / Ramp Profile
  - 50mm Clearance from Surface



SRV - Vertical Clearance  
Overall Length 6400mm  
Overall Width 2330mm  
Overall Body Height 3500mm  
Min Body Ground Clearance 150mm  
Track Width 2330mm  
Lock-to-lock time 4.00s  
Curb to Curb Turning Radius 7100mm

REV.	DESCRIPTION	DRAWN	CHECK	APP'D	DATE
A	ISSUE FOR DISCUSSION	KM	JR	JR	20/04/21




PROJECT	90-102 REGENT STREET, REDFERN
TITLE	GROUND & VERTICAL CLEARANCE ASSESSMENT AS2890.2 6.4m SMALL RIGID VEHICLE

DWG No.	19139CAD012
FIGURE 1	
DATE STAMP	20 APRIL 2021
PROJECT No.	19139
SCALE	1:75 @A3
REV.	A

# CORA BIKE RACK

## PRODUCT SPECIFICATION SHEET



## E3DT SERIES

E3DT-GT

DYNAMIC UPPER TIER  
DYNAMIC LOWER TIER

A fully dynamic 2 tier system to provide reduced AS2890.3 compliant spacing of 400mm on both tiers. Dynamic in/out motion together with alternating height models. The dynamic upper tier includes gas assist lift for ease of use and is available in alternating heights. The dynamic lower tier uses the E3GT ground tier rack that allows users to move the rack in/ out for ease of access, and is available in alternating heights.

### Capacity

- E3ST-H: 1 bike
- E3ST-L: 1 bike
- E3GT-H: 1 bike
- E3GT-L: 1 bike

### Construction

- Heavy duty high quality steel

### Fixings

M10 anchor bolts with security shear nut heads supplied

### Finishes


- Galvanised with powder coated accents on handles
- Option - Colour Powder Coat (Cora standard colour range)

### Assembly

- Supplied partially assembled for assembly and mounting on site

### Compliance


- Rack is AS2890.3 (2015) compliant




# CORA BIKE RACK

## PRODUCT SPECIFICATION SHEET

### STAGGERED LAYOUT




### NESTED LAYOUT



### E3DT-GT DYNAMIC UPPER TIER AND DYNAMIC LOWER TIER LAYOUT GUIDE

For specific assembly and installation instructions relating to E3DT-GT series racks, please refer to individual instruction information sheets.


Racks should not be installed, based on the information on this sheet alone.




# CORA BIKE RACK

## PRODUCT SPECIFICATION SHEET


### SINGLE LEVEL LAYOUT



Front view



Top view



Side view

### E3DT-GT GROUND MOUNT LAYOUT GUIDE

**To comply with AS2890.3 (2015), 400mm spacings are shown at alternating heights.**

For specific assembly and installation instructions relating to E3DT-GT Series racks, please refer to individual instruction information sheets.

Racks should not be installed, based on the information on this sheet alone.



**CORA**  
BIKERACK

PH 1800 249 878

[sales@cora.com.au](mailto:sales@cora.com.au)

[www.cora.com.au](http://www.cora.com.au)