

15 March 2022

Damian Gibson
Senior Project Manager
Johnstaff
Level 5, 9 Castlereagh Street
Sydney NSW 2000

Cumberland Ecology
PO Box 2474
Carlingford Court 2118
NSW Australia
Telephone (02) 9868 1933
ABN 14 106 144 647
Web: www.cumberlandecology.com.au

St John of God Richmond Hospital Redevelopment: Updated clarification of tree removal

Dear Damian,


The purpose of this letter is to provide an updated clarification of removal of *Eucalyptus* trees for the St John of God Richmond Hospital Redevelopment (SSD-10394). The Department of Planning and Environment has requested clarification of removal of *Eucalyptus tereticornis* (Forest Red Gum) and *Eucalyptus crebra* (Narrow-leaved Ironbark).

The tree removal data issued to Cumberland Ecology on 14 March 2022 (see **Appendix A**) indicates the following:

- Removal of one *Eucalyptus crebra* (Narrow-leaved Ironbark) (Tree # 229); and
- No removal of any *Eucalyptus tereticornis* (Forest Red Gum).

The Biodiversity Development Assessment Report (BDAR) prepared by Cumberland Ecology (2020), previously identified the removal of one *Eucalyptus tereticornis* (Forest Red Gum) within the mapped area of Shale Sandstone Transition Forest (see Section 8.2 of the BDAR). Based on the updated tree removal plan issued to Cumberland Ecology on 14 March 2022, this tree will not be removed. Alternatively, one *Eucalyptus crebra* (Narrow-leaved Ironbark) will be removed within the mapped area of Shale Sandstone Transition Forest. This tree is located within the 'Clearing' management zone (see Section 7.2 of the BDAR), and therefore impacts have been accounted for within the BDAR.

Yours sincerely,



Katrina Wolf
Principal
katrina.wolf@cumberlandecology.com.au

APPENDIX A :

Updated Tree Removal Data

St John of God Richmond Hospital Trees for Removal

Tree No.	Scientific Name	Common Name	Trees in Group	Height	Canopy Spread	DBH	DAB	Health	Structure	Age	TLE	Dead wood %	Tree Defects	Arborist Actions	Arborist Comments	Risk Priority	Eastings	Northings	Removal Reason/Comment
2	<i>Beaucarnea recurvata</i>	Ponytail Palm	1	<5	<5	450	800	Good	Good	Mature	>50		No visual defects sited		Large base of palm. Growing next to building.	Medium	286756.307	6280419.46	Removal Required for New Construction
3	<i>Syagrus romanzoffiana</i>	Cocos Palm	1	10-15	5-10	400	600	Good	Good	Mature	>50	<5	Deadwood <5cm diam.	Remove deadwood	Remove dead fronds.	Medium	286755.195	6280419.52	Removal Required for New Construction
4	<i>Livistona australis</i>	Cabbage Fan Palm	1	5-10	5-10	300	450	Good	Good	Mature	>50	<5	Deadwood <5cm diam.	Remove deadwood	Remove dead fronds.	Medium	286752.08	6280421.74	Removal Required for New Construction
5	<i>Streptocytisus</i>	Giant Bird of Paradise	1	<5	<5	300	450	Good	Good	Sem-mature	>50		No visual defects sited			Medium	286751.157	6280422.83	Removal Required for New Construction
6	<i>Lophostemon confertus</i>	Queensland Box	1	15-20	15-20	900	1000	Good	Good	Mature	>50	<5	Deadwood <5cm diam. Included bark	Remove deadwood Monitor	Deadwood over garden, road and footpath. Included bark OK this inspection.	Medium	286740.006	6280430.93	Removal Required for New Construction
7	<i>Gleditsia triacanthos</i>	Honey Locust	1	10-15	10-15	250	550	Fair	Fair	Mature	25-50	<5	Deadwood <5cm diam. Included bark Root damage Exposed roots Wound(s) Poor pruning Cavity(s)	Remove deadwood Monitor	Deadwood over garden, road and footpath. Cavity and wound at base OK this inspection.	Medium	286725.174	6280441.56	Removal Required for New Construction
8	<i>Photinia robusta</i>	Large-leaved Photinia	1	5-10	5-10	300	750	Fair	Fair	Mature	25-50	<5	Deadwood <5cm diam. Included bark Root damage Exposed roots	Remove deadwood Monitor	Deadwood over garden, road and footpath. Inclusion OK this inspection.	Medium	286717.617	6280447.9	Removal Required for New Construction
9	<i>Grevillea robusta</i>	Silky Oak	1	10-15	5-10	400	450	Good	Good	Mature	>50	<5	Deadwood <5cm diam. Root damage Exposed roots	Remove deadwood Mulching under tree	Deadwood over road and footpath. Exposed roots damaged by mowers cover with mulch.	Low	286705.53	6280457.3	Removal Required for New Construction
10	<i>Cinnamomum camphora</i>	Camphor Laurel	1	15-20	15-20	450	1100	Fair	Fair	Mature	25-50	<5	Deadwood <5cm diam. Root damage Exposed roots Dieback-tip	Remove deadwood Mulching under tree	Deadwood over road and footpath. Exposed roots damaged by mowers cover with mulch.	Low	286700.877	6280465.12	Removal Required for New Construction
17	<i>Nerium oleander</i>	Oleander	1	5-10	5-10	100	300	Good	Good	Mature	>50		Undesirable species	Remove tree	Weed tree.	Low	286609.124	6280530.48	Weed to be removed
192	<i>Phoenix canariensis</i>	Canary Island Date Palm	1	10-15	5-10	600	900	Good	Good	Mature	>50		No visual defects sited			Medium	286703.86	6280445.37	Removal Required for New Construction
193	<i>Ficus elastica</i>	Rubber Fig	1	15-20	15-20	800	1300	Good	Good	Mature	>50		Undesirable species Root damage Exposed roots	Remove tree	Weed tree.	Medium	286692.399	6280443.52	Weed Tree Removal
194	<i>Corymbia tessellaris</i>	Moreton Bay Ash	1	15-20	10-15	600	700	Fair	Fair	Mature	>50	<5	Deadwood 5 - 10cm diam. Root damage Exposed roots	Remove deadwood Mulching under tree	Deadwood over grass. Exposed roots damaged by mowers cover with mulch.	Medium	286696.734	6280440.6	Removal Required for New Construction
195	Dead Tree	Dead tree	1	5-10	<5	150	150	Dead	Poor	Senescent	0	90-100	Deadwood 10cm plus diam.	Remove tree	Dead palm over grass.	Medium	286692.909	6280437.1	Dead Tree / Very Low Retention Value
197	<i>Tibouchina laurina</i>	Tibouchina	1	<5	<5	100	200	Fair	Fair	Mature	5-10	20-30	Deadwood <5cm diam. Dieback-general	Remove tree	Deadwood over garden. Tree is in spiral of decline.	Low	286707.91	6280443.59	Removal Required for New Construction
199	<i>Phoenix roebelenii</i>	Dwarf Date Palm	1	5-10	<5	250	350	Fair	Fair	Mature	25-50	<5	Deadwood <5cm diam.	Remove deadwood	Remove dead fronds.	Low	286699.962	6280432.19	Removal Required for New Construction / Proximity to New Construction
201	<i>Palm species</i>	Palm species	4	<5	<5	250	350	Fair	Fair	Mature	25-50	<5	Deadwood <5cm diam.	Remove deadwood	Remove dead fronds.	Low	286701.338	6280435.38	Removal Required for New Construction / Proximity to New Construction
202	<i>Schefflera actinophylla</i>	Umbrella Tree	1	5-10	<5	250	400	Fair	Fair	Mature	25-50		Included bark	Monitor	Stem inclusion OK this inspection.	Low	286698.231	6280432.95	Removal Required for New Construction / Proximity to New Construction
203	<i>Schefflera actinophylla</i>	Umbrella Tree	1	10-15	5-10	500	700	Fair	Fair	Mature	25-50		Included bark	Monitor	Stem inclusion OK this inspection.	Low	286701.745	6280437.53	Removal Required for New Construction / Proximity to New Construction
204	<i>Streptocytisus</i>	Giant Bird of Paradise	1	10-15	5-10	850	2000	Good	Good	Mature	>50		Inappropriate location	Remove tree	Growing against pool fence.	Medium	286724.038	6280429.65	Removal Required for New Construction
205	<i>Dyopsis decaryi</i>	Triangle Palm	1	5-10	5-10	450	450	Good	Good	Mature	>50		No visual defects sited			Low	286722.587	6280424.73	Removal Required for New Construction
206	<i>Dyopsis decaryi</i>	Triangle Palm	1	5-10	5-10	450	450	Good	Good	Mature	>50		No visual defects sited			Low	286720.036	6280419.61	Removal Required for New Construction
207	<i>Prunus sp.</i>	Flowering Cherry	1	<5	<5	150	250	Fair	Fair	Mature	25-50	<5	Deadwood <5cm diam.	Remove deadwood	Deadwood over garden.	Medium	286730.194	6280425.23	Removal Required for New Construction
208	<i>Ficus benjamina</i>	Weeping Fig	1	<5	<5	200	300	Good	Good	Mature	>50		No visual defects sited			Medium	286738.032	6280419.88	Removal Required for New Construction
209	<i>Ficus benjamina</i>	Weeping Fig	1	<5	<5	200	300	Good	Good	Mature	>50		No visual defects sited			Medium	286740.112	6280418.12	Removal Required for New Construction
210	<i>Prunus sp.</i>	Flowering Cherry	1	<5	<5	150	300	Good	Good	Mature	>50		No visual defects sited			Medium	286750.279	6280411.27	Removal Required for New Construction
211	<i>Prunus sp.</i>	Flowering Cherry	1	<5	<5	150	300	Good	Good	Mature	>50		No visual defects sited			Medium	286752.553	6280405.28	Removal Required for New Construction
212	<i>Prunus sp.</i>	Flowering Cherry	1	<5	<5	150	300	Good	Good	Mature	>50		No visual defects sited			Medium	286754.278	6280403.62	Removal Required for New Construction
213	<i>Prunus sp.</i>	Flowering Cherry	1	<5	<5	150	300	Good	Good	Mature	>50		No visual defects sited			Medium	286754.467	6280406.62	Removal Required for New Construction
214	<i>Prunus sp.</i>	Flowering Cherry	1	<5	<5	150	300	Poor	Poor	Senescent	<5	80-90	Deadwood 5 - 10cm diam. Dieback-general	Remove tree	Tree is in advanced decline.	Medium	286759.879	6280400.01	Removal Required for New Construction
215	<i>Prunus sp.</i>	Flowering Cherry	1	<5	<5	150	300	Good	Fair	Mature	25-50		No visual defects sited			Medium	286773.273	6280391.98	Removal Required for New Construction
216	<i>Elaeocarpus grandis</i>	Blue Quandong	1	5-10	<5	150	700	Good	Fair	Mature	25-50		No visual defects sited			Medium	286778.972	6280385.21	Removal Required for New Construction
217	<i>Jacaranda mimosifolia</i>	Jacaranda	1	15-20	15-20	550	750	Fair	Hazard	Mature	<5	<5	Deadwood 5 - 10cm diam. Crack(s)/split(s) Included bark	Remove tree	Deadwood over grass and building. Inclusion has compromised tree retention.	High	286715.445	6280403.07	Removal Required for New Construction
222	<i>Leptospermum petersonii</i>	Lemon-scented Tea Tree	1	5-10	<5	100	150	Good	Fair	Mature	25-50		No visual defects sited			Very Low	286770.618	6280370.97	Removal Required for New Construction
223	<i>Melia azedarach</i>	White Cedar	1	5-10	<5	100	150	Good	Fair	Juvenile	>50		No visual defects sited			Low	286785.258	6280379.17	Removal Required for New Construction / Proximity to New Construction
224	<i>Corymbia gummifera</i>	Red Bloodwood	1	10-15	5-10	400	500	Fair	Fair	Mature	>50	<5	Deadwood 5 - 10cm diam.	Remove deadwood	Deadwood over grass.	Low	286790.638	6280379.2	Removal Required for New Construction
225	<i>Lophostemon confertus</i>	Queensland Box	1	15-20	10-15	500	650	Good	Fair	Mature	>50	<5	Deadwood <5cm diam.	Remove deadwood	Deadwood over grass and buildings.	Medium	286798.375	6280383.79	Removal Required for New Construction
226	<i>Callistemon viminalis</i>	Weeping Bottlebrush	1	10-15	5-10	350	500	Good	Fair	Mature	>50	<5	Deadwood <5cm diam.	Remove deadwood	Deadwood over grass and buildings.	Medium	286802.744	6280387.21	Removal Required for New Construction
227	<i>Callistemon viminalis</i>	Weeping Bottlebrush	1	10-15	5-10	350	500	Good	Fair	Mature	>50	<5	Deadwood <5cm diam.	Remove deadwood	Deadwood over grass and buildings.	Medium	286803.012	6280387.89	Removal Required for New Construction
229	<i>Eucalyptus crebra</i>	Narrow-leaved Iron Bark	1	20-30	15-20	800	1200	Good	Fair	Mature	>50	10-20	Deadwood 10cm plus diam.	Remove deadwood	Deadwood over paddock and bbq area.	High	286794.486	6280377.41	Removal Required for New Construction
230	<i>Prunus sp.</i>	Flowering Cherry	1	5-10	<5	300	500	Poor	Poor	Senescent	<5	<5	Deadwood <5cm diam. Cavity(s) Decay	Remove tree	Deadwood over paddock and stairs. Cavity base of tree has compromised tree retention.	Low	286809.539	6280383.06	Dead Tree Removal - impacted by demolition of existing structures
242	<i>Tibouchina laurina</i>	Tibouchina	1	5-10	<5	100	250	Poor	Fair	Senescent	5-10	30-40	Deadwood <5cm diam. Dieback-general	Remove tree	Deadwood over grass. Tree is in spiral of decline.	Low	286776.319	6280448.62	Dead Tree Removal
243	<i>Cupressus sempervirens 'Swanes Gold'</i>	Golden Italian Cypress	1	5-10	<5	200	300	Fair	Fair	Mature	15-25		Plant growing on/near tree	Weed control	Vines in tree need to be removed.	Low	286770.938	6280441.69	Removal Required for New Construction
244	<i>Cupressus sempervirens 'Swanes Gold'</i>	Golden Italian Cypress	1	5-10	<5	200	300	Fair	Fair	Mature	15-25		Plant growing on/near tree	Weed control	Vines in tree need to be removed.	Low	286770.487	6280441.28	Removal Required for New Construction
245	<i>Cupressus sempervirens 'Swanes Gold'</i>	Golden Italian Cypress	1	<5	<5	150	250	Fair	Fair	Mature	15-25		Plant growing on/near tree	Weed control	Vines in tree need to be removed.	Low	286768.389	6280440.46	Removal Required for New Construction
246	<i>Cupressus sempervirens 'Swanes Gold'</i>	Golden Italian Cypress	1	<5	<5	150	250	Fair	Fair	Mature	15-25		Plant growing on/near tree	Weed control	Vines in tree need to be removed.	Low	286767.629	6280440.5	Removal Required for New Construction
247	<i>Fraxinus angustifolia ssp. oxycarpa 'Raywood'</i>	Claret Ash	1	5-10	5-10	500	700	Poor	Poor	Senescent	5-10	40-50	Deadwood 5 - 10cm diam. Dieback-general Poor pruning	Remove tree	Deadwood over garden and grass.	Medium	286772.774	6280434.77	Removal Required for New Construction
252	<i>Ginkgo biloba</i>	Maidenhair Tree	1	10-15	10-15	300	450	Poor	Poor	Senescent	<5	40-50	Deadwood 5 - 10cm diam. Dieback-general	Remove tree	Deadwood over grass. Tree is in major spiral of decline.	Medium	286842.84	6280447.34	Dead Tree Removal
253	<i>Prunus sp.</i>	Flowering Cherry	1	5-10	<5	300	450	Poor	Poor	Senescent	5-10	5-10	Deadwood 5 - 10cm diam. Cavity(s) Bracket fungi Decay	Remove tree	Deadwood over bushland.	Low	286823.648	6280394.24	Dead Tree Removal - impacted by demolition of existing structures
258	<i>Laurus nobilis</i>	Bay	1	10-15	5-10	300	450	Good	Good	Mature	>50		Suckers Damaging infrastructure Inappropriate location	Remove tree	Impacting building.	Medium	286845.242	6280419.61	Dead Tree Removal - impacted by demolition of existing structures
336	<i>Tibouchina laurina</i>	Tibouchina	1	5-10	5-10	150	400	Fair	Fair	Mature	15-25		Inappropriate location	Remove tree	Growing next to building.	Low	286765.94	6280530.26	Tree growing in inappropriate location next to building
349	<i>Callistemon viminalis</i>	Weeping Bottlebrush	1	10-15	5-10	200	300	Fair	Fair	Mature	25-50	<5	Deadwood <5cm diam. Damaging infrastructure	Remove deadwood Crown raise	Deadwood over building, pathway and garden. Crown raise off building.	Medium	286784.771	6280474.19	Removal Required for New Construction
350	<i>Callistemon viminalis</i>	Weeping Bottlebrush	1	10-15	5-10	200	300	Fair	Fair	Mature	25-50	<5	Deadwood <5cm diam. Damaging infrastructure	Remove deadwood Crown raise	Deadwood over building, pathway and garden. Crown raise off building.	Medium	286782.043	6280473.63	Removal Required for New Construction

Tree No.	Scientific Name	Common Name	Trees in Group	Height	Canopy Spread	DBH	DAB	Health	Structure	Age	TLE	Dead wood %	Tree Defects	Arborist Actions	Arborist Comments	Risk Priority	Easting	Northing	Removal Reason/Comment
351	<i>Callistemon viminalis</i>	Weeping Bottlebrush	1	5-10	<5	200	300	Fair	Fair	Mature	25-50	<5	Deadwood <5cm diam. Damaging infrastructure	Remove deadwood Crown raise	Deadwood over building, pathway and garden. Crown raise off building.	Medium	286780.194	6280472.93	Removal Required for New Construction
352	<i>Callistemon viminalis</i>	Weeping Bottlebrush	1	5-10	<5	200	250	Fair	Fair	Mature	25-50	<5	Deadwood <5cm diam.	Remove deadwood	Deadwood over garden.	Low	286778.597	6280470.98	Removal Required for New Construction
353	<i>Sapium sebiferum</i>	Chinese Tallow Tree	1	15-20	10-15	350	450	Good	Fair	Mature	25-50	<5	Deadwood <5cm diam.	Remove deadwood	Deadwood over garden and pathway.	Low	286775.569	6280472.02	Removal Required for New Construction
354	<i>Sapium sebiferum</i>	Chinese Tallow Tree	1	15-20	10-15	350	450	Good	Fair	Mature	25-50	<5	Deadwood <5cm diam.	Remove deadwood	Deadwood over garden and pathway.	Low	286773.253	6280469.13	Removal Required for New Construction
355	<i>Sapium sebiferum</i>	Chinese Tallow Tree	1	15-20	10-15	500	650	Good	Fair	Mature	25-50	<5	Deadwood <5cm diam.	Remove deadwood	Deadwood over building, garden and pathway.	Low	286771.845	6280467.74	Removal Required for New Construction
356	<i>Dryocarya reflexa</i> var. <i>angustifolia</i>	Song of India	1	5-10	<5	150	200	Good	Good	Mature	>50		No visual defects sited			Low	286767.619	6280469.67	Removal Required for New Construction
357	<i>Schefflera actinophylla</i>	Umbrella Tree	1	5-10	<5	250	400	Good	Good	Mature	>50		No visual defects sited			Low	286768.506	6280469.71	Removal Required for New Construction
358	<i>Beaucarnea recurvata</i>	Ponytail Palm	1	5-10	<5	150	400	Good	Good	Mature	>50		No visual defects sited			Low	286770.792	6280469.37	Removal Required for New Construction
359	<i>Phoenix roebelenii</i>	Dwarf Date Palm	1	<5	<5	150	150	Good	Good	Mature	>50		No visual defects sited			Low	286771.482	6280471.79	Removal Required for New Construction
360	<i>Sapium sebiferum</i>	Chinese Tallow Tree	1	15-20	10-15	450	500	Fair	Fair	Mature	25-50	<5	Deadwood <5cm diam. Damaging infrastructure	Remove deadwood Attend pavement displacement	Deadwood over building, garden and pathway. Tree root pressure damaging brick edging.	Medium	286771.605	6280473.45	Removal Required for New Construction
361	Unknown Species	Unknown sp.	1	5-10	<5	150	200	Poor	Poor	Senescent	5-10	20-30	Deadwood <5cm diam.	Remove tree	Deadwood over garden and pathway. Tree is in spiral of decline.	Medium	286779.107	6280478.04	Removal Required for New Construction
362	<i>Magnolia x soulangeana</i>	Saucer Magnolia	1	<5	<5	150	200	Good	Good	Semi-mature	>50		No visual defects sited			Negligible	286777.49	6280477.47	Removal Required for New Construction
363	<i>Acer palmatum</i>	Japanese Maple	1	<5	<5	150	200	Good	Good	Semi-mature	>50		No visual defects sited			Negligible	286775.567	6280478.74	Removal Required for New Construction
371	Dead Tree	Dead tree	1	5-10	<5	150	200	Dead	Poor	Senescent	0	90-100	Deadwood <5cm diam.	Remove tree	Dead tree over garden.	Medium	286755.003	6280498.17	Removal of Dead Tree
375	<i>Acer palmatum</i>	Japanese Maple	1	<5	<5	150	200	Good	Good	Semi-mature	>50		No visual defects sited			Negligible	286731.029	6280479.85	Removal Required for New Construction
376	<i>Ficus benjamina</i>	Weeping Fig	1	<5	<5	150	200	Good	Good	Semi-mature	>50		No visual defects sited			Negligible	286752.554	6280470.6	Removal Required for New Construction
377	<i>Fraxinus angustifolia</i> ssp. <i>oxycarpa</i> "Raywood"	Claret Ash	1	5-10	5-10	250	300	Fair	Fair	Mature	25-50	<5	Deadwood <5cm diam.	Remove deadwood	Deadwood over grass.	Low	286749.21	6280469.25	Removal Required for New Construction
378	<i>Fraxinus angustifolia</i> ssp. <i>oxycarpa</i> "Raywood"	Claret Ash	1	10-15	10-15	700	850	Fair	Fair	Mature	25-50	<5	Deadwood <5cm diam.	Remove deadwood	Deadwood over grass.	Low	286751.841	6280457.26	Removal Required for New Construction
379	<i>Fraxinus angustifolia</i> ssp. <i>oxycarpa</i> "Raywood"	Claret Ash	1	10-15	10-15	700	900	Fair	Poor	Senescent	5-10	10-20	Deadwood <5cm diam. Cavity(s) Decay	Remove tree	Deadwood over grass. Cavity base of tree has compromised tree retention.	Medium	286745.114	6280464.5	Removal Required for New Construction
380	<i>Punica granatum</i>	Pomegranate	1	<5	<5	100	200	Good	Good	Mature	25-50		No visual defects sited			Very Low	286735.88	6280469.43	Removal Required for New Construction
381	<i>Punica granatum</i>	Pomegranate	1	<5	<5	100	200	Good	Good	Mature	25-50		No visual defects sited			Very Low	286734.879	6280468.51	Removal Required for New Construction
382	<i>Plumeria rubra</i>	Frangipani	1	5-10	5-10	200	300	Good	Good	Mature	>50		No visual defects sited			Very Low	286721.741	6280458.21	Removal Required for New Construction
383	<i>Callistemon viminalis</i>	Weeping Bottlebrush	1	5-10	5-10	250	600	Good	Fair	Mature	25-50	<5	Deadwood <5cm diam. Included bark	Remove deadwood Monitor	Deadwood over grass. Stem inclusion OK this inspection.	Low	286725.241	6280465.63	Removal Required for New Construction
384	<i>Magnolia sp.</i>	Champac	1	<5	<5	<100	100	Good	Good	Juvenile	>50		No visual defects sited			Negligible	286729.198	6280476.46	Removal Required for New Construction
389	<i>Grevillea robusta</i>	Silky Oak	1	10-15	5-10	250	400	Fair	Poor	Mature	5-10	<5	Deadwood <5cm diam. Decay Included bark	Remove tree	Deadwood over grass. Stem inclusion with decay at base has compromised tree retention.	High	286692.785	6280486.47	Tree Compromised - Removal Required
393	<i>Schefflera actinophylla</i>	Umbrella Tree	2	5-10	<5	100	150	Good	Good	Semi-mature	>50		Inappropriate location	Remove tree	Trees growing against building.	Low	286681.16	6280489.73	Tree growing against building - Removal Required
400	<i>Grevillea robusta</i>	Silky Oak	1	15-20	10-15	700	900	Fair	Poor	Mature	5-10	<5	Deadwood <5cm diam. Cavity(s) Decay	Remove tree	Deadwood over grass and garden. Cavity base of tree has compromised tree retention.	High	286703.975	6280498.44	Tree Compromised - Removal Required
432	<i>Brachycton populneus</i>	Kurrajong	1	<5	<5	150	200	Good	Good	Semi-mature	>50		No visual defects sited			Very Low	286650.824	6280566.63	Wellness Centre Relocation Construction Zone
453	<i>Cupressus macrocarpa</i>	Monterey cypress	1	5-10	<5	100	200	Good	Good	Mature	>50		Damaging infrastructure	Remove tree	Impacting tennis court fence.	Low	286701.592	6280561.12	Wellness Centre Relocation Construction Zone
455	Dead Tree	Dead tree	6	10-15	5-10	150	200	Dead	Poor	Senescent	0	90-100	Deadwood 5 - 10cm diam.	Remove tree	Dead trees beside tennis court.	Medium	286660.796	6280555.17	Dead Tree Removal
461	Dead Tree	Dead tree	1	15-20	10-15	500	500	Dead	Poor	Senescent	0	90-100	Deadwood 10cm plus diam.	Remove tree	Dead tree.	Medium	286660.057	6280589.27	Dead Tree Removal
462	<i>Jacaranda mimosifolia</i>	Jacaranda	1	15-20	10-15	600	700	Fair	Fair	Mature	25-50	<5	Deadwood <5cm diam.	Remove deadwood	Deadwood over grass.	Low	286683.168	6280583.99	Wellness Centre Relocation Construction Zone
466	<i>Grevillea robusta</i>	Silky Oak	1	15-20	5-10	400	600	Good	Fair	Mature	25-50	<5	Deadwood <5cm diam. Included bark	Remove deadwood Remove select branches Monitor	Deadwood over grass and tennis court. Remove smaller stem.	Medium	286692.398	6280574.99	Wellness Centre Relocation Construction Zone
477	Dead Tree	Dead tree	1	5-10	5-10	400	650	Dead	Poor	Senescent	0	90-100	Deadwood 10cm plus diam.	Remove tree	Dead tree over grass and roadway.	Medium	286826.152	6280541.32	Dead Tree Removal
528	<i>Casuarina glauca</i>	Swamp she-oak	1	15-20	10-15	450	550	Fair	Poor	Mature	10-15	<5	Deadwood <5cm diam. Suckers Included bark	Remove tree	Deadwood over grass. Inclusion falling.	Medium	286794.708	6280618.77	Dead Tree Removal