

BASIX[®]Certificate

Building Sustainability Index www.basix.nsw.gov.au

Multi Dwelling

Certificate number: 1157001M

This certificate confirms that the proposed development will meet the NSW government's requirements for sustainability, if it is built in accordance with the commitments set out below. Terms used in this certificate, or in the commitments, have the meaning given by the document entitled "BASIX Definitions" dated 10/09/2020 published by the Department. This document is available at www.basix.nsw.gov.au

Secretary

Date of issue: Sunday, 04 July 2021

To be valid, this certificate must be lodged within 3 months of the date of issue.



Planning,
Industry &
Environment

Project summary

Project name	ARNCLIFFE, 26-42 Eden St - C
Street address	26-42 Eden Street Arncliffe 2205
Local Government Area	Bayside Council
Plan type and plan number	deposited 447649
Lot no.	1
Section no.	-
No. of residential flat buildings	1
No. of units in residential flat buildings	180
No. of multi-dwelling houses	0
No. of single dwelling houses	0

Project score

Water	✓ 42	Target 40
Thermal Comfort	✓ Pass	Target Pass
Energy	✓ 35	Target 25

Certificate Prepared by

Name / Company Name: Integreco Consulting Pty Ltd

ABN (if applicable): 42630013008

Description of project

Project address

Project name	ARNCLIFFE, 26-42 Eden St - C
Street address	26-42 Eden Street Arncliffe 2205
Local Government Area	Bayside Council
Plan type and plan number	deposited 447649
Lot no.	1
Section no.	-

Project type

No. of residential flat buildings	1
No. of units in residential flat buildings	180
No. of multi-dwelling houses	0
No. of single dwelling houses	0

Site details

Site area (m²)	3243
Roof area (m²)	878
Non-residential floor area (m²)	1057.0
Residential car spaces	90
Non-residential car spaces	20




Common area landscape

Common area lawn (m²)	0.0
Common area garden (m²)	235.0
Area of indigenous or low water use species (m²)	176.0

Assessor details

Assessor number	DMN/19/1921
Certificate number	0006203140
Climate zone	56
Ceiling fan in at least one bedroom	Yes
Ceiling fan in at least one living room or other conditioned area	Yes

Project score

Water	 42	Target 40
Thermal Comfort	 Pass	Target Pass
Energy	 35	Target 25

Description of project

The tables below describe the dwellings and common areas within the project

Residential flat buildings - Building C, 180 dwellings, 18 storeys above ground

Dwelling no.	No. of bedrooms	Conditioned floor area (m ²)	Unconditioned floor area (m ²)	Area of garden & lawn (m ²)	Indigenous species (min area m ²)
c101	1	49.0	0.0	0.0	0.0
c106	2	69.0	0.0	0.0	0.0
c111	1	49.0	0.0	0.0	0.0
c204	2	72.0	0.0	0.0	0.0
c209	1	51.0	0.0	0.0	0.0
c302	1	50.0	0.0	0.0	0.0
c307	2	70.0	0.0	0.0	0.0
c312	1	49.0	0.0	0.0	0.0
c405	3	89.0	0.0	0.0	0.0
c410	1	49.0	0.0	0.0	0.0
c503	2	69.0	0.0	0.0	0.0
c508	1	36.0	0.0	0.0	0.0
c601	1	49.0	0.0	0.0	0.0
c606	2	70.0	0.0	0.0	0.0
c701	1	49.0	0.0	0.0	0.0
c706	2	70.0	0.0	0.0	0.0
c801	1	49.0	0.0	0.0	0.0
c806	2	70.0	0.0	0.0	0.0

Dwelling no.	No. of bedrooms	Conditioned floor area (m ²)	Unconditioned floor area (m ²)	Area of garden & lawn (m ²)	Indigenous species (min area m ²)
c102	1	50.0	0.0	0.0	0.0
c107	1	39.0	0.0	0.0	0.0
c112	1	49.0	0.0	0.0	0.0
c205	3	89.0	0.0	0.0	0.0
c210	1	49.0	0.0	0.0	0.0
c303	2	69.0	0.0	0.0	0.0
c308	1	36.0	0.0	0.0	0.0
c401	1	49.0	0.0	0.0	0.0
c406	2	69.0	0.0	0.0	0.0
c411	1	49.0	0.0	0.0	0.0
c504	2	72.0	0.0	0.0	0.0
c509	1	51.0	0.0	0.0	0.0
c602	1	50.0	0.0	0.0	0.0
c607	2	70.0	0.0	0.0	0.0
c702	1	50.0	0.0	0.0	0.0
c707	2	70.0	0.0	0.0	0.0
c802	1	50.0	0.0	0.0	0.0
c807	2	70.0	0.0	0.0	0.0

Dwelling no.	No. of bedrooms	Conditioned floor area (m ²)	Unconditioned floor area (m ²)	Area of garden & lawn (m ²)	Indigenous species (min area m ²)
c103	2	69.0	0.0	0.0	0.0
c108	1	36.0	0.0	0.0	0.0
c201	1	49.0	0.0	0.0	0.0
c206	2	69.0	0.0	0.0	0.0
c211	1	49.0	0.0	0.0	0.0
c304	2	72.0	0.0	0.0	0.0
c309	1	51.0	0.0	0.0	0.0
c402	1	50.0	0.0	0.0	0.0
c407	2	70.0	0.0	0.0	0.0
c412	1	49.0	0.0	0.0	0.0
c505	3	89.0	0.0	0.0	0.0
c510	1	49.0	0.0	0.0	0.0
c603	1	49.0	0.0	0.0	0.0
c608	2	69.0	0.0	0.0	0.0
c703	1	49.0	0.0	0.0	0.0
c708	2	69.0	0.0	0.0	0.0
c803	1	49.0	0.0	0.0	0.0
c808	2	69.0	0.0	0.0	0.0

Dwelling no.	No. of bedrooms	Conditioned floor area (m ²)	Unconditioned floor area (m ²)	Area of garden & lawn (m ²)	Indigenous species (min area m ²)
c104	2	72.0	0.0	0.0	0.0
c109	1	51.0	0.0	0.0	0.0
c202	1	50.0	0.0	0.0	0.0
c207	1	54.0	0.0	0.0	0.0
c212	1	49.0	0.0	0.0	0.0
c305	3	89.0	0.0	0.0	0.0
c310	1	49.0	0.0	0.0	0.0
c403	2	69.0	0.0	0.0	0.0
c408	1	36.0	0.0	0.0	0.0
c501	1	49.0	0.0	0.0	0.0
c506	2	69.0	0.0	0.0	0.0
c511	1	49.0	0.0	0.0	0.0
c604	1	49.0	0.0	0.0	0.0
c609	2	69.0	0.0	0.0	0.0
c704	1	49.0	0.0	0.0	0.0
c709	2	69.0	0.0	0.0	0.0
c804	1	49.0	0.0	0.0	0.0
c809	2	69.0	0.0	0.0	0.0

Dwelling no.	No. of bedrooms	Conditioned floor area (m ²)	Unconditioned floor area (m ²)	Area of garden & lawn (m ²)	Indigenous species (min area m ²)
c105	3	89.0	0.0	0.0	0.0
c110	1	49.0	0.0	0.0	0.0
c203	2	69.0	0.0	0.0	0.0
c208	1	36.0	0.0	0.0	0.0
c301	1	49.0	0.0	0.0	0.0
c306	2	69.0	0.0	0.0	0.0
c311	1	49.0	0.0	0.0	0.0
c404	2	72.0	0.0	0.0	0.0
c409	1	51.0	0.0	0.0	0.0
c502	1	50.0	0.0	0.0	0.0
c507	2	70.0	0.0	0.0	0.0
c512	1	49.0	0.0	0.0	0.0
c605	1	50.0	0.0	0.0	0.0
c610	1	49.0	0.0	0.0	0.0
c705	1	50.0	0.0	0.0	0.0
c710	1	49.0	0.0	0.0	0.0
c805	1	50.0	0.0	0.0	0.0
c810	1	49.0	0.0	0.0	0.0

Dwelling no.	No. of bedrooms	Conditioned floor area (m ²)	Unconditioned floor area (m ²)	Area of garden & lawn (m ²)	Indigenous species (min area m ²)
c901	1	49.0	0.0	0.0	0.0
c906	2	70.0	0.0	0.0	0.0
c1001	1	49.0	0.0	0.0	0.0
c1006	2	70.0	0.0	0.0	0.0
c1101	1	49.0	0.0	0.0	0.0
c1106	2	70.0	0.0	0.0	0.0
c1201	1	49.0	0.0	0.0	0.0
c1206	2	70.0	0.0	0.0	0.0
c1301	1	49.0	0.0	0.0	0.0
c1306	2	70.0	0.0	0.0	0.0
c1401	1	49.0	0.0	0.0	0.0
c1406	2	70.0	0.0	0.0	0.0
c1501	2	69.0	0.0	0.0	0.0
c1506	2	70.0	0.0	0.0	0.0
c1601	2	69.0	0.0	0.0	0.0
c1606	2	70.0	0.0	0.0	0.0
c1701	2	69.0	0.0	0.0	0.0
c1706	2	70.0	0.0	0.0	0.0

Dwelling no.	No. of bedrooms	Conditioned floor area (m ²)	Unconditioned floor area (m ²)	Area of garden & lawn (m ²)	Indigenous species (min area m ²)
c902	1	50.0	0.0	0.0	0.0
c907	2	70.0	0.0	0.0	0.0
c1002	1	50.0	0.0	0.0	0.0
c1007	2	70.0	0.0	0.0	0.0
c1102	1	50.0	0.0	0.0	0.0
c1107	2	70.0	0.0	0.0	0.0
c1202	1	50.0	0.0	0.0	0.0
c1207	2	70.0	0.0	0.0	0.0
c1302	1	50.0	0.0	0.0	0.0
c1307	2	70.0	0.0	0.0	0.0
c1402	1	50.0	0.0	0.0	0.0
c1407	2	70.0	0.0	0.0	0.0
c1502	1	50.0	0.0	0.0	0.0
c1507	2	70.0	0.0	0.0	0.0
c1602	1	50.0	0.0	0.0	0.0
c1607	2	70.0	0.0	0.0	0.0
c1702	1	50.0	0.0	0.0	0.0
c1707	2	70.0	0.0	0.0	0.0

Dwelling no.	No. of bedrooms	Conditioned floor area (m ²)	Unconditioned floor area (m ²)	Area of garden & lawn (m ²)	Indigenous species (min area m ²)
c903	1	49.0	0.0	0.0	0.0
c908	2	69.0	0.0	0.0	0.0
c1003	1	49.0	0.0	0.0	0.0
c1008	2	69.0	0.0	0.0	0.0
c1103	1	49.0	0.0	0.0	0.0
c1108	2	69.0	0.0	0.0	0.0
c1203	1	49.0	0.0	0.0	0.0
c1208	2	69.0	0.0	0.0	0.0
c1303	1	49.0	0.0	0.0	0.0
c1308	2	69.0	0.0	0.0	0.0
c1403	1	49.0	0.0	0.0	0.0
c1408	2	69.0	0.0	0.0	0.0
c1503	1	49.0	0.0	0.0	0.0
c1508	3	89.0	0.0	0.0	0.0
c1603	1	49.0	0.0	0.0	0.0
c1608	3	89.0	0.0	0.0	0.0
c1703	1	49.0	0.0	0.0	0.0
c1708	3	89.0	0.0	0.0	0.0

Dwelling no.	No. of bedrooms	Conditioned floor area (m ²)	Unconditioned floor area (m ²)	Area of garden & lawn (m ²)	Indigenous species (min area m ²)
c904	1	49.0	0.0	0.0	0.0
c909	2	69.0	0.0	0.0	0.0
c1004	1	49.0	0.0	0.0	0.0
c1009	2	69.0	0.0	0.0	0.0
c1104	1	49.0	0.0	0.0	0.0
c1109	2	69.0	0.0	0.0	0.0
c1204	1	49.0	0.0	0.0	0.0
c1209	2	69.0	0.0	0.0	0.0
c1304	1	49.0	0.0	0.0	0.0
c1309	2	69.0	0.0	0.0	0.0
c1404	1	49.0	0.0	0.0	0.0
c1409	2	69.0	0.0	0.0	0.0
c1504	1	49.0	0.0	0.0	0.0
c1509	1	39.0	0.0	0.0	0.0
c1604	1	49.0	0.0	0.0	0.0
c1609	1	39.0	0.0	0.0	0.0
c1704	1	49.0	0.0	0.0	0.0
c1709	1	39.0	0.0	0.0	0.0

Dwelling no.	No. of bedrooms	Conditioned floor area (m ²)	Unconditioned floor area (m ²)	Area of garden & lawn (m ²)	Indigenous species (min area m ²)
c905	1	50.0	0.0	0.0	0.0
c910	1	49.0	0.0	0.0	0.0
c1005	1	50.0	0.0	0.0	0.0
c1010	1	49.0	0.0	0.0	0.0
c1105	1	50.0	0.0	0.0	0.0
c1110	1	49.0	0.0	0.0	0.0
c1205	1	50.0	0.0	0.0	0.0
c1210	1	49.0	0.0	0.0	0.0
c1305	1	50.0	0.0	0.0	0.0
c1310	1	49.0	0.0	0.0	0.0
c1405	1	50.0	0.0	0.0	0.0
c1410	1	49.0	0.0	0.0	0.0
c1505	1	50.0	0.0	0.0	0.0
c1510	1	49.0	0.0	0.0	0.0
c1605	1	50.0	0.0	0.0	0.0
c1610	1	49.0	0.0	0.0	0.0
c1705	1	50.0	0.0	0.0	0.0
c1710	1	49.0	0.0	0.0	0.0

Description of project

The tables below describe the dwellings and common areas within the project

Common areas of unit building - Building C

Common area	Floor area (m ²)
Car park area (No. 1)	3885.0
Lift car (No.2)	-
Plant or service room (No. 1)	45.0
Store rooms basement	48.0
Ground floor lobby type (No. 1)	52.0

Common area	Floor area (m ²)
Loading Dock	363.0
Switch/comms rooms	24.0
Mail room	17.0
Basement chamber	74.0
Hallway/lobby type (No. 1)	804.0

Common area	Floor area (m ²)
Lift car (No.1)	-
Garbage room (No. 1)	39.0
Substation	5.0
Fans rooms	27.0

Schedule of BASIX commitments

1. Commitments for Residential flat buildings - Building C

(a) Dwellings

- (i) Water
- (ii) Energy
- (iii) Thermal Comfort

(b) Common areas and central systems/facilities

- (i) Water
- (ii) Energy

2. Commitments for multi-dwelling houses

3. Commitments for single dwelling houses

4. Commitments for common areas and central systems/facilities for the development (non-building specific)

- (i) Water
- (ii) Energy

Schedule of BASIX commitments

The commitments set out below regulate how the proposed development is to be carried out. It is a condition of any development consent granted, or complying development certificate issued, for the proposed development, that BASIX commitments be complied with.

1. Commitments for Residential flat buildings - Building C

(a) Dwellings

(i) Water	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The applicant must comply with the commitments listed below in carrying out the development of a dwelling listed in a table below.			
(b) The applicant must plant indigenous or low water use species of vegetation throughout the area of land specified for the dwelling in the "Indigenous species" column of the table below, as private landscaping for that dwelling. (This area of indigenous vegetation is to be contained within the "Area of garden and lawn" for the dwelling specified in the "Description of Project" table).	✓	✓	
(c) If a rating is specified in the table below for a fixture or appliance to be installed in the dwelling, the applicant must ensure that each such fixture and appliance meets the rating specified for it.		✓	✓
(d) The applicant must install an on demand hot water recirculation system which regulates all hot water use throughout the dwelling, where indicated for a dwelling in the "HW recirculation or diversion" column of the table below.		✓	✓
(e) The applicant must install:			
(aa) a hot water diversion system to all showers, kitchen sinks and all basins in the dwelling, where indicated for a dwelling in the "HW recirculation or diversion" column of the table below; and		✓	✓
(bb) a separate diversion tank (or tanks) connected to the hot water diversion systems of at least 100 litres. The applicant must connect the hot water diversion tank to all toilets in the dwelling.		✓	✓
(e) The applicant must not install a private swimming pool or spa for the dwelling, with a volume exceeding that specified for it in the table below.	✓	✓	
(f) If specified in the table, that pool or spa (or both) must have a pool cover or shading (or both).		✓	
(g) The pool or spa must be located as specified in the table.	✓	✓	
(h) The applicant must install, for the dwelling, each alternative water supply system, with the specified size, listed for that dwelling in the table below. Each system must be configured to collect run-off from the areas specified (excluding any area which supplies any other alternative water supply system), and to divert overflow as specified. Each system must be connected as specified.	✓	✓	✓

	Fixtures					Appliances		Individual pool				Individual spa		
Dwelling no.	All shower-heads	All toilet flushing systems	All kitchen taps	All bathroom taps	HW recirculation or diversion	All clothes washers	All dish-washers	Volume (max volume)	Pool cover	Pool location	Pool shaded	Volume (max volume)	Spa cover	Spa shaded
All dwellings	4 star (> 4.5 but <= 6 L/min)	4 star	5 star	6 star	no	-	-	-	-	-	-	-	-	-

	Alternative water source							
Dwelling no.	Alternative water supply systems	Size	Configuration	Landscape connection	Toilet connection (s)	Laundry connection	Pool top-up	Spa top-up
None	-	-	-	-	-	-	-	-

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The applicant must comply with the commitments listed below in carrying out the development of a dwelling listed in a table below.			
(b) The applicant must install each hot water system specified for the dwelling in the table below, so that the dwelling's hot water is supplied by that system. If the table specifies a central hot water system for the dwelling, then the applicant must connect that central system to the dwelling, so that the dwelling's hot water is supplied by that central system.	✓	✓	✓
(c) The applicant must install, in each bathroom, kitchen and laundry of the dwelling, the ventilation system specified for that room in the table below. Each such ventilation system must have the operation control specified for it in the table.		✓	✓
(d) The applicant must install the cooling and heating system/s specified for the dwelling under the "Living areas" and "Bedroom areas" headings of the "Cooling" and "Heating" columns in the table below, in/for at least 1 living/bedroom area of the dwelling. If no cooling or heating system is specified in the table for "Living areas" or "Bedroom areas", then no systems may be installed in any such areas. If the term "zoned" is specified beside an air conditioning system, then the system must provide for day/night zoning between living areas and bedrooms.		✓	✓
(e) This commitment applies to each room or area of the dwelling which is referred to in a heading to the "Artificial lighting" column of the table below (but only to the extent specified for that room or area). The applicant must ensure that the "primary type of artificial lighting" for each such room in the dwelling is fluorescent lighting or light emitting diode (LED) lighting. If the term "dedicated" is specified for a particular room or area, then the light fittings in that room or area must only be capable of being used for fluorescent lighting or light emitting diode (LED) lighting.		✓	✓

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(f) This commitment applies to each room or area of the dwelling which is referred to in a heading to the "Natural lighting" column of the table below (but only to the extent specified for that room or area). The applicant must ensure that each such room or area is fitted with a window and/or skylight.	✓	✓	✓
(g) This commitment applies if the applicant installs a water heating system for the dwelling's pool or spa. The applicant must: (aa) install the system specified for the pool in the "Individual Pool" column of the table below (or alternatively must not install any system for the pool). If specified, the applicant must install a timer, to control the pool's pump; and (bb) install the system specified for the spa in the "Individual Spa" column of the table below (or alternatively must not install any system for the spa). If specified, the applicant must install a timer to control the spa's pump.		✓ ✓	
(h) The applicant must install in the dwelling: (aa) the kitchen cook-top and oven specified for that dwelling in the "Appliances & other efficiency measures" column of the table below; (bb) each appliance for which a rating is specified for that dwelling in the "Appliances & other efficiency measures" column of the table, and ensure that the appliance has that minimum rating; and (cc) any clothes drying line specified for the dwelling in the "Appliances & other efficiency measures" column of the table.		✓ ✓ ✓	✓
(i) If specified in the table, the applicant must carry out the development so that each refrigerator space in the dwelling is "well ventilated".		✓	

	Hot water	Bathroom ventilation system		Kitchen ventilation system		Laundry ventilation system	
Dwelling no.	Hot water system	Each bathroom	Operation control	Each kitchen	Operation control	Each laundry	Operation control
All dwellings	central hot water system 1	individual fan, ducted to façade or roof	manual switch on/off	individual fan, ducted to façade or roof	manual switch on/off	individual fan, ducted to façade or roof	manual switch on/off

	Cooling		Heating		Artificial lighting						Natural lighting	
Dwelling no.	living areas	bedroom areas	living areas	bedroom areas	No. of bedrooms &/or study	No. of living &/or dining rooms	Each kitchen	All bathrooms/toilets	Each laundry	All hallways	No. of bathrooms &/or toilets	Main kitchen
All dwellings	-	-	-	-	3 (dedicated)	2 (dedicated)	yes (dedicated)	yes (dedicated)	yes (dedicated)	yes (dedicated)	0	no

Dwelling no.	Individual pool		Individual spa		Appliances & other efficiency measures							
	Pool heating system	Timer	Spa heating system	Timer	Kitchen cooktop/oven	Refrigerator	Well ventilated fridge space	Dishwasher	Clothes washer	Clothes dryer	Indoor or sheltered clothes drying line	Private outdoor or unsheltered clothes drying line
All dwellings	-	-	-	-	induction cooktop & electric oven	-	no	-	-	-	yes	no

(iii) Thermal Comfort	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The applicant must attach the certificate referred to under "Assessor details" on the front page of this BASIX certificate (the "Assessor Certificate") to the development application and construction certificate application for the proposed development (or, if the applicant is applying for a complying development certificate for the proposed development, to that application). The applicant must also attach the Assessor Certificate to the application for a final occupation certificate for the proposed development.			
(b) The Assessor Certificate must have been issued by an Accredited Assessor in accordance with the Thermal Comfort Protocol.			
(c) The details of the proposed development on the Assessor Certificate must be consistent with the details shown in this BASIX Certificate, including the details shown in the "Thermal Loads" table below.			
(d) The applicant must show on the plans accompanying the development application for the proposed development, all matters which the Thermal Comfort Protocol requires to be shown on those plans. Those plans must bear a stamp of endorsement from the Accredited Assessor, to certify that this is the case.	✓		
(e) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), all thermal performance specifications set out in the Assessor Certificate, and all aspects of the proposed development which were used to calculate those specifications.		✓	
(f) The applicant must construct the development in accordance with all thermal performance specifications set out in the Assessor Certificate, and in accordance with those aspects of the development application or application for a complying development certificate which were used to calculate those specifications.		✓	✓
(g) Where there is an in-slab heating or cooling system, the applicant must: (aa) Install insulation with an R-value of not less than 1.0 around the vertical edges of the perimeter of the slab; or (bb) On a suspended floor, install insulation with an R-value of not less than 1.0 underneath the slab and around the vertical edges of the perimeter of the slab.	✓	✓	✓
(h) The applicant must construct the floors and walls of the development in accordance with the specifications listed in the table below.	✓	✓	✓

(iii) Thermal Comfort	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(i) The applicant must show on the plans accompanying the development application for the proposed development, the locations of ceiling fans set out in the Assessor Certificate.	✓		
(j) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), the locations of ceiling fans set out in the Assessor Certificate.		✓	

	Thermal loads	
Dwelling no.	Area adjusted heating load (in mJ/m ² /yr)	Area adjusted cooling load (in mJ/m ² /yr)
c101	16.8	6.0
c102	15.6	5.5
c103	17.2	2.4
c104	16.0	6.0
c105	39.1	4.9
c106	45.4	3.9
c107	26.2	5.2
c108	16.4	5.6
c109	35.1	4.5
c110	26.9	10.8
c111	26.7	13.6
c112	24.9	22.4
c201	9.2	11.6
c202	8.3	9.9
c203	8.2	3.4
c204	6.6	10.2
c205	29.3	5.4
c206	35.0	5.1
c207	23.7	2.9
c208	2.4	8.4

	Thermal loads	
Dwelling no.	Area adjusted heating load (in mJ/m²/yr)	Area adjusted cooling load (in mJ/m²/yr)
c209	28.5	7.2
c210	10.6	13.6
c211	13.8	17.5
c212	18.2	24.3
c301	10.1	8.2
c302	9.5	6.1
c303	9.9	2.9
c304	8.5	8.2
c305	32.6	4.7
c306	36.9	3.8
c307	34.4	3.2
c308	3.8	7.1
c309	31.8	6.4
c310	14.0	7.1
c311	16.4	13.6
c312	18.8	23.4
c401	11.6	8.8
c402	11.0	6.5
c403	10.6	2.9
c404	9.5	8.9
c405	33.1	4.9
c406	39.4	3.9
c407	34.5	3.9
c408	4.4	6.9
c409	32.3	6.1
c410	16.0	7.8
c411	18.2	15.7

	Thermal loads	
Dwelling no.	Area adjusted heating load (in mJ/m²/yr)	Area adjusted cooling load (in mJ/m²/yr)
c412	20.7	25.2
c501	12.9	9.3
c502	12.5	7.1
c503	12.9	3.2
c504	13.3	10.0
c505	42.9	6.8
c506	39.3	4.8
c507	36.0	3.8
c508	4.6	6.9
c509	44.2	8.1
c510	24.3	10.1
c511	26.9	15.4
c512	21.4	25.7
c601	15.7	6.0
c602	16.1	7.4
c603	28.2	6.5
c604	15.1	6.6
c605	24.1	6.6
c606	41.1	4.8
c607	35.2	3.6
c608	21.4	22.2
c609	37.5	6.3
c610	20.9	21.2
c701	13.9	6.4
c702	13.1	7.9
c703	14.0	8.0
c704	15.3	6.8

	Thermal loads	
Dwelling no.	Area adjusted heating load (in mJ/m²/yr)	Area adjusted cooling load (in mJ/m²/yr)
c705	19.6	7.2
c706	41.3	6.0
c707	34.1	3.8
c708	21.6	23.7
c709	23.4	8.9
c710	18.9	23.4
c802	13.4	7.7
c803	14.2	7.8
c804	15.2	6.7
c805	19.4	7.6
c806	41.5	5.8
c807	34.1	3.7
c808	21.8	23.5
c809	23.5	9.0
c810	19.1	23.1
c902	13.8	7.7
c903	14.6	8.0
c904	15.9	6.8
c905	19.0	7.7
c906	41.7	5.9
c907	34.3	3.7
c908	22.1	23.3
c909	23.8	9.0
c910	19.4	22.9
c1001	15.9	5.9
c1002	15.0	7.2
c1003	14.7	8.0

	Thermal loads	
Dwelling no.	Area adjusted heating load (in mJ/m²/yr)	Area adjusted cooling load (in mJ/m²/yr)
c1005	19.7	7.0
c1007	35.9	3.5
c1008	22.2	23.0
c1009	25.6	7.9
c1010	21.3	21.1
c1101	16.0	5.8
c1102	15.2	7.2
c1103	18.7	7.6
c1104	15.7	6.9
c1105	18.8	6.8
c1107	35.8	3.6
c1108	23.6	20.4
c1109	25.7	7.9
c1110	21.5	21.0
c1201	16.3	5.8
c1202	15.3	7.0
c1203	19.2	7.5
c1204	15.7	6.8
c1205	20.5	7.7
c1206	42.9	5.5
c1207	35.8	3.4
c1208	23.8	20.2
c1209	25.9	7.7
c1210	21.8	20.9
c1301	16.4	5.8
c1302	15.4	6.9
c1303	19.3	7.3

	Thermal loads	
Dwelling no.	Area adjusted heating load (in mJ/m²/yr)	Area adjusted cooling load (in mJ/m²/yr)
c1304	15.4	7.0
c1305	18.4	7.6
c1306	42.5	5.7
c1307	35.6	3.5
c1308	23.9	20.1
c1309	26.0	7.7
c1310	21.9	21.1
c1401	16.5	5.6
c1403	19.3	7.2
c1404	15.0	6.9
c1405	18.4	8.1
c1406	42.3	6.5
c1407	35.4	3.6
c1408	22.2	18.9
c1409	26.1	7.6
c1410	29.4	24.1
c1501	10.5	5.4
c1502	15.7	6.7
c1503	19.4	7.3
c1504	14.6	7.0
c1505	18.0	8.6
c1506	41.9	6.7
c1507	35.0	3.9
c1508	29.2	6.2
c1509	25.8	5.3
c1510	11.5	7.2
c1601	10.6	5.3

	Thermal loads	
Dwelling no.	Area adjusted heating load (in mJ/m²/yr)	Area adjusted cooling load (in mJ/m²/yr)
c1602	15.9	6.6
c1603	19.5	7.2
c1604	13.8	6.9
c1605	16.8	9.0
c1606	41.5	6.6
c1607	34.4	3.9
c1608	29.0	6.2
c1609	24.2	6.2
c1610	11.6	6.9
c1701	21.3	7.2
c1702	26.0	8.8
c1703	29.9	8.6
c1704	21.6	9.6
c1705	25.5	10.5
c1706	45.0	9.4
c1707	42.7	4.9
c1708	37.6	8.4
c1709	37.2	8.5
c1710	21.3	9.6
c801, c901	14.2	6.3
c1004, c1402	15.6	6.8
All other dwellings	43.4	5.2

(b) Common areas and central systems/facilities

(i) Water	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a showerhead, toilet, tap or clothes washer into a common area, then that item must meet the specifications listed for it in the table.		✓	✓
(b) The applicant must install (or ensure that the development is serviced by) the alternative water supply system(s) specified in the "Central systems" column of the table below. In each case, the system must be sized, be configured, and be connected, as specified in the table.	✓	✓	✓
(c) A swimming pool or spa listed in the table must not have a volume (in kLs) greater than that specified for the pool or spa in the table.	✓	✓	
(d) A pool or spa listed in the table must have a cover or shading if specified for the pool or spa in the table.		✓	
(e) The applicant must install each fire sprinkler system listed in the table so that the system is configured as specified in the table.		✓	✓
(f) The applicant must ensure that the central cooling system for a cooling tower is configured as specified in the table.		✓	✓

Common area	Showerheads rating	Toilets rating	Taps rating	Clothes washers rating
All common areas	no common facility	no common facility	no common facility	no common laundry facility

Central systems	Size	Configuration	Connection (to allow for...)
Central water tank - rainwater or stormwater (No. 1)	22700.0	To collect run-off from at least: - 376.0 square metres of roof area of buildings in the development - 0.0 square metres of impervious area in the development - 0.0 square metres of garden/lawn area in the development - 0.0 square metres of planter box area in the development (excluding, in each case, any area which drains to, or supplies, any other alternative water supply system).	- irrigation of 235.0 square metres of common landscaped area on the site - car washing in 1 car washing bays on the site
Fire sprinkler system (No. 1)	-	So that fire sprinkler test water is contained within the fire sprinkler system for re-use, rather than disposed.	-

Central systems	Size	Configuration	Connection (to allow for...)
Fire sprinkler system (No. 2)	-	So that fire sprinkler test water is contained within the fire sprinkler system for re-use, rather than disposed.	-

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a ventilation system to service a common area specified in the table below, then that ventilation system must be of the type specified for that common area, and must meet the efficiency measure specified.		✓	✓
(b) In carrying out the development, the applicant must install, as the "primary type of artificial lighting" for each common area specified in the table below, the lighting specified for that common area. This lighting must meet the efficiency measure specified. The applicant must also install a centralised lighting control system or Building Management System (BMS) for the common area, where specified.		✓	✓
(c) The applicant must install the systems and fixtures specified in the "Central energy systems" column of the table below. In each case, the system or fixture must be of the type, and meet the specifications, listed for it in the table.	✓	✓	✓

	Common area ventilation system		Common area lighting		
Common area	Ventilation system type	Ventilation efficiency measure	Primary type of artificial lighting	Lighting efficiency measure	Lighting control system/BMS
Car park area (No. 1)	ventilation (supply + exhaust)	carbon monoxide monitor + VSD fan	light-emitting diode	zoned switching with motion sensor	Yes
Loading Dock	ventilation (supply + exhaust)	carbon monoxide monitor + VSD fan	light-emitting diode	zoned switching with motion sensor	Yes
Lift car (No.1)	-	-	light-emitting diode	connected to lift call button	Yes
Lift car (No.2)	-	-	light-emitting diode	connected to lift call button	Yes
Switch/comms rooms	ventilation supply only	thermostatically controlled	light-emitting diode	manual on / manual off	Yes
Garbage room (No. 1)	ventilation exhaust only	-	light-emitting diode	motion sensors	Yes
Plant or service room (No. 1)	ventilation supply only	none ie. continuous	light-emitting diode	motion sensors	Yes
Mail room	ventilation supply only	none ie. continuous	light-emitting diode	motion sensors	Yes
Substation	ventilation supply only	none ie. continuous	light-emitting diode	motion sensors	Yes
Store rooms basement	ventilation supply only	none ie. continuous	light-emitting diode	motion sensors	Yes

	Common area ventilation system		Common area lighting		
Common area	Ventilation system type	Ventilation efficiency measure	Primary type of artificial lighting	Lighting efficiency measure	Lighting control system/BMS
Basement chamber	ventilation supply only	none ie. continuous	light-emitting diode	motion sensors	Yes
Fans rooms	no mechanical ventilation	-	light-emitting diode	motion sensors	Yes
Ground floor lobby type (No. 1)	ventilation supply only	time clock or BMS controlled	light-emitting diode	daylight sensors	Yes
Hallway/lobby type (No. 1)	ventilation supply only	time clock or BMS controlled	light-emitting diode	zoned switching with motion sensor	Yes

Central energy systems	Type	Specification
Central hot water system (No. 1)	gas-fired boiler	Piping insulation (ringmain & supply risers): (a) Piping external to building: R1.0 (~38 mm); (b) Piping internal to building: R1.0 (~38 mm)
Lift (No. 1)	gearless traction with V V V F motor	Number of levels (including basement): 21
Lift (No. 2)	gearless traction with V V V F motor	Number of levels (including basement): 21

4. Commitments for common areas and central systems/facilities for the development (non-building specific)

(b) Common areas and central systems/facilities

(i) Water	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a showerhead, toilet, tap or clothes washer into a common area, then that item must meet the specifications listed for it in the table.		✓	✓
(b) The applicant must install (or ensure that the development is serviced by) the alternative water supply system(s) specified in the "Central systems" column of the table below. In each case, the system must be sized, be configured, and be connected, as specified in the table.	✓	✓	✓
(c) A swimming pool or spa listed in the table must not have a volume (in kLs) greater than that specified for the pool or spa in the table.	✓	✓	
(d) A pool or spa listed in the table must have a cover or shading if specified for the pool or spa in the table.		✓	
(e) The applicant must install each fire sprinkler system listed in the table so that the system is configured as specified in the table.		✓	✓
(f) The applicant must ensure that the central cooling system for a cooling tower is configured as specified in the table.		✓	✓

Common area	Showerheads rating	Toilets rating	Taps rating	Clothes washers rating
All common areas	no common facility	no common facility	no common facility	no common laundry facility

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a ventilation system to service a common area specified in the table below, then that ventilation system must be of the type specified for that common area, and must meet the efficiency measure specified.		✓	✓
(b) In carrying out the development, the applicant must install, as the "primary type of artificial lighting" for each common area specified in the table below, the lighting specified for that common area. This lighting must meet the efficiency measure specified. The applicant must also install a centralised lighting control system or Building Management System (BMS) for the common area, where specified.		✓	✓
(c) The applicant must install the systems and fixtures specified in the "Central energy systems" column of the table below. In each case, the system or fixture must be of the type, and meet the specifications, listed for it in the table.	✓	✓	✓

Central energy systems	Type	Specification
Alternative energy supply	Photovoltaic system	Rated electrical output (min): 40.0 peak kW
Other	Building management system installed?: yes Active power factor correction installed?: yes	-

Notes

1. In these commitments, "applicant" means the person carrying out the development.
2. The applicant must identify each dwelling, building and common area listed in this certificate, on the plans accompanying any development application, and on the plans and specifications accompanying the application for a construction certificate / complying development certificate, for the proposed development, using the same identifying letter or reference as is given to that dwelling, building or common area in this certificate.
3. This note applies if the proposed development involves the erection of a building for both residential and non-residential purposes (or the change of use of a building for both residential and non-residential purposes). Commitments in this certificate which are specified to apply to a "common area" of a building or the development, apply only to that part of the building or development to be used for residential purposes.
4. If this certificate lists a central system as a commitment for a dwelling or building, and that system will also service any other dwelling or building within the development, then that system need only be installed once (even if it is separately listed as a commitment for that other dwelling or building).
5. If a star or other rating is specified in a commitment, this is a minimum rating.
6. All alternative water systems to be installed under these commitments (if any), must be installed in accordance with the requirements of all applicable regulatory authorities. NOTE: NSW Health does not recommend that stormwater, recycled water or private dam water be used to irrigate edible plants which are consumed raw, or that rainwater be used for human consumption in areas with potable water supply.

Legend

1. Commitments identified with a "✔" in the "Show on DA plans" column must be shown on the plans accompanying the development application for the proposed development (if a development application is to be lodged for the proposed development).
2. Commitments identified with a "✔" in the "Show on CC/CDC plans and specs" column must be shown in the plans and specifications accompanying the application for a construction certificate / complying development certificate for the proposed development.
3. Commitments identified with a "✔" in the "Certifier check" column must be certified by a certifying authority as having been fulfilled. (Note: a certifying authority must not issue an occupation certificate (either interim or final) for a building listed in this certificate, or for any part of such a building, unless it is satisfied that each of the commitments whose fulfilment it is required to monitor in relation to the building or part, has been fulfilled).