



**BIRZULIS ASSOCIATES Pty Ltd**  
Consulting Structural + Civil Engineers

ACN 003 797 911 ABN 99 003 797 911

**Sydney Office**  
583 Darling Street, Rozelle NSW 2039  
Telephone: 9555 7230

Email: office@birzulisassociates.com

**Newcastle Office**  
105 Merewether Street, Merewether NSW 2291  
Telephone: 4049 4855  
Email: office@birzulisassociates.com

15 September 2021

NBRS Architectures  
Attention Ms Vivian Go  
Vivian.Go@nbrsarchitecture.com

Dear Vivian,

**STRUCTURAL DESIGN CERTIFICATE  
SEARS SUBMISSION – REV C**

**PACIFIC BROOK CHRISTIAN SCHOOL,  
MUSWELLBROOK  
(OUR REF. 7855)**

This is to certify that we shall be preparing the structural drawings for the abovementioned project. The engineering design and detailing shall be carried out in accordance with the relevant Australian Standards (as listed below), the requirements of the Building Code of Australia, Local Council and NSW Government requirements.

The structural design shall adopt the recommendations of the geotechnical report 91601.03 Rev 2 dated July 2021 2020 prepared by Douglas Partners. We note that the first stage of the school shall be modular constructions and shall be designed for an Importance level 2, future permanent buildings shall be designed for Importance level 3.

Australian Standards List

AS/NZS1170.0 inc amendment 1,3 and 4 (2002) AS/NZS 1170.1 inc amendments 1 and 2 (2002), AS/NZS 1170.2 inc amendments 1-5(2011), AS1170.4inc amendments 1 and 2 (2007), AS2159 inc amendment 1 (2009) AS1379(2007), AS2870(2011), AS3600 inc amendment 1(2018), AS3610(1995)

Yours faithfully

**M GROGAN**  
Director

DIRECTORS

B Fimmano B.E. (Hons), M.I.E. Aust., C.P.Eng.

M A Grogan B.E., M.Eng., M.I.E. Aust., C.P.Eng.

ASSOCIATE DIRECTOR

P W Grogan B.E. (Hons), M.E.(Struct), M.I.E. Aust., C.P.Eng.

CONSULTANT

A J Birzulis OAM, B.E., M.Eng. Sc., F.I.E. Aust., C.P.Eng.

