Response History	
Public Authority Response	Sunday, 21 November 2021 9:30:23 PM AEDT
Classification	
Support	
Notes:	
Heritage NSW has reviewed the Aboriginal cultural heritage component of the EIS as requested.	
Heritage NSW notes that the Aboriginal Cultural Heritage Assessment Report (ACHAR) for the New High Sch prepared by Eco Logical Australia Pty Ltd, dated 11 October 2021, found that there were (2) two Aboriginal s AHIMS Site # 57-2-0115).	
The ACHAR also identified that the study area has been subjected to varying levels of ground disturbance.	
AHIMS Site # 57-2-0115 could not be relocated during the site survey, however, a low density subsurface arte 0977, which was documented in the ACHAR.	efact scatter was identified during test excavations of AHIMS Site # 57-2-
The ACHAR concluded that enough information was gathered during the archaeological test excavation pro- and the pattern of Aboriginal land use within the study area.	gram to understand the nature and extent of the archaeological deposit
Heritage NSW concurs with the assessment provided in the ACHAR and has no additional comments or reco	mmendations in relation to the proposed development proceeding.
If you require any further information please contact:	
Nicole Davis - Archaeologist	
Aboriginal Cultural Heritage Regulation	
Heritage NSW	
Community Engagement	
Department of Premier and Cabinet	
Locked Bag 5020	
Parramatta NSW 2124	
nicole.davis@environment.nsw.gov.au	

Public Authority Name: Heritage NSW – Aboriginal cultural heritage (ACH)

Classification: Support

Heritage NSW has reviewed the Aboriginal cultural heritage component of the EIS as requested. Heritage NSW notes that the Aboriginal Cultural Heritage Assessment Report (ACHAR) for the New High School in Jerrabomberra – prepared for the NSW Department of Education, prepared by Eco Logical Australia Pty Ltd, dated 11 October 2021, found that there were (2) two Aboriginal sites were identified within the study area (AHIMS Site # 57-2-0977 and AHIMS Site # 57-2-0115).

The ACHAR also identified that the study area has been subjected to varying levels of ground disturbance.

AHIMS Site # 57-2-0115 could not be relocated during the site survey, however, a low-density subsurface artefact scatter was identified during test excavations of AHIMS Site # 57-2-0977, which was documented in the ACHAR.

The ACHAR concluded that enough information was gathered during the archaeological test excavation program to understand the nature and extent of the archaeological deposit and the pattern of Aboriginal land use within the study area.

Heritage NSW concurs with the assessment provided in the ACHAR and has no additional comments or recommendations in relation to the proposed development proceeding.

If you require any further information, please contact: Nicole Davis - Archaeologist Aboriginal Cultural Heritage Regulation Heritage NSW Community Engagement Department of Premier and Cabinet Locked Bag 5020 Parramatta NSW 2124 nicole.davis@environment.nsw.gov.au