42 Raymond Avenue, Matraville, NSW, 2036

Landscape Documentation for State Significant Development Application




IMAGE TAKEN FROM NEARMAP 2021

Drawing Register

Dwg No.	Drawing Name
SSD-00	Landscape Cover Sheet
SSD-01	Landscape Masterplan
SSD-02	Ground Floor Detail Plan South
SSD-03	Ground Floor Detail Plan North
SSD-04	Level 1 Detail Plan
SSD-05	Landscape Sections
SSD-06	Specifications & Details
SSD-07	Planting Schedule & Imagery

















Scale:	Date:	Job Number:	North:	Revision			STATE SIGNIFICANT DEVELOPMENT		
	00 00 00	0111100		Rev	Date	Description		Drawn	Checked
N/A	08.03.22	2111102	N/A	A	10.12.21	FOR SSD		KC	BG
D : 1	40 D		В	20.12.21	FOR SSD		KC	BG	
Project:		42 Rayind	ond Avenue†	C	25.02.22	FOR SSD		KC	BG
		Matravi	lle, NSW 2036	D	08.03.22	FOR SSD	-	PT	BG





Drawing Title:

Ground Floor Detail Plan South

DWG No:







ale:	Date:	Job Number: North:		Revis	sion	
250 @ A1	00 00 00	0111100		Rev	Date	Description
500 @ A3	08.03.22	2111102	\bigcirc	A	10.12.21	FOR SSD
		40 Daymaa	d Aa	В	20.12.21	FOR SSD
oject:		4Z Raymo	and Avenue	C	25.02.22	FOR SSD
		Matravi	Ile, NSW 2036	D	08.03.22	FOR SSD

Drawn Checked


KC

KC

PT

BG

BG



SITE BOUNDARY

LOT BOUNDARY

PROPOSED TREES

PROPOSED SHRUBS

ACCENT/FEATURE PLANTING

MASS HEDGE/SHRUB PLANTING

PROPOSED GROUNDCOVER PLANTING

RETAINING WALL TO ENGINEERS DETAILS

FENCE TYPE 1 TO ARCHITECTS DETAILS

FENCE TYPE 2 TO ARCHITECTS DETAILS

EXISTING STORMWATER CHANNEL

LEGEND

BALCONY ABOVE

P1 HARDSTAND

— BUILDING ABOVE

P2 FOOTPATHS

GRAVEL TO 1M WIDE MAINTENANCE TRACK

PROPOSED PYLON SIGN LOCATION



EXISTING TREE TO BE RETAINED REFER TO ARBORIST REPORT



EXISTING TREE TO BE REMOVED REFER TO ARBORIST REPORT



EASEMENT D (G187625) TO BE PARTIALLY RETAINED

KEY PLAN



Drawing Title:

Ground Floor Detail Plan North

DWG No: SSD-0








ale:	Date:	Job Number:	North:	Revis	ion		STATE SIGNIFICA	NT DEVE	LOPMENT	
250 @ A1	00 00 00	0111100		Rev	Date	Description		Drawn	Checked	ĺ
500 @ A3	08.03.22	2111102		A	10.12.21	FOR SSD		KC	BG	
		40 Dayma	ميرمويير المور	В	20.12.21	FOR SSD		KC	BG	ĺ
oject:		42 Raymond		C	25.02.22	FOR SSD		KC	BG	
		Matravi	lle, NSW 2036	D	08.03.22	FOR SSD		PT	BG	



LEGEND







PROPOSED GROUNDCOVER PLANTING

KEY PLAN



Drawing Title:

Level 1 Detail PlanDWG No:

SSD-04

Suite 215, 284 Victoria Ave, Chatswood NSW 2067 Ph. (02) 9411 1485


www.geoscapes.com.au
ABN 84 620 205 781 ACN 620 205 781




Architect:




Scale:	Date:	Job Number:	Job Number: North: Revision			STATE SIGNIFICANT DEVELOPMEN			
1:75 @ A1	00 00 00	0111100		Rev	Date	Description		Drawn	Checked
1:150 @ A3	08.03.22	2111102		A	10.12.21	FOR SSD		KC	BG
D • •		40 Dayna and Assa		В	20.12.21	FOR SSD		KC	BG
Project:		42 Ray1110	nd Avenue	C	25.02.22	FOR SSD		KC	BG
		Matravil	lle, NSW 2036	D	08.03.22	FOR SSD		PT	BG





Layered planting of shrubs and groundcovers under large native canopy trees such as Corymbia gummifera and Eucalyptus haemastoma



KEY PLAN

Safety fence to

Engineers details

Wall height varies

Security fence to

Architects details


to engineers

details


Open style palisade fence to Architects details

> Large native canopy trees to be planted adjacent to car park to provide shade and underplanted with shrubs such as Leptospermum laevigatum and Pimelea linifolia. Groundcovers to include species such as Lomandra longifolia and Dampiera stricta

SECTION AA SCALE 1:75







Architect:



SECTION DD SCALE 1:30

Drawing Title:

DWG No:

Landscape Sections







Scale:	Date:	Job Number:	North:	Revis	ion	STATE SIGNIFIC	STATE SIGNIFICANT DEVELOP	
	00 00 00	0111100		Rev	Date	Description	Drawn	Checked
AS SHOWN @ A1	08.03.22	2111102	N/A	A	10.12.21	FOR SSD	KC	BG
.		40 Dayua	a.a.d Aaa	В	20.12.21	FOR SSD	KC	BG
Project:		42 Raym	ond Avenue	C	25.02.22	FOR SSD	KC	BG
		Matray	ville, NSW 2036	D	08.03.22	FOR SSD	PT	BG

Single tree planting to car park island beds underplanted with flowering groundcovers such as Liriope muscari 'Isabella' and Scaevola aemula

HARDSTAND

SECTION BB

SCALE 1:50

6000

CAR PARK ISLAND

4600 PLANTING BUFFER

MAINTENANCE PLAN

Maintenance shall mean the care and maintenance of the landscape works by accepted horticultural practice as rectifying any defects that become apparent in the landscape works under normal use. The landscape contractor shall attend the site on a **weekly basis** to maintain the landscape works commencing from practical completion.

Rubbish Removal

The Landscape Contractor shall undertake rubbish removal from the site on a **weekly basis** to ensure the site remains in tidy condition.

Weed Eradication

Weed growth that may occur in grassed, planted or mulched areas is to be removed using environmentally acceptable methods i.e. non-residual glyphosate herbicide (e.g. 'Roundup', applied in accordance with the manufacturer's direction.

Tree Replacement

Trees shall show signs of healthy vigorous growth and be free from disease and not exhibit signs of stress prior to handover to the client. Any trees or plant that die or fail to thrive, or are damaged or stolen will be replaced. Replacement material shall have the initial maintenance period extended in accordance with the landscape contract conditions. Trees and plant materials shall be equal to the minimum requirements of species specified and approved material delivered to site. Should the condition decline from the approved sample the Superintendent reserves the right to reject the tree / plants. Frequency: as required.

Stakes

Adjust and/or replace stakes and ties where required. Remove staking and guying when instructed by the Superintendent

Selective pruning may be required during the establishment period to promote a balanced canopy structure. These activities shall be carried out to the best horticultural and industry practice. All pruned material is to be removed from site.

Mulched Surfaces

All planter beds and garden areas shall have a minimum depth of 75mm organic mulch. All mulch is to be free of deleterious matter such as soil, weeds, sticks and should conform to AS 4454. Mulched surfaces are to be kept clean and tidy and free of any deleterious material and foreign matter. Reinstate depths to a uniform level of 75mm with mulch as specified, mulch to be free of any wood material impregnated with CCA or similar toxic treatment. Top up mulch levels prior to handover to client & estate management. Organic mulch is not to be used within 1m of a building. Use pebble mulch in these areas instead.

Implement an appropriate hand watering regime in areas not irrigated in association with current watering programme to maintain plant health and vigour. The program shall reflect seasonal conditions and plant species. Frequency: Weekly or as required.

Soil In Natural Ground

Non-Australian native garden beds to have soil installed consisting of 50% existing site topsoil and 50% new topsoil equal or equivalent to 'Organic Garden Mix' as supplied by Australian Native Landscapes. Australian native garden beds to have soil installed consisting of 50% existing site topsoil and 50% new topsoil equal or equivalent to 'Native Low 'P' Mix' as supplied by Australian Native Landscapes. Soil to conform to AS4419 refer to typical detail.

Pest and Disease Control

The Landscape Contractor shall spray for pests and disease infestations when the pest and fungal attack has been positively identified and when their populations have increased to a point that will become detrimental to plant growth. Apply all pesticides to manufacturer's directions.

Frequency: weekly inspection

Fertilising

Generally check for signs of nutrient deficiencies (yellowing of leaves, failure to thrive), and adapt fertiliser regime to suit. Fertiliser should be applied at the beginning and the end of the (summer) growing season.


Irrigation

A sub surface dripper style, electrically automated self timed irrigation system is recommended to be supplied to all garden bed areas and planter container. Regular checks are to be made to ensure continued successful operation. The Landscape Contractor shall be responsible for coordination and engagement of a specialist irrigation designer and installation contractor to design, supply and install an automatic subterranean drip irrigation

The irrigation system will need to provide designated landscaped areas with enough water for vigorous healthy plant growth. As a general rule landscaped areas will need 20-25mm, species dependant, of water per week. The landscape Contractor will need to monitor natural rainfall using a rain switch in order to set irrigation flow rates accordingly on a monthly basis.

Standards

All grown or purchased plant stock must conform to all the conditions and requirements given in NATSPEC Guide: Specifying Trees. Soils to be in accordance with AS4419, mulching composts and conditioners to be in accordance with AS4454. Soils should conform to best practice specifications as listed in the Landscape Soils Handbook (Simon Leake & Elke Haege 2017).



TYPICAL SECTION

Specifications & Details

DWG No:

Drawing Title:




SCALE 1:10

Architect:



TYPICAL LANDSCAPE DETAILS

TREE/SHRUB SIZE AND QUALITY TO BE TO NATSPEC STANDARD. SPECIES IS TO BE AS PER PLAN AND PLANT SCHEDULE. ENSURE ONLY HEALTHY AND VIGOROUS, DISEASE FREE, WELL MAINTAINED PLANTS ARE USED. TAKE CARE TO ENSURE FOLIAGE, BRANCHES, TRUNKS AND ROOT CROWNS ARE NOT DAMAGED BEFORE, DURING AND AFTER PLANTING.




THOROUGHLY SOAK THE ROOTBALL OF TREE WITH FRESH WATER BEFORE TAKING OFF POT OR BAG. WHEN PLANTING HOLE IS COMPLETE USE A SHARP SPADE TO SHAVE OFF 20-50MM OF THE SIDES AND BASE OF ROOTBALL (TO ROOD PRUNE IT) BEFORE CAREFULLY PLACING INTO PLANTING HOLE. IF NORTH IS MARKED ON THE TREE, ENSURE ORIENTATION IS CORRECT WITH NORTH MARKING TO THE NORTH.

REMOVE ANY STAKES, TIES AND LABELS. WATER ROOTBALL THOROUGHLY TOP OF ROOTBALL TO FINISH FLUSH WITH TOP OF SOIL

MASS PLANTING AND TREE DETAIL

SCALE 1:20



Project Manager:



Scale:	Date:	Job Number:	North:	Revis	Revision		STATE SIGNIFICANT DEVELOPMEN			
	00 00 00	0111100		Rev	Date	Description		Drawn	Checked	
I/A	08.03.22	2111102	N/A	A	10.12.21	FOR SSD		KC	BG	
		40 Day		В	20.12.21	FOR SSD		KC	BG	
roject:		4Z Raymi	ond Avenue	C	25.02.22	FOR SSD		KC	BG	
		Matray	ille. NSW 2036	D	08.03.22	FOR SSD		PT	BG	

PLANTING SCHEDULE PLANT IMAGES

Code	Botanical Name	Common Name	Mature Height	Native	Endemic	Spacing	Pot Size	Quantity
Trees								
BAN AEM	Banksia aemula	Wallum Banksia	8m	✓	✓	As shown	75L	8
BAN INT	Banksia integrifolia	Coastal Banksia	4m	✓	✓	As shown	75L	4
BAN SER	Banksia serrata	Old Man Banksia	16m	✓	✓	As shown	75L	4
COR GUM	Corymbia gummifera	Red Bloodwood	20m	✓	✓	As shown	75L	8
ELA EUM	Elaeocarpus eumundi	Eumundi Quandong	12m	✓		As shown	75L	8
ELA RET	Elaeocarpus reticulatus	Blueberry Ash	3-15m	✓	✓	As shown	75L	10
EUC BOT	Eucalyptus botryoides	Bangalay	40m	✓	✓	As shown	75L	7
EUC HAE	Eucalyptus haemastoma	Broad-Leaved Scribbly Gum	12m	✓	✓	As shown	75L	8
EUC PIP	Eucalyptus piperita	Sydney Peppermint	12m	✓	✓	As shown	75L	7
TRI LUS	Tristaniopsis laurina 'Luscious'	Water Gum	8m	✓		As shown	75L	10
Shrubs								
ACA Ion	Acacia longifolia	Long-Leaved Wattle	6m	✓	✓	As shown	200mm	13
AOT eri	Aotus ericoides	Aotus	2m	✓	✓	As shown	200mm	24
ASP aus	Asplenium australasicum	Birds Nest Fern	1.5m			As shown	200mm	34
BRE obl	Breynia oblongifolia	Coffee Bush	3m	✓		As shown	200mm	15
BAN eri	Banksia ericifolia	Heath-Leaved Banksia	4m	✓	✓	As shown	200mm	25
BLE sil	Blechnum 'Silver Lady'	Dwarf Tree Fern	1.2m			As shown	200mm	4
DOR exc	Doryanthes excelsa	Gymea Lily	3m	✓		As shown	200mm	12
ISO ane	Isopogon anemonifolius	Broad-Leaved Drumsticks	1m	✓	√	As shown	200mm	42
LEP lae	Leptospermum laevigatum	Coast Tea Tree	1.5-6m	✓	√	1m Ctrs	200mm	55
MEL nod	Melaleuca nodosa	Prickly-Leaved Paperbark	3m	✓	√	As shown	200mm	10
MIC mus	Microsorum musifolium	Crocodile Fern	1.2m			As shown	200mm	14
MON ell	Monotoca elliptica	Tree Broom Heath	4m	✓	✓	As shown	200mm	25
PIM lin	Pimelea linifolia	Slender Riceflower	1.5m	✓	✓	As shown	200mm	44
PHI bux	Philotheca buxifolia	Wax Flower	1.3m	✓	✓	As shown	200mm	37
RIC pin	Ricinocarpos pinifolius	Wedding Bush	1m	✓	✓	As shown	200mm	47
W00 pun	Woollsia pungens	Snow Wreath	0.6m	✓	✓	As shown	200mm	30
Grasses + G	iroundcover							
DAM lin	Dampiera linearis 'Cobalt Mound'	Dampiera	0.3m	✓		3/m2	140mm	87
DAM str	Dampiera stricta	Dampiera	0.4m	✓	✓	5/m2	140mm	768
DIA cae	Dianella caerulea	Blue Flax Lily	0.5m	✓	✓	5/m2	Tubestock	1083
GAR oso	Gardenia augusta 'O So Fine'	Common Gardenia	0.3m			3/m2	140mm	24
IMP cyl	Imperata cylindrica	Cogon Grass	1m	✓	✓	5/m2	Tubestock	861
 LIR isa	Liriope muscari 'Isabella'	Lily-Turf	0.3m			4/m2 or 4/Lm	140mm	388
LOM Ion	Lomandra longifolia	Mat Rush	0.6m	✓	√	5/m2	Tubestock	393
LOM gla	Lomandra glauca	Mat Rush	0.5m	√	√	5/m2	Tubestock	768
MYO par	Myoporum parvifolium 'Yareena'	Creeping Boobialla	0.2m			3/m2	140mm	33
POM umb	Pomax umbellata	Pomax	0.4m	√	√	5/m2	Tubestock	328
PTE esc	Pteridium esculentum	Bracken Fern	0.5-2m	√	✓	5/m2	Tubestock	150
SCA aem	Scaevola aemula	Fan Flower	0.4m		+	3/m2 or 3/Lm	140mm	279
SEN ser	Senecio serpens	Blue Chalksticks	0.3m		+	3/m2 or 3/Lm	140mm	165
THE aus	Themeda australis	Kangaroo Grass	1.5m	√	√	5/m2	Tubestock	358
TRA jas	Trachelospermum jasminoides	Star Jasmine	0.5m		+ +	3/m2 or 3/Lm	140mm	219
XAN res	Xanthorrhoea resinosa	Grass Tree	1m	✓	✓	5/m2	Tubestock	328
Level 1 Plan						<u>-</u>		
POG pan	Pogonatherum paniceum	Panda Grass	0.5m			As shown	200mm	24
TRA jas	Trachelospermum jasminoides	Star Jasmine	0.5m			3/m2 or 3/Lm	140mm	138
	vers to be finalised at Detailed Design / G		0.0111			OTHIE OF OTEIN	1 10111111	100



Drawing Title:

Planting Schedule & Imagery

DWG No:







Scale:	Date:	Job Number:	North:	Revis	Revision		STATE SIGNIFICANT DEVELOPME		
	00.00.00	0111100		Rev	Date	Description	Drawn	Checked	
I/A 08.03.22	U8.U3.ZZ	2111102	N/A	A	10.12.21	FOR SSD	KC	BG	
n		40 Daymand Ayanya		В	20.12.21	FOR SSD	KC	BG	
Project:	ct: 42 Raymond Avenue		C	25.02.22	FOR SSD	KC	BG		
		Matraville, NSW 2036		D	08.03.22	FOR SSD	PT	BG	