



File Ref. No: FRN22/3328 BFS22/4824 8000023821
TRIM Doc. No: D22/82299
Contact: Station Officer Luke Loseby

19 September 2022

JAVIER CANON
NSW Department of Planning and Environment
Locked Bag 5022
PARRAMATTA NSW 2124

Dear JAVIER,

Re: Advice on Secretary's Environmental Assessment Requirements (SEARs) – GUNDARY SOLAR FARM – GUNDARY (SSD-48225958)

Fire and Rescue NSW (FRNSW) acknowledge correspondence received on the 15 September 2022, requesting input into the preparation of the SEARs for the **GUNDARY SOLAR FARM – GUNDARY (SSD-48225958)**. FRNSW have reviewed the SEARs along with the Scoping Report and make the following comments:

There is currently insufficient information available regarding the fire safety and emergency response management aspects of the project. FRNSW requests to be consulted and given the opportunity to review and provide comment regarding the proposed fire and life safety systems at the preliminary and final design phases of the project.

For further information please contact the Operational Liaison and Special Hazards Unit, referencing FRNSW file number BFS22/4824. Please ensure that all correspondence in relation to this matter is submitted electronically to firesafety@fire.nsw.gov.au.

Yours sincerely,

A handwritten signature in black ink, appearing to read "John Hawes".

Superintendent John Hawes
Manager
Operational Liaison and Special Hazards Unit

Cc: Javier.Canon@planning.nsw.gov.au