Development Consent

Section 89E of the Environmental Planning and Assessment Act 1979

As delegate of the Minister for Planning, I approve the development application referred to in schedule 1, subject to the conditions in schedules 2 to 5.

These conditions are required to:

- prevent, minimise, and/or offset adverse environmental impacts;
- set standards and performance measures for acceptable environmental performance;
- require regular monitoring and reporting; and
- provide for the ongoing environmental management of the development.

2

Chris Wilson
Executive Director
Development Assessment Systems and Approvals

Sydney



2014

SCHEDULE 1

Application Number: SSD_5012

Applicant: Tronox Mining Australia Limited

Consent Authority: Minister for Planning

Land: See Appendix 1

Development: Atlas-Campaspe Mineral Sands Project

December 2019 modification (MOD 1) in red type March 2022 modification (MOD 2) in blue type July 2022 modification (MOD 3) in dark green type December 2022 modification (MOD 4) in purple type December 2024 modification (MOD 5) in orange type September 2025 modification (MOD 7) in pink type

The Department has prepared a consolidated version of the consent which is intended to include all modifications to the original determination instrument.

The consolidated version of the consent has been prepared by the Department with all due care. This consolidated version is intended to aid the consent holder by combining all consents relating to the original determination instrument but it does not relieve a consent holder of its obligation to be aware of and fully comply with all consent obligations as they are set out in the legal instruments, including the original determination instrument and all subsequent modification instruments.

TABLE OF CONTENTS

DEFINITIONS	3
ADMINISTRATIVE CONDITIONS	5
Obligation to Minimise Harm to the Environment Terms of Consent Limits on Consent Development Limits Structural Adequacy Demolition Protection of Public Infrastructure Operation of Plant and Equipment Stage Submission of any Strategy, Plan or Programs	5 5 5 5 6 6 6 6 6
ENVIRONMENTAL PERFORMANCE CONDITIONS	7
Transport Biodiversity Noise Air Quality Meteorological Monitoring Water Heritage Radiation Management Dangerous Goods Waste Rehabilitation Visual Bushfire Management	7 9 11 12 13 15 15 16 16 16 17
ADDITIONAL PROCEDURES	18
Notification of Landowners/Tenants Independent Review	18 18
ENVIRONMENTAL MANAGEMENT, REPORTING AND AUDITING	19
Environmental Management Reporting Auditing Access to Information	19 20 20 21
APPENDIX 1: SCHEDULE OF LAND APPENDIX 2: DEVELOPMENT LAYOUT APPENDIX 3: HAULAGE ROUTE APPENDIX 3A: LIGHT VEHICLE ACCESS ROUTE APPENDIX 3C: SHORT-TERM HAULAGE ROUTE APPENDIX 4: BIODIVERSITY OFFSET STRATEGY AND VEGETATION MANAGMENT AREA APPENDIX 5: CONCEPTUAL REHABILIATION STRATEGY APPENDIX 6: THREATENED SPECIES LIST APPENDIX 7: ROAD MAINTENANCE CONTRIBUTIONS – BALRANALD SHIRE COUNCIL APPENDIX 8: ROAD MAINTENANCE CONTRIBUTIONS – CENTRAL DARLING SHIRE COU APPENDIX 9: NOISE COMPLIANCE ASSESSMENT APPENDIX 10: ABORIGINAL CULTURAL HERITAGE SITES APPENDIX 11: INCIDENT NOTIFICATION AND REPORTING REQUIREMENTS	

NSW Government Department of Planning, Housing and Infrastructure 2

DEFINITIONS

AG DCCEEW

Australian Government Department of Climate Change, Energy, the

Environment and Water

The review required by condition 4 of schedule 5

Tronox Mining Australia Limited, or any other person or persons who rely on this consent to carry out the development that is subject to this consent

Australian Rail Track Corporation

Depicted in Appendix 2

NSW Biodiversity Conservation Act 2016

Building Code of Australia

Biodiversity, Conservation and Science Group, within the NSW Department

of Climate Change, Energy, the Environment and Water

Battery Energy Storage System

Balranald Shire Council

The conservation and enhancement program described in the EIS and

shown in Appendix 4 Depicted in Appendix 2

Central Darling Shire Council

Conditions contained in schedules 1 to 5 inclusive

The demolition of buildings or works, carrying out of works and erection of

buildings covered by this consent

Balranald Shire Council and Central Darling Shire Council Australian Bureau of Statistics Consumer Price Index

Water Group, within the NSW Department of Climate Change, Energy, the

Environment and Water

Department of Planning, Housing and Infrastructure

The development described in the EIS

Endangered Ecological Community as defined under the NSW Threatened

Species Conservation Act 1995

Environmental Impact Statement for the development titled Atlas-Campaspe Mineral Sands Project, Environmental Impact Statement (Volumes 1-4) dated May 2013, prepared by Resource Strategies; and Atlas-Campaspe Mineral Sands Project Responses to Submissions dated September 2013, prepared by Resource Strategies, as modified by:

- MOD 1 Modification Report titled 'Atlas-Campaspe Mineral Sands Project - Optimisation Modification' dated July 2019 and Submissions Report dated October 2019;
- MOD 2 Modification Report titled 'Atlas-Campaspe Mineral Sands Project - Modification Report for the Workforce Shuttle Bus Modification' dated 30 November 2021 and additional information responses dated 8 February 2022 and 10 March 2022;
- MOD 3 Modification Report titled 'Murray-Darling Basin Operations Short-Term Ore Transport and Processing Modifications' dated April
- MOD 4 Modification Report titled 'Atlas-Campaspe Mineral Sands Project and Broken Hill Mineral Separation Plant – Modification Report for the Short-Term Haulage Route Modifications dated 25 November 2022 and additional information dated 7 December 2022 and 23 December 2022
- MOD 5 Modification Report titled "Atlas-Campaspe Mineral Sands Project Modification 5 Modification Report", submissions report titled "Atlas-Campaspe Mineral Sands Project Modification 5 Submissions Report", dated October 2024, amendment report dated 29 October 2024 and additional information dated 26 November 2024 and 12 December
- MOD 7 Modification Report titled "Atlas-Campaspe Mineral Sands Project Modification 7 (MOD 7) - Modification Report'

NSW Environment Protection Authority

Environmental Planning and Assessment Act 1979 Environmental Planning and Assessment Regulation 2021 Environment Protection Licence under the POEO Act

Feasible relates to engineering considerations and what is practical to build or implement

Fire and Rescue NSW

The mineral sands mine the subject of Development Consent 251-09-01 (as modified)

Annual Review Applicant

ARTC Atlas deposit BC Act

BCA BCS

BESS BSC

Biodiversity offset strategy

Campaspe deposit

CDSC

Conditions of this consent

Construction

Councils CPI

DCCEEW Water

Department

Development

EEC

EIS

EPA EP&A Act **EP&A Regulation EPL**

Feasible

FRNSW Ginkgo Mine

GPS Global Positioning System

The route identified in Appendix 3 Haulage route

A vehicle that is prescribed as 'heavy' in the Austroads Vehicle Classification Heavy vehicle

System, with the exception of shuttle buses used to transport the workforce

to and from the Mine

Heritage item An item as defined under the Heritage Act 1977, and/or an Aboriginal

object or Aboriginal place as defined under the National Parks and Wildlife

Act 1974

Heritage NSW Heritage NSW, within the NSW Department of Climate Change, Energy,

the Environment and Water

Incident A set of circumstances that causes or threatens to cause material harm to

the environment

Ivanhoe Rail Facility

I and

The rail loading facility described in the EIS and shown in Appendix 2 As defined in the EP&A Act, except for where the term is used in the noise and air quality conditions in schedules 3 and 4 of this consent where it is defined to mean the whole of a lot, or contiguous lots, owned or leased by the same landowner or leaseholder, in a current plan registered at the Land Titles Office or with the Crown Lands Directorate at the date of this consent A vehicle that is prescribed as 'light' in the Austroads Vehicle Classification

System

Light vehicle access route

LĞA

Mine

Material harm

Light vehicle

The route identified in Appendix 3A

Local Government Area

Is harm that:

involves actual or potential harm to the health or safety of human beings or to ecosystems that is not trivial; or

results in actual or potential loss or property damage of an amount, or amounts in aggregate, exceeding \$10,000 (such loss includes the reasonable costs and expenses that would be incurred in taking all reasonable and practicable measures to prevent, mitigate or make good harm to the environment)

The Atlas-Campaspe Mineral Sands Mine described in the EIS and shown

in Appendix 2

Minimise Implement all reasonable and feasible mitigation measures to reduce the

impacts of the development

The extraction and processing of ore on site, including overburden Mining operations

removal, mineral sands extraction and vegetation removal and soil

stripping

Minister for Planning and Public Spaces, or delegate Minister

Not very large, important or serious Minor

Activities associated with reducing the impacts of the development prior to Mitigation

or during those impacts occurring

MSP The mineral separation plant in Broken Hill the subject of Development

Consent 345-11-01 (as modified)

Small and unimportant, such as to be not worth considering Negligible Non-compliance

An occurrence, set of circumstances or development that is a breach of this

consent but is not an incident

NSW Resources Department of Primary Industries and Regional Development - NSW

POEO Act Protection of the Environment Operations Act 1997

Privately-owned land Land that is not owned or leased by a public agency or the Applicant (or its

subsidiary)

Public infrastructure Linear and related infrastructure that provides services to the general

public, such as roads, railways, water supply, drainage, sewerage, gas

supply, electricity, telephone, telecommunications etc.

Reasonable relates to the application of judgement in arriving at a decision, Reasonable

taking into account: mitigation benefits, cost of mitigation versus benefits provided, community views and the nature and extent of potential

improvements

Rehabilitation The restoration of land disturbed by the development to a good condition,

ensuring that it is safe, stable and non-polluting and appropriately

revegetated

NSW Resources Regulator within the Department of Primary Industries Resources Regulator

and Regional Development

Rural Fire Service

Road haulage route The route identified in Appendix 3

Road Safety Audit Atlas-Campaspe Mineral Sands Project, Mineral Concentrate Transport

Route Stage 5 (Existing Conditions) - Road Safety Audit (GTA

Consultants, 2012).

Secretary Secretary of the Department, or nominee

The heavy vehicle haulage route described in MOD 4 and identified as Short-term Haulage Route

"Short-term Atlas Campaspe Project Haulage Route" in the figure in Appendix 3C, as modified with the use of McCabe Street rather than Moa

Street in Balranald.

Site The land listed under "Land" in schedule 1

The route identified in Appendix 3B Shuttle bus access route

Snapper Mine The mineral sands mine the subject of project approval 06_0168 (as

modified)

Transport for NSW **TfNSW**

Vegetation management The vegetation management areas described in the EIS and shown in areas

Appendix 4



SCHEDULE 2 ADMINISTRATIVE CONDITIONS

OBLIGATION TO MINIMISE HARM TO THE ENVIRONMENT

1. In addition to meeting the specific performance criteria established under this consent, the Applicant must implement all reasonable and feasible measures to prevent and/or minimise any material harm to the environment that may result from the construction, operation, or rehabilitation of the development.

TERMS OF CONSENT

- 2. The Applicant must carry out the development:
 - (a) generally in accordance with the EIS; and
 - (b) in accordance with the conditions of this consent.

Note: The general layout of the development is shown in Appendix 2

- If there is any inconsistency between the above documents, the most recent document must prevail to
 the extent of the inconsistency. However, the conditions of this consent must prevail to the extent of
 any inconsistency.
- 4. The Applicant must comply with any reasonable requirement/s of the Secretary arising from the Department's assessment of:
 - (a) any reports, strategies, plans, programs, reviews, audits or correspondence that are submitted in accordance with this consent;
 - (b) any reports, reviews or audits commissioned by the Department regarding compliance with this consent; and
 - (c) the implementation of any actions or measures contained in these documents.

LIMITS ON CONSENT

Mining Operations

5. The Applicant may carry out mining operations on the site until 30 June 2034.

Note: Under this consent, the Applicant is required to rehabilitate the site and carry out additional undertakings to the satisfaction of the Secretary and the Resources Regulator. Consequently, this consent will continue to apply in all other respects other than the right to conduct mining operations until the rehabilitation of the site and these undertakings have been carried out satisfactorily.

Ore Extraction

6. The Applicant must not extract more than 10 million tonnes of ore from the site in any calendar year.

Transportation Limits

- 7. The Applicant must not transport more than 665,000 tonnes of mineral concentrate from the site in any calendar year.
- 7A. The Applicant must not transport more than 665,000 tonnes of mineral concentrate or ore for a period of 12 months from the date of determination of Modification 3, unless otherwise agreed by the Secretary.
- 8. The Applicant must ensure that all mineral concentrate, ore and MSP waste is transported in TfNSW approved vehicles via the road haulage route (as shown in Appendix 3).
- 8A. The Applicant may transport mineral concentrate via the Short-term Haulage Route for a period of 3 months from the commencement of haulage, unless otherwise agreed by the Secretary.
- 8B. The Applicant must notify the Department prior to the commencement of haulage via the Short-term Haulage Route.
- 9. The Applicant must ensure that no more than 35 haulage vehicle trips (70 vehicle movements) of mineral concentrate and ore are dispatched from the site in any 24 hour period.
- 9A The Applicant must ensure that no more than 20 haulage vehicle trips per day (40 movements) of mineral concentrate are dispatched from the site via the Short-term Haulage Route in any 24 hour period.
- 10. The Applicant must restrict train movements to and from the Ivanhoe rail facility to:
 - (a) a maximum of 8 train movements per week; and
 - (b) a maximum of 2 train movements in any 24 hour period.

Hours of Operation

11. The Applicant may operate the site 24 hours a day, 7 days per week.

DEVELOPMENT LIMITS

- 12. Prior to commencement of construction, unless the Secretary agrees otherwise, the Applicant must provide to the Department a survey plan of the approved surface development area (including surface infrastructure and extraction limits).
- 13. The Applicant must ensure that these boundaries are clearly marked for the life of the development.

Notes:

- The approved surface development area is shown in the figures in Appendix 2.
- The survey plan and associated boundary marking may be undertaken in stages (in accordance with condition 18 of this Schedule) commensurate with the progress of the mine plan.

STRUCTURAL ADEQUACY

14. The Applicant must ensure that any new buildings and structures, and any alterations, or additions to existing buildings and structures, are constructed in accordance with the relevant requirements of the BCA.

Notes:

- Under Part 4A of the EP&A Act, the Applicant is required to obtain construction and occupation certificates for the proposed building works.
- Part 8 of the EP&A Regulation sets out the requirements for the certification of the development.

DEMOLITION

15. The Applicant must ensure that all demolition work on site is carried out in accordance with *Australian Standard AS 2601-2001: The Demolition of Structures*, or its latest version.

PROTECTION OF PUBLIC INFRASTRUCTURE

- 16. Unless the Applicant and the applicable authority agree otherwise, the Applicant must:
 - (a) repair, or pay the full costs associated with repairing, any public infrastructure that is damaged by the development; and
 - (b) relocate, or pay the full costs associated with relocating, any public infrastructure that needs to be relocated as a result of the development.

Note: This conditions does not apply to damage to roads caused as a result of general road usage.

OPERATION OF PLANT AND EQUIPMENT

- 17. The Applicant must ensure that all plant and equipment used at the site, or any monitoring equipment used for monitoring the performance of the development is:
 - (a) maintained in a proper and efficient condition; and
 - (b) operated in a proper and efficient manner.

STAGED SUBMISSION OF ANY STRATEGY, PLAN OR PROGRAMS

18. With the approval of the Secretary, the Applicant may submit any strategy, plan or program required by this consent on a progressive basis.

Notes:

- While any strategy, plan or program may be submitted on a progressive basis, the Applicant will need to ensure that the existing operations on site are covered by suitable strategies, plans or programs at all times; and
- If the submission of any strategy, plan or program is to be staged, then the relevant strategy, plan or program
 must clearly describe the specific stage to which the strategy, plan or program applies, the relationship of this
 stage to any future stages, and the trigger for updating the strategy, plan or program.

SCHEDULE 3 ENVIRONMENTAL PERFORMANCE CONDITIONS

TRANSPORT

Road Upgrade Works

Within 12 months of commencing construction on the site and prior to the haulage of mineral concentrate or ore, unless otherwise agreed with the Secretary, the Applicant must implement the road upgrade, realignment and intersections works detailed in Table 1 to an acceptable standard for Type 1 Road Trains, to the satisfaction of the applicable roads authority.

Table 1: Road Upgrade Works

Measures	Applicable Roads Authority
Upgrade existing Balranald-Ivanhoe Road and Hatfield-The Vale Road intersection	TfNSW, BSC
Road widening and associated drainage works along: Hatfield-The Vale Road (14.5km section); Magenta Road (3km section); Boree Plains-Gol Gol Road (5.5km section); Link Road (8km section)	BSC
Construction of unsealed two lane road between: Hatfield-The Vale Road and Boree Plains-Gol Gol Road intersections (2km section); Magenta Road and Boree Plains-Gol Gol Road intersections (2km section) liaised	BSC
Construction of new intersections at: Hatfield-The Vale Road and Magenta Road; Magenta Road and Boree Plains-Gol Gol Road; Link Road and Atlas-Campaspe site access road	BSC
Construction of a new intersection at Balranald-Ivanhoe Road and Ivanhoe rail facility access road. The Ivanhoe Rail Facility access road must be sealed for at least the first 100 m from the intersection.	TfNSW, CDSC
Seal and undertake drainage works along Magenta Road (2km section)	BSC
High risk safety deficiencies along Balranald-Ivanhoe Road as identified in the Road Safety Audit	BSC, CDSC

Notes:

- Under the Roads Act 1993, the Applicant may require separate approvals from TfNSW and/or the Councils as the
 appropriate roads authority prior to construction or closure of public roads.
- For road and intersection upgrades where TfNSW is the appropriate roads authority, the Applicant will need to enter into a Works Authorisation Deed prior to commencing works, including the design, construction, alteration, maintenance, demolition and/or removal of these works.
- In the event that there is a dispute between the Applicant and either of the Councils about the implementation of this condition, then either party may refer the matter to the Secretary for resolution.
- 1A. The road improvement and intersection works detailed in Table 1A must be completed to an acceptable standard, to the satisfaction of the applicable roads authority, before project-related light vehicles and shuttle buses may use the light vehicle access route and shuttle bus access route. The Applicant must pay BSC for completing these works within 3 months of completion of construction, unless otherwise agreed with BSC.

Table 1A: Road upgrade works – light vehicle access route

Measures	Applicable Roads Authority
Widen Link Road (between the Atlas-Campaspe Mine access road and Marma Box Creek Road)	BSC
Seal at least the first 100 m of the surface of Boree Plains-Gol Gol Road from its intersection with Balranald-Ivanhoe Road	BSC, TfNSW
Upgrade the intersection of Marma Box Creek Road and Link Road	BSC

2. Prior to commencing construction on the site, unless otherwise agreed with the Secretary, the Applicant must prepare a detailed program of works for the upgrades listed in Table 1 by a suitably qualified expert, to the satisfaction of the applicable roads authority.

Road Maintenance Contributions

- 3. The Applicant must pay BSC annual contributions for the maintenance of Balranald-Ivanhoe Road (Main Road 67) and other local roads along the haulage route in accordance with the terms specified in Appendix 7.
- 3A The Applicant must pay BSC annual contributions for the maintenance of local roads along the light vehicle access route and shuttle bus access route, generally in accordance with the terms specified in Appendix 7.
- 4. The Applicant must pay CDSC annual contributions for the maintenance of Balranald-Ivanhoe Road (Main Road 67) and other local roads along the haulage route in accordance with the terms specified in Appendix 8.
- 5. The Applicant must pay CDSC and BSC one third of the total costs to rectify the "high risk" road safety deficiencies along Balranald-Ivanhoe Road (Main Road 67), as identified in the Road Safety Audit. The Applicant must pay Councils within 3 months of the road works being completed on a quarterly basis, unless otherwise agreed with the applicable Council.

Notes:

- The proportion of costs to be paid to the individual Councils to rectify the road safety deficits will depend on the
 extent of works required within each local government area.
- With the exception of condition 3A of this schedule, in the event that there is a dispute between the Applicant
 and either of the Councils about the implementation of these conditions, then either party may refer the matter
 to the Secretary for resolution.

Local Roads

- 6. The Applicant must ensure that light vehicles use only the following local roads to access the site:
 - (a) those local roads that form part of the road haulage route shown in Appendix 3;
 - (b) those local roads that form part of the light vehicle access route shown in Appendix 3A, if conditions 1A and 3A of this schedule have been met; or
 - (c) any local road during an emergency to avoid the loss of life, property and/or to prevent environmental harm.

Note: This condition does not apply to any employees that may reside on a local road that does not form part of the haulage route or the light vehicle access route (in the vicinity of the development), or the infrequent use of the roads for consultation, environmental monitoring and inspection and maintenance of nearby infrastructure.

Stock Losses

7. The Applicant must consult with relevant leaseholders and negotiate appropriate reimbursement at current market values for stock losses attributable to traffic associated with the development or other project-related activities.

Monitoring of Mineral Concentrate Transport

- 8. The Applicant must keep accurate records of:
 - (a) the amount of mineral concentrate and/or ore transported from the site (on a monthly basis);
 - (b) the amount of MSP process waste transported to the site for disposal.

These records must be made publicly available on the Applicant's website at the end of each calendar year.

Transport Management Plan

- 9. The Applicant must prepare and implement a Transport Management Plan for the development to the satisfaction of the Secretary. This plan must:
 - (a) be prepared in consultation with TfNSW, BSC and CDSC;
 - (b) be submitted to the Secretary for approval prior to carrying out any construction on site;
 - (c) include a program to monitor and report on the:
 - amount of mineral concentrate and ore transported from the site;
 - amount of MSP process waste returned to the site; and
 - date and time of each train movement generated by the development:
 - include the measures that would be implemented to address the relevant requirements in the Code of Practice for the Safe Transport of Radioactive Materials (ARPANSA, 2001, or its latest version);
 - (e) focus on traffic management along the haulage route, light vehicle access route and shuttle bus access route;
 - (f) include a <u>Road Transport Protocol</u> for all drivers transporting materials and workers to and from the site with measures to ensure:
 - vehicles adhere to the designated routes shown in Appendix 3 and Appendix 3B;
 - all vehicles transporting mineral concentrate or ore are completely covered whilst in transit;
 - the staggering of heavy vehicle departures to minimise impacts on the road network, where practicable;

NSW Government
Department of Planning, Housing and Infrastructure

- no disruption to school bus timetables;
- the management of worker fatigue during trips to and from the site;
- appropriate driver behaviour including adherence to speed limits, safe overtaking and maintaining appropriate distances between vehicles (i.e. a Driver Code of Conduct);
- adherence to drug and alcohol policies;
- appropriate vehicle maintenance and safety;
- contingency plans when the haulage route or shuttle bus route is disrupted due to low visibility or closed due to wet weather;
- emergency response plans;
- the safe transportation MSP process wastes; and
- compliance with and enforcement of the protocol

BIODIVERSITY

Biodiversity Offset Strategy

10. The Applicant must implement the biodiversity offset strategy summarised in Table 2 and shown conceptually in Appendix 4 to the satisfaction of the Secretary.

Table 2: Biodiversity Offset Strategy

Offset Type	Minimum Size (hectares)
Existing Native Vegetation	16,270
Re-vegetated cleared land	270
Total	16,540

11. The Applicant must ensure that the biodiversity offset strategy provides suitable habitat for the threatened fauna species, and includes the threatened flora species and EECs, confirmed and identified as being present on the site.

Note: The threatened flora and fauna species and EECs confirmed and identified as being present on the site are listed in Appendix 6.

Security of Offset

12. Within 12 months of commencing construction on the site, unless the Secretary agrees otherwise, the Applicant must make suitable arrangements for the long term protection of the biodiversity offsets listed in Table 2 in consultation with BCS and to the satisfaction of the Secretary.

Note: In order of preference, mechanisms to provide appropriate long term security to the land within the Biodiversity Offset Strategy include incorporation into National Park Estate, change of lease purpose to 'conservation' under the NSW Western Lands Act 1901, Voluntary Conservation Agreement, or restrictive covenant on land titles.

Vegetation Management Areas

13. The Applicant must manage and enhance the remnant vegetation in the vegetation management areas summarised in Table 3 below, and shown conceptually in the figure Appendix 4, for the life of the development, to the satisfaction of the Secretary.

Table 3: Vegetation Management Areas

Area	Minimum Size (hectares)
Atlas-Campaspe Mine	1,380
Ivanhoe Rail Facility	15
Total	1,395

Biodiversity Management Plan

- 14. The Applicant must prepare and implement a Biodiversity Management Plan for the development to the satisfaction of the Secretary. This plan must:
 - (a) be prepared by a suitably qualified person approved by the Secretary;
 - (b) be prepared in consultation with BCS, National Parks and Wildlife Service, AG DCCEEW and the RFS, and submitted to the Secretary for approval prior to the commencing vegetation clearing on the site;
 - (c) describe the short, medium and long term measures implemented to:
 - manage the remnant vegetation and habitat in the biodiversity offset and vegetation management areas; and
 - implement the biodiversity offset strategy, including detailed performance and completion criteria for evaluating the performance of the strategy and triggering remedial action (if necessary);
 - (d) include detailed baseline data and vegetation condition mapping for the biodiversity offset and vegetation management areas;
 - (e) describe how the implementation of the biodiversity offset strategy would be integrated with the overall rehabilitation of the site;
 - (f) include a detailed description of the procedures to be implemented for:
 - enhancing the quality of existing vegetation and fauna habitat in the biodiversity offset and vegetation management areas;
 - restoring native vegetation and fauna habitat in the biodiversity offset through focusing on assisted natural regeneration, targeted vegetation establishment and the introduction of natural scarce fauna habitat features;
 - minimising edge effects in the biodiversity offset area;
 - revegetating the Yarran Shrubland EEC in the biodiversity offset area;
 - introducing nest boxes in the revegetated areas of the biodiversity offset area for the Corben's Long eared Bat and Western Pygmy-possum;
 - establishing a monitoring site in the Deep Sand Mallee community;
 - clearly delineating the biodiversity offset strategy and vegetation management areas;
 - providing suitable habitat for threatened species;
 - · excluding livestock grazing;
 - controlling vehicular access;
 - · controlling weeds and feral pests;
 - controlling erosion;
 - · collecting and propagating seed;
 - · complete closure of artificial water points;
 - revegetation of cleared land;
 - bushfire management including consideration of strip burns;
 - (g) include a <u>Vegetation Clearance Protocol</u> for the site, which includes procedures for:
 - · training of employees and contractors;
 - ensuring a suitably qualified person is present during clearing of habitat trees;
 - undertaking pre-clearance surveys for fauna and their habitat, in particular for threatened species listed in Appendix 6;
 - the management of habitat trees and Malleefowl mounds;
 - undertaking call play-back for the Bush Stone-crulew prior to clearing;
 - restricting clearing to the minimum area necessary;
 - restricting the clearing of trees and shrubs in the vicinity of Malleefowl mounds to late summer and early autumn; and
 - notifying BCS of any clearing activities in the vicinity of Malleefowl mounds outside of this
 period, including details of why clearing is required and additional mitigation measures to be
 implemented.
 - (h) include a Threatened Species Management Protocol for the site, which includes procedures for:
 - managing and monitoring the threatened species present on the site (refer to Appendix 6), with particular focus on the Cobar Greenhood Orchid, Winged Peppercress, Mossgiel Daisy, Malleefowl, Western Pygmy-Possum and South-eastern long-eared Bat;
 - implementing a management and monitoring program for the Malleefowl in accordance with the 'National Manual for the Malleefowl Monitoring System';

11

- (i) include a seasonally-based program to monitor and report on the effectiveness of these measures, and progress against the detailed performance and completion criteria;
- identify the potential risks to the successful implementation of the biodiversity offset strategy, and include a description of the contingency measures that would be implemented to mitigate against these risks;
- (k) annually monitor the effectiveness of the management measures in the biodiversity offset and vegetation management areas using BioMetric data collection methodology, or other methodology agree with BCS; and
- (I) include details of who would be responsible for monitoring, reviewing and implementing the plan.

Conservation Bond

- 15. Within 6 months of approval of the Biodiversity Management Plan for the development, the Applicant must lodge a conservation bond with the Department to ensure that the biodiversity offset strategy is implemented in accordance with the performance and completion criteria of the Biodiversity Management Plan. The sum on the bond must be determined by:
 - (a) calculating the full cost of implementing the biodiversity offset strategy (other than land acquisition costs); and
 - (b) employing a suitably qualified quantity surveyor to verify the calculated costs, to the satisfaction of the Secretary.

If the biodiversity offset strategy is completed generally in accordance with the completion criteria in the Biodiversity Management Plan to the satisfaction of the Secretary, the Secretary will release the bond. If the biodiversity offset strategy is not completed generally in accordance with the completion criteria in the Biodiversity Management Plan, the Secretary will call in all, or part of, the conservation bond and arrange for the satisfactory completion of the relevant works.

Notes:

- Alternative funding arrangement for long term management of the Biodiversity Offset Strategy, such as the
 provision of capital and management funding as agreed by BCS as part of a transfer to a conservation reserve,
 can be used to reduce the liability of the conservation and biodiversity bond; and
 - The sum of the bond may be reviewed in conjunction with any revision to the Biodiversity Management Plan.

NOISE

Noise Criteria

16. Other than the exceptions identified in conditions 16B and 16C, the Applicant must ensure that the noise generated by the development does not exceed the noise criteria in Table 4 at any residence on privately-owned land or the other specified locations.

Table	1.1	Vaica	criteria	AD/AI

Location	Day	Evening	Night	
Location	L _{Aeq(15min)}	L _{Aeq(15min)}	L _{Aeq(15min)}	L _{A1(1min)}
All privately-owned land	35	35	35	45
Mungo National Park and Mungo State Conservation Area	48	48	48	-

- 16A. Noise generated by the development must be monitored and measured in accordance with the relevant procedures and exemptions (including certain meteorological conditions) of the NSW Noise Policy for Industry (EPA, 2017). Standard meteorological conditions and noise enhancing meteorological conditions as defined in Part D of the NSW Noise Policy for Industry (EPA, 2017) and determined by monitoring at the meteorological station required under condition 22 apply to the noise limits in Table 4.
- 16B. For very noise-enhancing meteorological conditions as defined in the *NSW Noise Policy for Industry*, the applicable noise limits are as defined in Table 4 plus 5 dB(A).
- 16C. The noise criteria in Table 4 do not apply if the applicant has an agreement with the owner/s of the relevant residence or land to exceed the noise criteria and the applicant has provided evidence of this agreement to the satisfaction of the Planning Secretary.

Operating Conditions

- 17. The Applicant must:
 - (a) implement all reasonable and feasible measures to minimise the construction, operational, road and rail noise of the development;
 - (b) undertake attended monitoring and implement noise mitigation measures to ensure the compliance of the development against the noise criteria of this consent;
 - (c) minimise noise impacts of the development during meteorological conditions when noise limits in this consent do not apply (see Conditions 16A and 16B of Schedule 3);
 - (d) only use locomotives and rolling stock that are approved to operate on the NSW rail network in accordance with the noise limits in ARTC's EPL;
 - (e) carry out regular monitoring to determine whether the development is complying with the relevant conditions of this consent;

to the satisfaction of the Secretary.

Noise Management Plan

- 18. The Applicant must prepare and implement a Noise Management Plan for the development to the satisfaction of the Secretary. This plan must:
 - (a) be prepared in consultation with the EPA, and submitted to the Secretary for approval prior to commencing construction on the site;

12

- (b) describe the measures that would be implemented to ensure compliance with the noise criteria and operating conditions in this consent; and
- (c) include a monitoring program that:
 - uses attended noise monitoring to evaluate compliance of the development against the noise criteria in this consent;
 - evaluates and reports on:
 - the effectiveness of the noise management system;
 - compliance against noise criteria in this consent; and
 - compliance against the noise operating conditions; and
 - defines what constitutes a noise incident, and includes a protocol for identifying and notifying the Department and relevant stakeholders of any noise incidents.

AIR QUALITY

Air Quality Criteria

19. The Applicant must ensure that all reasonable and feasible avoidance and mitigation measures are employed to ensure particulate matter emissions generated by the development do not exceed the criteria in Tables 5, 6 and 7 at any residence on privately-owned land.

Table 5: Long term impact assessment criteria for particulate matter

Pollutant	Averaging period	^d Criterion
Total suspended particulate (TSP) matter	Annual	a 90 μg/m³
Particulate matter < 10 μm (PM ₁₀)	Annual	^a 25 μg/m ³

Table 6: Short term impact assessment criterion for particulate matter

Pollutant	Averaging period	^d Criterion
Particulate matter < 10 μm (PM ₁₀)	24 hour	^a 50 μg/m ³

Table 7: Long term impact assessment criteria for deposited dust

Pollutant	Averaging period	Maximum increase in deposited dust level	Maximum total deposited dust level
^c Deposited dust	Annual	^b 2 g/m ² /month	^a 4 g/m ² /month

Notes to Tables 5-7:

Operating Conditions

- 20. The Applicant must:
 - (a) implement all reasonable and feasible measures to minimise off-site odour, fume, dust and greenhouse gas emissions of the development;
 - (b) minimise any visible off-site air pollution generated by the development;
 - (c) minimise the surface disturbance of the site;
 - (d) operate an air quality management system that uses dust deposition gauges to monitor the performance of the development and implement air quality mitigation measures to ensure compliance with the relevant condition of this consent; and
 - (e) minimise the air quality impacts of the development during adverse meteorological conditions and extraordinary events (see note d under Table 7),

to the satisfaction of the Secretary.

Air Quality Management Plan

- 21. The Applicant must prepare and implement an Air Quality Management Plan for the development to the satisfaction of the Secretary. This plan must:
 - (a) be prepared in consultation with the EPA, and submitted to the Secretary for approval prior to commencing construction on the site:

13

- (b) describe measures that would be implemented to ensure compliance with the relevant air quality criteria and operating conditions of this consent;
- (c) describe the air quality management system;
- (d) include an air quality monitoring program that:

^a Total impact (i.e. incremental increase in concentrations due to the development plus background concentrations due to all other sources);

^b Incremental impact (i.e. incremental increase in concentrations due to the development on its own);

C Deposited dust is to be assessed as insoluble solids as defined by Standards Australia, AS/NZS 3580.10.1:2003: Methods for Sampling and Analysis of Ambient Air - Determination of Particulate Matter - Deposited Matter - Gravimetric Method; and

d Excludes extraordinary events such as bushfires, prescribed burning, dust storms, fire incidents or any other activity agreed by the Secretary.

- adequately supports the air quality management system;
- evaluates and reports on:
 - the effectiveness of the air quality management system;
 - compliance with air quality criteria; and
 - compliance against the air quality operating conditions;
- defines what constitutes an air quality incident, and includes a protocol for identifying and notifying the Department and relevant stakeholders of any air quality incidents.

METEOROLOGICAL MONITORING

22. For the life of the development, the Applicant must ensure that there is a suitable meteorological monitoring station operating in the vicinity of the site that complies with the requirements in the Approved Methods for Sampling of Air Pollutants in New South Wales guideline.

WATER

Water Pollution

23. Unless an EPL authorises otherwise, the Applicant must comply with Section 120 of the POEO Act.

Water Supply

24. The Applicant must ensure that it has sufficient water for all stages of the development, and if necessary, adjust the scale of operations on site to match its available supply and licensed water entitlements.

Note: Under the Water Act 1912 and/or the Water Management Act 2000, the Applicant is required to obtain the necessary water licences for the development.

Compensatory Water Supply

25. The Applicant must provide a compensatory water supply to any landowner or leaseholder of privatelyowned land whose water supply is adversely and directly impacted (other than an impact that is negligible) as a result of the development, in consultation with DCCEEW Water and the satisfaction of the Secretary.

The compensatory water supply measures must provide an alternative long term supply of water that is equivalent to the loss attributed to the development.

The extent of adverse impact on water supply must be investigated in accordance with the procedures outlined in Condition 4 of Schedule 5. The compensatory water supply measures must provide an alternative long term supply of water that is equivalent to the loss attributable to the project. Equivalent water supply should be provided (at least on an interim basis) within 24 hours of the loss being identified, unless otherwise agreed with the landowner/leaseholder.

If the Applicant and landowner/leaseholder cannot agree on the measures to be implemented, or there is a dispute about the implementation of these measures, then either party may refer the matter to the Secretary for resolution.

If the Applicant is unable to provide an alternative long term supply of water, then the Applicant must provide alternative compensation to the satisfaction of the Secretary.

Water Management Plan

- 26. The Proponent must prepare and implement a Water Management Plan for the development to the satisfaction of the Secretary. This plan must:
 - (a) be prepared in consultation with DCCEEW Water and the EPA, by suitably qualified and experienced persons whose appointment has been approved by the Secretary;
 - (a) submitted to the Secretary for approval prior to commencing construction on the site;
 - (b) in addition to the standard requirements for management plans (see Condition 3 of schedule 6), this plan must include a:
 - (c) Site Water Balance, that includes details of:
 - sources and security of water supply, including contingency planning for future reporting periods;
 - water use and management on site, including the operating rules and emergency procedures for water management;
 - reporting procedures including the preparation of a site water balance for each calendar year of the development life; and
 - a program to validate the site water balance, including water storage levels at the site and comparison of monitoring results with predictions;
 - (d) Surface Water Management Plan, that includes:
 - baseline data on water levels and quality in the water bodies that could be affected by the development;

14

- a detailed description of the water management system on site, including the:
 - clean water diversion systems;

- erosion and sediment controls;
- water storages (including off-path sand residue dams, process water storages and water disposal dams); and
- final voids;
- design objectives and performance criteria for the clean water diversion systems and water storages (including off-path sand residue dams, process water storages and water disposal dams) and final voids;
- details of the hydrological design of the backfilled mine paths, including how the backfilled mine path to the Black Box Woodland in the disturbance area would be reinstated;
- performance criteria, including trigger values for investigating any potential adverse impacts associated with the development, on any nearby water bodies;
- salinity management measures including design measures to minimise any lateral seepage
 of brackish water from the sediment dams, off-path residue dams, process water storages,
 and/or emplacement areas;
- contingency plans to deal with any lateral salt water seepage or breakdown in dam linings;
- a program to monitor and report on:
 - effectiveness of the water management system;
 - potential leakage or spillage from water storage facilities;
 - post-closure water quality;
- · reporting procedures for the results of the monitoring program; and
- a plan to respond to any exceedances of the performance criteria, and mitigate any adverse surface water impacts of the development;
- (e) Groundwater Management Plan, that includes:
 - detailed baseline data on groundwater levels, yield and quality in the region and privatelyowned groundwater bores that could be affected by the development;
 - groundwater assessment criteria, including trigger levels for investigating any potentially adverse groundwater impacts associated with the development;
 - a program to monitor and report on:
 - impacts on the groundwater supply of potentially affected landowners/leaseholders;
 - groundwater inflows to the mining operations;
 - the seepage/leachate from water storages, emplacements, backfilled voids and final voids:
 - background changes in groundwater yield/quality against mine-induced changes;
 - the impacts of the development on the regional and local (including alluvial) aquifers;
 - groundwater dependent ecosystems;
 - a program to validate the groundwater model for the development, and compare the monitoring results with modelled predictions; and
 - a plan to respond to any exceedances of the groundwater assessment criteria.

HERITAGE

Protection of Aboriginal Heritage Items

- 27. Unless otherwise authorised under the NP&W Act, the Applicant must ensure that the development does not cause any direct or indirect impact on the identified Aboriginal heritage items located outside the approved disturbance area on site.
- 27A. The Aboriginal site identified in the EIS as 40-5-0339 must not be directly or indirectly impacted.

Heritage Management Plan

- 28. The Applicant must prepare and implement a Heritage Management Plan for the development to the satisfaction of the Secretary. This plan must:
 - (a) be prepared by suitably qualified and experienced persons whose appointment has been endorsed by the Secretary;
 - (b) be prepared in consultation with Heritage NSW and Aboriginal stakeholders (in relation to the management of Aboriginal heritage values), and submitted to the Secretary for approval prior to commencing construction on the site;
 - (c) include a protocol for responding to the discovery of any human remains on site;
 - (d) a description of the measures that would be implemented for:
 - protecting, monitoring and/or managing the heritage sites/items identified in Appendix 10:
 - managing the discovery of any human remains or previously unidentified Aboriginal objects on site;
 - maintaining and managing reasonable access for Aboriginal stakeholders to heritage items on site:
 - ongoing consultation with the Aboriginal stakeholders in the conservation and management of Aboriginal cultural heritage on site;
 - ensuring any workers on site receive suitable heritage inductions prior to carrying out any development on site, and that suitable records are kept of these inductions
 - notifying the NSW Heritage Council upon discovery of any intact archaeological deposits or state significant relics;

NSW Government
Department of Planning, Housing and Infrastructure

(e) include a detailed plan for the implementation of the mitigation and management measures outlined for the specified heritage items in the EIS, including archival recording, historical research and archaeological assessment prior to any disturbance.

RADIATION MANAGEMENT

Radioactive Waste Management Plan

- 29. The Applicant must prepare and implement a Radioactive Waste Management Plan for the development to the satisfaction of the Secretary. This plan must:
 - (a) be prepared in consultation with the EPA by a suitably qualified expert/s whose appointment has been approved by the Secretary;
 - (b) be submitted for approval 6 months prior to the commencement of the transport of MSP process waste to the site for disposal;
 - (c) generally meet the environmental goals listed in Environmental Guidelines: Solid Waste Landfills (DEC, 1996 or its latest version);
 - (d) be consistent with the Code of Practice and Safety Guide for Radiation Protection and Radioactive Waste Management in Mining and Mineral Processing (ARPANSA, 2005);
 - (e) include
 - a description of potential sources of dose delivery pathways and potential doses;
 - a description of operation and control measures;
 - design and operation details of waste disposal areas;
 - a management program for backloaded MSP process waste;
 - a system to monitor the movement of backloaded MSP waste;
 - a description of waste generating processes and waste;
 - demonstration of access to professional expertise in radiation protection;
 - details of radiation monitoring;
 - details of appropriate equipment, staff, facilities and operational procedures;
 - a description of induction and training courses;
 - reporting and periodic review procedures;
 - emergency plans;
 - baseline radiological information:
 - description of the waste management system;
 - radioactive waste monitoring; and
 - a conceptual decommissioning plan; and
 - (f) ensure wastes are landfilled in a manner to ensure:
 - the average concentration of radioactive material in landfill at the site would not exceed the average concentration of radioactive material in the original orebody;
 - the radiation level of any material deposited to land is no greater than 0.7 microGray per hour measures 1 metre vertically above the surface of the material being deposited; and
 - there is no detectable change from the original natural background radiation level measures at the ground surface.
 - (g) include details of radiation monitoring following rehabilitation to determine if radiation levels equivalent to the natural background radiation level have been achieved

DANGEROUS GOODS

30. The Applicant must ensure that the storage, handling, and transport of dangerous goods is done in accordance with the relevant *Australian Standards*, particularly AS1940 and AS1596, and the *Australian Code for the Transport of Dangerous Goods by Road and Rail*.

FIRE SAFETY STUDY

- 30A. The Applicant must prepare a Fire Safety Study for the BESS to the satisfaction of the Secretary. The study must:
 - (a) be prepared prior to the commencement of construction of the BESS at the Campaspe deposit and prior to the expansion of the BESS at the Atlas deposit, or other timeframe agreed by the Secretary;
 - (b) be prepared in consultation with FRNSW;
 - (c) be consistent with the Department's Hazardous Industry Planning Advisory Paper No. 2 'Fire Safety Study' guideline and FRNSW Fire Safety Guideline Technical Information Large scale external lithium-ion battery energy storage systems Fire safety study considerations;
 - (d) describe the final design of the battery storage;
 - (e) include reasonable worst-case fire scenarios and the associated fire management; and
 - (f) identify measures to eliminate the expansion of any fire, including:
 - the provision of adequate fire safety systems and appropriate water supply;
 - separation and / or compartmentalisation of battery units; and
 - strategies and incident control measures specific to the battery storage design.

30B. Following approval by the Secretary, the Applicant must implement the measures described in the Fire Safety Study.

WASTE

- 31. The Applicant must:
 - implement all reasonable and feasible measures to minimise the waste generated by the development;
 - (b) ensure that the waste generated by the development is appropriately stored, handled and disposed of;
 - (c) manage on-site sewage treatment and disposal in accordance with the requirements of BSC;and
 - (d) monitor and report on the effectiveness of waste minimisation and management measures in the Annual Review.

Note: The waste minimisation measures are not relevant to the backloaded MSP process waste, overburden or sand residues.

REHABILITATION

Rehabilitation Objectives

32. The Applicant must rehabilitate the site in accordance with the conditions imposed on the mining lease(s) associated with the development under the *Mining Act 1992*. This rehabilitation must be generally consistent with the proposed rehabilitation described in the documents listed in condition 2(a) of Schedule 2, and comply with the objectives in Table 8.

Table 8: Rehabilitation Objectives

able 8: Renabilitation Objectives			
Feature	Objective		
Mine site (as a whole)	 Safe, stable and non-polluting Progressive rehabilitation of disturbance areas Final land use to be returned to a self-sustaining ecosystem that is characteristic of vegetation communities cleared by the development and suitable for either light intensity grazing or for nature conservation 		
Final landforms	 Minimise the visual impact of final landforms, and ensure they are consistent with the landforms in the surrounding landscape The final surface water drainage network is stable and there is minimal risk of ongoing active scouring and erosion or dryland salinity Maintain overland flow to local close depressions to minimise disturbance to Black Box Woodland in the vicinity of the development 		
Surface infrastructure	 To be decommissioned and removed in accordance with the procedures in the EIS Where infrastructure is to remain as part of the final land use, it is to be safe and not pose a hazard to the community 		
Final void	 Minimise the size and depth of the final voids as far as is reasonable and feasible Depth of the final voids to remain above the groundwater table 		
Biodiversity	 Establishing permanent self-propagating vegetation cover including native species characteristic of vegetation communities cleared Exclusion of livestock from rehabilitation areas during operations and revegetation development Size, location and species of native tree lots and corridors are established to sustain biodiversity habitats All artificial water points to be closed to minimise water sources for feral animals 		
Community	 Ensure public safety Minimise the adverse socio-economic effects associated with mine closure 		
Water Quality	 Water retained on site is fit for the intended land use for post-mining domains Water discharged from site is consistent with the baseline ecological, hydrological and geomorphic conditions of the creeks prior to mining disturbance 		

Rehabilitation

- **33.** The Applicant must prepare a monitoring program for the reinstatement of surface water flows to nearby Black Box Woodland and provide a report to BCS detailing data collected following rehabilitation.
- 34. DELETED

Note: The Applicant must prepare a Rehabilitation Management Plan for the development, in accordance with the conditions imposed on the mining lease(s) associated with the development under the Mining Act 1992.

VISUAL

Operating Conditions

- 35. The Applicant must:
 - (a) implement all reasonable and feasible measures to minimise the visual impacts and off-site lighting impacts of the development;
 - (b) ensure no fixed outdoor lights shine above the horizontal;

- (c) ensure no in-pit mobile lighting rigs shine above the pit wall and other mobile lighting rigs do not shine above the horizontal; and
- (d) ensure that all external lighting associated with the development complies with Australian Standard AS4282:2023 Control of the obtrusive effects of outdoor lighting and consider the principles of the Dark Sky Planning Guideline (2016) Protecting the observing conditions at Siding Spring (or their latest versions).

to the satisfaction of the Secretary.

BUSHFIRE MANAGEMENT

- 36. The Applicant must:
 - (a) ensure that the development is suitably equipped to respond to any fires on site; and
 - (b) assist the RFS, emergency services and National Parks and Wildlife Service as much as practicable if there is a fire in the vicinity of the site.



SCHEDULE 4 ADDITIONAL PROCEDURES

NOTIFICATION OF LANDOWNERS/TENANTS

1. As soon as practicable after obtaining monitoring results showing an exceedance of any relevant criteria in schedule 3, the Applicant must notify affected landowners/leaseholders in writing of the exceedance, and provide regular monitoring results to each affected landowner/leaseholders until the development is again complying with the relevant criteria.

Independent Review

2. If an owner or leaseholder of privately-owned land considers the development to be exceeding the criteria in schedule 3, then he/she may ask the Secretary in writing for an independent review of the impacts of the development on his/her land.

If the Secretary is satisfied that an independent review is warranted, then within 2 months of the Secretary's decision, the Applicant must:

- (a) commission a suitably qualified, experienced and independent expert, whose appointment has been approved by the Secretary, to:
 - consult with the landowner/leaseholder to determine his/her concerns;
 - conduct monitoring to determine whether the development is complying with the relevant impact assessment criteria in schedule 3; and
 - if the development is not complying with these criteria then:
 - determine if more than one mine is responsible for the exceedance, and if so the relative share of each mine regarding the impact on the land;
 - identify the measures that could be implemented to ensure compliance with the relevant criteria; and
- (b) give the Secretary and landowner/leaseholder a copy of the independent review.

SCHEDULE 5 ENVIRONMENTAL MANAGEMENT, REPORTING AND AUDITING

ENVIRONMENTAL MANAGEMENT

Environmental Management Strategy

- 1. The Applicant must prepare and implement an Environmental Management Strategy for the development to the satisfaction of the Secretary. This strategy must:
 - (a) be submitted to the Secretary for approval prior to the commencement of any development on the site;
 - (b) provide the strategic framework for environmental management of the development;
 - (c) identify the statutory approvals that apply to the development;
 - (d) describe the role, responsibility, authority and accountability of all key personnel involved in the environmental management of the development;
 - (e) describe the procedures that would be implemented to:
 - keep the local community and relevant agencies informed about the operation and environmental performance of the development;
 - receive, handle, respond to, and record complaints;
 - · resolve any disputes that may arise;
 - respond to any non-compliance;
 - · respond to emergencies; and
 - (a) include
 - copies of any strategies, plans and programs approved under the conditions of this approval: and
 - a clear plan depicting all the monitoring to be carried out in relation to the development.

Adaptive Management

- 2. The Applicant must assess and manage development-related risks to ensure that there are no exceedances of the criteria and/or performance measures in schedules 3 and 4. Any exceedance of these criteria and/or performance measures constitutes a breach of this approval and may be subject to penalty or offence provisions under the EP&A Act or EP&A Regulation. Where any exceedance of these criteria and/or performance measures has occurred, the Applicant must, at the earliest opportunity:
 - take all reasonable and feasible steps to ensure that the exceedance ceases and does not recur;
 - (b) consider all reasonable and feasible options for remediation (where relevant) and submit a report to the Department describing those options and any preferred remediation measures or other course of action; and
 - (c) implement remediation measures as directed by the Secretary, to the satisfaction of the Secretary.

Management Plan Requirements

- 3. The Applicant must ensure that the management plans required under this approval are prepared in accordance with any relevant guidelines, and include:
 - (a) detailed baseline data;
 - (b) a description of:
 - the relevant statutory requirements (including any relevant approval, licence or lease conditions):
 - any relevant limits or performance measures/criteria;
 - the specific performance indicators that are proposed to be used to judge the
 performance of, or guide the implementation of, the development or any
 management measures;
 - (c) a description of the measures that would be implemented to comply with the relevant statutory requirements, limits, or performance measures/criteria;
 - (d) a program to monitor and report on the:
 - Impacts and environmental performance of the development;
 - effectiveness of any management measures (see c above);
 - (e) a contingency plan to manage any unpredicted impacts and their consequences;
 - a program to investigate and implement ways to improve the environmental performance of the development over time;
 - (g) a protocol for managing and reporting any:
 - incidents;
 - complaints;
 - non-compliances with statutory requirements; and
 - · exceedances of the impact assessment criteria and/or performance criteria; and

(h) a protocol for periodic review of the plan.

Annual Review

- 4. By the end of March each year (following the commencement of construction on the site), unless otherwise agreed with the Secretary, the Applicant must review the environmental performance of the development to the satisfaction of the Secretary. This review must:
 - (a) describe the development that was carried out in the previous calendar year, and the development that is proposed to be carried out over the next year;
 - (b) include a comprehensive review of the monitoring results and complaints records of the development over the previous calendar year, which includes a comparison of these results against the
 - the relevant statutory requirements, limits or performance measures/criteria;
 - the monitoring results of previous years; and
 - the relevant predictions in the EIS;
 - identify any non-compliance over the last year, and describe what actions were (or are being) taken to ensure compliance;
 - (d) identify any trends in the monitoring data over the life of the development;
 - (e) identify any discrepancies between the predicted and actual impacts of the development, and analyse the potential cause of any significant discrepancies; and
 - (f) describe what measures will be implemented over the next year to improve the environmental performance of the development.

Revision of Strategies, Plans and Programs

- 5. Within 3 months of the submission of:
 - (a) the submission of annual review under condition 4 above;
 - (b) the submission of an incident report under condition 6 below;
 - (c) the submission of an audit under condition 8 below; or
 - (d) any modification to the conditions of this approval or MP 05_0117 (unless the conditions require otherwise),

the Applicant must review and, if necessary, revise the strategies, plans, and programs required under this approval to the satisfaction of the Secretary. Where this review leads to revisions in any such document, then within 4 weeks of the review the revised document must be submitted to the Secretary for approval.

Note: This is to ensure the strategies, plans and programs are updated on a regular basis, and incorporate any recommended measures to improve the environmental performance of the development.

INCIDENT NOTIFICATION, REPORTING AND RESPONSE INCIDENT NOTIFICATION

Incident Notification, Reporting and Response

6. The Planning Secretary must be notified in writing via the Major Projects website immediately after the Applicant becomes aware of an incident. The notification must identify the project (including the application number and the name of the project if it has one) and set out the location and nature of the incident. Subsequent notification requirements must be given, and reports submitted in accordance with the requirements set out in Appendix 11.

Non-Compliance Notification

- 7. The Planning Secretary must be notified in writing via the Major Projects website within seven days after the Applicant becomes aware of any non-compliance.
- 8. A non-compliance notification must identify the project and the application number for it, set out the condition of approval that the project is non-compliant with, the way in which it does not comply and the reasons for the non-compliance (if known) and what actions have been, or will be, undertaken to address the non-compliance.
- A non-compliance which has been notified as an incident does not need to also be notified as a non-compliance.

Notification of Department

- 10. Prior to commencing the construction, operations, upgrading or decommissioning of the project or the cessation of operations, the Applicant must notify the Department via the Major Projects website portal of the date of commencement, or cessation, of the relevant phase.
- 11. If any of these phases of the project are to be staged, then the Applicant must notify the Department in writing prior to commencing the relevant stage, and clearly identify the project that would be carried out during the relevant stage.

Monitoring and Environmental Audits

- 12. Any condition of this approval that requires the carrying out of monitoring or an environmental audit, whether directly or by way of a plan, strategy or program, is taken to be a condition requiring monitoring or an environmental audit under Division 9.4 of Part 9 of the Act. This includes conditions in respect of incident notification, reporting and response, non-compliance notification, compliance report and independent audit.
- 13. For the purposes of this condition, as set out in the Act, "monitoring" means monitoring of the project to provide data on compliance with the approval or on the environmental impact of the project, and an "environmental audit" means a periodic or particular documented evaluation of the project to provide information on compliance with the approval or the environmental management or impact of the project.

AUDITING

- 14. Within 18 months of the commencement of construction, and every 3 years thereafter, unless the Secretary directs otherwise, the Applicant must commission and pay the full cost of an Independent Environmental Audit of the development.
- 15. Independent Audits of the development must be conducted and carried out in accordance with the Independent Audit Post Approval Requirements (2020).
- 16. Proposed independent auditors must be agreed to in writing by the Planning Secretary prior to the commencement of an Independent Audit.
- 17. The Planning Secretary may require the initial and subsequent Independent Audits to be undertaken at different times to those specified in the Independent Audit Post Approval Requirements (2020), upon giving at least 4 weeks' notice (or timing) to the Applicant of the date upon which the audit must be commenced
- 18. In accordance with the specific requirements in the Independent Audit Post Approval Requirements (2020), the Applicant must:
 - review and respond to each Independent Audit Report prepared under Condition 9 of Schedule 5 of this consent, or Condition 9C of Schedule 5 where notice is given by the Planning Secretary;
 - (b) submit the response to the Planning Secretary; and
 - (c) make each Independent Audit Report, and response to it, publicly available within 60 days of submission to the Planning Secretary, unless otherwise agreed by the Planning Secretary.
- 19. Independent Audit Reports and the Applicant's response to audit findings must be submitted to the Planning Secretary within 2 months of undertaking the independent audit site inspection as outlined in the *Independent Audit Post Approvals Requirements (2020)* unless otherwise agreed by the Planning Secretary.
- 20. Notwithstanding the requirements of the Independent Audit Post Approvals Requirements (2020), the Planning Secretary may approve a request for ongoing independent operational audits to be ceased, where it has been demonstrated to the Planning Secretary's satisfaction that independent operational audits have demonstrated operational compliance.


ACCESS TO INFORMATION


- 21. The Applicant must:
 - (a) make the following information publicly available on its website:
 - the EIS
 - · current statutory approvals for the development;
 - approved strategies, plans or programs required under the conditions of this consent;
 - a comprehensive summary of the monitoring results of the development, which
 have been reported in accordance with the various plans and programs approved
 under the conditions of this consent;
 - a complaints register, which is to be updated on a monthly basis;
 - the last five annual reviews;
 - any independent environmental audit, and the Applicant's response to the recommendations in any audit;
 - any other matter required by the Secretary; and
 - (b) keep this information up to date, to the satisfaction of the Secretary.

APPENDIX 1 SCHEDULE OF LAND


Tenure type	Lot number	Deposited plan number		
	Atlas-Campaspe Mine			
Leasehold	Part of 616	761603		
Leasehold	Part of 4733	762575		
Freehold	Part of 2	754040		
Freehold	Part of 8	754040		
Freehold	Part of 9	754040		
Leasehold	Part of 5792	768691		
Leasehold	Part of 1944	763848		
Leasehold	Part of 1942	763846		
Leasehold	Part of 3254	765480		
Leasehold	Part of 3256	765482		
Leasehold	Part of 2	793395		
Leasehold	Part of 2	1198331		
Leasehold	Part of 1	1198331		
Leasehold	Part of 1	1198330		
Leasehold	Part of 1	1198290		
Balranald Shire Council or Crown	Other roads located within, between or adjacent to the above parcels of land.			
Ivanhoe Rail Facility				
Leasehold	Part of 931	761988		
Crown	Part of 4	1145130		


APPENDIX 2 DEVELOPMENT LAYOUT







APPENDIX 3







APPENDIX 3A LIGHT VEHICLE ACCESS ROUTE






APPENDIX 3B SHUTTLE BUS ACCESS ROUTE






APPENDIX 3C SHORT-TERM HAULAGE ROUTE





APPENDIX 4
BIODIVERSITY OFFSET STRATEGY AND VEGETATION MANAGEMENT AREAS





APPENDIX 5 CONCEPTUAL REHABILITATION STRATEGY





APPENDIX 6 THREATENED SPECIES LIST

Common Name	Scientific Name	BC Act	EPBC
Flora species			
Winged Peppercress	Lepidium monoplocoides	E	Е
Mossgiel Daisy	Brachyscome papillosa	V	V
Cobar Greenhood Orchid	Pterostylis cobarensis	V	-
Fauna species			
Jewelled Gecko	Strophurus elderi	V	-
Malleefowl	Leipoa ocellata	E	V
Little Eagle	Hieraaetus morphnoides	V	-
Bush Stone-curlew	Burhinus grallarius	E	-
Major Mitchell's Cockatoo	Lophochroa leadbeateri	V	-
Redthroat	Pyrrholaemus brunneus	V	-
Pied Honeyeater	Certhionyx variegatus	V	-
White-fronted Chat	Epthianura albifrons	V	-
Hooded Robin	Melanodryas cucullata cucullata	V	-
Chestnut-backed Quail-thrush	Cinclosoma castanotum	V	-
Varied Sittella	Daphoenositta chrysoptera	V	-
Southern Ningaui	Ningaui yvonneae	V	-
Yellow-bellied Sheathtailed-Bat	Saccolaimus flaviventris	V	-
South-eastern Long-eared Bat	Nyctophilus corbeni	V	V
Inland Forest Bat	Vespadelus baverstocki	V	-
Little Pied Bat	Chanlinolbus picatus	V	-
Endangered Ecological Communi	ity (EEC)		
Yarran Shrubland EEC	Acacia melvillei Shrubland	Т	-
Sandhill Pine Woodland EEC		Т	-

APPENDIX 7 ROAD MAINTENANCE CONTRIBUTIONS BALRANALD SHIRE COUNCIL

Haulage route contributions

The Applicant must make annual contributions to BSC towards the maintenance of the Balranald-Ivanhoe Road (Main Road 67) and applicable local roads on the haulage route within the Balranald LGA in accordance with the amount of material transported on the haulage route. The first annual contribution must be made within 12 months of the date of commencing transport of concentrate from the site, and additional contributions on each anniversary of that date until the cessation of mining operations on the site. Each contribution is to be calculated as follows:

Applicant's Annual Ongoing Maintenance Contribution (\$) =

\$1.36 X Dry Tonne X (F / \$486,806)

Notes:

- Dry Tonne = the amount of mineral concentrate, ore and MSP process waste (dry weight) transported along Main Road 67 during the preceding 12 month period.
- \$1.36 is a 2013 value, This value must be indexed annually in accordance with the CPI.
- \$486,806 is the total annual maintenance cost for the BSC component of Main Road 67 estimated in 2013 by Tonkin Consulting (2013). This value must be indexed in accordance with the CPI.
- F is the BSC's total annual road maintenance expenditure on the Main Road 67 component of the mineral
 concentrate and ore transport route under this arrangement as evidenced in BSC records.
- The maximum value of F is either \$486,806 or the CPI adjusted equivalent.
- The Applicant's Annual Ongoing Maintenance Contribution must be reviewed five years after the commencement of the transport of mineral concentrate and ore in consultation with the BSC and to the satisfaction of the Secretary.
- In the event that there is a dispute between the Applicant and either of the Councils about the implementation of this condition, then either party may refer the matter to the Secretary for resolution.

Light vehicle access route and shuttle bus access route contributions

The Applicant must make annual contributions to BSC towards the maintenance of the local roads on the light vehicle access route and shuttle bus access route within the Balranald LGA, generally in accordance with the following procedure:

- 1. BSC and the Applicant will jointly determine and document:
 - a. the proportion of total traffic using the light vehicle access route and shuttle bus access route that is Project-related; and
 - b. the required maintenance standard for the light vehicle access route and shuttle bus access route.
- 2. As soon as practicable after the end of each financial year, BSC will provide to the Applicant:
 - a. a detailed schedule of maintenance costs incurred in achieving the agreed maintenance standard on the light vehicle access route and shuttle bus access route in the prior financial year;
 - b. a statement of the amount claimed from the Applicant to contribute to these maintenance costs, including the calculation methodology; and
 - c. a schedule of anticipated maintenance works on the light vehicle access route and shuttle bus access route for the following financial year, and its estimated cost.
- 3. In the event of any disagreement as to the scope or cost of road maintenance works, the matter must be referred for independent determination to a suitably qualified and experienced engineer that is acceptable to both parties, whose decision must be final and binding.
- 4. The Applicant will pay BSC the determined amount within 60 days of the invoice being issued.

APPENDIX 8 ROAD MAINTENANCE CONTRIBUTIONS - CENTRAL DARLING SHIRE COUNCIL

The Applicant must make annual contributions to CDSC towards the maintenance of Main Road 67 in accordance with the amount of material transported, with the first annual contribution to be made within 12 months of the date of commencement of transport of concentrate, and additional contributions on each anniversary of that date until the cessation of the transport of mineral concentrate on Main Road 67. Each contribution is to be calculated as follows:

Applicants Annual Ongoing Maintenance Contribution (\$) =

\$0.21 X Dry Tonne X (F / \$117,658)

Notes:


- Dry Tonne = the amount of mineral concentrate, ore and MSP process waste (dry wright) transported along Main Road 67 during the preceding 12 month period.
- \$0.21 is a 2013 value. This value must be indexed annually in accordance with the CPI.
- \$117,658 is the total annual maintenance cost for the CDSC component of the Main Road 67 estimated in 2013 by Tonkin Consulting (2013). This value must be indexed in accordance with the CPI.
- F is the CDSC's total annual road maintenance expenditure on the Main Road 67 component of the mineral concentrate and ore transport route under this arrangement as evidenced in CDSC records.
- The maximum value of F is either \$117,658 or the CPI adjusted equivalent.
- The Applicant's Annual Ongoing Maintenance Contribution must be reviewed five years after the commencement of the transport of mineral concentrate and ore in consultation with the CDSC and to the satisfaction of the Secretary.
- In the event that there is a dispute between the Applicant and either of the Councils about the implementation of this condition, then either party may refer the matter to the Secretary for resolution.


APPENDIX 9


DELETED



APPENDIX 10 ABORIGINAL CULTURAL HERITAGE SITES







APPENDIX 11

INCIDENT NOTIFICATION AND REPORTING REQUIREMENTS

- C1. A written incident notification addressing the requirements set out below must be submitted to the Planning Secretary via the Major Projects website within seven days after the Applicant becomes aware of an incident. Notification is required to be given under this condition even if the Applicant fails to give the notification required under condition 5.1 or, having given such notification, subsequently forms the view that an incident has not occurred.
- C2. Written notification of an incident must:
 - (a) identify the project and application number;
 - (b) provide details of the incident (date, time, location, a brief description of what occurred and why it is classified as an incident);
 - (c) identify how the incident was detected;
 - (d) identify when the Applicant became aware of the incident;
 - (e) identify any actual or potential non-compliance with conditions of approval;
 - (f) describe what immediate steps were taken in relation to the incident;
 - (g) identify further action(s) that will be taken in relation to the incident; and
 - (h) identify a project contact for further communication regarding the incident.
- C3. Within 30 days of the date on which the incident occurred or as otherwise agreed to by the Planning Secretary, the Applicant must provide the Planning Secretary and any relevant public authorities (as determined by the Planning Secretary) with a detailed report on the incident addressing all requirements below, and such further reports as may be requested.
- C4. The Incident Report must include:
 - (a) a summary of the incident;
 - (b) outcomes of an incident investigation, including identification of the cause of the incident;
 - (c) details of the corrective and preventative actions that have been, or will be, implemented to address the incident and prevent recurrence; and
 - (d) details of any communication with other stakeholders regarding the incident.