

19 December 2019

Mr Matthew Sprott
A/Director
Coal & Quarries Assessments
Department of Planning, Industry & Environment
PO Box 39
SYDNEY NSW 2001

Dear Mr Sprott

Mandalong Mine – Water Management Plan

On 9 September 2019, Centennial Mandalong submitted an incident report to the Department of Planning, Industry & Environment associated with a discharge event from LDP003 at the Mandalong Mine Access Site (MMAS) Sediment Control Dam on Friday 30 August 2019 until Sunday 1 September 2019.

As a result of this environmental incident, a review of the Mandalong Mine Water Management Plan was undertaken in accordance with the requirements of Schedule 6, Condition 7 of the Mandalong Southern Extension Project SSD 5144 development consent.

The review of the Mandalong Mine Water Management Plan resulted in minor updates to the management plan being required. These updates have now been completed. As such, a revised Mandalong Mine Water Management Plan has been enclosed for approval. A tracked changed version of the revised Mandalong Mine Water Management Plan has also been enclosed to facilitate the review of this management plan by the Department.

If you have any questions or require any further information in regards to this matter, please contact me on my mobile 0407 207 530 or email james.wearne@centennialcoal.com.au.

Yours sincerely



James Wearne
Group Approvals Manager

Enclosed

- Mandalong Mine Water Management Plan – December 2019
- Mandalong Mine Water Management Plan – December 2019 Tracked Changes