

LATITUDE 33 55' 8"
LONGITUDE 151 13' 15"
GS-MAP
AMG-ZONE 56
COORD-SOURCE
REMARK

Form-A [\(top\)](#)

COUNTY CUMBERLAND
PARISH ALEXANDRIA
PORTION-LOT-DP 100//11570

Licensed [\(top\)](#)

COUNTY CUMBERLAND
PARISH ALEXANDRIA
PORTION-LOT-DP 100 11570

Construction [\(top\)](#)

Negative depths indicate Above Ground Level;H-Hole;P-Pipe;OD-Outside Diameter; ID-Inside Diameter;C-Cemented;SL-Slot Length;A-Aperture;GS-Grain Size;Q-Quantity

HOLE- NO	PIPE- NO	COMPONENT- CODE	COMPONENT- TYPE	DEPTH- FROM (metres)	DEPTH- TO (metres)	OD (mm)	ID (mm)	INTERVAL	DETAIL
1		Hole	Hole	0.00	13.12	100			Jetted - Water
1	1	Casing	PVC Class 9	0.00	12.70	100			Glued
1	1	Opening	Screen	0.00	6.00	50			A: .01mm; Screwed

Water Bearing Zones [\(top\)](#)

no details

Drillers Log [\(top\)](#)

FROM	TO	THICKNESS	DESC	GEO-MATERIAL	COMMENT
0.00	13.12	13.12	UNCONSOLIDATED ALL SAND		

Warning To Clients: This raw data has been supplied to the Department of Infrastructure, Planning and Natural Resources (DIPNR) by drillers, licensees and other sources. The DIPNR does not verify the accuracy of this data. The data is presented for use by you at your own risk. You should consider verifying this data before relying on it. Professional hydrogeological advice should be sought in interpreting and using this data.

Groundwater Works Summary

For information on the meaning of fields please see [Glossary](#)
Document Generated on Wednesday, February 6, 2013

[Print Report](#)

[Works Details](#) [Site Details](#) [Form A](#) [Licensed](#) [Construction](#) [Water Bearing Zones](#) [Drillers Log](#)

Work Requested -- GW110874

Works Details [\(top\)](#)

GROUNDWATER NUMBER GW110874
LIC-NUM 10WA114330
AUTHORISED-PURPOSES DOMESTIC
INTENDED-PURPOSES DOMESTIC
WORK-TYPE Spear
WORK-STATUS
CONSTRUCTION-METHOD
OWNER-TYPE Private
COMMENCE-DATE
COMPLETION-DATE 2007-03-10
FINAL-DEPTH (metres) 7.93
DRILLED-DEPTH (metres)
CONTRACTOR-NAME
DRILLER-NAME
PROPERTY ARBELAEZ
GWMA -
GW-ZONE -
STANDING-WATER-LEVEL 7.00
SALINITY
YIELD

Site Details [\(top\)](#)

REGION 10 - SYDNEY SOUTH COAST
RIVER-BASIN
AREA-DISTRICT
CMA-MAP
GRID-ZONE
SCALE
ELEVATION
ELEVATION-SOURCE
NORTHING 6245558.00
EASTING 335540.00

LATITUDE 33 55' 3"
LONGITUDE 151 13' 15"
GS-MAP
AMG-ZONE 56
COORD-SOURCE
REMARK

Form-A [\(top\)](#)

COUNTY CUMBERLAND
PARISH ALEXANDRIA
PORTION-LOT-DP 114//11570

Licensed [\(top\)](#)

COUNTY CUMBERLAND
PARISH ALEXANDRIA
PORTION-LOT-DP 114 11570

Construction [\(top\)](#)

Negative depths indicate Above Ground Level;H-Hole;P-Pipe;OD-Outside Diameter; ID-Inside Diameter;C-Cemented;SL-Slot Length;A-Aperture;GS-Grain Size;Q-Quantity

HOLE- NO	PIPE- NO	COMPONENT- CODE	COMPONENT- TYPE	DEPTH- FROM (metres)	DEPTH- TO (metres)	OD (mm)	ID (mm)	INTERVAL	DETAIL
1	1	Casing	PVC Class 9	0.00	7.02	100			Glued
1	1	Opening	Screen	0.00	6.00	50			Stainless Steel; A: .01mm; Screwed

Water Bearing Zones [\(top\)](#)

FROM- DEPTH (metres)	TO-DEPTH (metres)	THICKNESS (metres)	ROCK- CAT- DESC	S- W-L	D- D- L	YIELD	TEST-HOLE- DEPTH (metres)	DURATION	SALINITY
4.58	7.93	3.36		4.58		1.00			Good

Drillers Log [\(top\)](#)

FROM	TO	THICKNESS	DESC	GEO-MATERIAL	COMMENT
0.00	7.93	7.93	UNCONSOLIDATED ALL SANDS		

Warning To Clients: This raw data has been supplied to the Department of Infrastructure, Planning and Natural Resources (DIPNR) by drillers, licensees and other sources. The DIPNR does not verify the accuracy of this data. The data is presented for use by you

at your own risk. You should consider verifying this data before relying on it. Professional hydrogeological advice should be sought in interpreting and using this data.

Groundwater Works Summary

For information on the meaning of fields please see [Glossary](#)
Document Generated on Wednesday, February 20, 2013

Print Report

[Works Details](#) [Site Details](#) [Form A](#) [Licensed](#) [Construction](#) [Water Bearing Zones](#) [Drillers Log](#)

Work Requested -- GW110856

Works Details [\(top\)](#)

GROUNDWATER NUMBER	GW110856
LIC-NUM	10BL601283
AUTHORISED-PURPOSES	MONITORING BORE
INTENDED-PURPOSES	MONITORING BORE
WORK-TYPE	Bore
WORK-STATUS	
CONSTRUCTION-METHOD	Auger
OWNER-TYPE	Private
COMMENCE-DATE	
COMPLETION-DATE	2004-07-22
FINAL-DEPTH (metres)	13.20
DRILLED-DEPTH (metres)	13.20
CONTRACTOR-NAME	
DRILLER-NAME	
PROPERTY	UNIVERSITY OF NEW SOUTH WALES
GWMA	-
GW-ZONE	-
STANDING-WATER-LEVEL	10.00
SALINITY	176.00
YIELD	1.00

Site Details [\(top\)](#)

REGION	10 - SYDNEY SOUTH COAST
RIVER-BASIN	
AREA-DISTRICT	
CMA-MAP	
GRID-ZONE	
SCALE	
ELEVATION	
ELEVATION-SOURCE	
NORTHING	6245420.00
EASTING	336222.00

LATITUDE 33 55' 8"
LONGITUDE 151 13' 42"
GS-MAP
AMG-ZONE 56
COORD-SOURCE
REMARK

Form-A [\(top\)](#)

COUNTY CUMBERLAND
PARISH ALEXANDRIA
PORTION-LOT-DP 3//1104617

Licensed [\(top\)](#)

COUNTY CUMBERLAND
PARISH ALEXANDRIA
PORTION-LOT-DP 3 1104617

Construction [\(top\)](#)

Negative depths indicate Above Ground Level;H-Hole;P-Pipe;OD-Outside Diameter;
ID-Inside Diameter;C-Cemented;SL-Slot Length;A-Aperture;GS-Grain Size;Q-Quantity

HOLE- NO	PIPE- NO	COMPONENT- CODE	COMPONENT- TYPE	DEPTH- FROM (metres)	DEPTH- TO (metres)	OD (mm)	ID (mm)	INTERVAL	DETAIL
1		Hole	Hole	0.00	13.20	125			Auger
1	1	Casing	PVC Class 9	0.00	12.00	114			Screwed and Glued; Driven into Hole
1	1	Opening	Screen	12.00	13.20	55			PVC Class 9; A: .25mm; Screwed

Water Bearing Zones [\(top\)](#)

FROM- DEPTH (metres)	TO-DEPTH (metres)	THICKNESS (metres)	ROCK- CAT- DESC	S-W- L	D-D- L	YIELD	TEST-HOLE- DEPTH (metres)	DURATION	SALINITY
10.00	13.20	3.20		10.00	11.00	1.00		0.50	176.00

Drillers Log [\(top\)](#)

FROM	TO	THICKNESS	DESC	GEO-MATERIAL	COMMENT
0.00	13.00	13.00	SAND		

13.00 13.20 0.20 ROCKS

Warning To Clients: This raw data has been supplied to the Department of Infrastructure, Planning and Natural Resources (DIPNR) by drillers, licensees and other sources. The DIPNR does not verify the accuracy of this data. The data is presented for use by you at your own risk. You should consider verifying this data before relying on it. Professional hydrogeological advice should be sought in interpreting and using this data.

Groundwater Works Summary

For information on the meaning of fields please see [Glossary](#)
Document Generated on Wednesday, February 6, 2013

Print Report

[Works Details](#) [Site Details](#) [Form A](#) [Licensed](#) [Construction](#) [Water Bearing Zones](#) [Drillers Log](#)

Work Requested -- GW110786

Works Details [\(top\)](#)

GROUNDWATER NUMBER GW110786
LIC-NUM 10WA114555
AUTHORISED-PURPOSES DOMESTIC
INTENDED-PURPOSES DOMESTIC
WORK-TYPE Spear
WORK-STATUS
CONSTRUCTION-METHOD Auger
OWNER-TYPE Private
COMMENCE-DATE
COMPLETION-DATE 2010-03-11
FINAL-DEPTH (metres) 8.00
DRILLED-DEPTH (metres) 8.00
CONTRACTOR-NAME
DRILLER-NAME
PROPERTY FOXE
GWMA -
GW-ZONE -
STANDING-WATER-LEVEL
SALINITY
YIELD

Site Details [\(top\)](#)

REGION 10 - SYDNEY SOUTH COAST
RIVER-BASIN
AREA-DISTRICT
CMA-MAP
GRID-ZONE
SCALE
ELEVATION
ELEVATION-SOURCE
NORTHING 6245071.00
EASTING 335693.00

LATITUDE 33 55' 19"
LONGITUDE 151 13' 21"
GS-MAP
AMG-ZONE 56
COORD-SOURCE
REMARK

Form-A [\(top\)](#)

COUNTY CUMBERLAND
PARISH ALEXANDRIA
PORTION-LOT-DP 78//9238

Licensed [\(top\)](#)

COUNTY CUMBERLAND
PARISH ALEXANDRIA
PORTION-LOT-DP 78 9238

Construction [\(top\)](#)

Negative depths indicate Above Ground Level;H-Hole;P-Pipe;OD-Outside Diameter;
ID-Inside Diameter;C-Cemented;SL-Slot Length;A-Aperture;GS-Grain Size;Q-Quantity

HOLE- NO	PIPE- NO	COMPONENT- CODE	COMPONENT- TYPE	DEPTH- FROM (metres)	DEPTH- TO (metres)	OD (mm)	ID (mm)	INTERVAL	DETAIL
1		Hole	Hole	0.00	8.00	100			Hand Dug
1		Hole	Hole	0.00	8.00	100			Auger
1	1	Casing	Lining	0.00	8.00				

Water Bearing Zones [\(top\)](#)

no details

Drillers Log [\(top\)](#)

FROM	TO	THICKNESS	DESC	GEO-MATERIAL	COMMENT
0.00	8.00	8.00		SAND	

Warning To Clients: This raw data has been supplied to the Department of Infrastructure, Planning and Natural Resources (DIPNR) by drillers, licensees and other sources. The DIPNR does not verify the accuracy of this data. The data is presented for use by you at your own risk. You should consider verifying this data before relying on it. Professional hydrogeological advice should be sought in interpreting and using this data.

Groundwater Works Summary

For information on the meaning of fields please see [Glossary](#)
Document Generated on Wednesday, February 6, 2013

Print Report

[Works Details](#) [Site Details](#) [Form A](#) [Licensed](#) [Construction](#) [Water Bearing Zones](#) [Drillers Log](#)

Work Requested -- GW110780

Works Details [\(top\)](#)

GROUNDWATER NUMBER	GW110780
LIC-NUM	10WA114289
AUTHORISED-PURPOSES	DOMESTIC
INTENDED-PURPOSES	DOMESTIC
WORK-TYPE	Spear
WORK-STATUS	
CONSTRUCTION-METHOD	Auger
OWNER-TYPE	Private
COMMENCE-DATE	
COMPLETION-DATE	2010-02-10
FINAL-DEPTH (metres)	23.00
DRILLED-DEPTH (metres)	23.00
CONTRACTOR-NAME	
DRILLER-NAME	
PROPERTY	SIORIS
GWMA	-
GW-ZONE	-
STANDING-WATER-LEVEL	17.00
SALINITY	
YIELD	1.00

Site Details [\(top\)](#)

REGION	10 - SYDNEY SOUTH COAST
RIVER-BASIN	
AREA-DISTRICT	
CMA-MAP	
GRID-ZONE	
SCALE	
ELEVATION	
ELEVATION-SOURCE	
NORTHING	6245591.00
EASTING	335313.00

LATITUDE 33 55' 2"
LONGITUDE 151 13' 7"
GS-MAP
AMG-ZONE 56
COORD-SOURCE
REMARK

Form-A [\(top\)](#)

COUNTY CUMBERLAND
PARISH ALEXANDRIA
PORTION-LOT-DP 242//13208

Licensed [\(top\)](#)

COUNTY CUMBERLAND
PARISH ALEXANDRIA
PORTION-LOT-DP 242 13208

Construction [\(top\)](#)

Negative depths indicate Above Ground Level;H-Hole;P-Pipe;OD-Outside Diameter;
ID-Inside Diameter;C-Cemented;SL-Slot Length;A-Aperture;GS-Grain Size;Q-Quantity

HOLE- NO	PIPE- NO	COMPONENT- CODE	COMPONENT- TYPE	DEPTH- FROM (metres)	DEPTH- TO (metres)	OD (mm)	ID (mm)	INTERVAL	DETAIL
1		Hole	Hole	0.00	23.00	100			Auger
1	1	Casing	P.V.C.	0.00	22.00	100			Glued; Driven into Hole
1	1	Opening	Screen	22.00	23.00	60			Stainless Steel; A: .5mm; Riveted

Water Bearing Zones [\(top\)](#)

FROM- DEPTH (metres)	TO-DEPTH (metres)	THICKNESS (metres)	ROCK- CAT- DESC	S-W- L	D-D- L	YIELD	TEST-HOLE- DEPTH (metres)	DURATION	SALINITY
17.00	23.00	6.00		17.00	18.00	1.00			

Drillers Log [\(top\)](#)

FROM	TO	THICKNESS	DESC	GEO-MATERIAL	COMMENT
0.00	23.00	23.00		SAND	

Warning To Clients: This raw data has been supplied to the Department of Infrastructure, Planning and Natural Resources (DIPNR) by drillers, licensees and other sources. The DIPNR does not verify the accuracy of this data. The data is presented for use by you at your own risk. You should consider verifying this data before relying on it. Professional hydrogeological advice should be sought in interpreting and using this data.

Groundwater Works Summary

For information on the meaning of fields please see [Glossary](#)
Document Generated on Wednesday, February 6, 2013

[Print Report](#)

[Works Details](#) [Site Details](#) [Form A](#) [Licensed](#) [Construction](#) [Water Bearing Zones](#) [Drillers Log](#)

Work Requested -- GW110778

Works Details [\(top\)](#)

GROUNDWATER NUMBER	GW110778
LIC-NUM	10WA114305
AUTHORISED-PURPOSES	DOMESTIC
INTENDED-PURPOSES	DOMESTIC
WORK-TYPE	Spear
WORK-STATUS	
CONSTRUCTION-METHOD	Auger
OWNER-TYPE	Private
COMMENCE-DATE	
COMPLETION-DATE	2010-01-25
FINAL-DEPTH (metres)	23.00
DRILLED-DEPTH (metres)	23.00
CONTRACTOR-NAME	
DRILLER-NAME	
PROPERTY	CALOPEDOS
GWMA	-
GW-ZONE	-
STANDING-WATER-LEVEL	18.00
SALINITY	
YIELD	1.00

Site Details [\(top\)](#)

REGION	10 - SYDNEY SOUTH COAST
RIVER-BASIN	
AREA-DISTRICT	
CMA-MAP	
GRID-ZONE	
SCALE	
ELEVATION	
ELEVATION-SOURCE	
NORTHING	6245304.00
EASTING	335241.00

LATITUDE 33 55' 11"
LONGITUDE 151 13' 4"
GS-MAP
AMG-ZONE 56
COORD-SOURCE
REMARK

Form-A [\(top\)](#)

COUNTY CUMBERLAND
PARISH ALEXANDRIA
PORTION-LOT-DP 451//10752

Licensed [\(top\)](#)

COUNTY CUMBERLAND
PARISH ALEXANDRIA
PORTION-LOT-DP 451 10752

Construction [\(top\)](#)

Negative depths indicate Above Ground Level;H-Hole;P-Pipe;OD-Outside Diameter; ID-Inside Diameter;C-Cemented;SL-Slot Length;A-Aperture;GS-Grain Size;Q-Quantity

HOLE- NO	PIPE- NO	COMPONENT- CODE	COMPONENT- TYPE	DEPTH- FROM (metres)	DEPTH- TO (metres)	OD (mm)	ID (mm)	INTERVAL	DETAIL
1		Hole	Hole	0.00	23.00	100			Auger
1	1	Casing	PVC Class 9	0.00	22.00	100			Riveted
1	1	Opening	Screen	22.00	23.00	50			Stainless Steel; A: .5mm; Riveted

Water Bearing Zones [\(top\)](#)

FROM- DEPTH (metres)	TO-DEPTH (metres)	THICKNESS (metres)	ROCK- CAT- DESC	S-W- L	D- D- L	YIELD	TEST-HOLE- DEPTH (metres)	DURATION	SALINITY
18.00	23.00	5.00		18.00		1.00		1.00	

Drillers Log [\(top\)](#)

FROM	TO	THICKNESS	DESC	GEO-MATERIAL	COMMENT
0.00	23.00	23.00	SAND		

Warning To Clients: This raw data has been supplied to the Department of Infrastructure, Planning and Natural Resources (DIPNR) by drillers, licensees and other sources. The DIPNR does not verify the accuracy of this data. The data is presented for use by you at your own risk. You should consider verifying this data before relying on it. Professional hydrogeological advice should be sought in interpreting and using this data.

Groundwater Works Summary

For information on the meaning of fields please see [Glossary](#)
Document Generated on Wednesday, February 6, 2013

Print Report

[Works Details](#) [Site Details](#) [Form A](#) [Licensed](#) [Construction](#) [Water Bearing Zones](#) [Drillers Log](#)

Work Requested -- GW110539

Works Details [\(top\)](#)

GROUNDWATER NUMBER GW110539
LIC-NUM 10WA114336
AUTHORISED-PURPOSES DOMESTIC
INTENDED-PURPOSES DOMESTIC
WORK-TYPE Spear
WORK-STATUS
CONSTRUCTION-METHOD Auger
OWNER-TYPE Private
COMMENCE-DATE
COMPLETION-DATE 2009-10-07
FINAL-DEPTH (metres) 10.00
DRILLED-DEPTH (metres) 10.00
CONTRACTOR-NAME
DRILLER-NAME
PROPERTY MANNING
GWMA -
GW-ZONE -
STANDING-WATER-LEVEL
SALINITY
YIELD

Site Details [\(top\)](#)

REGION 10 - SYDNEY SOUTH COAST
RIVER-BASIN
AREA-DISTRICT
CMA-MAP
GRID-ZONE
SCALE
ELEVATION
ELEVATION-SOURCE
NORTHING 6246602.00
EASTING 335202.00

LATITUDE 33 54' 29"
LONGITUDE 151 13' 3"
GS-MAP
AMG-ZONE 56
COORD-SOURCE
REMARK

Form-A [\(top\)](#)

COUNTY CUMBERLAND
PARISH ALEXANDRIA
PORTION-LOT-DP 13/9/5081

Licensed [\(top\)](#)

COUNTY CUMBERLAND
PARISH ALEXANDRIA
PORTION-LOT-DP 13 5081

Construction [\(top\)](#)

Negative depths indicate Above Ground Level;H-Hole;P-Pipe;OD-Outside Diameter;
ID-Inside Diameter;C-Cemented;SL-Slot Length;A-Aperture;GS-Grain Size;Q-Quantity

HOLE- NO	PIPE- NO	COMPONENT- CODE	COMPONENT- TYPE	DEPTH- FROM (metres)	DEPTH- TO (metres)	OD (mm)	ID (mm)	INTERVAL	DETAIL
1		Hole	Hole	0.00	10.00	100			Hand Dug
1		Hole	Hole	0.00	10.00	100			Auger
1	1	Casing	Lining	0.00	10.00				

Water Bearing Zones [\(top\)](#)

no details

Drillers Log [\(top\)](#)

FROM	TO	THICKNESS	DESC	GEO-MATERIAL	COMMENT
0.00	10.00	10.00		SAND	

Warning To Clients: This raw data has been supplied to the Department of Infrastructure, Planning and Natural Resources (DIPNR) by drillers, licensees and other sources. The DIPNR does not verify the accuracy of this data. The data is presented for use by you at your own risk. You should consider verifying this data before relying on it. Professional hydrogeological advice should be sought in interpreting and using this data.

Groundwater Works Summary

For information on the meaning of fields please see [Glossary](#)
Document Generated on Wednesday, February 6, 2013

Print Report

[Works Details](#) [Site Details](#) [Form A](#) [Licensed](#) [Construction](#) [Water Bearing Zones](#) [Drillers Log](#)

Work Requested -- GW110535

Works Details [\(top\)](#)

GROUNDWATER NUMBER GW110535
LIC-NUM 10WA114536
AUTHORISED-PURPOSES DOMESTIC
INTENDED-PURPOSES DOMESTIC
WORK-TYPE Bore
WORK-STATUS
CONSTRUCTION-METHOD
OWNER-TYPE Private
COMMENCE-DATE
COMPLETION-DATE 2009-10-30
FINAL-DEPTH (metres) 12.00
DRILLED-DEPTH (metres) 12.00
CONTRACTOR-NAME
DRILLER-NAME
PROPERTY VAFEAS
GWMA -
GW-ZONE -
STANDING-WATER-LEVEL
SALINITY
YIELD

Site Details [\(top\)](#)

REGION 10 - SYDNEY SOUTH COAST
RIVER-BASIN
AREA-DISTRICT
CMA-MAP
GRID-ZONE
SCALE
ELEVATION
ELEVATION-SOURCE
NORTHING 6245130.00
EASTING 335825.00

LATITUDE 33 55' 17"
LONGITUDE 151 13' 26"
GS-MAP
AMG-ZONE 56
COORD-SOURCE
REMARK

Form-A [\(top\)](#)

COUNTY CUMBERLAND
PARISH ALEXANDRIA
PORTION-LOT-DP 1//925080

Licensed [\(top\)](#)

COUNTY CUMBERLAND
PARISH ALEXANDRIA
PORTION-LOT-DP 1 925080

Construction [\(top\)](#)

Negative depths indicate Above Ground Level;H-Hole;P-Pipe;OD-Outside Diameter;
ID-Inside Diameter;C-Cemented;SL-Slot Length;A-Aperture;GS-Grain Size;Q-Quantity

HOLE- NO	PIPE- NO	COMPONENT- CODE	COMPONENT- TYPE	DEPTH- FROM (metres)	DEPTH- TO (metres)	OD (mm)	ID (mm)	INTERVAL	DETAIL
1		Hole	Hole	0.00	12.00				Hand Dug
1		Hole	Hole	0.00	12.00	100			
1	1	Casing	Lining	0.00	0.00				

Water Bearing Zones [\(top\)](#)

no details

Drillers Log [\(top\)](#)

FROM	TO	THICKNESS	DESC	GEO-MATERIAL	COMMENT
0.00	12.00	12.00		SAND	

Warning To Clients: This raw data has been supplied to the Department of Infrastructure, Planning and Natural Resources (DIPNR) by drillers, licensees and other sources. The DIPNR does not verify the accuracy of this data. The data is presented for use by you at your own risk. You should consider verifying this data before relying on it. Professional hydrogeological advice should be sought in interpreting and using this data.

Groundwater Works Summary

For information on the meaning of fields please see [Glossary](#)
Document Generated on Wednesday, February 6, 2013

Print Report

[Works Details](#) [Site Details](#) [Form A](#) [Licensed](#) [Construction](#) [Water Bearing Zones](#) [Drillers Log](#)

Work Requested -- GW110524

Works Details [\(top\)](#)

GROUNDWATER NUMBER GW110524
LIC-NUM 10WA109195
AUTHORISED-PURPOSES DOMESTIC
INTENDED-PURPOSES DOMESTIC
WORK-TYPE Bore
WORK-STATUS
CONSTRUCTION-METHOD
OWNER-TYPE Private
COMMENCE-DATE
COMPLETION-DATE 2009-11-18
FINAL-DEPTH (metres) 1.50
DRILLED-DEPTH (metres) 1.50
CONTRACTOR-NAME
DRILLER-NAME
PROPERTY UTHAPPA
GWMA -
GW-ZONE -
STANDING-WATER-LEVEL
SALINITY
YIELD

Site Details [\(top\)](#)

REGION 10 - SYDNEY SOUTH COAST
RIVER-BASIN
AREA-DISTRICT
CMA-MAP
GRID-ZONE
SCALE
ELEVATION
ELEVATION-SOURCE
NORTHING 6245213.00
EASTING 336790.00

LATITUDE 33 55' 15"
LONGITUDE 151 14' 4"
GS-MAP
AMG-ZONE 56
COORD-SOURCE
REMARK

Form-A [\(top\)](#)

COUNTY CUMBERLAND
PARISH ALEXANDRIA
PORTION-LOT-DP 1//310365

Licensed [\(top\)](#)

COUNTY CUMBERLAND
PARISH ALEXANDRIA
PORTION-LOT-DP 1 310365

Construction [\(top\)](#)

Negative depths indicate Above Ground Level;H-Hole;P-Pipe;OD-Outside Diameter; ID-Inside Diameter;C-Cemented;SL-Slot Length;A-Aperture;GS-Grain Size;Q-Quantity

HOLE- NO	PIPE- NO	COMPONENT- CODE	COMPONENT- TYPE	DEPTH- FROM (metres)	DEPTH- TO (metres)	OD (mm)	ID (mm)	INTERVAL	DETAIL
1		Hole	Hole	0.00	1.50	100			

Water Bearing Zones [\(top\)](#)

no details

Drillers Log [\(top\)](#)

FROM	TO	THICKNESS	DESC	GEO-MATERIAL	COMMENT
0.00	1.50	1.50		ROCK	

Warning To Clients: This raw data has been supplied to the Department of Infrastructure, Planning and Natural Resources (DIPNR) by drillers, licensees and other sources. The DIPNR does not verify the accuracy of this data. The data is presented for use by you at your own risk. You should consider verifying this data before relying on it. Professional hydrogeological advice should be sought in interpreting and using this data.

Groundwater Works Summary

For information on the meaning of fields please see [Glossary](#)
Document Generated on Wednesday, February 6, 2013

Print Report

[Works Details](#) [Site Details](#) [Form A](#) [Licensed](#) [Construction](#) [Water Bearing Zones](#) [Drillers Log](#)

Work Requested -- GW110448

Works Details [\(top\)](#)

GROUNDWATER NUMBER	GW110448
LIC-NUM	10WA114553
AUTHORISED-PURPOSES	DOMESTIC
INTENDED-PURPOSES	DOMESTIC
WORK-TYPE	Spear
WORK-STATUS	
CONSTRUCTION-METHOD	
OWNER-TYPE	Private
COMMENCE-DATE	
COMPLETION-DATE	2009-02-28
FINAL-DEPTH (metres)	9.00
DRILLED-DEPTH (metres)	9.00
CONTRACTOR-NAME	
DRILLER-NAME	
PROPERTY	HARDMAN
GWMA	-
GW-ZONE	-
STANDING-WATER-LEVEL	5.00
SALINITY	
YIELD	1.00

Site Details [\(top\)](#)

REGION	10 - SYDNEY SOUTH COAST
RIVER-BASIN	
AREA-DISTRICT	
CMA-MAP	
GRID-ZONE	
SCALE	
ELEVATION	
ELEVATION-SOURCE	
NORTHING	6245656.00
EASTING	335447.00

LATITUDE 33 55' 0"
LONGITUDE 151 13' 12"
GS-MAP
AMG-ZONE 56
COORD-SOURCE
REMARK

Form-A [\(top\)](#)

COUNTY CUMBERLAND
PARISH ALEXANDRIA
PORTION-LOT-DP B//330986

Licensed [\(top\)](#)

COUNTY CUMBERLAND
PARISH ALEXANDRIA
PORTION-LOT-DP B 330986

Construction [\(top\)](#)

Negative depths indicate Above Ground Level;H-Hole;P-Pipe;OD-Outside Diameter;
ID-Inside Diameter;C-Cemented;SL-Slot Length;A-Aperture;GS-Grain Size;Q-Quantity

HOLE- NO	PIPE- NO	COMPONENT- CODE	COMPONENT- TYPE	DEPTH- FROM (metres)	DEPTH- TO (metres)	OD (mm)	ID (mm)	INTERVAL	DETAIL
1		Hole	Hole	0.00	9.00				
1	1	Casing	PVC Class 9	0.00	8.00	114			Glued
1	1	Opening	Screen	8.00	9.00	50			Stainless Steel; A: .5mm; Riveted

Water Bearing Zones [\(top\)](#)

FROM- DEPTH (metres)	TO-DEPTH (metres)	THICKNESS (metres)	ROCK- CAT- DESC	S- W-L	D- D- L	YIELD	TEST-HOLE- DEPTH (metres)	DURATION	SALINITY
5.00	9.00	4.00		5.00		1.00			Other

Drillers Log [\(top\)](#)

FROM	TO	THICKNESS	DESC	GEO-MATERIAL	COMMENT
0.00	9.00	9.00	UNCONSOLIDATE ALL SANDS		

Warning To Clients: This raw data has been supplied to the Department of Infrastructure, Planning and Natural Resources (DIPNR) by drillers, licensees and other sources. The DIPNR does not verify the accuracy of this data. The data is presented for use by you at your own risk. You should consider verifying this data before relying on it. Professional hydrogeological advice should be sought in interpreting and using this data.

Groundwater Works Summary

For information on the meaning of fields please see [Glossary](#)
Document Generated on Wednesday, February 20, 2013

[Print Report](#)

[Works Details](#) [Site Details](#) [Form A](#) [Licensed](#) [Construction](#) [Water Bearing Zones](#) [Drillers Log](#)

Work Requested -- GW110342

Works Details [\(top\)](#)

GROUNDWATER NUMBER	GW110342
LIC-NUM	10BL165553
AUTHORISED-PURPOSES	MONITORING BORE
INTENDED-PURPOSES	MONITORING BORE
WORK-TYPE	Well
WORK-STATUS	
CONSTRUCTION-METHOD	Auger - Solid Flight
OWNER-TYPE	Private
COMMENCE-DATE	
COMPLETION-DATE	2004-11-23
FINAL-DEPTH (metres)	4.00
DRILLED-DEPTH (metres)	4.00
CONTRACTOR-NAME	
DRILLER-NAME	
PROPERTY	U R S AUSTRALIA PTY LTD
GWMA	-
GW-ZONE	-
STANDING-WATER-LEVEL	2.40
SALINITY	261.00
YIELD	

Site Details [\(top\)](#)

REGION	10 - SYDNEY SOUTH COAST
RIVER-BASIN	
AREA-DISTRICT	
CMA-MAP	
GRID-ZONE	
SCALE	
ELEVATION	
ELEVATION-SOURCE	
NORTHING	6246367.00
EASTING	335717.00

LATITUDE 33 54' 37"
LONGITUDE 151 13' 23"
GS-MAP
AMG-ZONE 56
COORD-SOURCE
REMARK

Form-A [\(top\)](#)

COUNTY CUMBERLAND
PARISH ALEXANDRIA
PORTION-LOT-DP B 322064

Licensed [\(top\)](#)

COUNTY CUMBERLAND
PARISH ALEXANDRIA
PORTION-LOT-DP PT7 3897

Construction [\(top\)](#)

Negative depths indicate Above Ground Level;H-Hole;P-Pipe;OD-Outside Diameter;
ID-Inside Diameter;C-Cemented;SL-Slot Length;A-Aperture;GS-Grain Size;Q-Quantity

HOLE- NO	PIPE- NO	COMPONENT- CODE	COMPONENT- TYPE	DEPTH- FROM (metres)	DEPTH- TO (metres)	OD (mm)	ID (mm)	INTERVAL	DETAIL
1		Hole	Hole	0.00	4.00	160			Auger - Solid Flight
1	1	Casing	P.V.C.	0.00	1.00	50			Seated on Bottom
1	1	Opening	Slots	1.00	4.00	50			PVC; SL: 3mm
1		Annulus	Waterworn/Rounded	0.50	4.00				Graded; GS: 0- 2mm

Water Bearing Zones [\(top\)](#)

FROM- DEPTH (metres)	TO-DEPTH (metres)	THICKNESS (metres)	ROCK- CAT- DESC	S- W-L	D- D- L	YIELD	TEST-HOLE- DEPTH (metres)	DURATION	SALINITY
0.60	4.00	3.40		2.40					261.00

Drillers Log [\(top\)](#)