

LATITUDE 33 55' 5"
LONGITUDE 151 13' 5"
GS-MAP
AMG-ZONE 56
COORD-SOURCE
REMARK

Form-A [\(top\)](#)

COUNTY CUMBERLAND
PARISH ALEXANDRIA
PORTION-LOT-DP 212//12382

Licensed [\(top\)](#)

COUNTY CUMBERLAND
PARISH ALEXANDRIA
PORTION-LOT-DP 212 12382

Construction [\(top\)](#)

Negative depths indicate Above Ground Level;H-Hole;P-Pipe;OD-Outside Diameter; ID-Inside Diameter;C-Cemented;SL-Slot Length;A-Aperture;GS-Grain Size;Q-Quantity

HOLE- NO	PIPE- NO	COMPONENT- CODE	COMPONENT- TYPE	DEPTH- FROM (metres)	DEPTH- TO (metres)	OD (mm)	ID (mm)	INTERVAL	DETAIL
1		Hole	Hole	0.00	24.00				
1	1	Casing	PVC Class 9	0.00	23.00	114.2			Glued

Water Bearing Zones [\(top\)](#)

FROM- DEPTH (metres)	TO-DEPTH (metres)	THICKNESS (metres)	ROCK- CAT- DESC	S-W- L	D- D- L	YIELD	TEST-HOLE- DEPTH (metres)	DURATION	SALINITY
18.00	24.00	6.00		18.00		1.00			Good

Drillers Log [\(top\)](#)

FROM	TO	THICKNESS	DESC	GEO-MATERIAL	COMMENT
0.00	24.00	24.00	UNCONSOLIDATE	ALL SAND	

Warning To Clients: This raw data has been supplied to the Department of Infrastructure, Planning and Natural Resources (DIPNR) by drillers, licensees and other sources. The DIPNR does not verify the accuracy of this data. The data is presented for use by you at your own risk. You should consider verifying this data before relying on it. Professional hydrogeological advice should be sought in interpreting and using this data.

Groundwater Works Summary

For information on the meaning of fields please see [Glossary](#)
Document Generated on Wednesday, February 20, 2013

Print Report

[Works Details](#) [Site Details](#) [Form A](#) [Licensed](#) [Construction](#) [Water Bearing Zones](#) [Drillers Log](#)

Work Requested -- GW110099

Works Details [\(top\)](#)

GROUNDWATER NUMBER	GW110099
LIC-NUM	10WA113374
AUTHORISED-PURPOSES	DOMESTIC
INTENDED-PURPOSES	DOMESTIC
WORK-TYPE	Bore
WORK-STATUS	
CONSTRUCTION-METHOD	
OWNER-TYPE	Private
COMMENCE-DATE	
COMPLETION-DATE	2003-01-01
FINAL-DEPTH (metres)	8.00
DRILLED-DEPTH (metres)	
CONTRACTOR-NAME	
DRILLER-NAME	
PROPERTY	KIERNAN
GWMA	-
GW-ZONE	-
STANDING-WATER-LEVEL	2.00
SALINITY	
YIELD	2.50

Site Details [\(top\)](#)

REGION	10 - SYDNEY SOUTH COAST
RIVER-BASIN	
AREA-DISTRICT	
CMA-MAP	
GRID-ZONE	
SCALE	
ELEVATION	
ELEVATION-SOURCE	
NORTHING	6246944.00
EASTING	336771.00

LATITUDE 33 54' 19"
LONGITUDE 151 14' 4"
GS-MAP
AMG-ZONE 56
COORD-SOURCE
REMARK

Form-A [\(top\)](#)

COUNTY CUMBERLAND
PARISH ALEXANDRIA
PORTION-LOT-DP 12/26/4589

Licensed [\(top\)](#)

COUNTY CUMBERLAND
PARISH ALEXANDRIA
PORTION-LOT-DP 12 4589

Water Bearing Zones [\(top\)](#)

no details

Drillers Log [\(top\)](#)

no details

Warning To Clients: This raw data has been supplied to the Department of Infrastructure, Planning and Natural Resources (DIPNR) by drillers, licensees and other sources. The DIPNR does not verify the accuracy of this data. The data is presented for use by you at your own risk. You should consider verifying this data before relying on it. Professional hydrogeological advice should be sought in interpreting and using this data.

Groundwater Works Summary

For information on the meaning of fields please see [Glossary](#)
Document Generated on Wednesday, February 6, 2013

Print Report

[Works Details](#) [Site Details](#) [Form A](#) [Licensed](#) [Construction](#) [Water Bearing Zones](#) [Drillers Log](#)

Work Requested -- GW109946

Works Details [\(top\)](#)

GROUNDWATER NUMBER	GW109946
LIC-NUM	10WA114462
AUTHORISED-PURPOSES	DOMESTIC
INTENDED-PURPOSES	DOMESTIC
WORK-TYPE	Spear
WORK-STATUS	
CONSTRUCTION-METHOD	Jetted - Water
OWNER-TYPE	Private
COMMENCE-DATE	
COMPLETION-DATE	2009-02-05
FINAL-DEPTH (metres)	5.00
DRILLED-DEPTH (metres)	5.00
CONTRACTOR-NAME	
DRILLER-NAME	
PROPERTY	FEAR
GWMA	-
GW-ZONE	-
STANDING-WATER-LEVEL	2.00
SALINITY	
YIELD	0.50

Site Details [\(top\)](#)

REGION	10 - SYDNEY SOUTH COAST
RIVER-BASIN	
AREA-DISTRICT	
CMA-MAP	
GRID-ZONE	
SCALE	
ELEVATION	
ELEVATION-SOURCE	
NORTHING	6246101.00
EASTING	334877.00

LATITUDE 33 54' 45"
LONGITUDE 151 12' 50"
GS-MAP
AMG-ZONE 56
COORD-SOURCE
REMARK

Form-A [\(top\)](#)

COUNTY CUMBERLAND
PARISH ALEXANDRIA
PORTION-LOT-DP 24/10/5759

Licensed [\(top\)](#)

COUNTY CUMBERLAND
PARISH ALEXANDRIA
PORTION-LOT-DP 24 5759

Construction [\(top\)](#)

Negative depths indicate Above Ground Level;H-Hole;P-Pipe;OD-Outside Diameter; ID-Inside Diameter;C-Cemented;SL-Slot Length;A-Aperture;GS-Grain Size;Q-Quantity

HOLE- NO	PIPE- NO	COMPONENT- CODE	COMPONENT- TYPE	DEPTH- FROM (metres)	DEPTH- TO (metres)	OD (mm)	ID (mm)	INTERVAL	DETAIL
1		Hole	Hole	0.00	5.00	90			Jetted - Water
1	1	Casing	P.V.C.	0.00	4.40	32	26		Glued; Seated on Bottom
1	1	Opening	Screen	4.40	5.00	50			Stainless Steel; A: .15mm; Screwed

Water Bearing Zones [\(top\)](#)

FROM- DEPTH (metres)	TO-DEPTH (metres)	THICKNESS (metres)	ROCK- CAT- DESC	S- W-L	D- D- L	YIELD	TEST-HOLE- DEPTH (metres)	DURATION	SALINITY
2.00	5.00	3.00		2.00		0.50		0.50	Good

Drillers Log [\(top\)](#)

FROM	TO	THICKNESS	DESC	GEO-MATERIAL	COMMENT
0.00	0.30	0.30	TOPSOIL		

0.30	3.00	2.70	SAND BROWN
3.00	5.00	2.00	SAND YELLOW

Warning To Clients: This raw data has been supplied to the Department of Infrastructure, Planning and Natural Resources (DIPNR) by drillers, licensees and other sources. The DIPNR does not verify the accuracy of this data. The data is presented for use by you at your own risk. You should consider verifying this data before relying on it. Professional hydrogeological advice should be sought in interpreting and using this data.

Groundwater Works Summary

For information on the meaning of fields please see [Glossary](#)
Document Generated on Wednesday, February 6, 2013

Print Report

[Works Details](#) [Site Details](#) [Form A](#) [Licensed](#) [Construction](#) [Water Bearing Zones](#) [Drillers Log](#)

Work Requested -- GW109922

Works Details [\(top\)](#)

GROUNDWATER NUMBER	GW109922
LIC-NUM	10WA114547
AUTHORISED-PURPOSES	DOMESTIC
INTENDED-PURPOSES	DOMESTIC
WORK-TYPE	Spear
WORK-STATUS	
CONSTRUCTION-METHOD	Jetted - Water
OWNER-TYPE	Private
COMMENCE-DATE	
COMPLETION-DATE	2009-01-20
FINAL-DEPTH (metres)	4.58
DRILLED-DEPTH (metres)	4.58
CONTRACTOR-NAME	
DRILLER-NAME	
PROPERTY	COHEN
GWMA	-
GW-ZONE	-
STANDING-WATER-LEVEL	2.44
SALINITY	
YIELD	1.00

Site Details [\(top\)](#)

REGION	10 - SYDNEY SOUTH COAST
RIVER-BASIN	
AREA-DISTRICT	
CMA-MAP	
GRID-ZONE	
SCALE	
ELEVATION	
ELEVATION-SOURCE	
NORTHING	6244849.00
EASTING	335409.00

LATITUDE 33 55' 26"
LONGITUDE 151 13' 10"
GS-MAP
AMG-ZONE 56
COORD-SOURCE
REMARK

Form-A [\(top\)](#)

COUNTY CUMBERLAND
PARISH BOTANY
PORTION-LOT-DP 97//11072

Licensed [\(top\)](#)

COUNTY CUMBERLAND
PARISH ALEXANDRIA
PORTION-LOT-DP 97 11072

Construction [\(top\)](#)

Negative depths indicate Above Ground Level;H-Hole;P-Pipe;OD-Outside Diameter;
ID-Inside Diameter;C-Cemented;SL-Slot Length;A-Aperture;GS-Grain Size;Q-Quantity

HOLE- NO	PIPE- NO	COMPONENT- CODE	COMPONENT- TYPE	DEPTH- FROM (metres)	DEPTH- TO (metres)	OD (mm)	ID (mm)	INTERVAL	DETAIL
1		Hole	Hole	0.00	4.58	100			Jetted - Water
1	1	Casing	PVC Class 9	0.00	3.66	100			Glued
1	1	Opening	Screen	0.00	0.00	50			Stainless Steel; A: .01mm; Screwed

Water Bearing Zones [\(top\)](#)

FROM- DEPTH (metres)	TO-DEPTH (metres)	THICKNESS (metres)	ROCK- CAT- DESC	S- W-L	D- D- L	YIELD	TEST-HOLE- DEPTH (metres)	DURATION	SALINITY
2.44	4.58	2.14		2.44		1.00			Good

Drillers Log [\(top\)](#)

FROM	TO	THICKNESS	DESC	GEO-MATERIAL	COMMENT
0.00	4.58	4.58	UNCONSOLIDATED ALL SANDS		

Warning To Clients: This raw data has been supplied to the Department of Infrastructure, Planning and Natural Resources (DIPNR) by drillers, licensees and other sources. The DIPNR does not verify the accuracy of this data. The data is presented for use by you at your own risk. You should consider verifying this data before relying on it. Professional hydrogeological advice should be sought in interpreting and using this data.

Groundwater Works Summary

For information on the meaning of fields please see [Glossary](#)
Document Generated on Wednesday, February 6, 2013

Print Report

[Works Details](#) [Site Details](#) [Form A](#) [Licensed](#) [Construction](#) [Water Bearing Zones](#) [Drillers Log](#)

Work Requested -- GW109813

Works Details [\(top\)](#)

GROUNDWATER NUMBER	GW109813
LIC-NUM	10BL601905
AUTHORISED-PURPOSES	MONITORING BORE
INTENDED-PURPOSES	MONITORING BORE
WORK-TYPE	Well
WORK-STATUS	
CONSTRUCTION-METHOD	Hand Auger
OWNER-TYPE	Private
COMMENCE-DATE	
COMPLETION-DATE	2007-05-16
FINAL-DEPTH (metres)	9.00
DRILLED-DEPTH (metres)	9.00
CONTRACTOR-NAME	
DRILLER-NAME	
PROPERTY	THE SHELL COMPANY OF AUSTRALIA
GWMA	-
GW-ZONE	-
STANDING-WATER-LEVEL	
SALINITY	
YIELD	

Site Details [\(top\)](#)

REGION	10 - SYDNEY SOUTH COAST
RIVER-BASIN	
AREA-DISTRICT	
CMA-MAP	
GRID-ZONE	
SCALE	
ELEVATION	
ELEVATION-SOURCE	
NORTHING	6244733.00
EASTING	336018.00

LATITUDE 33 55' 30"
LONGITUDE 151 13' 33"
GS-MAP
AMG-ZONE 56
COORD-SOURCE
REMARK

Form-A [\(top\)](#)

COUNTY CUMBERLAND
PARISH ALEXANDRIA
PORTION-LOT-DP C//314270

Licensed [\(top\)](#)

COUNTY CUMBERLAND
PARISH ALEXANDRIA
PORTION-LOT-DP C 314270

Construction [\(top\)](#)

Negative depths indicate Above Ground Level;H-Hole;P-Pipe;OD-Outside Diameter;
ID-Inside Diameter;C-Cemented;SL-Slot Length;A-Aperture;GS-Grain Size;Q-Quantity

HOLE- NO	PIPE- NO	COMPONENT- CODE	COMPONENT- TYPE	DEPTH- FROM (metres)	DEPTH- TO (metres)	OD (mm)	ID (mm)	INTERVAL	DETAIL
1		Hole	Hole	0.00	9.00				Hand Auger
1	1	Casing	PVC Class 18	0.00	0.00	50			
1		Annulus	Waterworn/Rounded	0.00	0.00				Graded; GS: 2-3mm

Water Bearing Zones [\(top\)](#)

no details

Drillers Log [\(top\)](#)

FROM	TO	THICKNESS	DESC	GEO- MATERIAL	COMMENT
0.00	1.00	1.00	GRAVELLY SILTY SAND,LOOSE,DRY,DARK GREY,PIECES OF RUBBLE		
1.00	9.00	8.00	SAND,MOIST,L/GREY,DARK BROWN,D/ORANGE,CREAM,SATURATED		

Warning To Clients: This raw data has been supplied to the Department of Infrastructure, Planning and Natural Resources (DIPNR) by drillers, licensees and other sources. The DIPNR does not verify the accuracy of this data. The data is presented for use by you at your own risk. You should consider verifying this data before relying on it. Professional hydrogeological advice should be sought in interpreting and using this data.

Groundwater Works Summary

For information on the meaning of fields please see [Glossary](#)
Document Generated on Wednesday, February 6, 2013

[Print Report](#)

[Works Details](#) [Site Details](#) [Form A](#) [Licensed](#) [Construction](#) [Water Bearing Zones](#) [Drillers Log](#)

Work Requested -- GW109812

Works Details [\(top\)](#)

GROUNDWATER NUMBER	GW109812
LIC-NUM	10BL601905
AUTHORISED-PURPOSES	MONITORING BORE
INTENDED-PURPOSES	MONITORING BORE
WORK-TYPE	Well
WORK-STATUS	
CONSTRUCTION-METHOD	Hand Auger
OWNER-TYPE	Private
COMMENCE-DATE	
COMPLETION-DATE	2007-04-15
FINAL-DEPTH (metres)	9.00
DRILLED-DEPTH (metres)	9.00
CONTRACTOR-NAME	
DRILLER-NAME	
PROPERTY	THE SHELL COMPANY OF AUSTRALIA
GWMA	-
GW-ZONE	-
STANDING-WATER-LEVEL	
SALINITY	
YIELD	

Site Details [\(top\)](#)

REGION	10 - SYDNEY SOUTH COAST
RIVER-BASIN	
AREA-DISTRICT	
CMA-MAP	
GRID-ZONE	
SCALE	
ELEVATION	
ELEVATION-SOURCE	
NORTHING	6244748.00
EASTING	335979.00

LATITUDE 33 55' 30"
LONGITUDE 151 13' 32"
GS-MAP
AMG-ZONE 56
COORD-SOURCE
REMARK

Form-A [\(top\)](#)

COUNTY CUMBERLAND
PARISH ALEXANDRIA
PORTION-LOT-DP C//314270

Licensed [\(top\)](#)

COUNTY CUMBERLAND
PARISH ALEXANDRIA
PORTION-LOT-DP C 314270

Construction [\(top\)](#)

Negative depths indicate Above Ground Level;H-Hole;P-Pipe;OD-Outside Diameter;
ID-Inside Diameter;C-Cemented;SL-Slot Length;A-Aperture;GS-Grain Size;Q-Quantity

HOLE- NO	PIPE- NO	COMPONENT- CODE	COMPONENT- TYPE	DEPTH- FROM (metres)	DEPTH- TO (metres)	OD (mm)	ID (mm)	INTERVAL	DETAIL
1		Hole	Hole	0.00	9.00				Hand Auger
1	1	Casing	PVC Class 18	0.00	0.00	50			
1		Annulus	Waterworn/Rounded	0.00	0.00				Graded; GS: 2-3mm

Water Bearing Zones [\(top\)](#)

no details

Drillers Log [\(top\)](#)

FROM	TO	THICKNESS	DESC	GEO- MATERIAL	COMMENT
0.00	0.10	0.10	CONCRETE		
0.10	0.30	0.20	SILTY SAND, LOOSE, DRY, BROWN/GREY, SANDSTONE BRICK PIECES		
0.30	9.00	8.70	SAND, LOOSE, DRY, MOIST, ORANGE, BECOMES SATURATED		

Warning To Clients: This raw data has been supplied to the Department of Infrastructure, Planning and Natural Resources (DIPNR) by drillers, licensees and other sources. The DIPNR does not verify the accuracy of this data. The data is presented for use by you at your own risk. You should consider verifying this data before relying on it. Professional hydrogeological advice should be sought in interpreting and using this data.

Groundwater Works Summary

For information on the meaning of fields please see [Glossary](#)
Document Generated on Wednesday, February 6, 2013

Print Report

[Works Details](#) [Site Details](#) [Form A](#) [Licensed](#) [Construction](#) [Water Bearing Zones](#) [Drillers Log](#)

Work Requested -- GW109809

Works Details [\(top\)](#)

GROUNDWATER NUMBER	GW109809
LIC-NUM	10BL601905
AUTHORISED-PURPOSES	MONITORING BORE
INTENDED-PURPOSES	MONITORING BORE
WORK-TYPE	Well
WORK-STATUS	
CONSTRUCTION-METHOD	Hand Auger
OWNER-TYPE	Private
COMMENCE-DATE	
COMPLETION-DATE	2007-05-18
FINAL-DEPTH (metres)	9.00
DRILLED-DEPTH (metres)	9.00
CONTRACTOR-NAME	
DRILLER-NAME	
PROPERTY	THE SHELL COMPANY OF AUSTRALIA
GWMA	-
GW-ZONE	-
STANDING-WATER-LEVEL	
SALINITY	
YIELD	

Site Details [\(top\)](#)

REGION	10 - SYDNEY SOUTH COAST
RIVER-BASIN	
AREA-DISTRICT	
CMA-MAP	
GRID-ZONE	
SCALE	
ELEVATION	
ELEVATION-SOURCE	
NORTHING	6244726.00
EASTING	335988.00

LATITUDE 33 55' 31"
LONGITUDE 151 13' 32"
GS-MAP
AMG-ZONE 56
COORD-SOURCE
REMARK

Form-A [\(top\)](#)

COUNTY CUMBERLAND
PARISH ALEXANDRIA
PORTION-LOT-DP C//314270

Licensed [\(top\)](#)

COUNTY CUMBERLAND
PARISH ALEXANDRIA
PORTION-LOT-DP C 314270

Construction [\(top\)](#)

Negative depths indicate Above Ground Level;H-Hole;P-Pipe;OD-Outside Diameter;
ID-Inside Diameter;C-Cemented;SL-Slot Length;A-Aperture;GS-Grain Size;Q-Quantity

HOLE- NO	PIPE- NO	COMPONENT- CODE	COMPONENT- TYPE	DEPTH- FROM (metres)	DEPTH- TO (metres)	OD (mm)	ID (mm)	INTERVAL	DETAIL
1		Hole	Hole	0.00	9.00				Hand Auger
1	1	Casing	PVC Class 18	0.00	0.00	50			
1		Annulus	Waterworn/Rounded	0.00	0.00				Graded; GS: 2- 3mm

Water Bearing Zones [\(top\)](#)

no details

Drillers Log [\(top\)](#)

FROM	TO	THICKNESS	DESC	GEO- MATERIAL	COMMENT
0.00	0.20	0.20	CONCRETE		
0.20	0.60	0.40	GRAVELLY SILTY SAND, LOOSE, DRY		
0.60	9.00	8.40	SAND, MEDIUM DENSE/YELLOW, ORANGE, GRADES TO CREAM		

Warning To Clients: This raw data has been supplied to the Department of Infrastructure, Planning and Natural Resources (DIPNR) by drillers, licensees and other sources. The DIPNR does not verify the accuracy of this data. The data is presented for use by you at your own risk. You should consider verifying this data before relying on it. Professional hydrogeological advice should be sought in interpreting and using this data.

Groundwater Works Summary

For information on the meaning of fields please see [Glossary](#)
Document Generated on Wednesday, February 6, 2013

[Print Report](#)

[Works Details](#) [Site Details](#) [Form A](#) [Licensed](#) [Construction](#) [Water Bearing Zones](#) [Drillers Log](#)

Work Requested -- GW109680

Works Details [\(top\)](#)

GROUNDWATER NUMBER	GW109680
LIC-NUM	10WA109553
AUTHORISED-PURPOSES	GROUNDWATER REMEDIATION
INTENDED-PURPOSES	GROUNDWATER REMEDIATION
WORK-TYPE	Well
WORK-STATUS	
CONSTRUCTION-METHOD	Auger - Solid Flight
OWNER-TYPE	Private
COMMENCE-DATE	
COMPLETION-DATE	2008-10-14
FINAL-DEPTH (metres)	5.50
DRILLED-DEPTH (metres)	5.50
CONTRACTOR-NAME	
DRILLER-NAME	
PROPERTY	R G WITHERS NOMINEES P/L
GWMA	-
GW-ZONE	-
STANDING-WATER-LEVEL	
SALINITY	
YIELD	

Site Details [\(top\)](#)

REGION	10 - SYDNEY SOUTH COAST
RIVER-BASIN	
AREA-DISTRICT	
CMA-MAP	
GRID-ZONE	
SCALE	
ELEVATION	
ELEVATION-SOURCE	
NORTHING	6245207.00
EASTING	336888.00

LATITUDE 33 55' 15"
LONGITUDE 151 14' 8"
GS-MAP
AMG-ZONE 56
COORD-SOURCE
REMARK

Form-A [\(top\)](#)

COUNTY CUMBERLAND
PARISH ALEXANDRIA
PORTION-LOT-DP 1//226586

Licensed [\(top\)](#)

COUNTY CUMBERLAND
PARISH ALEXANDRIA
PORTION-LOT-DP 1 226586

Construction [\(top\)](#)

Negative depths indicate Above Ground Level;H-Hole;P-Pipe;OD-Outside Diameter;
ID-Inside Diameter;C-Cemented;SL-Slot Length;A-Aperture;GS-Grain Size;Q-Quantity

HOLE- NO	PIPE- NO	COMPONENT- CODE	COMPONENT- TYPE	DEPTH- FROM (metres)	DEPTH- TO (metres)	OD (mm)	ID (mm)	INTERVAL	DETAIL
1		Hole	Hole	0.00	5.50	100			Auger - Solid Flight

Water Bearing Zones [\(top\)](#)

no details

Drillers Log [\(top\)](#)

FROM	TO	THICKNESS	DESC	GEO-MATERIAL	COMMENT
0.00	0.50	0.50	CONCRETE		
0.50	0.70	0.20	FILL,PALE,ORANGE		
0.70	1.50	0.80	SAND		
1.50	1.90	0.40	SANDSTONE		
1.90	3.90	2.00	SAND		
3.90	5.50	1.60	SANDSTONE,MOIST,PALE,GREY		

Warning To Clients: This raw data has been supplied to the Department of Infrastructure, Planning and Natural Resources (DIPNR)

by drillers, licensees and other sources. The DIPNR does not verify the accuracy of this data. The data is presented for use by you at your own risk. You should consider verifying this data before relying on it. Professional hydrogeological advice should be sought in interpreting and using this data.

Groundwater Works Summary

For information on the meaning of fields please see [Glossary](#)
Document Generated on Wednesday, February 6, 2013

Print Report

[Works Details](#) [Site Details](#) [Form A](#) [Licensed](#) [Construction](#) [Water Bearing Zones](#) [Drillers Log](#)

Work Requested -- GW109679

Works Details [\(top\)](#)

GROUNDWATER NUMBER GW109679
LIC-NUM 10WA109553
AUTHORISED-PURPOSES GROUNDWATER REMEDIATION
INTENDED-PURPOSES GROUNDWATER REMEDIATION
WORK-TYPE Well
WORK-STATUS
CONSTRUCTION-METHOD Auger - Solid Flight
OWNER-TYPE Private
COMMENCE-DATE
COMPLETION-DATE 2008-10-13
FINAL-DEPTH (metres) 6.00
DRILLED-DEPTH (metres) 6.00
CONTRACTOR-NAME
DRILLER-NAME
PROPERTY R G WITHERS NOMINEES P/L
GWMA -
GW-ZONE -
STANDING-WATER-LEVEL
SALINITY
YIELD

Site Details [\(top\)](#)

REGION 10 - SYDNEY SOUTH COAST
RIVER-BASIN
AREA-DISTRICT
CMA-MAP
GRID-ZONE
SCALE
ELEVATION
ELEVATION-SOURCE
NORTHING 6245214.00
EASTING 336903.00

LATITUDE 33 55' 15"
LONGITUDE 151 14' 8"
GS-MAP
AMG-ZONE 56
COORD-SOURCE
REMARK

Form-A [\(top\)](#)

COUNTY CUMBERLAND
PARISH ALEXANDRIA
PORTION-LOT-DP 1//226586

Licensed [\(top\)](#)

COUNTY CUMBERLAND
PARISH ALEXANDRIA
PORTION-LOT-DP 1 226586

Construction [\(top\)](#)

Negative depths indicate Above Ground Level;H-Hole;P-Pipe;OD-Outside Diameter; ID-Inside Diameter;C-Cemented;SL-Slot Length;A-Aperture;GS-Grain Size;Q-Quantity

HOLE- NO	PIPE- NO	COMPONENT- CODE	COMPONENT- TYPE	DEPTH- FROM (metres)	DEPTH- TO (metres)	OD (mm)	ID (mm)	INTERVAL	DETAIL
1		Hole	Hole	0.00	6.00	100			Auger - Solid Flight

Water Bearing Zones [\(top\)](#)

no details

Drillers Log [\(top\)](#)

FROM	TO	THICKNESS	DESC	GEO-MATERIAL	COMMENT
0.00	0.10	0.10	CONCRETE		
0.10	1.00	0.90	FILL, MOIST,SAND, GRAVEL		
1.00	4.00	3.00	SAND, MOIST GREY BROWN		
4.00	6.00	2.00	SANDSTONE,ORANGE BROWN		

Warning To Clients: This raw data has been supplied to the Department of Infrastructure, Planning and Natural Resources (DIPNR) by drillers, licensees and other sources. The DIPNR does not verify the accuracy of this data. The data is presented for use by you at your own risk. You should consider verifying this data before relying on it. Professional hydrogeological advice should be sought in interpreting and using this data.

Groundwater Works Summary

For information on the meaning of fields please see [Glossary](#)
Document Generated on Wednesday, February 6, 2013

Print Report

[Works Details](#) [Site Details](#) [Form A](#) [Licensed](#) [Construction](#) [Water Bearing Zones](#) [Drillers Log](#)

Work Requested -- GW109490

Works Details [\(top\)](#)

GROUNDWATER NUMBER	GW109490
LIC-NUM	10WA113897
AUTHORISED-PURPOSES	DOMESTIC
INTENDED-PURPOSES	DOMESTIC
WORK-TYPE	Bore
WORK-STATUS	
CONSTRUCTION-METHOD	Percussion
OWNER-TYPE	Private
COMMENCE-DATE	
COMPLETION-DATE	2005-04-21
FINAL-DEPTH (metres)	18.00
DRILLED-DEPTH (metres)	18.00
CONTRACTOR-NAME	
DRILLER-NAME	
PROPERTY	ATALLAH
GWMA	-
GW-ZONE	-
STANDING-WATER-LEVEL	12.00
SALINITY	
YIELD	0.40

Site Details [\(top\)](#)

REGION	10 - SYDNEY SOUTH COAST
RIVER-BASIN	
AREA-DISTRICT	
CMA-MAP	
GRID-ZONE	
SCALE	
ELEVATION	
ELEVATION-SOURCE	
NORTHING	6245484.00
EASTING	335180.00

LATITUDE 33 55' 5"
LONGITUDE 151 13' 1"
GS-MAP
AMG-ZONE 56
COORD-SOURCE
REMARK

Form-A [\(top\)](#)

COUNTY CUMBERLAND
PARISH ALEXANDRIA
PORTION-LOT-DP 37//28210

Licensed [\(top\)](#)

COUNTY CUMBERLAND
PARISH ALEXANDRIA
PORTION-LOT-DP 37 28210

Construction [\(top\)](#)

Negative depths indicate Above Ground Level;H-Hole;P-Pipe;OD-Outside Diameter;
ID-Inside Diameter;C-Cemented;SL-Slot Length;A-Aperture;GS-Grain Size;Q-Quantity

HOLE- NO	PIPE- NO	COMPONENT- CODE	COMPONENT- TYPE	DEPTH- FROM (metres)	DEPTH- TO (metres)	OD (mm)	ID (mm)	INTERVAL	DETAIL
1		Hole	Hole	0.00	18.00	150			Percussion
1	1	Casing	P.V.C.	0.00	16.00	100	90		Glued; Seated on Bottom
1	1	Opening	Screen	16.00	18.00	100			Porous Concrete; A: .15mm; Glued

Water Bearing Zones [\(top\)](#)

FROM- DEPTH (metres)	TO-DEPTH (metres)	THICKNESS (metres)	ROCK- CAT- DESC	S-W- L	D- D- L	YIELD	TEST-HOLE- DEPTH (metres)	DURATION	SALINITY
12.00	18.00	6.00		12.00	0.40			0.50	Good

Drillers Log [\(top\)](#)

FROM	TO	THICKNESS	DESC	GEO-MATERIAL	COMMENT
0.00	0.30	0.30	TOPSOIL		
0.30	13.00	12.70	YELLOW SAND		

13.00 18.00 5.00 WEATHERED SAND

Warning To Clients: This raw data has been supplied to the Department of Infrastructure, Planning and Natural Resources (DIPNR) by drillers, licensees and other sources. The DIPNR does not verify the accuracy of this data. The data is presented for use by you at your own risk. You should consider verifying this data before relying on it. Professional hydrogeological advice should be sought in interpreting and using this data.