


Appendix E. Crane Movement Plan



1 SITE PLAN
AR1100 SCALE: 1:500

LEGEND:

SITE PLAN

- PV1 INDICATES EXTENT OF HEAVY DUTY CONCRETE VEHICULAR PAVEMENT TO CIVIL ENGINEERS DETAILS. CONFIRM EXTENT ON SITE.
- PV2 INDICATES EXTENT OF LIGHT DUTY VEHICULAR PAVEMENT (ASPHALT) TO CIVIL ENGINEERS DETAILS. CONFIRM EXTENT ON SITE.
- CP1 INDICATES CONCRETE PAVEMENT WITH RULED LINES TO PEDESTRIAN WALKWAYS TO CIVIL ENGINEERS DETAILS. CONFIRM EXT ON SITE.
- CP2 INDICATES FEATURE CONCRETE PAVERS TO CIVIL ENGINEERS DETAILS. CONFIRM EXTENT ON SITE.
- CP3 INDICATES EXTENT OF CONCRETE PAVEMENT TO CIVIL ENGINEERS DETAILS. CONFIRM EXTENT ON SITE.
- LS INDICATES AREA OF LANDSCAPING REFER TO LANDSCAPE ARCHITECT FOR LANDSCAPING LAYOUT & DETAILS.

- KR PROVIDE KERB RAMPS & TACTILE INDICATORS WHERE REQUIRED TO COMPLY WITH AS-2441 FOR DISABLED ACCESS. REFER TO TYPICAL DETAILS.
- FHR FIRE HOSE REEL TO COMPLY WITH AS-2441. REFER TO CONSULTANTS DRAWINGS FOR LOCATIONS, DETAILS & SPECIFICATIONS.
- FH FIRE HYDRANT TO COMPLY WITH AS-2441 AND AS-2419. REFER TO CONSULTANTS DRAWINGS FOR LOCATIONS, DETAILS & SPECIFICATIONS.
- NOTE: EXTERNAL HYDRANTS SHALL BE ACCESSIBLE AND PROVIDED WITH CLEARANCES IN ACCORDANCE WITH AS-2419.1 AND LOCATED WHERE THEY ARE NOT OBSTRUCTED BY PARKING OR LOADING AND UNLOADING OF VEHICLES AND ARE PROTECTED FROM DAMAGE WHERE NECESSARY.
- MSB MAIN ELECTRICAL SWITCHBOARD TO ENG'S DOCUMENTATION.
- ELP ELECTRICAL PILLAR. REFER TO CONSULTANTS DRAWINGS FOR LOCATIONS, DETAILS & SPECIFICATIONS.
- LP EXTERNAL LIGHT POLE. REFER TO CONSULTANTS DRAWINGS FOR LOCATIONS, DETAILS & SPECIFICATIONS.
- NOTE: EXTERNAL LIGHTING TO BE BAFFLED TO PRECLUDE LIGHT SPILL OR GLARE ONTO ADJACENT PROPERTIES OR ROADWAYS.
- AHDXXXX AUSTRALIAN HEIGHT DATUM LEVEL INDICATION. REFER TO CIVIL ENG'S DOCUMENTATION.
- FFLXXXX FINISHED FLOOR LEVEL INDICATION.
- RLXXXX RELATIVE FLOOR LEVEL INDICATION.
- SFLXXXX STRUCTURAL FLOOR LEVEL INDICATION.
- Bxx PROTECTIVE BOLLARD TYPE AS SCHEDULED.
- COL COLUMN TO STRUCTURAL ENGINEERS DETAILS.
- DP DOWNPIPE - REFER TO ROOF PLAN.
- DRP GALVANISED MILD STEEL DOWNPIPE PROTECTOR.
- FENCE TYPE 1 - 1800MM HIGH CHAIN MESH FENCE WITH 3 ROWS BARBED WIRE OVER TO 2100MM HIGH.
- FENCE TYPE 2 - 2100MM HIGH METAL FRAMED FENCING TO MANUFACTURERS DETAILS.
- FENCE TYPE 3 - FEATURE FENCING TO MANUFACTURERS DETAILS.
- FNX EXISTING FENCE TO REMAIN.
- FHB FIRE HYDRANT BOOSTER CABINET.
- GRTx GALVANISED MILD STEEL GUARDRAIL, TYPE AS SCHEDULED.
- GR GRATED STORMWATER TRENCH TO CIVIL ENG'S DETAILS.
- QSM GAS METER TO AUTHORITIES REQUIREMENTS.
- HRxx HANDRAILS TYPE AS SCHEDULED. REFER DETAILS.
- RSD ROLLER SHUTTER DOOR.
- RWT LOCATION OF RAIN WATER TANK - REFER HYDRAULIC ENGINEERS DETAILS.
- SCxx SCREEN TYPE AS SCHEDULED - REFER DETAILS.
- SPD SPOON DRAIN TO CIVIL ENGINEERS DETAILS.
- SPV SPRINKLER VALVES.
- SST LOCATION OF SPRINKLER TANK - REFER HYDRAULIC ENGINEERS DETAILS.
- TT TACTILE INDICATORS TO AS-1428.
- WS WHEELSTOP TO CARSPACE TO AS-2880.1.
- WTM WATER METER TO AUTHORITIES REQUIREMENTS.
- EV DENOTES ELECTRIC VEHICLE CHARGING BAY.
- FEV DENOTES FUEL EFFICIENT VEHICLE PARKING BAY.
- TITLE BOUNDARY.
- - - EASEMENT.
- - - IRRIGATION CONDUIT SHOWN INDICATIVE.

THESE DRAWINGS ARE TO BE READ IN CONJUNCTION WITH AND ARE SUBJECT TO THE TERMS OF WATSON YOUNG ARCHITECTS CONSULTANCY AGREEMENT. INCLUDING ITS SCOPE OF SERVICES REQUIRED UNDER THAT AGREEMENT. THESE DRAWINGS HAVE BEEN PREPARED USING REASONABLE SKILL, CARE AND DILIGENCE THAT WOULD ORDINARILY BE PROVIDED BY AN ARCHITECT. NOTHING PROVIDED BY WATSON YOUNG ARCHITECTS WILL RELIEVE ANY THIRD PARTY (INCLUDING THE BUILDER) FROM ANY RESPONSIBILITY OR LIABILITY.

THE BUILDER MUST CONFIRM ALL DIMENSIONS ON SITE PRIOR TO THE COMMENCEMENTS OF ANY PART OF THE WORKS. DO NOT SCALE OFF DRAWINGS - USE FIGURED DIMENSIONS ONLY.

THESE DRAWINGS ARE NON-EXHAUSTIVE, MAY NOT BE FINAL AND ARE SUBJECT TO APPLICABLE DEVELOPMENT, ALTERATION AND CHANGE AND MUST BE READ IN CONJUNCTION WITH THE RELEVANT TERMS AND CONDITIONS OF WATSON YOUNG ARCHITECTS' ENGAGEMENT AND THE OTHER RELEVANT PROJECT SPECIFICATIONS, DRAWINGS AND SCHEDULES.

IF ANY ERROR, AMBIGUITY, DISCREPANCY OR INCONSISTENCY IS DISCOVERED, SUCH ERROR, AMBIGUITY, DISCREPANCY OR INCONSISTENCY MUST BE IDENTIFIED TO WATSON YOUNG ARCHITECTS PROMPTLY.

THE DRAWINGS PROVIDED BY WATSON YOUNG ARCHITECTS ARE INTENDED FOR ITS CLIENT ONLY AND ARE NOT TO BE RELIED UPON BY ANY OTHER THIRD PARTY.

NOTES:

SITE PLAN

BUILDER TO CONFIRM ALL DIMENSIONS ON SITE PRIOR TO COMMENCEMENT OF ANY PART OF THE WORKS.

ALL CARPARK DIMENSIONS TO FACE OF KERB UNLESS NOTED OTHERWISE.

REFER TO CIVIL ENGINEERS DOCUMENTATION FOR ALL EXTERNAL LEVELS, FALLS, STORM WATER DRAINAGE AND PAVEMENT DESIGN.

REFER LANDSCAPE ARCHITECTS DOCUMENTATION FOR LANDSCAPE DETAILS.

REFER FIRE ENGINEERS DOCUMENTATION FOR DETAILS OF FIRE SERVICES.

REFER SERVICES ENGINEERS DOCUMENTATION FOR DETAILS OF SERVICES.

REFER TO TRAFFIC ENGINEERS DOCUMENTATION FOR ALL INTERNAL SITE AND EXTERNAL ROAD WORKS AND TRAFFIC MANAGEMENT DETAILS.

BUILDER IS TO LOCATE, REDREG, CAP AND SEAL ETC ANY IN GROUND SERVICES PRIOR TO COMMENCEMENT OF ANY PART OF THE WORKS.

BUILDER IS TO SECURE AND OR HOARD THE SITE TO THE SATISFACTION OF LOCAL AUTHORITY AND TO MAINTAIN PUBLIC SAFETY.

GENERAL CARPARKING BAYS ARE TO HAVE A GRADIENT OF NO GREATER THAN 1:20 PARALLEL TO THE ANGLE OF PARKING.

DISABLED CARPARKING BAYS ARE TO HAVE A GRADIENT OF NO GREATER THAN 1:33 WHERE THE SURFACE HAS A BITUMENOUS SEAL, AND NO GREATER THAN 1:40 WHERE THE SURFACE IS CONCRETE FINISH IN ACCORDANCE WITH AS-2880.1.

LOCATIONS WHERE THE PATHWAY MEETS THE ROADWAYS ARE TO HAVE A GRADIENT OF NO GREATER THAN 1:8 AND TO BE FLUSH WITH THE PAVEMENT IN ACCORDANCE WITH AS-1428.

LINE MARKING & DIRECTIONAL FLOW ARROWS TO TRAFFIC ENGINEERS DETAILS AND SPECIFICATIONS.

MAXIMUM 190mm STEP TO ALL EXIT DOORS. PROVIDE EVEN TRANSITION BETWEEN INTERNAL & EXTERNAL LEVELS AT MAIN ENTRY DOORS.

ALLOW TO MAKE GOOD EXISTING PATH, NATURE STRIP, KERBS, ETC. OUTSIDE PROPERTY BOUNDARY EFFECTED BY CONSTRUCTION WORKS.



ISSUED FOR
CONSTRUCTION

No.	DATE	REVISION:	BY:	CHK:
PS	16.02.2024	PRELIMINARY ISSUE	NN	JC
PD	23.02.2024	PRELIMINARY ISSUE	NN	JC
PT	28.02.2024	PRELIMINARY ISSUE	NN	JC
PR	02.04.2024	PRELIMINARY ISSUE	NN	JC
PS	10.04.2024	PRELIMINARY ISSUE	NN	JC
P1	03.05.2024	WIP ISSUE	NN	JC
0				
P1	07.05.2024	INTERIM WALL REMOVED	NN	JC
1				
A	23.05.2024	ISSUED FOR CONSTRUCTION	NN	JC
B	13.06.2024	DWG UPDATES	NN	JC



PROJECT: WH2 LOTS 54-58 MAMRE RD
LOTS 54-58 MAMRE ROAD,
KEMPS CREEK, NSW
SITE PLAN

CLIENT:	texco
DATE:	APRIL 2024
DRAWN BY:	MDB
SCALE:	1:500 @ B1
SCALE:	NTS @ A3
CHECKED BY:	JC
FILE PATH:	C:\Users\Paul\Local 252423296_WH2_Lots 54-58 Mamre Rd_Building_V04_Natasha.vxd
PLOT DATE:	13/06/2024 3:02:44 PM
JOB NO:	23296
DRAWING NO:	AR1110
REVISION:	B

Watson Young Architects PT, Melbourne | Perth | Sydney | 03 9516 8055 ACN: 111398700
8 Gifford Street/Parsons VIC 3181 | info@watsonyoung.com.au | www.watsonyoung.com.au
© Watson Young Architects. This drawing is protected by copyright.