


Treatment Train Effectiveness - Receiving Node

	Sources	Residual Load	% Red
Flow (ML/yr)	96.1	91.5	4.
Peak Flow (m3/s)	3.68	4.17	-13
Total Suspended Solids (kg/yr)	6.49E3	885	86
Total Phosphorus (kg/yr)	18.1	4.40	75
Total Nitrogen (kg/yr)	210	94.1	55
Gross Pollutants (kg/yr)	2.87E3	0.00	100

Junction

	Sources	Residual Load	% Reduction
	253	245	3.1
	4.67	11.9	-154.8
(kg/yr)	26.8E3	2.97E3	88.9
(yr)	57.7	13.1	77.3
	546	244	55.4
(r)	7.79E3	37.5	99.5



Appendix E

GHD – WSUD Strategy Report and Flood Study



CLIENTS | PEOPLE | PERFORMANCE

**Goodman International
Limited**

Oakdale Concept Plan
Water Sensitive Urban Design
Strategy

September 2010



Contents

1.	Introduction	1
1.1	General	1
1.2	Scope	1
1.3	Water Sensitive Urban Design (WSUD)	4
1.4	Statutory and Authority Requirements	4
2.	Existing Conditions	6
2.1	Topography and Existing Drainage	6
2.2	Climate and Rainfall	8
3.	Opportunities and Constraints	9
3.1	Topography	9
3.2	Climate and Rainfall	9
3.3	Riparian Corridors	9
3.4	Stormwater	9
3.5	Other Constraints	11
4.	Analysis	13
4.1	Concept Plan	13
4.2	Summary of Analysis Undertaken	13
4.3	Ropes Creek Flooding	13
4.4	On-Site Flooding	15
4.5	Stormwater Quality Modelling	17
5.	Principles for Management	19
5.1	General	19
5.2	Water Balance	19
5.3	Stormwater Quality	20
5.4	Flooding and Flood Risk	21
6.	Proposed Water Sensitive Urban Design Strategy	23
6.1	General	23
6.2	Site Discharge Points	23
6.3	Water Balance	24
6.4	Stormwater Quality Management	24
6.5	Stormwater Quantity Management	24



6.6	On- Site Flooding and Flood Risk	25
6.7	Ongoing Monitoring	25
7.	Conclusion	26
8.	References	27

Table Index

Table 1	Key RAFTS modelling parameters for Flood Assessment	14
Table 2	Stage 1-3 Peak Flows, 1% AEP event	16
Table 3	Pollutant Loads – Ropes Creek	17
Table 4	Pollutant Loads – Ropes Creek Tributary	18
Table 5	Pollutant Loads – Western Discharge Point	18
Table 6	Pollutant Loads – Entire Site	18
Table 7	Sample Monitoring Program	21

Figure Index

Figure 1 - Site Locality Plan	3
Figure 2 - Existing Drainage	7
Figure 3 - Monthly Rainfall	8

Appendices

- A Oakdale Concept Plan
- B Ropes Creek Flood Modelling Results
- C On-site Hydrological Modelling Results
- D MUSIC Modelling Inputs and Model Network
- E WSUD Strategy Plan



1. Introduction

1.1 General

Goodman International Ltd (Goodman) is preparing a concept plan for the Oakdale development in accordance with the provisions of Part 3A of the *Environmental Planning and Assessment Act 1979*.

For the purposes of the concept plan, the development site has been divided into the following 'precincts':

- ▶ Central Precinct – comprising Lot 2 DP 120673;
- ▶ South Precinct – comprising that part of Lot 82 DP 752041 east of Ropes Creek and Lot 87 DP 752041;
- ▶ West Precinct – comprising Lot 1 DP 120673 and that part of Lot 82 DP 752041 west of Ropes Creek; and
- ▶ East Precinct – comprising Lot 1 DP 843901, which is the site of an existing Austral Bricks quarry and brickmaking plant.

The location of the proposed development site is shown in Figure 1.

In terms of staging, it is likely that the Central Precinct would be developed first, and is therefore referred to in this report as 'Stage 1'. Indicative staging from Stage 1 would likely progress to the South Precinct ('Stage 2'), then the West Precinct ('Stage 3'), and finally the East Precinct ('Stage 4'). It is noted that the existing Austral quarry/brickmaking plant is planned to continue operating in accordance with existing approvals for the foreseeable future, and would only be developed following the cessation of quarrying/brickmaking and rehabilitation of the site.

The site forms part of the precinct known as the Western Sydney Employment Hub and is located within two local government areas being:

- ▶ Penrith City Council area; and
- ▶ Fairfield City Council.

1.2 Scope


GHD has been engaged by Goodman to prepare a Water Sensitive Urban Design Strategy (WSUD) for Stages 1-3 of the proposed development site (herein know as "the site"). It should be noted that similar stormwater management principles developed for the Stage 1-3 area are proposed to be adopted for Stage 4.

This report assesses opportunities, constraints and principles for managing the surface water in terms of stormwater quantity and quality, flooding and the water cycle at the site. Specific topics addressed include:

- ▶ Statutory and authority requirements;
- ▶ The description of the existing hydrological environment;




- ▶ Potential impacts of the proposal with respect to stormwater quantity and quality and flooding;
- ▶ Proposals for mitigation of potential adverse impacts of the proposed development on surface water management; and
- ▶ Recommendations for ongoing maintenance of surface water management infrastructure at the site.



LEGEND

- PROPOSED DEVELOPMENT SITE
- PROPOSED DEVELOPMENT SITE BOUNDRY



GOODMAN INTERNATIONAL LTD
 OAKDALE CONCEPT PLAN
SITE LOCALITY PLAN
 scale | 1:25000for A3 date | DECEMBER 2007

job no. | 21-15101
 rev no. | B

Figure 1



The detailed scope of work for the study was defined as follows:

- ▶ Compile a local hydrologic model (using RAFTS hydrologic modelling software) for the site, representing existing and developed conditions. This will allow the assessment of site discharges and formulation of a flood management strategy on account of increased impervious areas due to the development footprint;
- ▶ Compile an associated hydraulic model (TUFLOW hydraulic modelling software) in order to assess the existing flood extents on the site for the 5% and 1% Average Exceedance Probability (AEP) events and the Probable Maximum Flood (PMF) event. Flood peak input to the model would be provided by a second hydrologic model (using RAFTS hydrologic modelling software) for the Ropes Creek catchment upstream of the Sydney Water Main Water Supply Pipeline;
- ▶ Compile a stormwater quality model (MUSIC water quality modelling software) for the site representing existing and developed conditions. This will allow the assessment of pollutant loads and formulation/assessment of a water quality management strategy on account of the development; and
- ▶ Develop a concept Water Sensitive Urban Design Strategy for the site.

1.3 Water Sensitive Urban Design (WSUD)

WSUD encompasses all aspects of urban water cycle management, including water supply, wastewater and stormwater management. WSUD is a multi-disciplinary approach that promotes opportunities for linking water infrastructure, landscape design and the urban built form, to minimise the impacts of development upon the water cycle and achieve more sustainable forms of urban development.

1.4 Statutory and Authority Requirements

1.4.1 Protection of the Environment Operations Act 1997

The *Protection of the Environment Operations Act 1997* (POEO Act) is administered by the Department of Environment and Climate Change and is the primary legislative tool for regulating pollution control and waste disposal in NSW. The objectives of the POEO Act are:

- ▶ To protect, restore and enhance the quality of the environment in New South Wales, having regard to the need to maintain ecologically sustainable development;
- ▶ To provide increased opportunities for public involvement and participation in environment protection;
- ▶ To ensure that the community has access to relevant and meaningful information about pollution;
- ▶ To reduce risks to human health and prevent the degradation of the environment;
- ▶ To rationalise, simplify and strengthen the regulatory framework for environment protection;



- ▶ To improve the efficiency of administration of the environment protection legislation; and
- ▶ To assist in the achievement of the objectives of the *Waste Avoidance and Resource Recovery Act 2001*.

In order to ensure that potential development impacts on surface water are managed in accordance with the objectives of the POEO Act, this report identifies mitigation measures that would need to be implemented during the construction and operational phases of the development.

1.4.2 Penrith and Fairfield City Council

Council's objectives for stormwater drainage for their cities are twofold:

- ▶ To provide an urban stormwater system which minimises possible inundation to the built environment; and
- ▶ To minimise the discharge of pollutants into receiving waters during the construction and operational phases of the project.

The following On-Site Detention (OSD) guidelines are specified by each of the Council's:

- ▶ Penrith City Council (PCC) – OSD storage of 280 m³/ha and a Permissible Site Discharge (PSD) of 120 L/s/ha. PCC indicated that site specific hydrologic modelling will be required to demonstrate how post-development flows are to be reduced to pre-development levels; and
- ▶ Fairfield City Council (FCC) – FCC defer to the requirements of the Upper Parramatta River Catchment Trust (UPRCT). That is OSD storage of 480 m³/ha and a PSD of 80 L/s/ha.

There are no specific requirements set out in the Penrith and Fairfield City Council design guidelines with respect to water quality targets and flood planning levels (FPL), however other councils in Western Sydney require the following:

- ▶ Water quality targets as outlined in 'Stormwater Flow and Quality, and the Effectiveness of Non-Proprietary Stormwater Treatment Measures – A review and Gap Analysis' (CRC 2004); and
- ▶ Flood planning levels of 1% AEP flood level with 300 mm freeboard for industrial and commercial areas.



2. Existing Conditions


2.1 Topography and Existing Drainage

The Stage 1-3 area is presently undeveloped and comprises grazing land. It is predominantly pervious at present other than one existing house. The lowest area of the site is at Reduced Level (RL) 55m Australian Height Datum (AHD) and highest point at RL 94m AHD. The slope of the site varies between 1% and 25%. The eastern half of the site (predominantly Lot 2 of DP 120673 and Lot 82 of DP 752041) has the flattest with grades of 1-15%, while the western half of the site (predominantly within Lot 1 of DP 120673) has steeper natural surface grades that are in the range of 5-25%.



Ropes Creek drains the site on a north-south alignment. A number of tributaries confluences with Ropes Creek within the Stage 1-3 boundary. Some of these tributaries originate on the site while others convey stormwater run-off from areas upstream, through the site.


There are several other watercourses that originate on the site that drain westward through private property towards Kemps Creek.


Refer Figure 2 for the locations of the various watercourses on the site.





LEGEND

 EXISTING DAMS
  T5 EXISTING WATERCOURSE & LABEL

 LOT BOUNDARY

 SITE BOUNDARY



GOODMAN INTERNATIONAL LTD
 OAKDALE CONCEPT PLAN
EXISTING DRAINAGE

job no. | 21-15101
 rev no. | B

Figure 2

scale | 1:10000 for A3 date | DECEMBER 2007

2.2 Climate and Rainfall

The site experiences Sydney's sub-tropical climate with rainfall predominantly occurring in summer and autumn. The nearest operational daily rainfall station is located at Horsley Park (BOM Stn 067119), which started recording data in 1997. A longer-term monitoring station exists at Badgerys Creek (BOM Stn 067068) with data from 1936 to 1996. The mean annual rainfall using the combination of data from the two stations is 779 mm for the period 1936 to date.

Figure 3 below shows the mean monthly rainfall and number of rain days recorded at the Badgerys Creek daily rainfall station, which is considered representative of conditions at the site. The figure shows elevated monthly rainfalls in the months of January to March, with the least rainfall being recorded in July to September. The mean number of rain days varies between approximately 4 and 9 days per month.




Figure 3 - Monthly Rainfall

The likelihood of rainfall occurring in any month throughout the year would support utilisation of WSUD vegetated systems such as swales, bio-retention and wetlands to manage stormwater. Furthermore, the mild seasonal variability would indicate that rainwater collection via rainwater tanks could be viable. A separate detailed water balance analysis has been conducted (GHD, December 2007) that investigates water reuse options.



3. Opportunities and Constraints

3.1 Topography

The topography is important when planning stormwater management facilities. Stormwater management facilities such as detention basins and quality management facilities should preferably be located in flatter areas to minimise the volume of earthworks, and maximise the treatment area.

Steeper slopes (greater than 5 to 10%) are generally not suitable for WSUD facilities such as bio-retention filtration and wetland systems. Flow attenuation via vegetated swales and bio-retention systems are less desirable in steeper areas due to excessive flow velocities, reduced detention times and potential scouring. In addition, detention basins are difficult to configure, particularly when located off-channel.

The eastern half of the Stage 1-3 development area (eastern side of Ropes Creek) comprises the flatter parts of the site and would be suitable for such stormwater management facilities as swales and precinct scale detention basins. Parts of the western half of the Stage 1-3 development area (western side of Ropes Creek) are considerably steeper and filtration systems are not considered practical.

3.2 Climate and Rainfall

The high likelihood of rainfall occurring in any month throughout the year would support utilisation of appropriate WSUD systems such as swales (at selected locations) and wetlands to manage stormwater quality. Furthermore water re-use via roof collection using rainwater tanks may be considered viable.

3.3 Riparian Corridors

The Department of Water and Energy (DWE) administers the *Water Management Act 2000 (WMA)*. All waterways subject to approval under this act require a setback from the top of the banks, according to the category of creek. These setbacks form a constraint to the limits of development. A separate riparian assessment has been conducted (GHD December 2007) and a riparian strategy for the site developed. The stormwater management practices proposed for the site and as documented in this report are consistent with the proposed riparian strategy.

3.4 Stormwater

3.4.1 General

Development results in increased impermeable surfaces (roofs, driveways, roads, pavements etc.), which affect the hydrological cycle. This 'hardening' of the surfaces results in reduced infiltration of rainfall to the soil and more rainfall becoming runoff. If not managed effectively, key impacts could include:

- ▶ Impacts to the water balance, (including groundwater recharge);



- ▶ Stormwater pollution (by pollutant entrainment in runoff) discharged to receiving environments;
- ▶ Increased stormwater peak flows leading to increased flood risk and erosion (on-site and off-site); and
- ▶ Construction phase impacts, such as pollution, erosion and sedimentation.

3.4.2 Water Balance

If adequate water management strategies are not adopted in terms of the water balance, the proposed development could:

- ▶ Reduce rainfall infiltration to the soil resulting in decreased groundwater recharge;
- ▶ Increase stormwater runoff volumes, which could impact downstream sensitive habitats in terms of flushing regimes (frequency, volume and rate), water quality, and wetting cycles;
- ▶ Lead to increased recharge due to removal of vegetation, over-irrigation, and structural leakages; and
- ▶ Impact groundwater flow due to site compaction, fill, landform reshaping and underground structures.

3.4.3 Stormwater Quality

Stormwater quality discharging from the site would need to be adequately managed, to address:

- ▶ Increased runoff volume during regular rainfall events, which would more readily entrain and mobilise pollutants and increase pollutant loads to the receiving environments. The type of development and associated activities, may introduce differing pollutant profiles. For example vehicular traffic could increase hydrocarbon introduction. In general, typical pollutants include litter, sediment, suspended solids, nutrients, hydrocarbons and toxicants;
- ▶ Increased runoff flow rates could lead to erosion and sedimentation. If not adequately managed this material could discharge off site;
- ▶ Contamination from waste streams on the site, which may enter the drainage system and groundwater; and
- ▶ During construction there is a significant risk of increased stormwater pollution. Increased sedimentation on account of landform disturbances and accidental spills on unbunded areas of the site could discharge to the receiving environment. Clearing and earthmoving activities have the potential to impact on surface water quality in the vicinity of the site, especially during high rainfall events. The activities and aspects of the works that have potential to lead to erosion, sediment transport, siltation and contamination of natural waters include:
 - Earthworks undertaken immediately prior to rainfall periods;



- Work areas that have not been stabilised, and clearing of land in advance of construction works;
- Stripping of topsoil, particularly in advance of construction works;
- Bulk earthworks and construction of pavements;
- Washing of construction machinery;
- Works within drainage paths, including depressions;
- Stockpiling of excavated materials;
- Storage and transfer of oils, fuels, fertilisers and chemicals; and
- Maintenance of plant and equipment.

3.5 Other Constraints

3.5.1 Site Soil Characteristics

Douglas Partners (May 2007) has conducted a preliminary geotechnical assessment of the site although no site-specific soil testing/test pitting has been conducted at this point in time. The soil landscape at the site is described below.

Bannerman and Hazelton (1990) describe three soil landscapes across the development site:

- ▶ **South Creek Soil Landscape** – a fluvial soil landscape developed in floodplains, valley flats (slopes <5% and local relief <10 m) and drainage depressions with incised channels. The South Creek soils within the site are developed on alluvium derived from Wianamatta Group shales and are often very deep-layered sediments over bedrock or relict soils. Landscape limitations include flood hazard, waterlogging (seasonal or localised), permanently high water tables (localised) and high erosion hazard.
- ▶ **Blacktown Soil Landscape** – a residual soil landscape developed on a landscape typically comprising gently undulating rises with local relief to 30 m and slopes usually less than 5% on Wianamatta Group shales and Hawkesbury shales. The Blacktown soils are shallow to moderately deep (<1 m), red and brown podsollic soils on crests, upper slopes and well-drained areas. Deep (1.5 m – 3 m) yellow podsollic soils are located on lower areas and in areas of poor drainage. These soils are derived from weathering of the underlying (typically shaly) bedrock and are highly plastic, moderately reactive, of low soil fertility, poor soil drainage, localized salinity or sodicity and moderate erodibility.
- ▶ **Luddenham Soil Landscape** – an erosional soil landscape developed on undulating to rolling hills with local relief of 50 m to 80 m and slopes of 10% to 20% on Wianamatta Group shales, often associated with resistant sandstone bands. The Luddenham soils are shallow (<1 m), dark podsollic soils or massive earthy clays on crests; moderately deep (0.7 m to 1.5 m) yellow podsollic soils and prairie soils on lower slopes and drainage lines. The soils have highly plastic subsoils of moderate reactivity and low to moderate shrink-swell potential, low to moderate soil fertility and moderate erodibility.



The majority of the site consists of the Blacktown Soil Landscape. The higher areas of the site in the west consist of the Luddenham Soil Landscape and Ropes Creek and the land immediately adjacent consists of the South Creek Soil Landscape.

3.5.2 Salinity

Douglas Partners report that very saline soils along poorly drained sections of Ropes Creek and tributary gullies is expected. Elsewhere, it is anticipated that most of the site will be classified as non or slightly saline with a scattering of moderately saline areas.



4. Analysis

4.1 Concept Plan

A Concept Plan showing a preliminary lot layout for the site including internal roads is provided in Appendix A. The Concept Plan also indicates the proposed first 3 Stages of development. Stage 4 is the area of land occupied by the existing Austral brickworks and quarry.

The analysis conducted as part of this study and outlined in the following sections is based on the Concept Plan.

4.2 Summary of Analysis Undertaken

Numerical modelling was carried out for the flood assessment and to assist in the development of the WSUD strategy. In particular, the modelling was carried out to determine:

- ▶ Existing condition flood peaks and flood levels for Ropes Creek within the Stage 1-3 development area for a range of design storm events (using RAFTS hydrologic model and TUFLOW hydraulic model);
- ▶ Appropriate volumes of stormwater detention throughout the precinct which reduced post development flood peaks to existing condition flood peak levels (using the RAFTS model);
- ▶ Simulated stormwater runoff quantity and quality for the developed scenario (using the MUSIC water quality model); and
- ▶ Appropriate strategies for stormwater quality management throughout the Stage 1-3 site area, which achieved the targeted pollution load export requirements (using MUSIC).

All modelling should be considered as preliminary and would need to be updated at later stages with more detailed studies, when more detailed information on landform, development footprints, and road configurations are known.

4.3 Ropes Creek Flooding

4.3.1 Past Relevant Studies

In February 1991, Willing & Partners completed “South Creek Floodplain Management Study” report for the then Department of Water Resources. The purpose of this report was to develop a floodplain management plan for the South Creek catchment in accordance with the NSW Government’s Floodplain Development Manual. As part of this study, flood simulation of a portion of Ropes Creek was carried out. However the extent of modelling did not cover the entire proposed Stage 1-3 site area. Although the Main Water Supply Lines are identified on the channel long sections it is not clear as to whether the pipelines were included in the hydraulic model to determine their effect on flood levels. The flood levels downstream of the Stage 1-3 development site have



been used to set the downstream boundary conditions for the modelling carried out by GHD as part of this study.

4.3.2 Flood Simulation

Peak flows for Ropes Creek were simulated using the RAFTS hydrological model.

Compilation of the model included:

- ▶ Catchment discretisation;
- ▶ Hydrological parameter determination;
- ▶ Intensity-Duration-Frequency determination for generating storm rainfall events; and
- ▶ The RAFTS model was simulated for a range of design storms (5% AEP, 1% AEP and PMF) and durations ranging from 45 minutes to 9 hours. Simulations were undertaken for the existing conditions.

Key parameters assumed in the RAFTS modelling are provided in Table 1, in accordance with the Australian Rainfall and Runoff (IEAust, 2000)

Table 1 Key RAFTS modelling parameters for Flood Assessment

	Pervious	Impervious
Initial loss (mm)	15	2
Continuing loss (mm/hr)	2.5	0

A digital terrain model was developed using Airborne Laser Scanning survey of the area provided by Penrith City Council. The accuracy of the survey cannot be confirmed at this stage, although the survey is not considered as accurate as a detailed field survey.

Hydraulic modelling was conducted using TUFLOW and the flood extents corresponding to each event modelled was mapped. Detail survey of the Sydney Water Main Water Supply Pipelines was conducted so that they could be incorporated into the model to determine their impact on flood levels.

The flood extent maps for existing conditions and detailed modelling results are presented in Appendix B. It is noted that the flood maps include the existing farm dams located on some of the Ropes Creek tributaries. It is proposed to remove these farm dams. The farm dams do not have dedicated spillways and as such, overflow discharges in an uncontrolled manner. It is noted that on the Ropes Creek tributary T4 (refer Figure 2) the flow path separates. This is due to the existing farm dam impeding flow and causing water to find an alternate flow path towards Ropes Creek rather than via the existing defined watercourse. When the farm dam is removed the flow path will follow the defined watercourse rather than take alternate flow paths. As such, the alternate flow path is unlikely to impose a restriction to development. This will need to be confirmed during the detail design phase when detailed flood modelling is



conducted using a detailed field topographical survey as the base digital terrain model, and the proposed earthworks in the affected area are included. Further hydraulic modelling should be conducted during the detail design phase utilising a detailed topographical survey as a digital terrain model and incorporating the final earthworks levels.

4.4 On-Site Flooding

Existing and developed flood peaks and stormwater detention requirements were simulated using the RAFTS hydrological model.

Compilation of the model included:

- ▶ Local catchment discretisation based on the Concept Plan;
- ▶ Hydrological parameter determination; and
- ▶ Configuration of storm rainfall events.

The RAFTS model was simulated for the 1% AEP event and durations ranging from 25 minutes to 9 hours. Simulations were undertaken for three scenarios, namely:

- ▶ Existing (undeveloped) conditions;
- ▶ Developed conditions based on the Concept Plan. For the developed condition individual allotments were modelled as between 60% and 85% impervious depending on the individual sub-catchment characteristics; and
- ▶ Developed conditions based on the Concept Plan with detention storage provided on a precinct scale, rather than on-lot OSD. It is noted that on-lot OSD could be provided in lieu of precinct style detention storage. The increase in impervious area on account of the development will increase runoff peaks from the site.

It is noted that roof run-off is proposed to be captured and re-used on the individual lots for non-potable water uses. Overflow from the roofwater collection tanks is proposed to be collected and utilised for the Regional Roofwater Harvesting Scheme whereby such run-off is directed to Prospect Reservoir. Although some detention benefit may be derived, this has not been included in the RAFTS modelling.

The stage discharge was modified until post-development flows match pre-development flows at the three site discharge locations. The resultant storage and PSD is as follows:

- ▶ OSD: 250 m³/ha; and
- ▶ PSD: 140 l/s/ha.

The resultant peak flows are listed in Table 2. From Table 2 it is noted that:

- ▶ The post development flows are significantly higher due to the large areas of hardstand; and
- ▶ The increased flood peaks are effectively reduced to pre-developed conditions through the provision of stormwater detention (this is discussed further in Section 6.5).



Table 2 Stage 1-3 Peak Flows, 1% AEP event

Catchment	Existing Condition (m³/s)	Post Condition with No Detention (m³/s)	Post Condition with Detention (m³/s)
A1	4.1	13.2	3.7
A3	2.6	8.8	2.4
A5	1.7	4.7	1.3
A6	3.8	8.4	2.2
A7a	2.4	4.8	1.3
A7b	2.6	4.9	1.3
A8	2.5	7.2	2.0
A9	2.9	7.5	2.0
A10	3.1	5.9	1.5
A11a	5.0	8.0	2.1
A11b	2.1	4.6	1.2
A12a	1.1	2.1	0.5
A12b	1.6	2.5	0.7
A13	1.3	2.1	0.6
A14a	1.6	4.4	1.2
A14b	1.0	1.6	0.5
A15 & A16	11.7	25.3	7.0
A17	1.1	1.7	0.5
Total site outlet	33.3	49.1	23.6

The detailed modelling results and catchment plan are presented in Appendix C.

It is noted that the required detention volume and PSD differs slightly to the PCC guidelines. The calculated detention storage volume and PSD is much lower than the FCC guidelines, which are the same as the UPRCT guidelines. The UPRCT guidelines are not considered relevant for a green fields site such as Oakdale as they were developed to address existing drainage system capacity constraints in the built out areas of the Parramatta River catchment.



4.5 Stormwater Quality Modelling

A MUSIC model was configured for the Stage 1-3 area incorporating the proposed water quality control facilities as outlined in Section 6 of this report and as shown in the WSUD strategy plan in Appendix E.

The model was analysed for two scenarios, with and without water quality control facilities included.

In undertaking the MUSIC modelling, the following key parameters were used:

- ▶ Pollution generation parameters and treatment efficiencies for stormwater management facilities as recommended in the MUSIC User Guide (April 2005) and the Western Sydney Growth Centres – Stormwater Guidance for Precinct Planning (DEC, Nov 2006);
- ▶ Simulations were undertaken using the Badgerys Creek (BOM Stn 067068) rainfall data for an average rainfall year; and
- ▶ Simulations were undertaken using the Badgerys Creek (Stn 67068) mean evaporation data for the available period, 1968 to 1984.

Roofwater runoff was not accounted for in the stormwater quality model. It is assumed that roofwater run-off is collected and either re-used on each lot or diverted to the Regional Roofwater Harvesting Scheme.

The results are shown in Table 3, Table 4 and Table 5. The results show a decrease in total suspended solids, phosphorous, nitrogen and gross pollutants at the three site discharge locations. Table 6 gives a summary of the entire site. The decrease in pollutant loads meet the stormwater quality objectives as outlined in the Western Sydney Growth Centres – Stormwater Guidance for Precinct Planning (DEC, Nov 2006), that is:

- ▶ Total suspended solids: 85% reduction;
- ▶ Total phosphorus: 65% reduction;
- ▶ Total nitrogen: 45% reduction; and
- ▶ Gross pollutants: 90% reduction.

The model network and inputs summary is presented in Appendix D.

Table 3 Pollutant Loads – Ropes Creek

	Source	Residual Load	% Reduction
Total SS (kg/yr)	69,100	3,320	95.2
Phosphorus (kg/yr)	113	28.4	75.0
Nitrogen (kg/yr)	844	457	45.9
Gross Pollutants (kg/yr)	12,300	0 (approx)	99.9% (approx)



Table 4 Pollutant Loads – Ropes Creek Tributary

	Source	Residual Load	% Reduction
Total SS (kg/yr)	19,300	680	96.5
Phosphorus (kg/yr)	35.1	6.38	81.8
Nitrogen (kg/yr)	241	102	57.8
Gross Pollutants (kg/yr)	3,410	0 (approx)	99.9% (approx)

Table 5 Pollutant Loads – Western Discharge Point

	Source	Residual Load	% Reduction
Total SS (kg/yr)	18,700	244	98.7
Phosphorus (kg/yr)	33.4	4.89	85.2
Nitrogen (kg/yr)	230	106	53.9
Gross Pollutants (kg/yr)	3,630	0 (approx)	99.9% (approx)

Table 6 Pollutant Loads – Entire Site

	Source	Residual Load	% Reduction
Total SS (kg/yr)	107,000	4,240	96.0
Phosphorus (kg/yr)	182	39.6	78.2
Nitrogen (kg/yr)	1,310	665	49.5
Gross Pollutants (kg/yr)	19,300	0 (approx)	99.9% (approx)



5. Principles for Management

5.1 General

A number of measures can be implemented to effectively manage and mitigate the impacts of development on stormwater as follows:

- ▶ Water balance impacts
 - Provision of stormwater retention on the site;
 - Rainwater harvesting;
 - Management and monitoring of onsite activities (irrigation) and infrastructure (leaks);
- ▶ Stormwater quality (contaminated runoff and pollution entering the stormwater system) impacts
 - Treatment of stormwater targeting pollutants using WSUD and treatment train approaches;
 - Construction Phases Impacts;
 - Soil and Water Management planning for construction activities;
 - Implementation of erosion and sediment control strategies;
 - Ongoing monitoring and maintenance of erosion and sediment control strategies
- ▶ Flooding and flood risk impacts
 - On-site or precinct level detention strategies;
 - Flood planning levels; and
 - Flood evacuation strategies.

5.2 Water Balance

The impacts on the water balance at the site can be mitigated and managed by:

- ▶ Provision of stormwater retention strategies. These can be provided in the form of swales (vegetated and/or bio-retention swales), rain gardens, retention water bodies and wetlands. Some devices may need to be lined to prevent percolation to groundwater or in areas of high salinity. Infiltration-based strategies may not be suitable in some areas due to high groundwater levels or potential groundwater contamination impacts and rock at shallow depths. This will need to be confirmed in the detail design phase when detailed land-capability and geotechnical field investigations have been completed;
- ▶ In general, water reuse by capturing roof rainwater is desirable. Roof water would require adequate first flush treatments and can be directed to a single or a number of holding tanks for re-use for toilet flushing, irrigation of landscaped areas or other on-lot non-potable water uses; and



5.3 Stormwater Quality

Stormwater quality and pollution can be effectively managed and mitigated by providing suitable WSUD strategies. These typically comprise both structural and procedural mitigation measures. Strategies should preferably aim at “source control”.

Structural measures have a direct, measurable effect on water quality, while procedural measures (for example improved maintenance) would play an important role in mitigation and would reduce the pollutant load on the structural mitigation measures. This would effectively manage water quality and reduce the maintenance requirements for the structural measures.

Specific strategies can include:

- ▶ Orientation of roads to traverse across contours, providing slopes with grades of 4% or less where possible, to promote the provision of treatment measures into the streetscape;
- ▶ Preserve and restore (where practicable) existing elements of the natural topography;
- ▶ Manage the quality and quantity of stormwater at or near the source; and
- ▶ Provide primary stormwater treatment measures, which target litter, gross pollutants and coarse sediments and secondary treatment measures, which target sediment, nutrients and bacteria.

Construction phase water quality impacts can be managed by implementation of a Construction Phase Soil and Water Management Plan detailing stormwater management strategies in accordance with Landcom Soil and Construction, Managing Urban Stormwater (Landcom, 2004). These would include amongst others:

- ▶ General site practices and responsibilities;
- ▶ Material management practices;
- ▶ Stockpile practices;
- ▶ Topsoil practices; and
- ▶ Erosion control practices (earth sediment basins, straw bales, sediment fences, turbidity barriers, stabilised site accesses, diversions and catch drains).

Monitoring should be undertaken to ensure that stormwater quality management measures are working effectively. Monitoring would rely primarily on visual inspections and targeted sampling. Visual inspections should be undertaken of sediment traps, pits, diversion, Gross Pollutant Traps (GPT), catch drains and all stormwater conveyance structures. A general indication of frequencies for inspections is provided in Table 7.



Table 7 Sample Monitoring Program

Sample location	Collection mechanism	Frequency first six months	Frequency normal operation
Sediment Traps	Visual Inspection	Every runoff event	First runoff event of any month
Inlet Pits	Visual Inspection	Every runoff event	First runoff event of any month
Trunk Drainage Channels	Visual Inspection	Every runoff event	First runoff event of any month
Overland Flow Paths	Visual Inspection	Every runoff event	First runoff event of any month
Trafficable Areas (during construction)	Visual Inspection	Every month	
Bunded areas (during construction)	Visual Inspection	Every runoff event	
Other works areas, potentially contaminating stormwater (during construction)	Visual Inspection and system operation testing	Every month	

Notes:

1. Runoff event must be sufficient;
2. Inspect after 24 hour retention period (ie 24 hrs after runoff event);
3. For every inspection, date, time and ambient weather conditions would be recorded.

5.4 Flooding and Flood Risk

Increased peak flows on account of increased impervious areas can be managed by providing stormwater detention on the site. As this proposed development is an industrial sub-division, the impervious areas are significantly more than for residential areas. Stormwater detention could be provided as either precinct style detention or On-Site Detention (OSD) as follows:

- ▶ Larger development scale basin; and/or
- ▶ Smaller on-lot detention systems such as above ground storage in carparks or in-ground tanks.

Development and land-use in flood prone areas should be in accordance with the NSW Floodplain Management Manual. In the context of the NSW Floodplain Development Manual (April 2005) all areas inundated during a PMF are termed “flood liable”. This



land would need to be assessed as part of a “merit approach” to development, for managing flood risk, after definition of flood hazard.

A key tool in the management of flood risk is the Flood Planning Levels (FPL), which ensure that development is located in areas where it would not have significant adverse impacts on flooding nor on personal safety (identified by the flood hazard). The FPL is often based on the 100-year ARI flood extent plus a freeboard (often 500mm). Thus development floor levels are located outside of the 100-year ARI flood extent and at an elevation above the 100-year ARI flood level plus a suitable freeboard. In addition, provision for flood evacuation for events up to and including the PMF must be provided.



6. Proposed Water Sensitive Urban Design Strategy

6.1 General

The proposed WSUD Strategy Plan is provided in Appendix E.

It is proposed to manage stormwater using a number of facilities based on WSUD principles and as outlined in general in Section 5. The facilities include:

- ▶ Provision of suitable riparian zones to maintain and enhance the ecological value of the existing watercourses;
- ▶ Provision of bio-retention swales at major overland flow routes and bio-retention basins or wetlands to remove pollutants from the stormwater run-off;
- ▶ Provision of on-lot stormwater treatment facilities including vegetated systems, infiltration systems and structural facilities (gross-pollution traps);
- ▶ Provision of either precinct style stormwater detention facilities or OSD provided for each precinct/lot before discharge to the receiving waters;
- ▶ Where possible separation of road and lot drainage systems until stormwater run-off from both areas have been treated;
- ▶ Roofwater run-off harvesting, and re-use for toilet flushing, irrigation purposes and other on-lot non-potable water uses to minimise potable water use on the site and to mitigate the potential increase in run-off volumes;
- ▶ Provision of blackwater treatment and recycling of treated water for non-potable water uses on each site. This will further reduce potable water demands and minimise the amount of effluent to be disposed of off-site;
- ▶ Connection of the site to the proposed Regional Roofwater Harvesting Scheme to return “clean” run-off to the potable water supply system;
- ▶ Flood risk management using Flood Planning Levels and provision of adequate flood evacuation routes; and
- ▶ Construction phase water management principles that would include Soil and Water Management planning for construction, implementation of erosion and sediment control strategies and ongoing monitoring and maintenance of erosion and sediment control strategies.

In general, the proposed WSUD strategy was developed in accordance with the Concept Plan. Any changes to the Concept Plan would inherently need to be reflected in the WSUD strategy.

6.2 Site Discharge Points

It is proposed that the site discharge points would be located at various places as shown on the strategy plan (Appendix E) corresponding to existing drainage lines. Stormwater quality measures are provided using a “treatment train” approach with control measures incorporated at the source and throughout the drainage path to the



discharge points. Existing peak flow conditions are maintained at all site discharge locations via the use of stormwater detention facilities.

6.3 Water Balance

It is proposed that all allotments will incorporate roofwater run-off collection tanks. The captured roofwater run-off is to be re-used on each allotment for non-potable water uses. Overflow from the tanks would go to the proposed Regional Roofwater Harvesting Scheme rather than to the site stormwater system. A separate detailed water balance analysis has been undertaken with a number of scenarios modelled including blackwater recycling. The reader is referred to the separate detailed water balance report for the results of the analysis (GHD, December 2007). A diagrammatic representation of the proposed scheme is included in Appendix E.

6.4 Stormwater Quality Management

It is proposed to manage stormwater quality by:

- ▶ Provision of GPT's and other structural measures, for example bunding and oil/water separation systems before discharge to any OSD systems or site drainage infrastructure;
- ▶ Provision of rainwater tanks on each site;
- ▶ Provision of bio-retention swales where appropriate;
- ▶ Provision of bio-retention basins (to be lined in areas of high salinity potential); and
- ▶ Provision of GPT's, oil/water separation systems and/or bio-retention systems at road drainage system discharge points;
- ▶ Where it is considered impractical to treat water on a precinct basis, for example lots that are immediately adjacent to existing watercourses, then on-lot treatment measures will be incorporated such as bio-retention basins.

The areas that are to be set aside for water quality treatment facilities on the site are sufficient in size to accommodate the necessary stormwater quality control features.

Construction phase water quality impacts would be managed by implementation of a Construction Phase Sediment and Erosion Control Plan detailing stormwater management strategies in accordance with Landcom Soil and Construction, Managing Urban Stormwater (Landcom, 2004). Strategies would include amongst others general site practices and responsibilities, material management practices, stockpile practices, topsoil practices and erosion control strategies such as earth sediment basins, straw bales, sediment fences, turbidity barriers, stabilised site accesses, diversions and catch drains.

6.5 Stormwater Quantity Management

It is proposed that all on-lot stormwater be routed to either the individual OSD systems or to precinct style detention systems, depending on the local topography of the sub-catchment (refer WSUD Strategy Plan in Appendix E). The precinct style detention



systems would be combined with the proposed bio-retention basins. Such precinct style water quantity and quality controls are proposed to be “off-line” of any Category 1 or 2 watercourses.

Post-development site discharge would be limited to the pre-development site discharge for a range of storm events.

The required detention storages are provided in Section 4.4 and the results indicate how the provision of detention storage will limit post-development flows to pre-development levels.

6.6 On- Site Flooding and Flood Risk

Flood levels for Ropes Creek and its tributaries have been determined and the associated flood extents maps are included in Appendix B. All building floor levels would be located above the 1% AEP flood level plus a freeboard of 300mm. For flooding associated with discharges on internal roads, it is proposed to limit the overland flows and associated flow velocities and depths. This would be achieved through a detailed design of the subsurface stormwater infrastructure in order to contain overland flow in the roadway. For areas of the Stage 1-3 area below the PMF level a flood evacuation strategy will be developed. Elevated areas on either side of Ropes Creek would provide suitable evacuation muster areas.

It is proposed to relocate tributary T1 as shown on Figure 2 to the southern boundary of the Stage 1 area. This tributary has a small natural catchment originating upstream of the site boundaries. Preliminary hydrologic modelling of the 1% AEP event peak flows has been conducted for the associated catchment. A preliminary trapezoidal channel size has been determined that will convey the 1% AEP peak flows and allow for a suitable freeboard. The preliminary channel dimensions are 12m wide, 1m deep with 1v:4h side slopes. Detailed hydraulic modelling will need to be conducted as part of the Stage 1 detailed design process to confirm the channel size.

6.7 Ongoing Monitoring

Monitoring will be undertaken to ensure that stormwater quality management measures are working effectively. Monitoring would rely primarily on visual inspections and targeted water sampling. Visual inspections should be undertaken of sediment traps, pits, diversion, GPTs, catch drains and all stormwater conveyance structures. A sample monitoring program is provided in Table 7 (Refer Section 5.3).



7. Conclusion

A WSUD strategy has been developed that mitigates the potential impacts of the development of the Oakdale such as:

- ▶ Impacts to the water balance;
- ▶ Stormwater quality impacts;
- ▶ Increased stormwater peak flows and flood risk; and
- ▶ Construction phases impacts;

The proposed WSUD strategy incorporates the following measures to manage and mitigate the impacts of the proposed development;

- ▶ Stormwater treatment facilities such as GPT's, bio-retention swales and bio-retention basins;
- ▶ Either precinct style stormwater detention or OSD systems;
- ▶ Roofwater run-off collection and re-use for non-potable water uses;
- ▶ Blackwater recycling;
- ▶ Flood risk management using flood planning levels and flood evacuation; and
- ▶ Construction phase management provisions which include implementation of erosion and sediment control strategies.

Numerical modelling was undertaken to support the proposed WSUD strategy plan. The results of the simulations show that the stormwater management strategy would effectively mitigate the impacts of development at the site and the stormwater quality and quantity targets can be met.



8. References

- ▶ Penrith and Fairfield City Council standards
- ▶ DNR&DE, 1998: Stormwater Quality Control Guidelines for Local Government, Department of Natural Resources and Department of Environment, February 1998;
- ▶ AR&R, 2000: The Institute of Engineers in Australia, Australian Rainfall and Runoff;
- ▶ Landcom, 2004: Soil and Construction, Managing Urban Stormwater (formerly the “Blue Book”);
- ▶ Douglas Partners (May 2007), “Report on Preliminary Geotechnical Assessment, Proposed Ropes Creek “Southpipe” Development, Eastern Creek and Erskine Park”
- ▶ GHD Pty Ltd (December 2007), “Oakdale Concept Plan, Riparian Assessment”
- ▶ GHD Pty Ltd (December 2007), “Oakdale Concept Plan, Water Balance Report – Part 1”
- ▶ CRC for Catchment Hydrology, Music Model User Guide, April 2005
- ▶ CRC for Catchment Hydrology, Stormwater Flow and Quality, and the Effectiveness of Non-Proprietary Stormwater Treatment Measures – A Review and Gap Analysis, Technical Report 04/8, December 2004.
- ▶ Department of Environment and Conservation, Sydney Growth Centres – Stormwater Guidance for Precinct Planning, November 2006
- ▶ Department of Water Resources, South Creek Floodplain Management Study, February 1991.
- ▶ XP Software, XP-RAFTS User’s Manual, Version 6.11
- ▶ NSW Government, Floodplain Development Manual, 2005.




Appendix A
Oakdale Concept Plan





Appendix B
Ropes Creek Flood Modelling Results

Flood extent mapping






Flood Depths (m)






Flood Depths (m)







Flood Depths (m)





Appendix C
On-site Hydrological Modelling Results

Rafts output files
Catchment Plan



GOODMAN INTERNATIONAL LTD
 OAKDALE CONCEPT PLAN
**CATCHMENT AREA
 PLAN**
 scale | 1:10000 or A3 date | SEP. 2010

job no. | 21-15101
 rev no. | B

Figure 100

Hydrology Modelling - RAFTS MODEL

RAFTS-2000 model is used to simulate runoff hydrographs at defined points in the catchment. This model is suitable for application on catchments ranging from rural to fully urbanised. The model is capable of analysing catchments comprising natural waterways, formalised channels, pipes, retarding basins and combinations of these.

The existing catchments are rural (0% impervious) and will be urbanised (approximately 60 -85% impervious). The catchment was divided into sub-catchments, determined by topography, landuse and creek configuration. A split catchment option was utilized in the modeling. The first sub-catchment portion was taken as pervious and the second impervious (100% impervious).

Sub-catchment link flow lag times were calculated using standard hydraulic formula (velocity in the creek) applicable to open channel and/or closed conduit system. Correct runoff simulation is highly dependent on an accurate estimate of impervious area percentages for each sub-catchment.

The Initial/Continuing loss rate approach to estimate excess rainfall for the catchment was adopted. In the absence of historical flood flows, conservative model parameters were assumed.

The adopted conservative values were;

	Pervious	Impervious
Initial loss(mm)	15.0	2.5
Continuing loss(mm/hr)	2.0	0

Durations of 25 minutes to 9 hours were used for various ARIs of 2, 5, 10, 20 and 100 years and PMF. Details of sub-catchment input data is given in the attached Table. Historical flood flows were not available to calibrate the RAFTS model. The model was run for the following scenarios:

- ▶ Existing - All sub-catchments within Oakdale Industrial Estate were assumed as 100 % pervious
- ▶ Proposed - Assumed impervious area percentages is around 65% to 85%.
- ▶ Proposed with OSD - In order to maintain the existing flow conditions, trial and error approach was used to estimate the maximum Permissible Site Discharge (PSD) and minimum storage requirements for retarding basins.

A list of the model input data files and the extracted summary output for the existing, proposed and proposed with OSD follow. For details of the model, refer to the RAFTS User Manual.

Table C1

Oakdale Industrial Estate - Subcatchment Details for Rafts Model

Subcatch. Node Label	Total Area (ha)	Percentage of Impervious Area	Pervious Area (ha)	Impervious Area (ha)	Slope (%)	Lag (mins)	100 ARI Flow Existing m ³ /s	Critical Duration	100 ARI Flow Proposed	Critical Duration	100 ARI Flow With OSD OSD- 250 m ³ /ha PSD = 140 l/s/ha	Critical Duration
A1	29.12	85	4.37	24.75	1.96%	2	4.1	2hr	13.2	1.5 hr	3.7	4.5 hr
A3	19.37	85	2.91	16.46	2.15%	2	2.6	2hr	8.8	90 min	2.4	4.5 hr
A5	10.05	85	1.51	8.54	2.20%	1	1.7	2hr	4.7	25 min	1.3	4.5 hr
A6	17.26	85	2.59	14.67	4.76%	1	3.8	2hr	8.4	25 min	2.2	2 hr
A7a	9.98	85	1.50	8.48	4.35%	1	2.4	2hr	4.8	25 min	1.3	2 hr
A7b	9.76	85	1.46	8.30	5.83%	1	2.6	2hr	4.9	25 min	1.3	2 hr
A8	15.4	85	2.31	13.09	2.39%	1	2.5	2hr	7.2	25 min	2	4.5 hr
A9	15.59	85	2.34	13.25	3.26%	1	2.9	2hr	7.5	25 min	2	4.5 hr
A10	11.81	85	1.77	10.04	6.15%	1	3.1	2hr	5.9	25 min	1.5	2 hr
A11a	15.83	85	2.37	13.46	11.52%	1	5	2hr	8	25 min	2.1	2 hr
A11b	9.48	85	1.42	8.06	3.72%	1	2.1	2hr	4.6	25 min	1.2	2 hr
A12a	4.09	85	0.61	3.48	4.17%	1	1.1	2hr	2.1	25 min	0.5	2 hr
A12b	5.65	60	2.26	3.39	5.00%	1	1.6	2hr	2.5	1.5 hr	0.7	2 hr
A13	5.03	60	2.01	3.02	3.64%	1	1.3	2hr	2.1	1.5 hr	0.6	4.5 hr
A14a	9.21	85	1.38	7.83	2.42%	1	1.6	2hr	4.4	25 min	1.2	4.5 hr
A14b	3.61	60	1.44	2.17	4.09%	1	1	2hr	1.6	1.5 hr	0.5	2 hr
A15	51.21	85	7.68	43.53	7.18%	1	10.9	2hr	24.1	25 min	-	
A16	3.77	0	3.77	0.00	2.58%	1000	11.7	2 hr	25.3	25 min	7	4.5 hr
A17	3.56	85	0.53	3.03	8.10%	0	1.1	2 hr	1.7	1.5 hr	0.5	2 hr
Outlet	-	-	-	-	-	-	33.3	2hr	49.1	1.5 hr	23.6	2 hr

Total Area 249.78 44.24 205.54


Subcatchment divisions and equivalent slopes are based on contour survey.

Lag time = length of connecting channel (node to node) / Flow velocity (say 1 to 2 m/s)


Table C2**Oakdale Industrial Estate - OSD calculation for Rafts Model**

OSD	280	m³/ha	250			
PSD	120	l/s/ha	140			
Subcatch. Node Label	Total Area	Retading/ Wetland Nodes	OSD 280	PSD 120	OSD 250	PSD 140
	(ha)		(m³)	(m³/s)	(m³)	(m³/s)
A1	29.12		8154	3.494	7280	4.077
A3	19.37		5424	2.324	4843	2.712
A5	10.05		2814	1.206	2513	1.407
A6	17.26		4833	2.071	4315	2.416
A7a	9.98		2794	1.198	2495	1.397
A7b	9.76		2733	1.171	2440	1.366
A8	14.7		4116	1.764	3675	2.058
A8	15.4		4312	1.848	3850	2.156
A9	15.59		4365	1.871	3898	2.183
A11a	15.83		4432	1.900	3958	2.216
A11b	9.48		2654	1.138	2370	1.327
A12a	4.09		1145	0.491	1023	0.573
A12b	5.65		1582	0.678	1413	0.791
A13	5.03		1408	0.604	1258	0.704
A14a	9.21		2579	1.105	2303	1.289
A14b	3.61		1011	0.433	903	0.505
A15	51.21		14339	6.145	12803	7.169
A16	3.77		1056	0.452	943	0.528
A17	3.56		997	0.427	890	0.498
	253.42		70958	30.410	63355	35.479


RAFTS Model Network for the Existing Conditions



RAFTS Model Network for the Proposed Conditions



RAFTS Model Network for the Proposed Conditions with OSD



Oakdale Site - Existing
 #####

ROUTING INCREMENT (MINS) = 1.00
 STORM DURATION (MINS) = 25.
 RETURN PERIOD (YRS) = 100.
 BX = 1.0000
 TOTAL OF FIRST SUB-AREAS (ha) = 249.86
 TOTAL OF SECOND SUB-AREAS (ha) = 0.00
 TOTAL OF ALL SUB-AREAS (ha) = 249.86

SUMMARY OF CATCHMENT AND RAINFALL DATA

Link Label	Catch. Area		Slope		% Impervious		Pern		B		Link No.
	#1 (ha)	#2	#1 (%)	#2	#1 (%)	#2	#1	#2	#1	#2	
A1	29.120	0.000	1.960	0.000	5.000	0.000	.045	0.00	.1323	0.000	1.000
A10	11.810	0.000	6.150	0.000	5.000	0.000	.045	0.00	.0468	0.000	2.000
DUM1	.00001	0.000	1.000	0.000	0.000	0.000	.060	0.00	.0001	0.000	1.001
A3	19.370	0.000	1.910	0.000	2.150	0.000	.045	0.00	.1224	0.000	3.000
A12a	4.090	0.000	4.170	0.000	5.000	0.000	.045	0.00	.0327	0.000	4.000
DUM2	.00001	0.000	1.000	0.000	0.000	0.000	.060	0.00	.0001	0.000	1.002
A11b	9.480	0.000	3.720	0.000	5.000	0.000	.045	0.00	.0536	0.000	5.000
A12b	5.650	0.000	5.000	0.000	5.000	0.000	.045	0.00	.0353	0.000	6.000
A13	5.030	0.000	3.640	0.000	5.000	0.000	.045	0.00	.0390	0.000	7.000
A11a	15.830	0.000	11.52	0.000	5.000	0.000	.045	0.00	.0398	0.000	8.000
DUM9	.00001	0.000	1.000	0.000	0.000	0.000	.060	0.00	.0001	0.000	5.001
DUM3	.00001	0.000	1.000	0.000	0.000	0.000	.060	0.00	.0001	0.000	1.003
A5	10.050	0.000	2.200	0.000	5.000	0.000	.045	0.00	.0718	0.000	9.000
DUM4	.00001	0.000	1.000	0.000	0.000	0.000	.060	0.00	.0001	0.000	1.004
A6	17.260	0.000	4.760	0.000	5.000	0.000	.045	0.00	.0647	0.000	10.00
DUM5	.00001	0.000	1.000	0.000	0.000	0.000	.060	0.00	.0001	0.000	1.005
A14b	3.610	0.000	4.090	0.000	5.000	0.000	.045	0.00	.0309	0.000	11.00
A14a	9.210	0.000	2.420	0.000	5.000	0.000	.045	0.00	.0654	0.000	12.00
DUM6	.00001	0.000	1.000	0.000	0.000	0.000	.060	0.00	.0001	0.000	1.006
A7b	9.760	0.000	5.830	0.000	5.000	0.000	.045	0.00	.0435	0.000	13.00
DUM7	.00001	0.000	1.000	0.000	0.000	0.000	.060	0.00	.0001	0.000	1.007
A8	15.400	0.000	2.390	0.000	5.000	0.000	.045	0.00	.0860	0.000	14.00
A9	15.590	0.000	3.260	0.000	5.000	0.000	.045	0.00	.0742	0.000	15.00
A7a	9.980	0.000	4.350	0.000	5.000	0.000	.045	0.00	.0509	0.000	16.00
DUM8	.00001	0.000	1.000	0.000	0.000	0.000	.060	0.00	.0001	0.000	14.00
A15	51.210	0.000	7.180	0.000	5.000	0.000	.045	0.00	.0928	0.000	17.00
A16	3.770	0.000	2.530	0.000	5.000	0.000	.045	0.00	.0402	0.000	17.00
Outlet	.00001	0.000	1.000	0.000	0.000	0.000	.060	0.00	.0001	0.000	1.008

Link Label	Average Intensity (mm/h)	Init. Loss #1 (mm)	Init. Loss #2	Cont. Loss #1 (mm/h)	Cont. Loss #2	Excess Rain #1 (mm)	Excess Rain #2	Peak Inflow (m ³ /s)	Time to Peak	Link Lag mins
A1	106.91	15.00	0.000	2.000	0.000	28.980	0.000	2.123	26.00	2.000
A10	106.91	15.00	0.000	2.000	0.000	28.980	0.000	2.247	25.00	1.000
DUM1	106.91	15.00	0.000	2.000	0.000	28.980	0.000	4.294	27.00	6.000
A3	106.91	15.00	0.000	2.000	0.000	28.980	0.000	1.315	26.00	2.000
A12a	106.91	15.00	0.000	2.000	0.000	28.980	0.000	0.7936	25.00	1.000
DUM2	106.91	15.00	0.000	2.000	0.000	28.980	0.000	6.120	32.00	4.000
A11b	106.91	15.00	0.000	2.000	0.000	28.980	0.000	1.474	26.00	1.000
A12b	106.91	15.00	0.000	2.000	0.000	28.980	0.000	1.128	25.00	1.000
A13	106.91	15.00	0.000	2.000	0.000	28.980	0.000	0.8881	25.00	1.000
A11a	106.91	15.00	0.000	2.000	0.000	28.980	0.000	3.585	22.00	1.000
DUM9	106.91	15.00	0.000	2.000	0.000	28.980	0.000	6.916	25.00	5.000
DUM3	106.91	15.00	0.000	2.000	0.000	28.980	0.000	12.495	31.00	1.000
A5	106.91	15.00	0.000	2.000	0.000	28.980	0.000	1.107	26.00	1.000
DUM4	106.91	15.00	0.000	2.000	0.000	28.980	0.000	13.573	32.00	1.000
A6	106.91	15.00	0.000	2.000	0.000	28.980	0.000	2.642	26.00	1.000
DUM5	106.91	15.00	0.000	2.000	0.000	28.980	0.000	15.845	33.00	2.000
A14b	106.91	15.00	0.000	2.000	0.000	28.980	0.000	0.7162	25.00	1.000
A14a	106.91	15.00	0.000	2.000	0.000	28.980	0.000	1.111	26.00	1.000
DUM6	106.91	15.00	0.000	2.000	0.000	28.980	0.000	17.195	35.00	2.000
A7b	106.91	15.00	0.000	2.000	0.000	28.980	0.000	1.882	25.00	1.000
DUM7	106.91	15.00	0.000	2.000	0.000	28.980	0.000	18.114	36.00	8.000
A8	106.91	15.00	0.000	2.000	0.000	28.980	0.000	1.558	26.00	1.000
A9	106.91	15.00	0.000	2.000	0.000	28.980	0.000	1.991	26.00	1.000
A7a	106.91	15.00	0.000	2.000	0.000	28.980	0.000	1.674	25.00	1.000
DUM8	106.91	15.00	0.000	2.000	0.000	28.980	0.000	5.221	27.00	6.000
A15	106.91	15.00	0.000	2.000	0.000	28.980	0.000	7.463	26.00	1.000
A16	106.91	15.00	0.000	2.000	0.000	28.980	0.000	8.055	27.00	1000.
Outlet	106.91	15.00	0.000	2.000	0.000	28.980	0.000	22.159	42.00	0.000

ROUTING INCREMENT (MINS) = 1.00
STORM DURATION (MINS) = 45.
RETURN PERIOD (YRS) = 100.
BX = 1.0000
TOTAL OF FIRST SUB-AREAS (ha) = 249.86
TOTAL OF SECOND SUB-AREAS (ha) = 0.00
TOTAL OF ALL SUB-AREAS (ha) = 249.86

Link Label	Average Intensity (mm/h)	Init. Loss #1 (mm)	Init. Loss #2	Cont. Loss #1 (mm/h)	Cont. Loss #2	Excess Rain #1 (mm)	Excess Rain #2	Peak Inflow (m ³ /s)	Time to Peak	Link Lag mins
A1	77.485	15.00	0.000	2.000	0.000	41.981	0.000	3.303	46.00	2.000
A10	77.485	15.00	0.000	2.000	0.000	41.981	0.000	2.480	31.00	1.000
DUM1	77.485	15.00	0.000	2.000	0.000	41.981	0.000	5.141	41.00	6.000
A3	77.485	15.00	0.000	2.000	0.000	41.981	0.000	2.175	46.00	2.000
A12a	77.485	15.00	0.000	2.000	0.000	41.981	0.000	0.8839	31.00	1.000
DUM2	77.485	15.00	0.000	2.000	0.000	41.981	0.000	7.874	44.00	4.000
A11b	77.485	15.00	0.000	2.000	0.000	41.981	0.000	1.776	35.00	1.000
A12b	77.485	15.00	0.000	2.000	0.000	41.981	0.000	1.232	31.00	1.000
A13	77.485	15.00	0.000	2.000	0.000	41.981	0.000	1.019	32.00	1.000
A11a	77.485	15.00	0.000	2.000	0.000	41.981	0.000	3.676	29.00	1.000
DUM9	77.485	15.00	0.000	2.000	0.000	41.981	0.000	7.558	32.00	5.000
DUM3	77.485	15.00	0.000	2.000	0.000	41.981	0.000	14.400	42.00	1.000
A5	77.485	15.00	0.000	2.000	0.000	41.981	0.000	1.536	41.00	1.000
DUM4	77.485	15.00	0.000	2.000	0.000	41.981	0.000	15.926	43.00	1.000
A6	77.485	15.00	0.000	2.000	0.000	41.981	0.000	3.157	36.00	1.000
DUM5	77.485	15.00	0.000	2.000	0.000	41.981	0.000	18.832	43.00	2.000
A14b	77.485	15.00	0.000	2.000	0.000	41.981	0.000	0.7869	31.00	1.000
A14a	77.485	15.00	0.000	2.000	0.000	41.981	0.000	1.486	40.00	1.000
DUM6	77.485	15.00	0.000	2.000	0.000	41.981	0.000	20.782	44.00	2.000
A7b	77.485	15.00	0.000	2.000	0.000	41.981	0.000	2.088	31.00	1.000
DUM7	77.485	15.00	0.000	2.000	0.000	41.981	0.000	22.167	45.00	8.000
A8	77.485	15.00	0.000	2.000	0.000	41.981	0.000	2.281	41.00	1.000
A9	77.485	15.00	0.000	2.000	0.000	41.981	0.000	2.587	40.00	1.000
A7a	77.485	15.00	0.000	2.000	0.000	41.981	0.000	1.953	33.00	1.000
DUM8	77.485	15.00	0.000	2.000	0.000	41.981	0.000	6.636	40.00	6.000
A15	77.485	15.00	0.000	2.000	0.000	41.981	0.000	9.230	36.00	1.000
A16	77.485	15.00	0.000	2.000	0.000	41.981	0.000	9.930	37.00	1000.
Outlet	77.485	15.00	0.000	2.000	0.000	41.981	0.000	28.266	51.00	0.000

ROUTING INCREMENT (MINS) = 1.00
STORM DURATION (MINS) = 60.
RETURN PERIOD (YRS) = 100.
BX = 1.0000
TOTAL OF FIRST SUB-AREAS (ha) = 249.86
TOTAL OF SECOND SUB-AREAS (ha) = 0.00
TOTAL OF ALL SUB-AREAS (ha) = 249.86

Link Label	Average Intensity (mm/h)	Init. Loss #1 (mm)	Init. Loss #2	Cont. Loss #1 (mm/h)	Cont. Loss #2	Excess Rain #1 (mm)	Excess Rain #2	Peak Inflow (m ³ /s)	Time to Peak	Link Lag mins
A1	65.606	15.00	0.000	2.000	0.000	49.040	0.000	3.708	51.00	2.000
A10	65.606	15.00	0.000	2.000	0.000	49.040	0.000	2.834	35.00	1.000
DUM1	65.606	15.00	0.000	2.000	0.000	49.040	0.000	5.684	40.00	6.000
A3	65.606	15.00	0.000	2.000	0.000	49.040	0.000	2.414	53.00	2.000
A12a	65.606	15.00	0.000	2.000	0.000	49.040	0.000	1.012	33.00	1.000
DUM2	65.606	15.00	0.000	2.000	0.000	49.040	0.000	8.659	46.00	4.000
A11b	65.606	15.00	0.000	2.000	0.000	49.040	0.000	2.012	36.00	1.000
A12b	65.606	15.00	0.000	2.000	0.000	49.040	0.000	1.406	33.00	1.000
A13	65.606	15.00	0.000	2.000	0.000	49.040	0.000	1.162	35.00	1.000
A11a	65.606	15.00	0.000	2.000	0.000	49.040	0.000	4.343	31.00	1.000
DUM9	65.606	15.00	0.000	2.000	0.000	49.040	0.000	8.635	34.00	5.000
DUM3	65.606	15.00	0.000	2.000	0.000	49.040	0.000	16.237	42.00	1.000
A5	65.606	15.00	0.000	2.000	0.000	49.040	0.000	1.689	44.00	1.000
DUM4	65.606	15.00	0.000	2.000	0.000	49.040	0.000	17.920	43.00	1.000
A6	65.606	15.00	0.000	2.000	0.000	49.040	0.000	3.538	37.00	1.000
DUM5	65.606	15.00	0.000	2.000	0.000	49.040	0.000	21.250	44.00	2.000
A14b	65.606	15.00	0.000	2.000	0.000	49.040	0.000	0.9015	33.00	1.000
A14a	65.606	15.00	0.000	2.000	0.000	49.040	0.000	1.632	41.00	1.000
DUM6	65.606	15.00	0.000	2.000	0.000	49.040	0.000	23.474	45.00	2.000
A7b	65.606	15.00	0.000	2.000	0.000	49.040	0.000	2.367	34.00	1.000
DUM7	65.606	15.00	0.000	2.000	0.000	49.040	0.000	25.059	47.00	8.000
A8	65.606	15.00	0.000	2.000	0.000	49.040	0.000	2.494	45.00	1.000
A9	65.606	15.00	0.000	2.000	0.000	49.040	0.000	2.825	41.00	1.000
A7a	65.606	15.00	0.000	2.000	0.000	49.040	0.000	2.196	36.00	1.000
DUM8	65.606	15.00	0.000	2.000	0.000	49.040	0.000	7.288	41.00	6.000
A15	65.606	15.00	0.000	2.000	0.000	49.040	0.000	10.238	38.00	1.000
A16	65.606	15.00	0.000	2.000	0.000	49.040	0.000	11.023	39.00	1000.
Outlet	65.606	15.00	0.000	2.000	0.000	49.040	0.000	31.747	54.00	0.000

ROUTING INCREMENT (MINS) = 1.00
STORM DURATION (MINS) = 90.
RETURN PERIOD (YRS) = 100.
BX = 1.0000
TOTAL OF FIRST SUB-AREAS (ha) = 249.86
TOTAL OF SECOND SUB-AREAS (ha) = 0.00
TOTAL OF ALL SUB-AREAS (ha) = 249.86

Link Label	Average Intensity (mm/h)	Init. Loss #1 (mm)	Init. Loss #2	Cont. Loss #1 (mm/h)	Cont. Loss #2	Excess Rain #1 (mm)	Excess Rain #2	Peak Inflow (m ³ /s)	Time to Peak	Link Lag mins
A1	51.341	15.00	0.000	2.000	0.000	59.445	0.000	3.850	58.00	2.000
A10	51.341	15.00	0.000	2.000	0.000	59.445	0.000	2.881	35.00	1.000
DUM1	51.341	15.00	0.000	2.000	0.000	59.445	0.000	5.683	41.00	6.000
A3	51.341	15.00	0.000	2.000	0.000	59.445	0.000	2.498	59.00	2.000
A12a	51.341	15.00	0.000	2.000	0.000	59.445	0.000	1.048	33.00	1.000
DUM2	51.341	15.00	0.000	2.000	0.000	59.445	0.000	8.610	47.00	4.000
A11b	51.341	15.00	0.000	2.000	0.000	59.445	0.000	1.990	38.00	1.000
A12b	51.341	15.00	0.000	2.000	0.000	59.445	0.000	1.452	33.00	1.000
A13	51.341	15.00	0.000	2.000	0.000	59.445	0.000	1.170	36.00	1.000
A11a	51.341	15.00	0.000	2.000	0.000	59.445	0.000	4.780	31.00	1.000
DUM9	51.341	15.00	0.000	2.000	0.000	59.445	0.000	9.076	33.00	5.000
DUM3	51.341	15.00	0.000	2.000	0.000	59.445	0.000	16.530	43.00	1.000
A5	51.341	15.00	0.000	2.000	0.000	59.445	0.000	1.696	45.00	1.000
DUM4	51.341	15.00	0.000	2.000	0.000	59.445	0.000	18.213	44.00	1.000
A6	51.341	15.00	0.000	2.000	0.000	59.445	0.000	3.544	40.00	1.000
DUM5	51.341	15.00	0.000	2.000	0.000	59.445	0.000	21.594	45.00	2.000
A14b	51.341	15.00	0.000	2.000	0.000	59.445	0.000	0.9425	33.00	1.000
A14a	51.341	15.00	0.000	2.000	0.000	59.445	0.000	1.638	43.00	1.000
DUM6	51.341	15.00	0.000	2.000	0.000	59.445	0.000	23.835	46.00	2.000
A7b	51.341	15.00	0.000	2.000	0.000	59.445	0.000	2.433	34.00	1.000
DUM7	51.341	15.00	0.000	2.000	0.000	59.445	0.000	25.436	48.00	8.000
A8	51.341	15.00	0.000	2.000	0.000	59.445	0.000	2.467	46.00	1.000
A9	51.341	15.00	0.000	2.000	0.000	59.445	0.000	2.812	43.00	1.000
A7a	51.341	15.00	0.000	2.000	0.000	59.445	0.000	2.202	37.00	1.000
DUM8	51.341	15.00	0.000	2.000	0.000	59.445	0.000	7.268	42.00	6.000
A15	51.341	15.00	0.000	2.000	0.000	59.445	0.000	10.247	40.00	1.000
A16	51.341	15.00	0.000	2.000	0.000	59.445	0.000	11.032	41.00	1000.
Outlet	51.341	15.00	0.000	2.000	0.000	59.445	0.000	32.120	56.00	0.000

ROUTING INCREMENT (MINS) = 1.00
STORM DURATION (MINS) = 120.
RETURN PERIOD (YRS) = 100.
BX = 1.0000
TOTAL OF FIRST SUB-AREAS (ha) = 249.86
TOTAL OF SECOND SUB-AREAS (ha) = 0.00
TOTAL OF ALL SUB-AREAS (ha) = 249.86

Link Label	Average Intensity (mm/h)	Init. Loss #1 (mm)	Init. Loss #2 (mm)	Cont. Loss #1 (mm/h)	Cont. Loss #2 (mm/h)	Excess Rain #1 (mm)	Excess Rain #2 (mm)	Peak Inflow (m ³ /s)	Time to Peak	Link Lag mins
A1	42.988	15.00	0.000	2.000	0.000	67.644	0.000	4.072	65.00	2.000
A10	42.988	15.00	0.000	2.000	0.000	67.644	0.000	3.088	43.00	1.000
DUM1	42.988	15.00	0.000	2.000	0.000	67.644	0.000	6.083	47.00	6.000
A3	42.988	15.00	0.000	2.000	0.000	67.644	0.000	2.631	66.00	2.000
A12a	42.988	15.00	0.000	2.000	0.000	67.644	0.000	1.125	41.00	1.000
DUM2	42.988	15.00	0.000	2.000	0.000	67.644	0.000	9.093	53.00	4.000
A11b	42.988	15.00	0.000	2.000	0.000	67.644	0.000	2.141	45.00	1.000
A12b	42.988	15.00	0.000	2.000	0.000	67.644	0.000	1.576	41.00	1.000
A13	42.988	15.00	0.000	2.000	0.000	67.644	0.000	1.253	44.00	1.000
A11a	42.988	15.00	0.000	2.000	0.000	67.644	0.000	5.003	41.00	1.000
DUM9	42.988	15.00	0.000	2.000	0.000	67.644	0.000	9.837	42.00	5.000
DUM3	42.988	15.00	0.000	2.000	0.000	67.644	0.000	17.582	52.00	1.000
A5	42.988	15.00	0.000	2.000	0.000	67.644	0.000	1.723	51.00	1.000
DUM4	42.988	15.00	0.000	2.000	0.000	67.644	0.000	19.304	52.00	1.000
A6	42.988	15.00	0.000	2.000	0.000	67.644	0.000	3.766	46.00	1.000
DUM5	42.988	15.00	0.000	2.000	0.000	67.644	0.000	22.720	53.00	2.000
A14b	42.988	15.00	0.000	2.000	0.000	67.644	0.000	1.015	41.00	1.000
A14a	42.988	15.00	0.000	2.000	0.000	67.644	0.000	1.684	49.00	1.000
DUM6	42.988	15.00	0.000	2.000	0.000	67.644	0.000	24.940	55.00	2.000
A7b	42.988	15.00	0.000	2.000	0.000	67.644	0.000	2.605	42.00	1.000
DUM7	42.988	15.00	0.000	2.000	0.000	67.644	0.000	26.451	57.00	8.000
A8	42.988	15.00	0.000	2.000	0.000	67.644	0.000	2.525	54.00	1.000
A9	42.988	15.00	0.000	2.000	0.000	67.644	0.000	2.921	49.00	1.000
A7a	42.988	15.00	0.000	2.000	0.000	67.644	0.000	2.363	45.00	1.000
DUM8	42.988	15.00	0.000	2.000	0.000	67.644	0.000	7.629	48.00	6.000
A15	42.988	15.00	0.000	2.000	0.000	67.644	0.000	10.878	46.00	1.000
A16	42.988	15.00	0.000	2.000	0.000	67.644	0.000	11.718	47.00	1000.
Outlet	42.988	15.00	0.000	2.000	0.000	67.644	0.000	33.313	63.00	0.000

ROUTING INCREMENT (MINS) = 1.00
STORM DURATION (MINS) = 180.
RETURN PERIOD (YRS) = 100.
BX = 1.0000
TOTAL OF FIRST SUB-AREAS (ha) = 249.86
TOTAL OF SECOND SUB-AREAS (ha) = 0.00
TOTAL OF ALL SUB-AREAS (ha) = 249.86

Link Label	Average Intensity (mm/h)	Init. Loss #1 (mm)	Init. Loss #2	Cont. Loss #1 (mm/h)	Cont. Loss #2	Excess Rain #1 (mm)	Excess Rain #2	Peak Inflow (m ³ /s)	Time to Peak	Link Lag mins
A1	33.376	15.00	0.000	2.000	0.000	79.895	0.000	3.601	76.00	2.000
A10	33.376	15.00	0.000	2.000	0.000	79.895	0.000	2.416	46.00	1.000
DUM1	33.376	15.00	0.000	2.000	0.000	79.895	0.000	4.998	77.00	6.000
A3	33.376	15.00	0.000	2.000	0.000	79.895	0.000	2.359	76.00	2.000
A12a	33.376	15.00	0.000	2.000	0.000	79.895	0.000	0.8634	46.00	1.000
DUM2	33.376	15.00	0.000	2.000	0.000	79.895	0.000	7.756	82.00	4.000
A11b	33.376	15.00	0.000	2.000	0.000	79.895	0.000	1.617	49.00	1.000
A12b	33.376	15.00	0.000	2.000	0.000	79.895	0.000	1.205	46.00	1.000
A13	33.376	15.00	0.000	2.000	0.000	79.895	0.000	0.9703	46.00	1.000
A11a	33.376	15.00	0.000	2.000	0.000	79.895	0.000	3.686	45.00	1.000
DUM9	33.376	15.00	0.000	2.000	0.000	79.895	0.000	7.431	47.00	5.000
DUM3	33.376	15.00	0.000	2.000	0.000	79.895	0.000	13.462	56.00	1.000
A5	33.376	15.00	0.000	2.000	0.000	79.895	0.000	1.374	58.00	1.000
DUM4	33.376	15.00	0.000	2.000	0.000	79.895	0.000	14.830	57.00	1.000
A6	33.376	15.00	0.000	2.000	0.000	79.895	0.000	2.893	50.00	1.000
DUM5	33.376	15.00	0.000	2.000	0.000	79.895	0.000	17.523	58.00	2.000
A14b	33.376	15.00	0.000	2.000	0.000	79.895	0.000	0.7690	46.00	1.000
A14a	33.376	15.00	0.000	2.000	0.000	79.895	0.000	1.325	56.00	1.000
DUM6	33.376	15.00	0.000	2.000	0.000	79.895	0.000	19.299	60.00	2.000
A7b	33.376	15.00	0.000	2.000	0.000	79.895	0.000	2.043	46.00	1.000
DUM7	33.376	15.00	0.000	2.000	0.000	79.895	0.000	20.589	61.00	8.000
A8	33.376	15.00	0.000	2.000	0.000	79.895	0.000	2.058	66.00	1.000
A9	33.376	15.00	0.000	2.000	0.000	79.895	0.000	2.291	54.00	1.000
A7a	33.376	15.00	0.000	2.000	0.000	79.895	0.000	1.818	47.00	1.000
DUM8	33.376	15.00	0.000	2.000	0.000	79.895	0.000	5.928	54.00	6.000
A15	33.376	15.00	0.000	2.000	0.000	79.895	0.000	8.312	50.00	1.000
A16	33.376	15.00	0.000	2.000	0.000	79.895	0.000	8.961	51.00	1000.
Outlet	33.376	15.00	0.000	2.000	0.000	79.895	0.000	26.208	67.00	0.000

ROUTING INCREMENT (MINS) = 1.00
STORM DURATION (MINS) = 270.
RETURN PERIOD (YRS) = 100.
BX = 1.0000
TOTAL OF FIRST SUB-AREAS (ha) = 249.86
TOTAL OF SECOND SUB-AREAS (ha) = 0.00
TOTAL OF ALL SUB-AREAS (ha) = 249.86

Link Label	Average Intensity (mm/h)	Init. Loss #1 (mm)	Init. Loss #2	Cont. Loss #1 (mm/h)	Cont. Loss #2	Excess Rain #1 (mm)	Excess Rain #2	Peak Inflow (m ³ /s)	Time to Peak	Link Lag mins
A1	25.882	15.00	0.000	2.000	0.000	93.769	0.000	3.833	91.00	2.000
A10	25.882	15.00	0.000	2.000	0.000	93.769	0.000	2.241	79.00	1.000
DUM1	25.882	15.00	0.000	2.000	0.000	93.769	0.000	5.811	92.00	6.000
A3	25.882	15.00	0.000	2.000	0.000	93.769	0.000	2.478	93.00	2.000
A12a	25.882	15.00	0.000	2.000	0.000	93.769	0.000	0.7856	79.00	1.000
DUM2	25.882	15.00	0.000	2.000	0.000	93.769	0.000	8.796	97.00	4.000
A11b	25.882	15.00	0.000	2.000	0.000	93.769	0.000	1.697	85.00	1.000
A12b	25.882	15.00	0.000	2.000	0.000	93.769	0.000	1.094	78.00	1.000
A13	25.882	15.00	0.000	2.000	0.000	93.769	0.000	0.9339	81.00	1.000
A11a	25.882	15.00	0.000	2.000	0.000	93.769	0.000	3.223	76.00	1.000
DUM9	25.882	15.00	0.000	2.000	0.000	93.769	0.000	6.831	79.00	5.000
DUM3	25.882	15.00	0.000	2.000	0.000	93.769	0.000	14.840	96.00	1.000
A5	25.882	15.00	0.000	2.000	0.000	93.769	0.000	1.662	90.00	1.000
DUM4	25.882	15.00	0.000	2.000	0.000	93.769	0.000	16.326	97.00	1.000
A6	25.882	15.00	0.000	2.000	0.000	93.769	0.000	3.071	86.00	1.000
DUM5	25.882	15.00	0.000	2.000	0.000	93.769	0.000	19.128	92.00	2.000
A14b	25.882	15.00	0.000	2.000	0.000	93.769	0.000	0.6964	78.00	1.000
A14a	25.882	15.00	0.000	2.000	0.000	93.769	0.000	1.563	90.00	1.000
DUM6	25.882	15.00	0.000	2.000	0.000	93.769	0.000	21.179	93.00	2.000
A7b	25.882	15.00	0.000	2.000	0.000	93.769	0.000	1.860	78.00	1.000
DUM7	25.882	15.00	0.000	2.000	0.000	93.769	0.000	22.659	94.00	8.000
A8	25.882	15.00	0.000	2.000	0.000	93.769	0.000	2.470	90.00	1.000
A9	25.882	15.00	0.000	2.000	0.000	93.769	0.000	2.665	90.00	1.000
A7a	25.882	15.00	0.000	2.000	0.000	93.769	0.000	1.817	83.00	1.000
DUM8	25.882	15.00	0.000	2.000	0.000	93.769	0.000	6.897	91.00	6.000
A15	25.882	15.00	0.000	2.000	0.000	93.769	0.000	9.022	87.00	1.000
A16	25.882	15.00	0.000	2.000	0.000	93.769	0.000	9.691	88.00	1000.
Outlet	25.882	15.00	0.000	2.000	0.000	93.769	0.000	28.982	100.0	0.000

ROUTING INCREMENT (MINS) = 1.00
STORM DURATION (MINS) = 360.
RETURN PERIOD (YRS) = 100.
BX = 1.0000
TOTAL OF FIRST SUB-AREAS (ha) = 249.86
TOTAL OF SECOND SUB-AREAS (ha) = 0.00
TOTAL OF ALL SUB-AREAS (ha) = 249.86

Link Label	Average Intensity (mm/h)	Init. Loss #1 (mm)	Init. Loss #2	Cont. Loss #1 (mm/h)	Cont. Loss #2	Excess Rain #1 (mm)	Excess Rain #2	Peak Inflow (m ³ /s)	Time to Peak	Link Lag mins
A1	21.614	15.00	0.000	2.000	0.000	104.62	0.000	3.595	138.0	2.000
A10	21.614	15.00	0.000	2.000	0.000	104.62	0.000	1.888	120.0	1.000
DUM1	21.614	15.00	0.000	2.000	0.000	104.62	0.000	5.124	123.0	6.000
A3	21.614	15.00	0.000	2.000	0.000	104.62	0.000	2.365	138.0	2.000
A12a	21.614	15.00	0.000	2.000	0.000	104.62	0.000	0.6552	120.0	1.000
DUM2	21.614	15.00	0.000	2.000	0.000	104.62	0.000	7.968	129.0	4.000
A11b	21.614	15.00	0.000	2.000	0.000	104.62	0.000	1.465	120.0	1.000
A12b	21.614	15.00	0.000	2.000	0.000	104.62	0.000	0.9080	120.0	1.000
A13	21.614	15.00	0.000	2.000	0.000	104.62	0.000	0.7963	120.0	1.000
A11a	21.614	15.00	0.000	2.000	0.000	104.62	0.000	2.561	120.0	1.000
DUM9	21.614	15.00	0.000	2.000	0.000	104.62	0.000	5.730	121.0	5.000
DUM3	21.614	15.00	0.000	2.000	0.000	104.62	0.000	13.186	127.0	1.000
A5	21.614	15.00	0.000	2.000	0.000	104.62	0.000	1.418	121.0	1.000
DUM4	21.614	15.00	0.000	2.000	0.000	104.62	0.000	14.581	128.0	1.000
A6	21.614	15.00	0.000	2.000	0.000	104.62	0.000	2.649	120.0	1.000
DUM5	21.614	15.00	0.000	2.000	0.000	104.62	0.000	17.032	129.0	2.000
A14b	21.614	15.00	0.000	2.000	0.000	104.62	0.000	0.5794	120.0	1.000
A14a	21.614	15.00	0.000	2.000	0.000	104.62	0.000	1.337	121.0	1.000
DUM6	21.614	15.00	0.000	2.000	0.000	104.62	0.000	18.767	131.0	2.000
A7b	21.614	15.00	0.000	2.000	0.000	104.62	0.000	1.562	120.0	1.000
DUM7	21.614	15.00	0.000	2.000	0.000	104.62	0.000	20.034	132.0	8.000
A8	21.614	15.00	0.000	2.000	0.000	104.62	0.000	2.133	122.0	1.000
A9	21.614	15.00	0.000	2.000	0.000	104.62	0.000	2.293	121.0	1.000
A7a	21.614	15.00	0.000	2.000	0.000	104.62	0.000	1.565	120.0	1.000
DUM8	21.614	15.00	0.000	2.000	0.000	104.62	0.000	5.981	122.0	6.000
A15	21.614	15.00	0.000	2.000	0.000	104.62	0.000	7.815	120.0	1.000
A16	21.614	15.00	0.000	2.000	0.000	104.62	0.000	8.399	121.0	1000.
Outlet	21.614	15.00	0.000	2.000	0.000	104.62	0.000	25.457	140.0	0.000

ROUTING INCREMENT (MINS) = 1.00
STORM DURATION (MINS) = 540.
RETURN PERIOD (YRS) = 100.
BX = 1.0000
TOTAL OF FIRST SUB-AREAS (ha) = 249.86
TOTAL OF SECOND SUB-AREAS (ha) = 0.00
TOTAL OF ALL SUB-AREAS (ha) = 249.86

Link Label	Average Intensity (mm/h)	Init. Loss #1 (mm)	Init. Loss #2	Cont. Loss #1 (mm/h)	Cont. Loss #2	Excess Rain #1 (mm)	Excess Rain #2	Peak Inflow (m ³ /s)	Time to Peak	Link Lag mins
A1	16.780	15.00	0.000	2.000	0.000	120.28	0.000	3.294	324.0	2.000
A10	16.780	15.00	0.000	2.000	0.000	120.28	0.000	1.642	300.0	1.000
DUM1	16.780	15.00	0.000	2.000	0.000	120.28	0.000	4.624	311.0	6.000
A3	16.780	15.00	0.000	2.000	0.000	120.28	0.000	2.179	324.0	2.000
A12a	16.780	15.00	0.000	2.000	0.000	120.28	0.000	0.5707	300.0	1.000
DUM2	16.780	15.00	0.000	2.000	0.000	120.28	0.000	7.240	319.0	4.000
A11b	16.780	15.00	0.000	2.000	0.000	120.28	0.000	1.265	301.0	1.000
A12b	16.780	15.00	0.000	2.000	0.000	120.28	0.000	0.7902	300.0	1.000
A13	16.780	15.00	0.000	2.000	0.000	120.28	0.000	0.6902	300.0	1.000
A11a	16.780	15.00	0.000	2.000	0.000	120.28	0.000	2.240	300.0	1.000
DUM9	16.780	15.00	0.000	2.000	0.000	120.28	0.000	4.982	301.0	5.000
DUM3	16.780	15.00	0.000	2.000	0.000	120.28	0.000	11.815	309.0	1.000
A5	16.780	15.00	0.000	2.000	0.000	120.28	0.000	1.232	307.0	1.000
DUM4	16.780	15.00	0.000	2.000	0.000	120.28	0.000	13.044	310.0	1.000
A6	16.780	15.00	0.000	2.000	0.000	120.28	0.000	2.295	301.0	1.000
DUM5	16.780	15.00	0.000	2.000	0.000	120.28	0.000	15.231	309.0	2.000
A14b	16.780	15.00	0.000	2.000	0.000	120.28	0.000	0.5057	300.0	1.000
A14a	16.780	15.00	0.000	2.000	0.000	120.28	0.000	1.153	304.0	1.000
DUM6	16.780	15.00	0.000	2.000	0.000	120.28	0.000	16.809	311.0	2.000
A7b	16.780	15.00	0.000	2.000	0.000	120.28	0.000	1.357	300.0	1.000
DUM7	16.780	15.00	0.000	2.000	0.000	120.28	0.000	17.987	313.0	8.000
A8	16.780	15.00	0.000	2.000	0.000	120.28	0.000	1.857	308.0	1.000
A9	16.780	15.00	0.000	2.000	0.000	120.28	0.000	1.986	301.0	1.000
A7a	16.780	15.00	0.000	2.000	0.000	120.28	0.000	1.351	301.0	1.000
DUM8	16.780	15.00	0.000	2.000	0.000	120.28	0.000	5.170	302.0	6.000
A15	16.780	15.00	0.000	2.000	0.000	120.28	0.000	6.721	301.0	1.000
A16	16.780	15.00	0.000	2.000	0.000	120.28	0.000	7.225	302.0	1000.
Outlet	16.780	15.00	0.000	2.000	0.000	120.28	0.000	22.910	321.0	0.000

Oakdale Site - Proposed
 #####

ROUTING INCREMENT (MINS) = 1.00
 STORM DURATION (MINS) = 25.
 RETURN PERIOD (YRS) = 100.
 BX = 1.0000
 TOTAL OF FIRST SUB-AREAS (ha) = 44.24
 TOTAL OF SECOND SUB-AREAS (ha) = 205.62
 TOTAL OF ALL SUB-AREAS (ha) = 249.86

SUMMARY OF CATCHMENT AND RAINFALL DATA

Link Label	Catch. Area		Slope		% Impervious		Pern		B		Link No.
	#1	#2	#1	#2	#1	#2	#1	#2	#1	#2	
	(ha)		(%)		(%)						
A1	4.370	24.750	1.960	1.960	5.000	100.0	.035	.025	.0408	.0113	1.000
A10	1.770	10.040	6.150	6.150	5.000	100.0	.035	.025	.0144	.0040	2.000
DUM1	.00001	0.000	1.000	0.000	0.000	0.000	.060	0.00	.0001	0.000	1.001
A3	2.910	16.460	1.910	2.150	2.150	100.0	.035	.025	.0377	.0087	3.000
A12a	0.6100	3.480	4.170	4.170	5.000	100.0	.035	.025	.0100	.0028	4.000
DUM2	.00001	0.000	1.000	0.000	0.000	0.000	.060	0.00	.0001	0.000	1.002
A11b	1.420	8.060	3.720	3.720	5.000	100.0	.035	.025	.0165	.0046	5.000
A12b	2.260	3.390	5.000	5.000	5.000	100.0	.035	.025	.0181	.0025	6.000
A13	2.010	3.020	3.640	3.640	5.000	100.0	.035	.025	.0200	.0028	7.000
A11a	2.370	13.460	11.52	11.52	5.000	100.0	.035	.025	.0123	.0034	8.000
DUM9	.00001	0.000	1.000	0.000	0.000	0.000	.060	0.00	.0001	0.000	5.001
DUM3	.00001	0.000	1.000	0.000	0.000	0.000	.060	0.00	.0001	0.000	1.003
A5	1.510	8.540	2.200	2.200	5.000	100.0	.035	.025	.0221	.0061	9.000
DUM4	.00001	0.000	1.000	0.000	0.000	0.000	.060	0.00	.0001	0.000	1.004
A6	2.590	14.670	4.760	4.760	5.000	100.0	.035	.025	.0199	.0055	10.00
DUM5	.00001	0.000	1.000	0.000	0.000	0.000	.060	0.00	.0001	0.000	1.005
A14b	1.440	2.170	4.090	4.090	5.000	100.0	.035	.025	.0159	.0022	11.00
A14a	1.380	7.830	2.420	2.420	5.000	100.0	.035	.025	.0201	.0056	12.00
DUM6	.00001	0.000	1.000	0.000	0.000	0.000	.060	0.00	.0001	0.000	1.006
A7b	1.460	8.300	5.830	5.830	5.000	100.0	.035	.025	.0134	.0037	13.00
DUM7	.00001	0.000	1.000	0.000	0.000	0.000	.060	0.00	.0001	0.000	1.007
A8	2.310	13.090	2.390	2.390	5.000	100.0	.035	.025	.0265	.0073	14.00
A9	2.340	13.250	3.260	3.260	5.000	100.0	.035	.025	.0229	.0063	15.00
A7a	1.500	8.480	4.350	4.350	5.000	100.0	.035	.025	.0157	.0043	16.00
DUM8	.00001	0.000	1.000	0.000	0.000	0.000	.060	0.00	.0001	0.000	14.00
A15	7.680	43.530	7.180	7.180	5.000	100.0	.035	.025	.0286	.0079	17.00
A16	3.770	0.000	2.530	0.000	5.000	0.000	.035	0.00	.0332	0.000	17.00
Outlet	.00001	0.000	1.000	0.000	0.000	0.000	.060	0.00	.0001	0.000	1.008

Link Label	Average Intensity (mm/h)	Init. Loss #1 (mm)	Init. Loss #2 (mm)	Cont. Loss #1 (mm/h)	Cont. Loss #2 (mm/h)	Excess Rain #1 (mm)	Excess Rain #2 (mm)	Peak Inflow (m ³ /s)	Time to Peak	Link Lag mins
A1	106.91	15.00	22.00	2.000	0.000	28.980	22.547	12.095	15.00	2.000
A10	106.91	15.00	22.00	2.000	0.000	28.980	22.547	5.904	14.00	1.000
DUM1	106.91	15.00	0.000	2.000	0.000	28.980	0.000	16.479	17.00	6.000
A3	106.91	15.00	22.00	2.000	0.000	28.980	22.547	8.677	15.00	2.000
A12a	106.91	15.00	22.00	2.000	0.000	28.980	22.547	2.071	14.00	1.000
DUM2	106.91	15.00	0.000	2.000	0.000	28.980	0.000	20.153	23.00	4.000
A11b	106.91	15.00	22.00	2.000	0.000	28.980	22.547	4.564	15.00	1.000
A12b	106.91	15.00	22.00	2.000	0.000	28.980	22.547	2.220	14.00	1.000
A13	106.91	15.00	22.00	2.000	0.000	28.980	22.547	1.947	14.00	1.000
A11a	106.91	15.00	22.00	2.000	0.000	28.980	22.547	8.030	14.00	1.000
DUM9	106.91	15.00	0.000	2.000	0.000	28.980	0.000	16.682	15.00	5.000
DUM3	106.91	15.00	0.000	2.000	0.000	28.980	0.000	26.666	21.00	1.000
A5	106.91	15.00	22.00	2.000	0.000	28.980	22.547	4.727	15.00	1.000
DUM4	106.91	15.00	0.000	2.000	0.000	28.980	0.000	28.323	22.00	1.000
A6	106.91	15.00	22.00	2.000	0.000	28.980	22.547	8.372	15.00	1.000
DUM5	106.91	15.00	0.000	2.000	0.000	28.980	0.000	31.200	23.00	2.000
A14b	106.91	15.00	22.00	2.000	0.000	28.980	22.547	1.435	14.00	1.000
A14a	106.91	15.00	22.00	2.000	0.000	28.980	22.547	4.378	15.00	1.000
DUM6	106.91	15.00	0.000	2.000	0.000	28.980	0.000	33.310	25.00	2.000
A7b	106.91	15.00	22.00	2.000	0.000	28.980	22.547	4.894	14.00	1.000
DUM7	106.91	15.00	0.000	2.000	0.000	28.980	0.000	34.464	27.00	8.000
A8	106.91	15.00	22.00	2.000	0.000	28.980	22.547	7.161	15.00	1.000
A9	106.91	15.00	22.00	2.000	0.000	28.980	22.547	7.481	15.00	1.000
A7a	106.91	15.00	22.00	2.000	0.000	28.980	22.547	4.840	14.00	1.000
DUM8	106.91	15.00	0.000	2.000	0.000	28.980	0.000	19.438	16.00	6.000
A15	106.91	15.00	22.00	2.000	0.000	28.980	22.547	24.752	15.00	1.000
A16	106.91	15.00	0.000	2.000	0.000	28.980	0.000	25.268	16.00	1000.
Outlet	106.91	15.00	0.000	2.000	0.000	28.980	0.000	37.607	34.00	0.000

ROUTING INCREMENT (MINS) = 1.00
STORM DURATION (MINS) = 45.
RETURN PERIOD (YRS) = 100.
BX = 1.0000
TOTAL OF FIRST SUB-AREAS (ha) = 44.24
TOTAL OF SECOND SUB-AREAS (ha) = 205.62
TOTAL OF ALL SUB-AREAS (ha) = 249.86

Link Label	Average Intensity (mm/h)	Init. Loss #1 (mm)	Init. Loss #2 (mm)	Cont. Loss #1 (mm/h)	Cont. Loss #2 (mm/h)	Excess Rain #1 (mm)	Excess Rain #2 (mm)	Peak Inflow (m ³ /s)	Time to Peak	Link Lag mins
A1	77.485	15.00	22.00	2.000	0.000	41.981	36.114	8.969	20.00	2.000
A10	77.485	15.00	22.00	2.000	0.000	41.981	36.114	4.044	17.00	1.000
DUM1	77.485	15.00	0.000	2.000	0.000	41.981	0.000	12.607	21.00	6.000
A3	77.485	15.00	22.00	2.000	0.000	41.981	36.114	5.948	19.00	2.000
A12a	77.485	15.00	22.00	2.000	0.000	41.981	36.114	1.437	17.00	1.000
DUM2	77.485	15.00	0.000	2.000	0.000	41.981	0.000	16.987	27.00	4.000
A11b	77.485	15.00	22.00	2.000	0.000	41.981	36.114	3.137	18.00	1.000
A12b	77.485	15.00	22.00	2.000	0.000	41.981	36.114	1.688	20.00	1.000
A13	77.485	15.00	22.00	2.000	0.000	41.981	36.114	1.406	20.00	1.000
A11a	77.485	15.00	22.00	2.000	0.000	41.981	36.114	5.697	17.00	1.000
DUM9	77.485	15.00	0.000	2.000	0.000	41.981	0.000	11.596	18.00	5.000
DUM3	77.485	15.00	0.000	2.000	0.000	41.981	0.000	24.472	32.00	1.000
A5	77.485	15.00	22.00	2.000	0.000	41.981	36.114	3.168	19.00	1.000
DUM4	77.485	15.00	0.000	2.000	0.000	41.981	0.000	26.379	33.00	1.000
A6	77.485	15.00	22.00	2.000	0.000	41.981	36.114	5.628	18.00	1.000
DUM5	77.485	15.00	0.000	2.000	0.000	41.981	0.000	29.549	33.00	2.000
A14b	77.485	15.00	22.00	2.000	0.000	41.981	36.114	1.047	20.00	1.000
A14a	77.485	15.00	22.00	2.000	0.000	41.981	36.114	2.943	18.00	1.000
DUM6	77.485	15.00	0.000	2.000	0.000	41.981	0.000	31.668	35.00	2.000
A7b	77.485	15.00	22.00	2.000	0.000	41.981	36.114	3.344	17.00	1.000
DUM7	77.485	15.00	0.000	2.000	0.000	41.981	0.000	33.137	37.00	8.000
A8	77.485	15.00	22.00	2.000	0.000	41.981	36.114	4.857	19.00	1.000
A9	77.485	15.00	22.00	2.000	0.000	41.981	36.114	4.998	18.00	1.000
A7a	77.485	15.00	22.00	2.000	0.000	41.981	36.114	3.296	18.00	1.000
DUM8	77.485	15.00	0.000	2.000	0.000	41.981	0.000	12.960	19.00	6.000
A15	77.485	15.00	22.00	2.000	0.000	41.981	36.114	16.723	18.00	1.000
A16	77.485	15.00	0.000	2.000	0.000	41.981	0.000	17.087	19.00	1000.
Outlet	77.485	15.00	0.000	2.000	0.000	41.981	0.000	38.776	45.00	0.000

ROUTING INCREMENT (MINS) = 1.00
STORM DURATION (MINS) = 60.
RETURN PERIOD (YRS) = 100.
BX = 1.0000
TOTAL OF FIRST SUB-AREAS (ha) = 44.24
TOTAL OF SECOND SUB-AREAS (ha) = 205.62
TOTAL OF ALL SUB-AREAS (ha) = 249.86

Link Label	Average Intensity (mm/h)	Init. Loss #1 (mm)	Init. Loss #2 (mm)	Cont. Loss #1 (mm/h)	Cont. Loss #2 (mm/h)	Excess Rain #1 (mm)	Excess Rain #2 (mm)	Peak Inflow (m ³ /s)	Time to Peak	Link Lag mins
A1	65.606	15.00	22.00	2.000	0.000	49.040	43.606	12.280	25.00	2.000
A10	65.606	15.00	22.00	2.000	0.000	49.040	43.606	5.332	24.00	1.000
DUM1	65.606	15.00	0.000	2.000	0.000	49.040	0.000	17.202	26.00	6.000
A3	65.606	15.00	22.00	2.000	0.000	49.040	43.606	8.174	25.00	2.000
A12a	65.606	15.00	22.00	2.000	0.000	49.040	43.606	1.849	25.00	1.000
DUM2	65.606	15.00	0.000	2.000	0.000	49.040	0.000	22.287	32.00	4.000
A11b	65.606	15.00	22.00	2.000	0.000	49.040	43.606	4.185	25.00	1.000
A12b	65.606	15.00	22.00	2.000	0.000	49.040	43.606	2.256	25.00	1.000
A13	65.606	15.00	22.00	2.000	0.000	49.040	43.606	1.939	25.00	1.000
A11a	65.606	15.00	22.00	2.000	0.000	49.040	43.606	7.309	25.00	1.000
DUM9	65.606	15.00	0.000	2.000	0.000	49.040	0.000	15.689	26.00	5.000
DUM3	65.606	15.00	0.000	2.000	0.000	49.040	0.000	30.837	36.00	1.000
A5	65.606	15.00	22.00	2.000	0.000	49.040	43.606	4.340	25.00	1.000
DUM4	65.606	15.00	0.000	2.000	0.000	49.040	0.000	32.770	37.00	1.000
A6	65.606	15.00	22.00	2.000	0.000	49.040	43.606	7.656	25.00	1.000
DUM5	65.606	15.00	0.000	2.000	0.000	49.040	0.000	35.596	38.00	2.000
A14b	65.606	15.00	22.00	2.000	0.000	49.040	43.606	1.425	25.00	1.000
A14a	65.606	15.00	22.00	2.000	0.000	49.040	43.606	3.999	25.00	1.000
DUM6	65.606	15.00	0.000	2.000	0.000	49.040	0.000	37.499	40.00	2.000
A7b	65.606	15.00	22.00	2.000	0.000	49.040	43.606	4.409	25.00	1.000
DUM7	65.606	15.00	0.000	2.000	0.000	49.040	0.000	39.057	37.00	8.000
A8	65.606	15.00	22.00	2.000	0.000	49.040	43.606	6.625	25.00	1.000
A9	65.606	15.00	22.00	2.000	0.000	49.040	43.606	6.834	25.00	1.000
A7a	65.606	15.00	22.00	2.000	0.000	49.040	43.606	4.443	25.00	1.000
DUM8	65.606	15.00	0.000	2.000	0.000	49.040	0.000	17.903	26.00	6.000
A15	65.606	15.00	22.00	2.000	0.000	49.040	43.606	22.683	25.00	1.000
A16	65.606	15.00	0.000	2.000	0.000	49.040	0.000	23.370	26.00	1000.
Outlet	65.606	15.00	0.000	2.000	0.000	49.040	0.000	45.276	45.00	0.000

ROUTING INCREMENT (MINS) = 1.00
STORM DURATION (MINS) = 90.
RETURN PERIOD (YRS) = 100.
BX = 1.0000
TOTAL OF FIRST SUB-AREAS (ha) = 44.24
TOTAL OF SECOND SUB-AREAS (ha) = 205.62
TOTAL OF ALL SUB-AREAS (ha) = 249.86

Link Label	Average Intensity (mm/h)	Init. Loss #1 (mm)	Init. Loss #2 (mm)	Cont. Loss #1 (mm/h)	Cont. Loss #2 (mm/h)	Excess Rain #1 (mm)	Excess Rain #2 (mm)	Peak Inflow (m ³ /s)	Time to Peak	Link Lag mins
A1	51.341	15.00	22.00	2.000	0.000	59.445	55.011	13.181	30.00	2.000
A10	51.341	15.00	22.00	2.000	0.000	59.445	55.011	5.693	28.00	1.000
DUM1	51.341	15.00	0.000	2.000	0.000	59.445	0.000	18.319	31.00	6.000
A3	51.341	15.00	22.00	2.000	0.000	59.445	55.011	8.779	30.00	2.000
A12a	51.341	15.00	22.00	2.000	0.000	59.445	55.011	1.978	28.00	1.000
DUM2	51.341	15.00	0.000	2.000	0.000	59.445	0.000	22.019	37.00	4.000
A11b	51.341	15.00	22.00	2.000	0.000	59.445	55.011	4.512	29.00	1.000
A12b	51.341	15.00	22.00	2.000	0.000	59.445	55.011	2.467	30.00	1.000
A13	51.341	15.00	22.00	2.000	0.000	59.445	55.011	2.136	30.00	1.000
A11a	51.341	15.00	22.00	2.000	0.000	59.445	55.011	7.741	28.00	1.000
DUM9	51.341	15.00	0.000	2.000	0.000	59.445	0.000	16.826	31.00	5.000
DUM3	51.341	15.00	0.000	2.000	0.000	59.445	0.000	36.202	36.00	1.000
A5	51.341	15.00	22.00	2.000	0.000	59.445	55.011	4.671	30.00	1.000
DUM4	51.341	15.00	0.000	2.000	0.000	59.445	0.000	37.770	37.00	1.000
A6	51.341	15.00	22.00	2.000	0.000	59.445	55.011	8.193	30.00	1.000
DUM5	51.341	15.00	0.000	2.000	0.000	59.445	0.000	40.452	38.00	2.000
A14b	51.341	15.00	22.00	2.000	0.000	59.445	55.011	1.582	30.00	1.000
A14a	51.341	15.00	22.00	2.000	0.000	59.445	55.011	4.298	30.00	1.000
DUM6	51.341	15.00	0.000	2.000	0.000	59.445	0.000	42.471	40.00	2.000
A7b	51.341	15.00	22.00	2.000	0.000	59.445	55.011	4.702	28.00	1.000
DUM7	51.341	15.00	0.000	2.000	0.000	59.445	0.000	43.821	42.00	8.000
A8	51.341	15.00	22.00	2.000	0.000	59.445	55.011	7.150	30.00	1.000
A9	51.341	15.00	22.00	2.000	0.000	59.445	55.011	7.319	30.00	1.000
A7a	51.341	15.00	22.00	2.000	0.000	59.445	55.011	4.773	29.00	1.000
DUM8	51.341	15.00	0.000	2.000	0.000	59.445	0.000	19.217	31.00	6.000
A15	51.341	15.00	22.00	2.000	0.000	59.445	55.011	24.288	29.00	1.000
A16	51.341	15.00	0.000	2.000	0.000	59.445	0.000	25.132	30.00	1000.
Outlet	51.341	15.00	0.000	2.000	0.000	59.445	0.000	49.091	50.00	0.000

ROUTING INCREMENT (MINS) = 1.00
STORM DURATION (MINS) = 120.
RETURN PERIOD (YRS) = 100.
BX = 1.0000
TOTAL OF FIRST SUB-AREAS (ha) = 44.24
TOTAL OF SECOND SUB-AREAS (ha) = 205.62
TOTAL OF ALL SUB-AREAS (ha) = 249.86

Link Label	Average Intensity (mm/h)	Init. Loss #1 (mm)	Init. Loss #2 (mm)	Cont. Loss #1 (mm/h)	Cont. Loss #2 (mm/h)	Excess Rain #1 (mm)	Excess Rain #2 (mm)	Peak Inflow (m ³ /s)	Time to Peak	Link Lag mins
A1	42.988	15.00	22.00	2.000	0.000	67.644	63.977	12.359	35.00	2.000
A10	42.988	15.00	22.00	2.000	0.000	67.644	63.977	5.405	33.00	1.000
DUM1	42.988	15.00	0.000	2.000	0.000	67.644	0.000	17.273	37.00	6.000
A3	42.988	15.00	22.00	2.000	0.000	67.644	63.977	8.274	35.00	2.000
A12a	42.988	15.00	22.00	2.000	0.000	67.644	63.977	1.884	33.00	1.000
DUM2	42.988	15.00	0.000	2.000	0.000	67.644	0.000	24.304	42.00	4.000
A11b	42.988	15.00	22.00	2.000	0.000	67.644	63.977	4.218	34.00	1.000
A12b	42.988	15.00	22.00	2.000	0.000	67.644	63.977	2.236	35.00	1.000
A13	42.988	15.00	22.00	2.000	0.000	67.644	63.977	1.918	35.00	1.000
A11a	42.988	15.00	22.00	2.000	0.000	67.644	63.977	7.316	33.00	1.000
DUM9	42.988	15.00	0.000	2.000	0.000	67.644	0.000	15.620	36.00	5.000
DUM3	42.988	15.00	0.000	2.000	0.000	67.644	0.000	36.673	46.00	1.000
A5	42.988	15.00	22.00	2.000	0.000	67.644	63.977	4.396	35.00	1.000
DUM4	42.988	15.00	0.000	2.000	0.000	67.644	0.000	38.257	47.00	1.000
A6	42.988	15.00	22.00	2.000	0.000	67.644	63.977	7.750	34.00	1.000
DUM5	42.988	15.00	0.000	2.000	0.000	67.644	0.000	40.508	48.00	2.000
A14b	42.988	15.00	22.00	2.000	0.000	67.644	63.977	1.411	35.00	1.000
A14a	42.988	15.00	22.00	2.000	0.000	67.644	63.977	4.048	35.00	1.000
DUM6	42.988	15.00	0.000	2.000	0.000	67.644	0.000	42.050	50.00	2.000
A7b	42.988	15.00	22.00	2.000	0.000	67.644	63.977	4.464	33.00	1.000
DUM7	42.988	15.00	0.000	2.000	0.000	67.644	0.000	43.056	52.00	8.000
A8	42.988	15.00	22.00	2.000	0.000	67.644	63.977	6.718	35.00	1.000
A9	42.988	15.00	22.00	2.000	0.000	67.644	63.977	6.901	34.00	1.000
A7a	42.988	15.00	22.00	2.000	0.000	67.644	63.977	4.451	34.00	1.000
DUM8	42.988	15.00	0.000	2.000	0.000	67.644	0.000	18.033	36.00	6.000
A15	42.988	15.00	22.00	2.000	0.000	67.644	63.977	22.866	34.00	1.000
A16	42.988	15.00	0.000	2.000	0.000	67.644	0.000	23.480	35.00	1000.
Outlet	42.988	15.00	0.000	2.000	0.000	67.644	0.000	47.383	60.00	0.000

ROUTING INCREMENT (MINS) = 1.00
STORM DURATION (MINS) = 180.
RETURN PERIOD (YRS) = 100.
BX = 1.0000
TOTAL OF FIRST SUB-AREAS (ha) = 44.24
TOTAL OF SECOND SUB-AREAS (ha) = 205.62
TOTAL OF ALL SUB-AREAS (ha) = 249.86

Link Label	Average Intensity (mm/h)	Init. Loss #1 (mm)	Init. Loss #2 (mm)	Cont. Loss #1 (mm/h)	Cont. Loss #2 (mm/h)	Excess Rain #1 (mm)	Excess Rain #2 (mm)	Peak Inflow (m ³ /s)	Time to Peak	Link Lag mins
A1	33.376	15.00	22.00	2.000	0.000	79.895	78.128	7.181	45.00	2.000
A10	33.376	15.00	22.00	2.000	0.000	79.895	78.128	3.061	45.00	1.000
DUM1	33.376	15.00	0.000	2.000	0.000	79.895	0.000	10.197	46.00	6.000
A3	33.376	15.00	22.00	2.000	0.000	79.895	78.128	4.756	45.00	2.000
A12a	33.376	15.00	22.00	2.000	0.000	79.895	78.128	1.060	45.00	1.000
DUM2	33.376	15.00	0.000	2.000	0.000	79.895	0.000	15.625	46.00	4.000
A11b	33.376	15.00	22.00	2.000	0.000	79.895	78.128	2.447	45.00	1.000
A12b	33.376	15.00	22.00	2.000	0.000	79.895	78.128	1.446	45.00	1.000
A13	33.376	15.00	22.00	2.000	0.000	79.895	78.128	1.278	45.00	1.000
A11a	33.376	15.00	22.00	2.000	0.000	79.895	78.128	4.106	44.00	1.000
DUM9	33.376	15.00	0.000	2.000	0.000	79.895	0.000	9.277	46.00	5.000
DUM3	33.376	15.00	0.000	2.000	0.000	79.895	0.000	24.884	50.00	1.000
A5	33.376	15.00	22.00	2.000	0.000	79.895	78.128	2.551	45.00	1.000
DUM4	33.376	15.00	0.000	2.000	0.000	79.895	0.000	26.044	49.00	1.000
A6	33.376	15.00	22.00	2.000	0.000	79.895	78.128	4.457	45.00	1.000
DUM5	33.376	15.00	0.000	2.000	0.000	79.895	0.000	28.090	48.00	2.000
A14b	33.376	15.00	22.00	2.000	0.000	79.895	78.128	0.9218	45.00	1.000
A14a	33.376	15.00	22.00	2.000	0.000	79.895	78.128	2.351	45.00	1.000
DUM6	33.376	15.00	0.000	2.000	0.000	79.895	0.000	29.667	50.00	2.000
A7b	33.376	15.00	22.00	2.000	0.000	79.895	78.128	2.529	45.00	1.000
DUM7	33.376	15.00	0.000	2.000	0.000	79.895	0.000	30.717	52.00	8.000
A8	33.376	15.00	22.00	2.000	0.000	79.895	78.128	3.913	45.00	1.000
A9	33.376	15.00	22.00	2.000	0.000	79.895	78.128	4.001	45.00	1.000
A7a	33.376	15.00	22.00	2.000	0.000	79.895	78.128	2.581	45.00	1.000
DUM8	33.376	15.00	0.000	2.000	0.000	79.895	0.000	10.495	46.00	6.000
A15	33.376	15.00	22.00	2.000	0.000	79.895	78.128	13.216	45.00	1.000
A16	33.376	15.00	0.000	2.000	0.000	79.895	0.000	13.985	46.00	1000.
Outlet	33.376	15.00	0.000	2.000	0.000	79.895	0.000	35.088	60.00	0.000

ROUTING INCREMENT (MINS) = 1.00
STORM DURATION (MINS) = 270.
RETURN PERIOD (YRS) = 100.
BX = 1.0000
TOTAL OF FIRST SUB-AREAS (ha) = 44.24
TOTAL OF SECOND SUB-AREAS (ha) = 205.62
TOTAL OF ALL SUB-AREAS (ha) = 249.86

Link Label	Average Intensity (mm/h)	Init. Loss #1 (mm)	Init. Loss #2 (mm)	Cont. Loss #1 (mm/h)	Cont. Loss #2 (mm/h)	Excess Rain #1 (mm)	Excess Rain #2 (mm)	Peak Inflow (m ³ /s)	Time to Peak	Link Lag mins
A1	25.882	15.00	22.00	2.000	0.000	93.769	94.471	6.425	75.00	2.000
A10	25.882	15.00	22.00	2.000	0.000	93.769	94.471	2.702	75.00	1.000
DUM1	25.882	15.00	0.000	2.000	0.000	93.769	0.000	9.099	76.00	6.000
A3	25.882	15.00	22.00	2.000	0.000	93.769	94.471	4.261	75.00	2.000
A12a	25.882	15.00	22.00	2.000	0.000	93.769	94.471	0.9370	75.00	1.000
DUM2	25.882	15.00	0.000	2.000	0.000	93.769	0.000	14.038	76.00	4.000
A11b	25.882	15.00	22.00	2.000	0.000	93.769	94.471	2.157	75.00	1.000
A12b	25.882	15.00	22.00	2.000	0.000	93.769	94.471	1.272	75.00	1.000
A13	25.882	15.00	22.00	2.000	0.000	93.769	94.471	1.115	75.00	1.000
A11a	25.882	15.00	22.00	2.000	0.000	93.769	94.471	3.631	75.00	1.000
DUM9	25.882	15.00	0.000	2.000	0.000	93.769	0.000	8.175	76.00	5.000
DUM3	25.882	15.00	0.000	2.000	0.000	93.769	0.000	22.209	81.00	1.000
A5	25.882	15.00	22.00	2.000	0.000	93.769	94.471	2.258	75.00	1.000
DUM4	25.882	15.00	0.000	2.000	0.000	93.769	0.000	23.923	82.00	1.000
A6	25.882	15.00	22.00	2.000	0.000	93.769	94.471	3.934	75.00	1.000
DUM5	25.882	15.00	0.000	2.000	0.000	93.769	0.000	26.853	83.00	2.000
A14b	25.882	15.00	22.00	2.000	0.000	93.769	94.471	0.8075	75.00	1.000
A14a	25.882	15.00	22.00	2.000	0.000	93.769	94.471	2.076	75.00	1.000
DUM6	25.882	15.00	0.000	2.000	0.000	93.769	0.000	29.050	84.00	2.000
A7b	25.882	15.00	22.00	2.000	0.000	93.769	94.471	2.234	75.00	1.000
DUM7	25.882	15.00	0.000	2.000	0.000	93.769	0.000	30.688	86.00	8.000
A8	25.882	15.00	22.00	2.000	0.000	93.769	94.471	3.456	75.00	1.000
A9	25.882	15.00	22.00	2.000	0.000	93.769	94.471	3.531	75.00	1.000
A7a	25.882	15.00	22.00	2.000	0.000	93.769	94.471	2.276	75.00	1.000
DUM8	25.882	15.00	0.000	2.000	0.000	93.769	0.000	9.263	76.00	6.000
A15	25.882	15.00	22.00	2.000	0.000	93.769	94.471	11.648	75.00	1.000
A16	25.882	15.00	0.000	2.000	0.000	93.769	0.000	12.352	76.00	1000.
Outlet	25.882	15.00	0.000	2.000	0.000	93.769	0.000	37.585	94.00	0.000

ROUTING INCREMENT (MINS) = 1.00
STORM DURATION (MINS) = 360.
RETURN PERIOD (YRS) = 100.
BX = 1.0000
TOTAL OF FIRST SUB-AREAS (ha) = 44.24
TOTAL OF SECOND SUB-AREAS (ha) = 205.62
TOTAL OF ALL SUB-AREAS (ha) = 249.86

Link Label	Average Intensity (mm/h)	Init. Loss #1 (mm)	Init. Loss #2 (mm)	Cont. Loss #1 (mm/h)	Cont. Loss #2 (mm/h)	Excess Rain #1 (mm)	Excess Rain #2 (mm)	Peak Inflow (m ³ /s)	Time to Peak	Link Lag mins
A1	21.614	15.00	22.00	2.000	0.000	104.62	107.69	4.835	120.0	2.000
A10	21.614	15.00	22.00	2.000	0.000	104.62	107.69	1.972	120.0	1.000
DUM1	21.614	15.00	0.000	2.000	0.000	104.62	0.000	6.803	121.0	6.000
A3	21.614	15.00	22.00	2.000	0.000	104.62	107.69	3.214	120.0	2.000
A12a	21.614	15.00	22.00	2.000	0.000	104.62	107.69	0.6830	120.0	1.000
DUM2	21.614	15.00	0.000	2.000	0.000	104.62	0.000	10.653	121.0	4.000
A11b	21.614	15.00	22.00	2.000	0.000	104.62	107.69	1.583	120.0	1.000
A12b	21.614	15.00	22.00	2.000	0.000	104.62	107.69	0.9355	120.0	1.000
A13	21.614	15.00	22.00	2.000	0.000	104.62	107.69	0.8325	120.0	1.000
A11a	21.614	15.00	22.00	2.000	0.000	104.62	107.69	2.643	114.0	1.000
DUM9	21.614	15.00	0.000	2.000	0.000	104.62	0.000	5.994	121.0	5.000
DUM3	21.614	15.00	0.000	2.000	0.000	104.62	0.000	16.647	125.0	1.000
A5	21.614	15.00	22.00	2.000	0.000	104.62	107.69	1.676	120.0	1.000
DUM4	21.614	15.00	0.000	2.000	0.000	104.62	0.000	18.231	121.0	1.000
A6	21.614	15.00	22.00	2.000	0.000	104.62	107.69	2.882	120.0	1.000
DUM5	21.614	15.00	0.000	2.000	0.000	104.62	0.000	21.089	121.0	2.000
A14b	21.614	15.00	22.00	2.000	0.000	104.62	107.69	0.5977	120.0	1.000
A14a	21.614	15.00	22.00	2.000	0.000	104.62	107.69	1.537	120.0	1.000
DUM6	21.614	15.00	0.000	2.000	0.000	104.62	0.000	23.165	121.0	2.000
A7b	21.614	15.00	22.00	2.000	0.000	104.62	107.69	1.630	120.0	1.000
DUM7	21.614	15.00	0.000	2.000	0.000	104.62	0.000	24.724	121.0	8.000
A8	21.614	15.00	22.00	2.000	0.000	104.62	107.69	2.567	120.0	1.000
A9	21.614	15.00	22.00	2.000	0.000	104.62	107.69	2.602	120.0	1.000
A7a	21.614	15.00	22.00	2.000	0.000	104.62	107.69	1.666	120.0	1.000
DUM8	21.614	15.00	0.000	2.000	0.000	104.62	0.000	6.836	121.0	6.000
A15	21.614	15.00	22.00	2.000	0.000	104.62	107.69	8.551	120.0	1.000
A16	21.614	15.00	0.000	2.000	0.000	104.62	0.000	9.153	120.0	1000.
Outlet	21.614	15.00	0.000	2.000	0.000	104.62	0.000	31.462	127.0	0.000

ROUTING INCREMENT (MINS) = 1.00
STORM DURATION (MINS) = 540.
RETURN PERIOD (YRS) = 100.
BX = 1.0000
TOTAL OF FIRST SUB-AREAS (ha) = 44.24
TOTAL OF SECOND SUB-AREAS (ha) = 205.62
TOTAL OF ALL SUB-AREAS (ha) = 249.86

Link Label	Average Intensity (mm/h)	Init. Loss #1 (mm)	Init. Loss #2 (mm)	Cont. Loss #1 (mm/h)	Cont. Loss #2 (mm/h)	Excess Rain #1 (mm)	Excess Rain #2 (mm)	Peak Inflow (m ³ /s)	Time to Peak	Link Lag mins
A1	16.780	15.00	22.00	2.000	0.000	120.28	129.02	4.243	300.0	2.000
A10	16.780	15.00	22.00	2.000	0.000	120.28	129.02	1.734	300.0	1.000
DUM1	16.780	15.00	0.000	2.000	0.000	120.28	0.000	5.971	301.0	6.000
A3	16.780	15.00	22.00	2.000	0.000	120.28	129.02	2.815	300.0	2.000
A12a	16.780	15.00	22.00	2.000	0.000	120.28	129.02	0.6004	300.0	1.000
DUM2	16.780	15.00	0.000	2.000	0.000	120.28	0.000	9.341	301.0	4.000
A11b	16.780	15.00	22.00	2.000	0.000	120.28	129.02	1.391	300.0	1.000
A12b	16.780	15.00	22.00	2.000	0.000	120.28	129.02	0.8213	300.0	1.000
A13	16.780	15.00	22.00	2.000	0.000	120.28	129.02	0.7304	300.0	1.000
A11a	16.780	15.00	22.00	2.000	0.000	120.28	129.02	2.324	298.0	1.000
DUM9	16.780	15.00	0.000	2.000	0.000	120.28	0.000	5.267	301.0	5.000
DUM3	16.780	15.00	0.000	2.000	0.000	120.28	0.000	14.607	305.0	1.000
A5	16.780	15.00	22.00	2.000	0.000	120.28	129.02	1.472	300.0	1.000
DUM4	16.780	15.00	0.000	2.000	0.000	120.28	0.000	15.989	301.0	1.000
A6	16.780	15.00	22.00	2.000	0.000	120.28	129.02	2.533	300.0	1.000
DUM5	16.780	15.00	0.000	2.000	0.000	120.28	0.000	18.494	301.0	2.000
A14b	16.780	15.00	22.00	2.000	0.000	120.28	129.02	0.5247	300.0	1.000
A14a	16.780	15.00	22.00	2.000	0.000	120.28	129.02	1.350	300.0	1.000
DUM6	16.780	15.00	0.000	2.000	0.000	120.28	0.000	20.308	301.0	2.000
A7b	16.780	15.00	22.00	2.000	0.000	120.28	129.02	1.433	300.0	1.000
DUM7	16.780	15.00	0.000	2.000	0.000	120.28	0.000	21.667	301.0	8.000
A8	16.780	15.00	22.00	2.000	0.000	120.28	129.02	2.255	300.0	1.000
A9	16.780	15.00	22.00	2.000	0.000	120.28	129.02	2.287	300.0	1.000
A7a	16.780	15.00	22.00	2.000	0.000	120.28	129.02	1.465	300.0	1.000
DUM8	16.780	15.00	0.000	2.000	0.000	120.28	0.000	6.006	301.0	6.000
A15	16.780	15.00	22.00	2.000	0.000	120.28	129.02	7.516	300.0	1.000
A16	16.780	15.00	0.000	2.000	0.000	120.28	0.000	8.040	300.0	1000.
Outlet	16.780	15.00	0.000	2.000	0.000	120.28	0.000	27.585	307.0	0.000

Oakdale Site - Proposed OSD
 #####

ROUTING INCREMENT (MINS) = 1.00
 STORM DURATION (MINS) = 25.
 RETURN PERIOD (YRS) = 100.
 BX = 1.0000
 TOTAL OF FIRST SUB-AREAS (ha) = 44.24
 TOTAL OF SECOND SUB-AREAS (ha) = 205.62
 TOTAL OF ALL SUB-AREAS (ha) = 249.86

SUMMARY OF BASIN RESULTS

Link Label	Time to Peak	Peak Inflow (m ³ /s)	Time to Peak	Peak Outflow (m ³ /s)	Total Inflow (m ³)	----- Basin ----- Vol. Avail	Vol. Used	Stage Used
A1	15.00	12.09	28.00	2.393	6828.4	0.0000	4274.1	0.5871
A10	14.00	5.903	27.00	1.069	2767.2	0.0000	1910.7	0.6470
A3	15.00	8.676	27.00	1.587	4545.2	0.0000	2834.2	0.5852
A12a	14.00	2.070	26.00	.3724	961.60	0.0000	664.78	0.6498
A11b	15.00	4.564	27.00	.8471	2229.1	0.0000	1512.9	0.6383
A12b	14.00	2.219	27.00	.5026	1410.0	0.0000	897.83	0.6354
A13	14.00	1.946	28.00	.4375	1266.4	0.0000	781.87	0.6215
A11a	14.00	8.030	26.00	1.462	3719.1	0.0000	2611.6	0.6598
A5	15.00	4.727	27.00	.8663	2366.3	0.0000	1547.2	0.6157
A6	15.00	8.371	27.00	1.536	4047.3	0.0000	2744.7	0.6361
A14b	14.00	1.435	27.00	.3249	909.73	0.0000	580.96	0.6434
A14a	15.00	4.377	27.00	.8022	2168.4	0.0000	1433.3	0.6224
A7b	14.00	4.894	26.00	.8870	2290.8	0.0000	1584.3	0.6493
A8	15.00	7.161	27.00	1.315	3621.0	0.0000	2349.4	0.6102
A9	15.00	7.481	27.00	1.362	3661.5	0.0000	2432.2	0.6240
A7a	14.00	4.840	27.00	.8974	2346.3	0.0000	1602.7	0.6424
A16	16.00	25.27	28.00	4.799	13115.7	0.0000	8572.0	0.6236

ROUTING INCREMENT (MINS) = 1.00
STORM DURATION (MINS) = 45.
RETURN PERIOD (YRS) = 100.
BX = 1.0000
TOTAL OF FIRST SUB-AREAS (ha) = 44.24
TOTAL OF SECOND SUB-AREAS (ha) = 205.62
TOTAL OF ALL SUB-AREAS (ha) = 249.86

SUMMARY OF BASIN RESULTS

Link Label	Time to Peak	Peak Inflow (m ³ /s)	Time to Peak	Peak Outflow (m ³ /s)	Total Inflow (m ³)	----- Vol. Avail	Basin Vol. Used	----- Stage Used
A1	20.00	8.969	43.00	3.202	10756.4	0.0000	5717.5	0.7854
A10	17.00	4.044	41.00	1.359	4364.6	0.0000	2428.8	0.8225
A3	19.00	5.948	42.00	2.120	7149.0	0.0000	3787.4	0.7820
A12a	17.00	1.437	41.00	.4700	1512.3	0.0000	839.12	0.8203
A11b	18.00	3.136	41.00	1.083	3500.0	0.0000	1934.4	0.8162
A12b	20.00	1.687	42.00	.6503	2172.0	0.0000	1161.7	0.8222
A13	20.00	1.406	42.00	.5739	1938.4	0.0000	1025.6	0.8153
A11a	17.00	5.696	41.00	1.832	5850.4	0.0000	3272.3	0.8268
A5	19.00	3.167	42.00	1.130	3710.0	0.0000	2019.3	0.8035
A6	18.00	5.627	41.00	1.968	6373.0	0.0000	3515.5	0.8147
A14b	20.00	1.047	42.00	.4166	1386.8	0.0000	745.02	0.8250
A14a	18.00	2.943	42.00	1.040	3399.7	0.0000	1859.1	0.8073
A7b	17.00	3.344	41.00	1.125	3609.7	0.0000	2010.1	0.8238
A8	19.00	4.857	42.00	1.723	5678.3	0.0000	3077.3	0.7993
A9	18.00	4.998	42.00	1.765	5765.0	0.0000	3152.8	0.8088
A7a	18.00	3.296	41.00	1.144	3690.4	0.0000	2044.3	0.8194
A16	19.00	17.09	43.00	6.223	20475.3	0.0000	11114.5	0.8086

ROUTING INCREMENT (MINS) = 1.00
STORM DURATION (MINS) = 60.
RETURN PERIOD (YRS) = 100.
BX = 1.0000
TOTAL OF FIRST SUB-AREAS (ha) = 44.24
TOTAL OF SECOND SUB-AREAS (ha) = 205.62
TOTAL OF ALL SUB-AREAS (ha) = 249.86

SUMMARY OF BASIN RESULTS

Link Label	Time to Peak	Peak Inflow (m ³ /s)	Time to Peak	Peak Outflow (m ³ /s)	Total Inflow (m ³)	----- Vol. Avail	Basin Vol. Used	----- Stage Used
A1	25.00	12.28	46.00	3.459	12911.1	0.0000	6177.7	0.8486
A10	24.00	5.332	42.00	1.467	5245.2	0.0000	2622.1	0.8880
A3	25.00	8.174	46.00	2.294	8592.5	0.0000	4096.7	0.8459
A12a	25.00	1.849	42.00	.5077	1816.0	0.0000	906.40	0.8860
A11b	25.00	4.185	43.00	1.169	4208.1	0.0000	2089.2	0.8815
A12b	25.00	2.256	45.00	.7040	2589.0	0.0000	1257.5	0.8900
A13	25.00	1.938	46.00	.6205	2304.6	0.0000	1108.7	0.8813
A11a	25.00	7.308	41.00	1.977	7025.7	0.0000	3532.0	0.8924
A5	25.00	4.339	45.00	1.223	4465.0	0.0000	2184.5	0.8693
A6	25.00	7.656	43.00	2.127	7663.8	0.0000	3799.2	0.8805
A14b	25.00	1.424	45.00	.4515	1655.0	0.0000	807.35	0.8941
A14a	25.00	3.999	44.00	1.125	4091.9	0.0000	2010.7	0.8731
A7b	25.00	4.409	42.00	1.213	4332.7	0.0000	2168.2	0.8886
A8	25.00	6.625	45.00	1.863	6832.9	0.0000	3326.8	0.8641
A9	25.00	6.834	44.00	1.904	6919.4	0.0000	3400.7	0.8724
A7a	25.00	4.443	43.00	1.235	4432.4	0.0000	2205.9	0.8841
A16	26.00	23.37	46.00	6.732	24590.5	0.0000	12022.9	0.8746

ROUTING INCREMENT (MINS) = 1.00
STORM DURATION (MINS) = 90.
RETURN PERIOD (YRS) = 100.
BX = 1.0000
TOTAL OF FIRST SUB-AREAS (ha) = 44.24
TOTAL OF SECOND SUB-AREAS (ha) = 205.62
TOTAL OF ALL SUB-AREAS (ha) = 249.86

SUMMARY OF BASIN RESULTS

Link Label	Time to Peak	Peak Inflow (m ³ /s)	Time to Peak	Peak Outflow (m ³ /s)	Total Inflow (m ³)	----- Vol. Avail	Basin Vol. Used	----- Stage Used
A1	30.00	13.18	47.00	3.452	16202.0	0.0000	6165.3	0.8469
A10	28.00	5.692	43.00	1.467	6571.3	0.0000	2621.1	0.8876
A3	30.00	8.778	47.00	2.283	10762.8	0.0000	4077.6	0.8420
A12a	28.00	1.978	42.00	.5081	2276.6	0.0000	907.11	0.8867
A11b	29.00	4.511	44.00	1.168	5271.9	0.0000	2086.6	0.8804
A12b	30.00	2.467	45.00	.7034	3207.7	0.0000	1256.5	0.8892
A13	30.00	2.135	46.00	.6193	2855.6	0.0000	1106.6	0.8796
A11a	28.00	7.741	42.00	1.980	8809.9	0.0000	3537.1	0.8937
A5	30.00	4.671	46.00	1.220	5594.5	0.0000	2180.0	0.8675
A6	30.00	8.192	43.00	2.127	9609.2	0.0000	3799.9	0.8806
A14b	30.00	1.581	46.00	.4510	2050.5	0.0000	806.38	0.8930
A14a	30.00	4.297	45.00	1.123	5126.5	0.0000	2007.1	0.8715
A7b	28.00	4.701	42.00	1.214	5433.2	0.0000	2169.5	0.8891
A8	30.00	7.150	46.00	1.858	8561.2	0.0000	3319.2	0.8621
A9	30.00	7.319	45.00	1.902	8670.9	0.0000	3396.9	0.8715
A7a	29.00	4.772	43.00	1.234	5553.2	0.0000	2204.3	0.8835
A16	30.00	25.13	46.00	6.725	30737.7	0.0000	12010.8	0.8738

ROUTING INCREMENT (MINS) = 1.00
STORM DURATION (MINS) = 120.
RETURN PERIOD (YRS) = 100.
BX = 1.0000
TOTAL OF FIRST SUB-AREAS (ha) = 44.24
TOTAL OF SECOND SUB-AREAS (ha) = 205.62
TOTAL OF ALL SUB-AREAS (ha) = 249.86

SUMMARY OF BASIN RESULTS

Link Label	Time to Peak	Peak Inflow (m ³ /s)	Time to Peak	Peak Outflow (m ³ /s)	Total Inflow (m ³)	----- Vol. Avail	Basin ----- Vol. Used	----- Stage Used
A1	35.00	12.36	49.00	3.563	18780.7	0.0000	6362.1	0.8739
A10	33.00	5.405	47.00	1.545	7619.8	0.0000	2760.8	0.9349
A3	35.00	8.273	49.00	2.362	12494.1	0.0000	4218.6	0.8711
A12a	33.00	1.883	47.00	.5365	2638.1	0.0000	957.77	0.9362
A11b	34.00	4.218	47.00	1.225	6116.8	0.0000	2188.2	0.9233
A12b	35.00	2.235	49.00	.7277	3698.2	0.0000	1300.0	0.9200
A13	35.00	1.918	51.00	.6360	3292.9	0.0000	1136.4	0.9033
A11a	33.00	7.315	46.00	2.093	10205.9	0.0000	3738.3	0.9445
A5	35.00	4.395	48.00	1.268	6485.7	0.0000	2265.7	0.9016
A6	34.00	7.749	47.00	2.232	11133.1	0.0000	3986.5	0.9239
A14b	35.00	1.410	50.00	.4652	2363.7	0.0000	831.75	0.9211
A14a	35.00	4.048	48.00	1.169	5943.6	0.0000	2090.0	0.9075
A7b	33.00	4.464	47.00	1.277	6295.4	0.0000	2282.3	0.9354
A8	35.00	6.718	48.00	1.937	9936.9	0.0000	3459.0	0.8984
A9	34.00	6.900	48.00	1.989	10058.8	0.0000	3552.8	0.9115
A7a	34.00	4.451	47.00	1.295	6438.1	0.0000	2313.4	0.9272
A16	35.00	23.48	49.00	6.983	35578.7	0.0000	12472.2	0.9073

ROUTING INCREMENT (MINS) = 1.00
STORM DURATION (MINS) = 180.
RETURN PERIOD (YRS) = 100.
BX = 1.0000
TOTAL OF FIRST SUB-AREAS (ha) = 44.24
TOTAL OF SECOND SUB-AREAS (ha) = 205.62
TOTAL OF ALL SUB-AREAS (ha) = 249.86

SUMMARY OF BASIN RESULTS

Link Label	Time to Peak	Peak Inflow (m ³ /s)	Time to Peak	Peak Outflow (m ³ /s)	Total Inflow (m ³)	----- Vol. Avail	Basin Vol. Used	----- Stage Used
A1	45.00	7.181	78.00	3.214	22811.7	0.0000	5739.5	0.7884
A10	45.00	3.061	76.00	1.324	9254.6	0.0000	2366.9	0.8015
A3	45.00	4.755	77.00	2.139	15175.6	0.0000	3819.9	0.7888
A12a	45.00	1.060	76.00	.4582	3205.0	0.0000	818.06	0.7997
A11b	45.00	2.447	77.00	1.061	7430.1	0.0000	1895.2	0.7997
A12b	45.00	1.446	77.00	.6305	4453.7	0.0000	1126.3	0.7971
A13	45.00	1.278	77.00	.5604	3967.4	0.0000	1001.4	0.7960
A11a	44.00	4.106	76.00	1.781	12406.5	0.0000	3181.3	0.8038
A5	45.00	2.550	77.00	1.120	7879.9	0.0000	2001.0	0.7962
A6	45.00	4.457	77.00	1.929	13524.2	0.0000	3446.6	0.7988
A14b	45.00	.9218	77.00	.4035	2845.6	0.0000	721.47	0.7990
A14a	45.00	2.350	77.00	1.027	7220.9	0.0000	1836.2	0.7973
A7b	45.00	2.529	76.00	1.095	7647.1	0.0000	1956.5	0.8019
A8	45.00	3.913	77.00	1.713	12067.3	0.0000	3059.1	0.7946
A9	45.00	4.001	77.00	1.739	12218.5	0.0000	3106.2	0.7969
A7a	45.00	2.580	77.00	1.118	7823.1	0.0000	1997.0	0.8004
A16	46.00	13.98	78.00	6.129	43144.2	0.0000	10946.3	0.7963

ROUTING INCREMENT (MINS) = 1.00
STORM DURATION (MINS) = 270.
RETURN PERIOD (YRS) = 100.
BX = 1.0000
TOTAL OF FIRST SUB-AREAS (ha) = 44.24
TOTAL OF SECOND SUB-AREAS (ha) = 205.62
TOTAL OF ALL SUB-AREAS (ha) = 249.86

SUMMARY OF BASIN RESULTS

Link Label	Time to Peak	Peak Inflow (m ³ /s)	Time to Peak	Peak Outflow (m ³ /s)	Total Inflow (m ³)	----- Vol. Avail	Basin Vol. Used	----- Stage Used
A1	75.00	6.424	92.00	3.656	27476.4	0.0000	6528.5	0.8968
A10	75.00	2.702	91.00	1.533	11140.1	0.0000	2739.7	0.9278
A3	75.00	4.261	92.00	2.430	18274.7	0.0000	4340.9	0.8963
A12a	75.00	.9370	91.00	.5313	3859.0	0.0000	948.62	0.9273
A11b	75.00	2.156	91.00	1.224	8943.4	0.0000	2187.6	0.9230
A12b	75.00	1.272	91.00	.7226	5320.3	0.0000	1290.8	0.9135
A13	75.00	1.114	92.00	.6388	4738.8	0.0000	1141.5	0.9074
A11a	75.00	3.631	91.00	2.065	14935.6	0.0000	3689.7	0.9322
A5	75.00	2.257	92.00	1.285	9483.5	0.0000	2295.5	0.9135
A6	75.00	3.933	91.00	2.227	16281.6	0.0000	3978.7	0.9221
A14b	75.00	.8075	92.00	.4627	3400.3	0.0000	827.35	0.9162
A14a	75.00	2.076	92.00	1.181	8690.3	0.0000	2110.5	0.9164
A7b	75.00	2.233	91.00	1.268	9207.6	0.0000	2266.0	0.9287
A8	75.00	3.455	92.00	1.962	14529.8	0.0000	3503.7	0.9100
A9	75.00	3.531	92.00	2.000	14709.2	0.0000	3571.4	0.9162
A7a	75.00	2.275	91.00	1.292	9416.0	0.0000	2307.7	0.9249
A16	76.00	12.35	93.00	7.038	51846.6	0.0000	12569.1	0.9144

ROUTING INCREMENT (MINS) = 1.00
STORM DURATION (MINS) = 360.
RETURN PERIOD (YRS) = 100.
BX = 1.0000
TOTAL OF FIRST SUB-AREAS (ha) = 44.24
TOTAL OF SECOND SUB-AREAS (ha) = 205.62
TOTAL OF ALL SUB-AREAS (ha) = 249.86

SUMMARY OF BASIN RESULTS

Link Label	Time to Peak	Peak Inflow (m ³ /s)	Time to Peak	Peak Outflow (m ³ /s)	Total Inflow (m ³)	----- Basin ----- Vol. Avail	Vol. Used	Stage Used
A1	120.0	4.835	129.0	3.332	31220.5	0.0000	5950.9	0.8174
A10	120.0	1.972	123.0	1.383	12661.2	0.0000	2472.2	0.8372
A3	120.0	3.213	130.0	2.208	20768.0	0.0000	3943.6	0.8143
A12a	120.0	.6830	123.0	.4790	4384.2	0.0000	855.17	0.8359
A11b	120.0	1.582	124.0	1.106	10163.1	0.0000	1975.7	0.8336
A12b	120.0	.9355	130.0	.6533	6014.7	0.0000	1166.9	0.8259
A13	120.0	.8325	132.0	.5791	5354.5	0.0000	1034.9	0.8226
A11a	114.0	2.643	123.0	1.861	16968.6	0.0000	3325.5	0.8402
A5	120.0	1.676	126.0	1.162	10773.4	0.0000	2076.9	0.8265
A6	120.0	2.882	124.0	2.011	18504.3	0.0000	3593.2	0.8327
A14b	120.0	.5977	130.0	.4182	3843.2	0.0000	747.79	0.8281
A14a	120.0	1.536	125.0	1.068	9872.9	0.0000	1908.1	0.8285
A7b	120.0	1.629	123.0	1.144	10462.7	0.0000	2044.1	0.8377
A8	120.0	2.452	126.0	1.697	15769.4	0.0000	3031.6	0.8249
A9	120.0	2.360	125.0	1.641	15159.3	0.0000	2931.1	0.8292
A7a	120.0	1.666	124.0	1.166	10699.2	0.0000	2083.1	0.8349
A16	120.0	9.153	128.0	6.357	58836.5	0.0000	11353.0	0.8259

ROUTING INCREMENT (MINS) = 1.00
STORM DURATION (MINS) = 540.
RETURN PERIOD (YRS) = 100.
BX = 1.0000
TOTAL OF FIRST SUB-AREAS (ha) = 44.24
TOTAL OF SECOND SUB-AREAS (ha) = 205.62
TOTAL OF ALL SUB-AREAS (ha) = 249.86

SUMMARY OF BASIN RESULTS

Link Label	Time to Peak	Peak Inflow (m ³ /s)	Time to Peak	Peak Outflow (m ³ /s)	Total Inflow (m ³)	----- Vol. Avail	Basin Vol. Used	----- Stage Used
A1	120.0	4.835	129.0	3.332	31220.5	0.0000	5950.9	0.8174
A10	120.0	1.972	123.0	1.383	12661.2	0.0000	2472.2	0.8372
A3	120.0	3.213	130.0	2.208	20768.0	0.0000	3943.6	0.8143
A12a	120.0	.6830	123.0	.4790	4384.2	0.0000	855.17	0.8359
A11b	120.0	1.582	124.0	1.106	10163.1	0.0000	1975.7	0.8336
A12b	120.0	.9355	130.0	.6533	6014.7	0.0000	1166.9	0.8259
A13	120.0	.8325	132.0	.5791	5354.5	0.0000	1034.9	0.8226
A11a	114.0	2.643	123.0	1.861	16968.6	0.0000	3325.5	0.8402
A5	120.0	1.676	126.0	1.162	10773.4	0.0000	2076.9	0.8265
A6	120.0	2.882	124.0	2.011	18504.3	0.0000	3593.2	0.8327
A14b	120.0	.5977	130.0	.4182	3843.2	0.0000	747.79	0.8281
A14a	120.0	1.536	125.0	1.068	9872.9	0.0000	1908.1	0.8285
A7b	120.0	1.629	123.0	1.144	10462.7	0.0000	2044.1	0.8377
A8	120.0	2.567	126.0	1.776	16509.8	0.0000	3172.6	0.8240
A9	120.0	2.601	125.0	1.808	16713.7	0.0000	3228.9	0.8284
A7a	120.0	1.666	124.0	1.166	10699.2	0.0000	2083.1	0.8349
A16	120.0	9.153	128.0	6.357	58836.5	0.0000	11353.0	0.8259




Appendix D
MUSIC Modelling Inputs and Model
Network

Table
Oakdale Industrial Estate

Refer Figures for node,sub-catchment area, impervious area and catchment slope details

Subcatch. Node Label	Total Area (ha)	Lot Area (ha)	Roof Area (ha)	MUSIC Model Catch Area (ha)	% of Impervious	Bio-Retention Surface area 0.02 m ²	Bio-Retention Filter area 0.017 m ²	Wetland Area 0.05 m ²	Required Storage Volume m ³	Land Area Required m ²	Vegetated Swale Length m
A1	29.12	26.8	16.08	13.04	60				7280		600
A3	19.37	15.88	9.528	9.842	70	1968	1673		4843	8400	450
A5	10.05	8.71	5.226	4.824	70	965	820	2412 \uparrow	2513	5800	60
A6	17.26	13.808	8.2848	8.9752	70	1795	1526	4488 \downarrow	4315	8000	
A7a	9.98	7.984	4.7904	5.1896	70	1038	882		2495	5800	
A7b	9.76	7.808	4.6848	5.0752	70	1015	863		2440	4900	
A8	15.4	12.32	7.392	8.008	70	1602	1361		3850	7700	400
A9	15.59	12.472	7.4832	8.1068	70	1621	1378		3898	7800	
A10	11.81	10.14	6.084	5.726	70	1145	973		2953	5100	50
A11a	15.83	15.83	9.498	6.332	70			3166 \uparrow	3958	8100	
A11b	9.48	9.48	5.688	3.792	70	758	645		2370	4800	
A12a	4.09	2.5	1.5	2.59	70	518	440		1023	2800	
A12b	5.65	0	0	5.65	50	1130	961		1413	3900	
A13	5.03	0	0	5.03	50			2515 \downarrow	1258	2800	
A14a	9.21	6.57	3.942	5.268	70	1054	896		2303	4200	320
A14b	3.61	0	0	3.61	50	722	614		903	1700	
A15	51.21	47.57	28.542	22.668	70	4534	3854	11334	12803	17000	100
A16	3.77	3.77			0						
A17	3.56	1.44	0.864	2.696	70	539	458		890	3000	
Total Area	249.78	203.08	119.59	126.42		20404	17344	23915		101800	1980


MUSIC Model Configuration - Proposed with WSUD






Appendix E
WSUD Strategy Plan

Water Sensitive Urban Design Strategy Plan
Integrated Water Cycle Management Diagram





CLIENTS | PEOPLE | PERFORMANCE

GOODMAN INTERNATIONAL LTD
 OAKDALE CONCEPT PLAN
PROPOSED SERVICING STRATEGY (LOT SCALE)
 scale | NTS for A3 date | DECEMBER 2007

job no. | 21-15101
 rev no. | B

Figure 03



GHD Pty Ltd ABN 39 008 488 373

10 Bond Street Sydney NSW 2000

-

T: 2 9239 7100 F: 2 9239 7199 E: sydmail@ghd.com.au

© **GHD Pty Ltd 2010**

This document is and shall remain the property of GHD Pty Ltd. The document may only be used for the purposes for which it was commissioned and in accordance with the Terms of Engagement for the commission. Unauthorised use of this document in any form whatsoever is prohibited.

Document Status

Rev No.	Author	Reviewer		Approved for Issue		
		Name	Signature	Name	Signature	Date
Working Draft 1	C McDougall					14/6/07
Working Draft 2	C McDougall	R Berg	On File	C McDougall	On file	10/07/07
Working Draft 3	C McDougall	R Berg	On File	C McDougall	On file	19/07/07
Rev 0	C McDougall	R Berg	On File	C McDougall	On File	10/12/07
Rev 1	C McDougall	C. McDougall	On File	C McDougall	On File	08/05/08
Rev 2	F. Carrozza	F.Carrozza	On File	C.McDougall	On File	02/09/10
Rev 3	F. Carrozza	F.Carrozza	On File	C.McDougall	On File	10/09/10

Appendix F

GHD Project Approval Stormwater Management Plan



09 September 2010

Goodman International
Level 10 60 Castlereagh Street
Sydney NSW 2000

Our ref: 21/16225/135599
Your ref:

Attn: Adrian Tesoriero

Dear Adrian

Central Project Application No. 1 - Estate Works & DHL Stormwater Management Strategy

1 Introduction

This letter report has been prepared as an addendum to the Water Sensitive Urban Design (WSUD) Strategy report prepared by GHD (GHD, December 2007). This addendum specifically considers the works proposed under Project Application Number One, which involves the development of Buildings 1A and 2A (DHL) of the Central Precinct.

The stormwater management strategy described herein relates to Buildings 1A and 2A of the Central Precinct development area.

Figure 1 provides a diagrammatic representation of the proposed stormwater management strategy for Buildings 1A and 2A referred to in the following sections.

2 Stormwater Quantity

Stormwater detention will be provided for each building via on site detention (OSD).

From the preliminary hydrologic modelling performed as part of the Oakdale WSUD Strategy report (GHD, December 2007) it was found a volume of approximately 250 m³/ha is required for stormwater detention with a permissible site discharge (PSD) of 140L/s/ha for the 100-year Average Recurrence Interval (ARI) event. This configuration has been adopted for this addendum.

The final design will be completed in accordance with Fairfield City Council Guidelines whereby other ARI events will need to be modelled to show the post-development flow rates are maintained at pre-development levels for various ARI events.

The Austral Brickworks to the east of Old Wallgrove Road from an external catchment that flows in the northeast corner of the Central Precinct. The Brickworks may be redeveloped in the future and it has been assumed that stormwater detention will be provided east of Old Wallgrove Road. Hence no stormwater detention is being provided for the Brickworks in the Central Precinct area.

Table 1 Approximate Detention Parameters (100-year ARI Event)

Location	OSD (m ³)	PSD (l/s)
Lot 1A	878	491
Lots 2A	1,743	977

3 Flooding

The flood study carried out as part of the Oakdale WSUD Strategy Report (GHD, December 2007) has been reviewed and updated using detailed field survey. The detailed field survey is considered more accurate than the airborne laser survey data used previously. An updated 100-year Average Recurrence Interval (ARI) flood extents map for the Central Precinct (East) is attached to this report.

4 Stormwater Quality

Stormwater quality treatment for Buildings 1A and 2A will ultimately be provided by the proposed bio-retention basin and bio-swale along the northern perimeter of the precinct. The basin and bio-swale have been sized to meet the objectives outlined in the WSUD Strategy Report for the ultimate configuration, that is, the entire Central (East) Precinct. Buildings 1A and 2A will initially be serviced by the bio-swale as it will be constructed as part of the first stages of development. The bio-retention basin will be constructed as further stages of development proceed.

The WSUD strategy for Central (East) Precinct which includes Buildings 1A and 2A has been modelled using MUSIC software. The results of the analysis are summarised in Table 2.

Table 2 Water Quality Modelling Results

Pollutant	Sources	Residual Load	Reduction	Required Reduction
Total Suspended Solids (kg/yr)	40,600	5070	87.5 %	85 %
Total Phosphorus (kg/yr)	66.3	20.3	69.3%	65 %
Total Nitrogen (kg/yr)	494	270	45.4 %	45 %
Gross Pollutants (kg/yr)	7,240	0 (approx)	99 % (approx)	90 %

5 Open Channels

5.1 Southern Channel

A channel will be required on the northern side of Burley Road (which is unmade in this area) to intercept stormwater runoff from the CSR-PGH Brickworks to the watercourse that runs through the Central Precinct. Fairfield City Council requires a velocity in the channel of less than 2 m/s. Preliminary hydraulic calculations indicate a channel width of 10 metres will be required (depth 1m, base 2m, 1:4 side slopes, 1.5% longitudinal grade).

5.2 Northern Channel


A channel running adjacent to the proposed Link Road is indicated on Figure 1. This has been sized to convey the 100-year ARI storms from the northern allotments as well as the external Austral Brickworks catchment mentioned in Section 2. The channel has a 1.1% longitudinal grade, 1:4 side slopes and a 2m base. The minimum depth of the channel is 1.2m.

Yours faithfully
GHD Pty Ltd



Frank Carrozza
Senior Civil Engineer
02 8898 8886

Attachment: Figure 1 - Stormwater Management Strategy
100-yr Flood Extents Map



DRAFT




CLIENTS | PEOPLE | PERFORMANCE

GOODMAN INTERNATIONAL LTD
 OAKDALE CENTRAL PROJECT APPLICATION (PA1)
 ESTATE WORKS & DHL
STORMWATER STRATEGY
 scale | 1:4000 for A3 date | SEP 2010

job no. | 21-16225
 rev no. | G

Figure 1



Flood Depths (m)

