

Site Sketch

Please carefully read the instructions in Part B of the guide before sketching the site.

35/012865


TO NORTH



NOTE:

* NO WATER HYDRANTS.

TO SYDNEY



PART B

SCALE = 100MM : 1 KM

PART C

Complete 1 section per depot

CHEMICAL STORAGE

35/012865

If you have more depots than the space provided, photocopy sufficient sheets first.

Depot number	Type of depot	Class		Licensed maximum storage capacity			
5	UNDERGROUND TANK	3		15 000 LITRES. ✓			

UN number	Shipping name	Class	Pkg. Group	EPG	Product or common name	Typical quantity	Uniteg. L, kg, m³
1203	MOTOR SPIRIT	3	11	YES	UNLEADED PETROL	14 700	L

Depot number	Type of depot	Class		Licensed maximum storage capacity			
6	UNDERGROUND TANK.	3		15 000 LITRES. ✓			

UN number	Shipping name	Class	Pkg. Group	EPG	Product or common name	Typical quantity	Uniteg. L, kg, m³
1203	MOTOR SPIRIT	3	11	YES	UNLEADED PETROL	14 000	L

Depot number	Type of depot	Class		Licensed maximum storage capacity			
1	EXPLOSIVE MAGAZINE	1.1		4 000 kg. ✓			

UN number	Shipping name	Class	Pkg. Group	EPG	Product or common name	Typical quantity	Uniteg. L, kg, m³
0082	EXPLOSIVES BLASTING TYPE E	1.1D	N/A	N/A	ANFO	2 000	kg.

Depot number	Type of depot	Class		Licensed maximum storage capacity			
4	EXPLOSIVES MAGAZINE	1.1		2 000 kg. ✓			

UN number	Shipping name	Class	Pkg. Group	EPG	Product or common name	Typical quantity	Uniteg. L, kg, m³
0042	BOOSTERS WITHOUT DETONATORS	1.1D	N/A	N/A	PRIMERS	200 UNITS.	
0241	EXPLOSIVE BLASTING TYPE E	1.1D	N/A	N/A	POWERGEL MAGNUM	1 500	kg.

Depot number	Type of depot	Class	Licensed maximum storage capacity
3	EXPLOSIVES MAGAZINE	1.1	2000 kg.


UN number	Shipping name	Pkg. Class	Group	EPG	Product or common name	Typical quantity	Unit eg. L, kg, m ³
0360	DETONATOR ASSEMBLIES, NON-ELECTRIC	1.1B	N/A	N/A	PRIMADETS TRUNK-LINE DELAYS	200 UNITS	
0360	"	1.1B	N/A	N/A	PRIMADETS	200 UNITS	
0105	FUSE - SAFETY	1.4S	N/A	N/A	SAFETY FUSE	3 ROLLS.	
0029	DETONATORS NON-ELECTRIC	1.1B	N/A	N/A	Nº 8. DETONATORS	300 UNITS	

[illegible]

WORKCOVER AUTHORITY DANGEROUS GOODS ACT, 1975

LICENCE No.
35 012865

APPLICATION FOR LICENCE (or AMENDMENT or TRANSFER of LICENCE)*
FOR THE KEEPING OF DANGEROUS GOODS



Jan.

Name of Applicant in full (see Item 1 - Explanatory notes - page 4)	PIONEER CONCRETE		
Trading name or occupier's name (if any)	As above		
Postal Address	P.O. Box V42 MT DRAVITT	Postcode 2770	
Address of the premises to be licensed. (Including Street No.)	Cm Wallgrove Rd 2 St Western Hwy WALLGROVE		Postcode 2164
Nature of premises (See Item 2 - Explanatory notes - page 4)	QUARRY		
Telephone number of applicant	STD Code 02	Number 625 0788	

Particulars of type of depots and maximum quantities of dangerous goods to be kept at any one time.

Depot number	Type of depot (See item 3 - Explanatory notes - page 4)	Storage capacity	Dangerous goods	C & C Office use only
			Product being stored	
1	Underground Tank	15 000 L	SUPER	2 020 15X3
2	" "	15 000 L	UN LEADED FUEL	2 020 15X3
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				

Data Entered
04 Nov 91

Has site plan been approved by the Dangerous Goods Branch?

☒ Yes
☐ No

If yes, no plans required.

If no, please attach site plan, or provide sketch plan overleaf. which has been checked by an accredited consultant

Have premises previously been licensed?

☒ Yes
☐ No

If, yes, state name of previous occupier, and licence No. (if known)

Name of oil company supplying flammable liquid (if applicable).

AMPOL

Signature of applicant.....

Date

16-9-91

For external explosives magazine(s), please fill in page 3.

FOR OFFICE USE ONLY

CERTIFICATE OF INSPECTION

I, being an Inspector under the Dangerous Goods Act, 1975, do hereby certify that the premises described above do comply with the requirements of the Dangerous Goods Act, 1975, and the Dangerous Goods Regulation with regard to their situation and construction for the keeping of dangerous goods of the nature and in the quantity specified.


Date

WORKCOVER AUTHORITY

LICENCE No.

35-012865

DANGEROUS GOODS ACT, 1975

APPLICATION FOR LICENCE (or AMENDMENT or TRANSFER of LICENCE)*
FOR THE KEEPING OF DANGEROUS GOODS

Expired 15/1/90

JAN EXPIRY

(* Delete whichever is not required)

Name of Applicant in full (see Item 1 - Explanatory notes - page 4)	Pioneer Concrete (NSW) Pty Ltd		
Trading name or occupier's name (if any)	Pioneer Concrete (NSW) Pty Ltd		
Postal Address	PF P.O. Box 742 Mt Druitt	Postcode	2770
Address of the premises to be licensed. (Including Street No.)	Cnr Wallgrove Rd & Gt Western Hwy WALLGROVE	Postcode	2164
Nature of premises (See Item 2 - Explanatory notes - page 4)	Quarry		
Telephone number of applicant	STD Code 02	Number	6250789

Particulars of type of depots and maximum quantities of dangerous goods to be kept at any one time.

Depot number	Type of depot (See item 3 - Explanatory notes - page 4)	Storage capacity	Dangerous goods			C & C Office use only
			Product being stored			
1	Explosives	4000	Class 1.1 Explos			DD 004 400 3 400 4x3
2	Explosives	1000	"	"	"	3 400 1x3
3	Explosives	2,000	"	"	"	3 400 2x3
4	Explosives	2,000	"	"	"	3 400 2x3
5	Flammable Liq	20,000	Distillate			Exempt
6	Flammable Liq	20,000	Distillate			Exempt
7			see letter enclosed)			
8						
9						
10						
11						
12						

Has site plan been approved by the Dangerous Goods Branch?

Yes
No

If yes, no plans required.

If no, please attach site plan, or provide sketch plan overleaf, which has been checked by an accredited consultant

Have premises previously been licensed?

Yes
No

If yes, state name of previous occupier, and licence No. (if known)

Pioneer Concrete 35-012865

Name of oil company supplying flammable liquid (if applicable).

AMPOL Craig Keith

Signature of applicant

Date

25-6-91

For external explosives magazine(s), please fill in page 3.

FOR OFFICE USE ONLY

CERTIFICATE OF INSPECTION


I, being an Inspector under the Dangerous Goods Act, 1975, do hereby certify that the premises described above do comply with the requirements of the Dangerous Goods Act, 1975, and the Dangerous Goods Regulation with regard to their situation and construction for the keeping of dangerous goods of the nature and in the quantity specified.

Signature of Inspector

Date

Sent new DGI to include fuel, depots not listed

SKETCH PLAN OF SITE



Show positions of Depot(s) with:-

- (1) distances from public places and protected works;
- (2) street names;
- (3) nature and details of adjacent properties.

1cm = 100 metres

- 1 - ANFO Magazine
 - 2 - Detonator magazine
 - 3 - Primer magazine
 - 4 - Magazine
- Bounded area is
Barry lease/s area.

Offices and
workshop.

Application is hereby made for—
described below.

*a licence (or amendment of the licence)

*the transfer of the licence

(*delete whichever is not required)

for the keeping of dangerous goods in or on the premises

FEE: \$10.00 per Depot for new licence.

\$10.00 for amendment or transfer.

Name of Applicant in full (see over)	PIONEER CONCRETE (NSW) PTY LTD.		
Trading name or occupier's name (if any)	SITE: WALLGROVE QUARRY.		
Postal address	AS ABOVE. HEAD OFFICE 636 GROVE STR. ST PETERS.		
Address of the premises including street number (if any)	WALLGROVE QUARRY. P.O. BOX 25 EASTERN CREEK Postcode 2766		
Nature of premises (see over)	WALLGROVE ROAD ROOTY HILL. Postcode		
Telephone number of applicant	STD Code	02	Number 6259784.

Particulars of type of depots and maximum quantities of dangerous goods to be kept at any one time.

Depot number	Type of depot (see over)	Storage capacity	Dangerous goods	C & C Office use only
			Product being stored	
1	MAGAZINE.	4000 kg.	MIXED AMMONIUM NITRATE & DISTILLATE	3400 43
2	✓	1100 kg	Nitrocompounds	3400 13
3	✓	2000 kg	Gunpowder	3400 23
4	✓	2000 kg	Blasting explosives	3400 23
5	✓	2000 kg	✓	3400 23
6	✓	2000 kg	✓	3400 23
7	underground tank	15,000 l	Petrol	2020 24
8	✓	15,000 l	✓	2020 24
9				
10				
11				
12				

Has site plan been approved?

☒ Yes
☐ No

If yes, no plans required.

If no, please attach site plan. ATTACHED.

Have premises previously been licensed?

☒ Yes
☐ No

If yes, state name of previous occupier.

AS ABOVE.

Name of company supplying flammable liquid (if any)

ICI - IMPERIAL CHEMICAL INDUSTRIES.

Signature of applicant

Date 20-2-81

For external explosives magazine(s), please fill in side 2.

FOR OFFICE USE ONLY

CERTIFICATE OF INSPECTION

I, RAYMOND CHARLES MCRAFF
do hereby certify that the premises described above do comply with the requirements of the Dangerous Goods Act, 1975, and the Dangerous Goods Regulation with regard to their situation and construction for the keeping of dangerous goods of the nature and in the quantity specified.

being an Inspector under the Dangerous Goods Act, 1975,
the requirements of the Dangerous Goods Act, 1975, and the
Dangerous Goods Regulation with regard to their situation and construction for the keeping of dangerous goods of the nature and in the quantity specified.

Signature of Inspector

Date 19-2-81

e No.

35012865.9

FEE: \$10.00 per Depot

5607 17/04/79 03A

unamalgamated with 20104.

20104.

20104.

Name of Applicant in full (see over)	Surname <i>Pioneer Concrete (W.S.W) Pty Ltd</i> Given Names	
Trading name or occupier's name (if any)		
Postal address	<i>63 Grove St. St Peters</i>	Postcode <i>2044</i>
Telephone number of applicant	STD Code	Number
Address of the premises in or on which the depot or depots are situated (including street number, if any)	<i>Pioneer Quarry c/o Wallgrove Rd off Western H/way Wallgrove</i> Postcode <i>2164</i>	
Nature of premises (see over)		

PLEASE ATTACH SITE PLAN

Particulars of type of depots and maximum quantities of dangerous goods to be kept at any one time.

Depot number	Type of depot (see over)	Storage capacity	Dangerous goods	
			Product being stored	C & C Office use only
1	<i>underground tank</i>	<i>15000 litres</i>	<i>m/s</i>	<i>2.020.24</i>
2	<i>underground tank</i>	<i>15000 litres</i>	<i>m/s</i>	<i>2.020.24</i>
3	<i>explosives magazine</i>	<i>1100 kg</i>	<i>nitrocompounds</i>	<i>3.400.13</i>
4	<i>explosives magazine</i>	<i>2000 kg</i>	<i>gunpowder etc</i>	<i>3.400.23</i>
5	<i>explosives magazine</i>	<i>2.000 kg</i>	<i>blasting explosives</i>	<i>3.400.23</i>
6	<i>explosives magazine</i>	<i>2.000 kg</i>	<i>"</i>	<i>3.400.23</i>
7	<i>✓</i>	<i>✓</i>	<i>✓</i>	<i>3.400.23</i>
8				
9				
10				
11				
12				

Name of company supplying flammable liquid (if any)

Have premises previously been licensed?

Yes.

If known, state name of previous occupier

as above

Licence No.

Signature of applicant

see previous papers

Date

For external explosives magazine(s), please fill in side 2.

FOR OFFICE USE ONLY

P19/34 CERTIFICATE OF INSPECTION

I, *RAYMOND CHAPMAN* being an Inspector under the Dangerous Goods Act, 1975, do hereby certify that the premises described above do comply with the requirements of the Dangerous Goods Act, 1975, and the Dangerous Goods Regulation with regard to their situation and construction for the keeping of dangerous goods of the nature and in the quantity specified.

Signature of Inspector

[Signature]

Date

21.5.79

Name of Occupier **Pioneer Concrete (NSW) Pty Limited**
(Surname) (First Names)

Trading Name (if any)

Postal Address **63 Grove Street, ST.PETERS** Postcode **2044**

Address of the premises in which the depot or depots are situated **cnr Wallgrove Road & Western Highway, WALLGROVE** Postcode **2164**

Occupation **quarrying**

Nature of Premises **quarry**

Particulars of construction of depots and maximum quantities of inflammable liquid and/or dangerous goods to be kept at any one time.

PLEASE SKETCH SITE ON BACK OR ATTACH PLAN

Depot No.	Construction of depots *			Inflammable Liquid		Dangerous Goods						
	Walls	Roof	Floor	Mineral spirit litres	Mineral oil litres	Class 1 litres	Class 2 litres	Class 3 kg	Class 4 m ³	Class 5A# litres	Class 5B# litres	Class 9 litres
1	underground tank			15000								
2	underground tank			15000								
3												
4												
5												
6												
7												
8												
9												
10												
TOTAL												

* If kept in tanks describe depots as underground or aboveground tanks.

Insert water capacity of tanks or cylinders.

Name of Company supplying inflammable liquid _____ (Date) _____

Have premises previously been licensed? **Yes 12865-1** Receipt No. **1749**

If known, state name of previous occupier **Pioneer Quarries (Sydney) Pty Ltd**

Signature of applicant *X Jan G Fran* Date **23-1-76**

Insp.
Metrop.

CERTIFICATE OF INSPECTION

I, *Charles James* being an Inspector under the Inflammable Liquid Act, 1915, do hereby certify that the premises or store described above does comply with the requirements of that Act and regulations with regard to its situation and construction for the keeping of inflammable liquid and/or dangerous goods in quantity and nature specified.

Signature of Inspector *S. James*

Date **23-1-76**

DIRECTIONS

1. Applications must be forwarded to the Chief Inspector of Inflammable Liquid, Explosives Department, Box R.216, Royal Exchange Sydney, N.S.W. 2000 and must be accompanied by the prescribed fee, as set out hereunder:

Registration of Premises (Fee \$3.00 p.a.) - For quantities not exceeding 300 gallons of mineral oil and 100 gallons of mineral spirit, if kept together; or 800 gallons of mineral oil and 100 gallons of mineral spirit, if kept separate depots; or 500 gallons of mineral spirit, if kept in an underground tank depot; or 800 gallons of mineral oil and 500 gallons of mineral spirit, if mineral spirit is kept in an underground tank depot.

In addition to, or in lieu of the above, similar quantities of Dangerous Goods of Classes 1 and 2 may be kept under the like conditions; reading Dangerous Goods of Class 1 for the words Mineral Spirit and Dangerous Goods of Class 2 for the words Mineral Oil.

Store License, Div. A (Fee, \$6.50 p.a.) - For quantities in excess of those stated above, but not exceeding 4,000 gallons mineral oil and/or mineral spirit, and/or Dangerous Goods of Classes 1, 2 and 9.

Store License, Div. B (Fee, See Regulation 7) - For quantities exceeding 4,000 gallons of mineral spirit, and/or dangerous goods of Classes 1 and 2, and/or dangerous goods of Class 3.

For the keeping of Dangerous Goods of Classes 3 and/or 4. (\$15.00 p.a.).

Fees for the keeping of inflammable liquid and dangerous goods in excess of the above stated quantities and also for Liquid Petroleum Gas storage are set out in Regulation 7.

1. Name of occupier including full christian names.	<u>PIONEER QUARRIES (SYDNEY) PTY LTD.</u>
2. Trading Name (if any)	
3. Locality of the premises in which the depot or depots are situated	No. or Name <u>corner of</u> Street <u>Wallgrove Rd & Western Highway,</u> Town <u>WALLGROVE.</u>
4. Postal address	<u>63 Grove St., ST. PETERS</u> Postcode <u>2044</u>
5. Occupation	<u>quarrying</u>
6. Nature of premises (dwelling, garage etc.)	<u>quarry.</u>
7. Particulars of construction of depots and maximum quantities of inflammable liquid and/or Dangerous Goods to be kept at any one time.	

PLEASE ATTACH PLAN OF PREMISES

Depot No.	Construction of depots *			Inflammable liquid		Dangerous goods					
	Walls	Roof	Floor	Mineral spirit gallons	Mineral oil gallons	Class 1 gallons	Class 2 gallons	Class 3 lb	Class 4 cu ft	Class 5A water gal	Class 9 gallons
1	<u>UNDERGROUND</u>		<u>TANK</u>	<u>3000</u>							
2	<u>✓</u>		<u>✓</u>	<u>3000</u>							
3											
4											
5											
6											
7											
8											
9											
10											

PUBLIC REVENUE A/c.

CHQ 18 15.00

17/12/70

(Date) Receipt No 1816

* If product is kept in tanks describe depots as underground or aboveground tanks.

Signature of applicant [Signature]

Date of application _____, 19____

CERTIFICATE OF INSPECTION

I, Harold Arthur Conway being an Inspector under the Inflammable Liquid Act, 1915 (as amended), do hereby certify that the premises or store herein referred to and described is suitable with regard to its situation and construction for the safe keeping of inflammable liquid and/or dangerous goods in quantity and nature specified.

Place Sydney

Signature of Inspector [Signature]

Mineral Oil - includes kerosene, mineral turpentine and white spirit (for cleaning), and compositions containing same.

Mineral Spirit - includes petrol, benzene, benzolene, benzol and naphtha, and compositions containing same.

Dangerous Goods -

Class 1 - acetal, acetaldehyde, acetone, acrolein, amyl mercaptan, butyl acetate, butyl mercaptan, butyl propionate, crotonaldehyde, dichloro-ethylene, diethylketone, dioxane, diethylamine, dimethyl hydrozine, dipropylamine, divinyl ether, dipropyl ether, ethyl acetate, ethyl acrylate, ethyl chloride, ethyl ether, dichloroethane (ethylene dichloride), ethyl mercaptan, ethyl methacrylate, ethyl methyl ether, ethyl propyl ether, ethyl propionate, methyl propyl ketone, methyl acetate, methyl acrylate, methylal, methyl ethyl ether, methyl ethyl ketone, methyl methacrylate, methyl vinyl ketone, methyl vinyl acetate, piperidine, propanal, propyl acetate, propylamine, propylene oxide, pyridine, tetrahydrofuran, thiophene, triethylamine, valeraldehyde, vinyl acetate, vinyl allyl ether, vinyl butyl ether, vinyl butyrate, vinyl cyanide (acrylonitrile), vinylidene chloride, vinyl ethyl ether, vinyl propyl ether, vinyl propionate, any combination of substances of an inflammable character suitable for use as an industrial solvent and having a true flashing point of less than 73 degrees Fahrenheit, manufactured products, containing organic solvents, having a true flashing point of less than 73 degrees Fahrenheit.

Class 2 - acetic acid, acetyl acetone, acetic anhydride, allyl alcohol, amyl acetate, amyl alcohol, butyl alcohol, butyl methacrylate, chlorobenzene, cyclohexanone, dibutyl ether, dibutyl ketone, dipentene, epichlorohydrin, ethanol (ethyl alcohol), ethyl benzene, ethylene diamine, furfural, mesityl oxide, methyl alcohol, methyl amyl ketone, methyl butyl ketone, pine oil (having a flashing point below 150°F), propyl benzene, propanol, vegetable turpentine, vinyl benzene (styrene monomer), any liquid containing more than 50 per centum ethyl alcohol, manufactured products, containing organic solvents, having a true flashing point of 73 degrees Fahrenheit and above but not exceeding 150 degrees Fahrenheit.

Class 3 - nitro-cellulose moistened with an alcohol, nitro-cellulose product.

Class 4 - compressed or dissolved acetylene contained in a porous substance.

Class 5 (A) - liquefied inflammable gases (liquefied petroleum gas, vinyl chloride, ethylene chloride, ethylene oxide, butadiene, methylamine, dimethylamine and trimethylamine).

Class 9 - Carbon disulphide, ethyl nitrite.

DIRECTIONS

Applications must be forwarded to the Chief Inspector of Inflammable Liquid, Explosives Department, Department of Mines, Sydney, and must be accompanied by the prescribed fee, as set out in Regulation 7.

1. Name in full of occupier
2. Occupation
3. Locality of the premises in which the depot or depots are situated
4. Nature of premises (Dwelling, Garage, Store, etc.)

RAY FITZPATRICK QUARRIES
PTY LTD
Quarrymaster.
No. or Name of C. Western Hway
Street 9 off Wallgrove Rd.
Town Wallgrove.
Quarry
Postcode 2164 (2014)

5. Particulars of construction of depots and maximum quantities of inflammable liquid and/or Dangerous Goods to be kept at any one time

PLEASE ATTACH PLAN OF PREMISES.

Depot No.	Construction of depots*			Inflammable liquid		Dangerous goods					
	Walls	Roof	Floor	Mineral Spirit gallons	Mineral Oil gallons	Class 1 gallons	Class 2 gallons	Class 3 lb	Class 4 cu ft	Class 5 A water gallons	Class 9 gallons
Underground Tank				3000							
2				3000							
3											
4											
5											
6											
7											
8											
9											
10											

PUBLIC REVENUE A/c.

Chg \$ 8.50

6/2/69

(Date)

Receipt No.

* If product is kept in tanks describe depots as underground or aboveground tanks.

Signature of Applicant

Postal Address

63 GROVE ST

ST PETERS.

Date of Application _____, 19 ____

Mineral Oil—includes kerosene, mineral turpentine and white spirit (for cleaning), and compositions containing same.
Mineral Spirit—includes petrol, benzene, benzolene, benzol and naphtha, and compositions containing same.

Dangerous Goods—

Class 1.—Acetone, amyl acetate, butyl acetate, carbon bisulphide; any combination of substances of an inflammable character suitable for use as an industrial solvent and having a true flashing point of less than 73 degrees Fahrenheit.

Class 2.—Nitro-cellulose (also known as "pyroxylin" and "collodion cotton") moistened with an alcohol (ethyl alcohol (also known as "butanol")), methylated spirits, vegetable turpentine; and any liquid or solid containing methylated spirits, having a true flashing point of less than 150 degrees Fahrenheit.

Class 3.—Nitro-cellulose product.

Class 4.—Compressed or dissolved acetylene contained in a porous substance.

DIRECTIONS

1. Applications must be forwarded to the Chief Inspector of Inflammable Liquid, Explosives Department, No. 4 Albert Street, off Phillip Street, Circular Quay, Sydney (Box 48, G.P.O.), and must be accompanied by the prescribed fee, as set out hereunder:—

Registration of Premises (Fee £1 10s. 0d. p.a.).—For quantities not exceeding 300 gallons of mineral oil and 100 gallons of mineral spirit, if kept together; or 800 gallons of mineral oil and 100 gallons of mineral spirit, if kept in separate depots; or 500 gallons of mineral spirit, if kept in an underground tank depot; or 800 gallons of mineral oil and 500 gallons of mineral spirit, if mineral spirit is kept in an underground tank depot.

In addition to, or in lieu of the above, similar quantities of Dangerous Goods of Classes 1 and 2 may be kept under the like conditions; reading Dangerous Goods of Class 1 for the words Mineral Spirit and Dangerous Goods of Class 2 for the words Mineral Oil.

Store License, Div. A (Fee, £3 5s. 0d. p.a.).—For quantities in excess of those stated above, but not exceeding 4,000 gallons mineral oil and/or mineral spirit, and/or Dangerous Goods of Classes 1 and 2.

Store License, Div. B (Fees, See Regulation 7).—For quantities exceeding 4,000 gallons of mineral oil and/or mineral spirit, and/or dangerous goods of Classes 1 and 2, and/or dangerous goods of Class 3.

For the keeping of Dangerous Goods of Classes 3 and/or 4. (£7 10s. 0d. p.a.).

2. The certificate of inspection at foot hereof must be signed by an Inspector under the Inflammable Liquid Act, 1915–1953, or Police Officer, or other officer duly authorised in that behalf, and where the premises are situated outside the Metropolitan Area of Sydney, it is requested that such certificate be obtained prior to forwarding application.

1. Name in full of occupier ...
2. Occupation ...
3. Locality of the premises in which the depot or depots are situated ...
4. Nature of premises (Dwelling, Garage, Store, etc.) ...
5. Will mineral spirit be kept in a prescribed underground tank depot?

RAY FITZPATRICK QUARRIES PTY. LTD.
METAL QUARRY
situated behind Wallgrove
Miltony Camp Wallgrove
Town Underground Tank.
YES.

6. Particulars of construction of depots and maximum quantities of inflammable liquid and/or Dangerous Goods to be kept at any one time.

Depot No.	Construction of Depots.			Inflammable Liquid.		Dangerous Goods.			
	Walls.	Roof.	Floor.	Mineral Spirit. Gallons.	Mineral Oil. Gallons.	Class 1. Gallons.	Class 2. Gallons.	Class 3. lb.	Class 4. cub. ft.
1	Underground tank			2000					
2									
3									
4									
5									
6									
7									
8									
9									
10									

RAY FITZPATRICK QUARRIES PTY. LTD.

Date of Application 31 - 1 - 1959

Signature of Applicant

Postal Address

CERTIFICATE OF INSPECTION.

I, being an Inspector under the Inflammable Liquid Act, 1915–53, do hereby certify that the premises or store herein referred to and described is suitable with regard to its situation and construction for the safe keeping of inflammable liquid and/or dangerous goods in quantity and nature specified.

Place

Signature of Inspector

Date

[PLEASE TURN OVER

EXPLANATORY

Inflammable Liquid—

Mineral Oil—includes kerosene, mineral turpentine and white spirit (for cleaning), and compositions containing same.
Mineral Spirit—includes petrol, benzene, benzolene, benzol and naphtha, and compositions containing same.

Dangerous Goods—

Class 1.—Acetone, amyl acetate, butyl acetate, carbon bisulphide; any combination of substances of an inflammable character suitable for use as an industrial solvent and having a true flashing point of less than 73 degrees Fahrenheit.

Class 2.—Nitro-cellulose (also known as "pyroxylin" and "collodion cotton") moistened with an alcohol, butyl alcohol (also known as "butanol"), methylated spirits, vegetable turpentine; and any liquid or solid containing methylated spirits having a true flashing point of less than 150 degrees Fahrenheit.

Class 3.—Nitro-cellulose product.

Class 4.—Compressed or dissolved acetylene contained in a porous substance.

DIRECTIONS

1. Applications must be forwarded to the Chief Inspector of Inflammable Liquid, Explosives Department, No. 4 Albert Street, off Phillip Street, Circular Quay, Sydney (Box 48, G.P.O.), and must be accompanied by the prescribed fee, as set out hereunder:—

Registration of Premises (Fee £1 10s. 0d. p.a.).—For quantities not exceeding 300 gallons of mineral oil and 100 gallons of mineral spirit, if kept together; or 800 gallons of mineral oil and 100 gallons of mineral spirit, if kept in separate depots; or 500 gallons of mineral spirit, if kept in an underground tank depot; or 800 gallons of mineral oil and 500 gallons of mineral spirit, if mineral spirit is kept in an underground tank depot.

In addition to, or in lieu of the above, similar quantities of Dangerous Goods of Classes 1 and 2 may be kept under the like conditions; reading Dangerous Goods of Class 1 for the words Mineral Spirit and Dangerous Goods of Class 2 for the words Mineral Oil.

Store License, Div. A (Fee, £3 5s. 0d. p.a.).—For quantities in excess of those stated above, but not exceeding 4,000 gallons mineral oil and/or mineral spirit, and/or Dangerous Goods of Classes 1 and 2.

Store License, Div. B (Fees, See Regulation 7).—For quantities exceeding 4,000 gallons of mineral oil and/or mineral spirit, and/or dangerous goods of Classes 1 and 2, and/or dangerous goods of Class 3.

For the keeping of Dangerous Goods of Classes 3 and/or 4. (£7 10s. 0d. p.a.).

2. The certificate of inspection at foot hereof must be signed by an Inspector under the Inflammable Liquid Act, 1915–1953, or Police Officer, or other officer duly authorised in that behalf, and where the premises are situated outside the Metropolitan Area of Sydney, it is requested that such certificate be obtained prior to forwarding application.

1. Name in full of occupier

WALLGROVE BLUE METAL QUARRY PTY LTD

2. Occupation

QUARRYING

3. Locality of the premises in which the depot or depots are situated

No. or Name

Street

Town Wallgrove

4. Nature of premises (Dwelling, Garage, Store, etc.)

Quarry

5. Will mineral spirit be kept in a prescribed underground tank depot?

Yes

6. Particulars of construction of depots and maximum quantities of inflammable liquid and/or Dangerous Goods to be kept at any one time.

Depot No.	Construction of Depots.			Inflammable Liquid.		Dangerous Goods.			
	Walls.	Roof.	Floor.	Mineral Spirit. Gallons.	Mineral Oil. Gallons.	Class 1. Gallons.	Class 2. Gallons.	Class 3. lb.	Class 4. cub. ft.
1	Underground tank			2,000					
2									
3									
4									
5									
6									
7									
8	Date on which the tank was first filled:								
9									
10									

WALLGROVE BLUE METAL QUARRY,

Signature of Applicant *[Signature]* *Secret*

Date of Application *4/2/1957*

Postal Address *10 Meredith St*
Bonahome

CERTIFICATE OF INSPECTION.

I, *[Signature]* being an Inspector under the Inflammable Liquid Act, 1915–53, do hereby certify that the premises or store herein referred to and described is suitable with regard to its situation and construction for the safe keeping of inflammable liquid and/or dangerous goods in quantity and nature specified.

Place

Signature of Inspector

Date


PLEASE TURN OVER

Make Rough Sketches showing—

Ground plans of premises showing position of depot or depots and adjacent buildings, also distances separating depots and buildings.

Sketch of depot or depots showing provision made for ventilation, also inside dimensions (length, width, and depth) of the pit or lower portion, designed to prevent outflow.

This sketch is not required for underground tanks.



TABLES SHOWING DISTANCES WHICH UNDER LICENSE MUST SEPARATE PROTECTED WORKS FROM DEPOTS.

Table I.—Where Mineral Spirit and/or Dangerous Goods of Class 1 (with or without Mineral Oil and/or Dangerous Goods of Class 2) are kept or to be kept :—

In an underground Tank Depot, in quantity exceeding 500 gallons, but not exceeding—	In an aboveground Tank Depot or other Depot, separated from protected works by a screen wall, in quantity exceeding 100 gallons, but not exceeding—	In an aboveground Tank Depot or other Depot not separated from protected works by a screen wall, in quantity exceeding 100 gallons, but not exceeding—	Distance not less than—
Gallons.	Gallons.	Gallons.	Feet.
2,000	1,000	250	10
2,400	1,200	300	11
2,800	1,400	350	12
3,200	1,600	400	13
3,600	1,800	450	14
4,000	2,000	500	15
7,200	3,600	900	16
10,400	5,200	1,300	17
13,600	6,800	1,700	18
16,800	8,400	2,100	19
20,000	10,000	2,500	20
22,000	11,000	2,750	21
24,000	12,000	3,000	22
26,000	13,000	3,250	23
28,000	14,000	3,500	24
30,000	15,000	3,750	25
32,000	16,000	4,000	26
40,000	20,000	5,000	30
80,000	40,000	10,000	40
100,000 and over.	80,000	20,000	50
	160,000	40,000	75
	320,000 and over.	80,000	100
		120,000	115
		240,000	130
		400,000 and over.	150

Table II.—Where Mineral Oil and/or Dangerous Goods of Class 2 only are kept or to be kept :—

St 8130

In an underground Tank Depot, in quantity exceeding 800 gallons, but not exceeding—	In an aboveground Tank Depot or other Depot separated from protected works by a screen wall, in quantity exceeding 800 gallons, but not exceeding—	In an aboveground Tank Depot or other Depot not separated from protected works by a screen wall, in quantity exceeding 800 gallons, but not exceeding—	Distance not less than—
Gallons.	Gallons.	Gallons.	Feet.
4,000	2,000	1,000	10
8,000	4,000	2,000	15
14,400	7,200	3,600	16
20,800	10,400	5,200	17
40,000	20,000	10,000	20
80,000	40,000	20,000	30
160,000	80,000	40,000	40
320,000 and over.	160,000	80,000	50

FENCE 660'


270'

PROPOSED TANK AREA


SHED.

2x6000
2x5000
2x3000

Existing workshop
70' x 220'



PIONEER CONCRETE - WALLGROVE
PROPOSED PUMP AND TANK
LAYOUT.



DRAWN MP	CHECKED	APPROVED
SCALES	DATE	
BP AUSTRALIA LIMITED NEW SOUTH WALES STATE		
DRAWING No. NSW 792		
ISSUE		

AMENDMENTS

DRN. APP.

BP AUSTRALIA LIMITED

12865

WORKSHOP + ADMINISTRATION

RAY FITZPATRICK QUARRIES PTY LTD

WALLGROVE


OVER
100'
TO
BOUNDARY

LUNCH ROOM
&
TOILET BLOCK


INSTALL 2X5000 GAL
TANKS FOR DSM.
CONSTRUCT CONCRETE ISLAND
OVER AND INSTALL CM DUAL
FOR DSM/DSM EACH

OVER 100' TO BOUNDARY

INSTALL 2X3000 GAL
LIC TANKS FOR
SUPER & REG M/S
CONNECT TO 2 CMS
IN SITU.



OIL STORAGE
&
GREASING BAY





OVER
100' TO BOUNDARY


2X CMS IN SITU CONNECT TO 2X3000 + 1X2000 EACH PUMP

[Signature]
28.8.68.

RR: 23-3 GS NOT TO SCALE



between tanks
or 30' to boundaries or
stacked works



RAY FITZPATRICK QUARRIES PTY LTD
OFF HORSLEY ROAD
WALGROVE

DRAWN DL	CHECKED	APPROVED	DRAWING No. NSW 50
SCALES Not to Scale	DATE 16.9.63		
BP AUSTRALIA LIMITED NEW SOUTH WALES BRANCH			ISSUE

AMENDMENTS

DRN. APP.

APPENDIX X

CHAIN OF CUSTODY

Chain of Custody (Internal)

Environmental and OHS Laboratory																								
CLIENT:	The Next Generation (TNG)						LABORATORY JOB NO.:		7773															
								SAMPLERS:		D. James, K. Finnerty, P Edmunds														
								SEND INVOICE TO:																
DATA NEEDED BY:		Standard		REPORT NEEDED BY:		Standard		PHONE:		FAX:		E-MAIL:												
								REPORT FORMAT: HARD:		☐		FAX:		☐		DISK:		☐		E-MAIL:		☐		
7773				QUOTE NO.:																				
P.O. NO.:				COMMENTS/SPECIAL HANDLING/STORAGE OR DISPOSAL:				ANALYSIS REQUIRED																
FOR LAB USE ONLY				PM: EW C: PE				6 Metal Suite	8 Metal Suite	TCLP Prep	TCLP 6Metals	TCLP PAHs	TRH & VTRH	BTEX	PAH	OCP/OPP								
COOLER SEAL																								
Yes		No																						
Broken		Intact																						
COOLER TEMP:		deg.C																						
SAMPLE DATA					CONTAINER DATA																			
Sample ID (Lab Use)	Sample Name	MATRIX	DATE	TIME	TYPE & PRESERVATIVE	NO.																		
	7773-BH-01A	soil	27.06.14	N/A	Glass jar no pres.	1																		
	7773-BH-02A	soil	27.06.14	N/A	Glass jar no pres.	2																		
	7773-BH-03A	soil	27.06.14	N/A	Glass jar no pres.	3																		
	7773-BH-04A	soil	27.06.14	N/A	Glass jar no pres.	4																		
	7773-BH-05A	soil	27.06.14	N/A	Glass jar no pres.	5																		
	7773-BH-06A	soil	27.06.14	N/A	Glass jar no pres.	6																		
	7773-BH-07A	soil	27.06.14	N/A	Glass jar no pres.	7																		
	7773-BH-08A	soil	27.06.14	N/A	Glass jar no pres.	8																		
	7773-BH-09A	soil	27.06.14	N/A	Glass jar no pres.	9																		
	7773-BH-10A	soil	27.06.14	N/A	Glass jar no pres.	10																		
	7773-BH-11A	soil	27.06.14	N/A	Glass jar no pres.	11																		
	7773-BH-12A	soil	27.06.14	N/A	Glass jar no pres.	12																		
	7773-BH-13A	soil	27.06.14	N/A	Glass jar no pres.	13																		
	7773-BH-14A	soil	27.06.14	N/A	Glass jar no pres.	14																		
	7773-BH-14A	soil	27.06.14	N/A	Glass jar no pres.	15																		
	7773-BH-15A	soil	27.06.14	N/A	Glass jar no pres.	16																		
	7773-BH-16A	soil	27.06.14	N/A	Glass jar no pres.	17																		

ESA-F-02
Chain of Custody (Internal)

	SP1-01A	soil	27.06.14	N/A	Glass jar no pres.	18	X				X		X	X				
	SP1-02A	soil	27.06.14	N/A	Glass jar no pres.	19	X				X		X	X				
	SP1-03A	soil	27.06.14	N/A	Glass jar no pres.	20	X				X		X	X				
	SP2-01A	soil	27.06.14	N/A	Glass jar no pres.	21	X				X		X	X				
	SP2-02A	soil	27.06.14	N/A	Glass jar no pres.	22	X				X		X	X				
	SS-01	soil	27.06.14	N/A	Glass jar no pres.	23	X				X		X					
	SS-02	soil	27.06.14	N/A	Glass jar no pres.	24	X				X		X					
	SS-03	soil	27.06.14	N/A	Glass jar no pres.	25	X				X		X					
	SS-04	soil	27.06.14	N/A	Glass jar no pres.	26	X				X		X					
	7773-BR1	soil	25.06.14	N/A	Glass jar no pres.	27	X				X		X	X				
	7773-BR2	soil	25.06.14	N/A	Glass jar no pres.	28	X				X		X	X				

Chain of Custody (Internal)

Date: 16/02/12

Environmental and OHS Laboratory																					
CLIENT: The Next Generation (TNG)						LABORATORY JOB NO.: 7773															
						SAMPLERS: P Edmunds															
SEND INVOICE TO:						PHONE:						FAX:		E-MAIL:							
DATA NEEDED BY:						REPORT NEEDED BY:						REPORT FORMAT: HARD: ☐		FAX: ☐		DISK: ☐		E-MAIL: ☐			
7773 QUOTE NO.:																					
P.O. NO.:			COMMENTS/SPECIAL HANDLING/STORAGE OR DISPOSAL:			ANALYSIS REQUIRED															
FOR LAB USE ONLY				PM: EW C: PE		6 Metal Suite	8 Metal Suite	TCLP Prep	TCLP 6Metals	TCLP PAHs	pH	BTEX	Electrical Conductivity	OCP/OPP							
COOLER SEAL																					
Yes		No																			
Broken		Intact																			
COOLER TEMP: deg.C						NOTES															
SAMPLE DATA					CONTAINER DATA																
Sample ID (Lab Use)	Sample Name	MATRIX	DATE	TIME	TYPE & PRESERVATIVE	NO.															
	SW-01A	water	21.07.15	N/A	1L Plastic	1							X		X						
	SW-01B	water	21.07.15	N/A	1L Plastic	2							X		X						
	SW-02A	water	21.07.15	N/A	1L Plastic	3							X		X						
	SW-02B	water	21.07.15	N/A	1L Plastic	4							X		X						

Date printed: 7/28/2014

Date printed: 7/28/2014

Job Number: 7773

	7773-SP2-01A	Soil						x	x
	7773-SP2-02A	Soil						x	x
	7773-SW-BR1	Water		x					
	7773-Rinsate-01	Water		x					

Further instructions:

1. Please provide PQLs below the health-based investigation levels published in NEPC Guidelines (Table 5A) for soil samples:

Analyte	PQLs, mg/kg
Heavy Metals Screen (As, Be, Cd, Cr, Pb, Hg, Mo, Ni, Se, Ag)	5 (except for Cd – 1, Hg – 0.1)
OCPs	1
PAHs individual	0.5 (except for Benzo(a)Pyrene – 0.1)
PCBs	1
Total Phenols	1
CN	1
TPH	250
BTEX	0.2, 1, 1, 3
SPOCAS - POCAS, % Sulfur oxidisable (oven dry basis)	0.3

2. Please send back COC/ORDER and SRA.

3. Please analyse all samples on **5 DAY turnaround time** and report results to info@adenvirotech.com.au, p.edmunds@adenvirotech.com.au, e.webb@adenvirotech.com.au & d.jones@adenvirotech.com.au

4. Please keep samples in refrigerated condition for 3 months.

Job Number: 7773

From:
 Unit 4, 10-11 Millennium Court,
 Silverwater NSW 2128
 Phone: (02) 9648 6669
 Email: info@ADenviro.com.au

To: Eurofins
 Unit F3-6 Bldg F 16
 Mars Rd Lane Cove NSW 2066
Attention:



A. D. Envirotech Australia Pty Ltd

Sampler: P. Edmunds Date: 21.07.2014
print name *signature*

Delivery: P. Edmunds Date: 21.07.2014 Received for Laboratory: _____ Date: _____
print name *signature* *print name* *signature*

SAMPLE DETAILS

Laboratory Sample ID	ADE Sample ID	Sample Type	Container	Analysis Required					
				Alkalinity CaCo3	TRH	PAH	OCC/OPP	Phenols	PCB's
	7773-SW-01A	Water		X					
	7773-SW-01B	Water		X					
	7773-SW-02A	Water		X					
	7773-SW-02B	Water		X					

Further instructions:

- Please provide PQLs below the health-based investigation levels published in ANZECC Guidelines for Water samples:

A. D. Envirotech Australia Pty Ltd	PM-F-07 Chain of Custody and Order (External)	Page: 2 of 2 Date: 26/06/2014
------------------------------------	--	----------------------------------

Job Number: 7773

Analyte	PQLs, mg/L
CaCo3	20

2. Please send back COC/ORDER and SRA.
3. Please analyse all samples on **24 HOUR turnaround time** and report results to info@adenvirotech.com.au, p.edmunds@adenvirotech.com.au, e.webb@adenvirotech.com.au & t.lobsey@adenvirotech.com.au
4. Please keep samples in refrigerated condition for 3 months.

APPENDIX XI

CALIBRATION CERTIFICATES



AES

ACTIVE ENVIRONMENTAL SOLUTIONS

Calibration and Service Report – PID

Company: ADE Consulting Group
Contact: Ross Nefodov
Address: 4/1-3 Majors Bay Road
CONCORD, NSW 2137
Phone: 02 9739 6633
Fax: 02 9401 0097
Email: ross@adenviro.com.au

Manufacturer: RAE Systems
Instrument: MiniRAE Lite
Model: PGM 7350
Configuration: VOC
Wireless: -
Network ID: -
Unit ID: -
Details: pumped

Serial #: 595-000254
Asset #: -
Part #: 059-A126-000
Sold: 14/10/2010
Last Cal: 26/03/2012
Job #: AES.025206
Cal Spec: VOC
Order #:

Item	Test	Pass/Fail	Comments	Part Code	S/W
Battery	NiCd, NiMH, Dry cell, Li Ion	✓	SN: 159MW0293		
Charger	Charger, Power supply	✓			
	Cradle	✓			
Pump	Flow	✓	> 450 ml/min		
Filter	Filter, fitting, etc	x	Fitted external filter	002-3022-000	1
Alarms	Audible, visual, vibration	✓			
Display	Operation	✓			
Switches	Operation	✓			
PCB	Operation	✓			
Connectors	Condition	✓			
Firmware	Version	✓	Version 1.05B		
Datalogger	Operation	✓			
Monitor Housing	Condition	✓			
Case	Condition/Type	✓			
Sensors					
	PID Lamp	✓			
	PID Sensor	✓			
	THP Sensor	✓			
				Calibration	1

Engineer's Report
Service and calibration.

Calibration Certificate

Sensor	Type	Serial No	Span Gas	Concentration	Traceability Lot #	CF	Reading	
							Zero	Span
PID	10.6ev	2M402021	Isobutylene	100 ppm	S21306		0	100

Calibrated/Repaired by: **Bill Knobel** Date: **25 February 2014** Next Due: **25 August 2014**

Melbourne Head Office 2 Merchant Avenue THOMASTOWN VIC 3074 T: +61(3) 9464 2300 F: +61(3) 9464 3421
Sydney S14 Lvl2 6-8 Holden Street ASHFIELD NSW 2133 T: +61(2) 9716 5856 F: +61(2) 9716 5988
Perth Unit 6 41 Holder Way MALAGA WA 6090 T: +61(8) 9249 5663 F: +61(8) 9249 5362
Brisbane Unit 17 28 Ashton Place BANYO QLD 4014 T: +61(7) 3267 1433 F: +61(7) 3267 3559

sales@aesolutions.com.au

ISO 9001:2008
CERTIFIED

www.aesolutions.com.au

e:\data\service reports\gasla d envirotech\595-000254.doc