

Groundwater Works Summary

For information on the meaning of fields please see [Glossary](#)
Document Generated on Tuesday, July 1, 2014

[Print Report](#)

[Works Details](#) [Site Details](#) [Form A](#) [Licensed](#) [Construction](#) [Water Bearing Zones](#) [Drillers Log](#)

Work Requested -- GW102557

Works Details [\(top\)](#)

GROUNDWATER NUMBER	GW102557
LIC-NUM	10BL157703
AUTHORISED-PURPOSES	MONITORING BORE
INTENDED-PURPOSES	MONITORING BORE
WORK-TYPE	Bore
WORK-STATUS	(Unknown)
CONSTRUCTION-METHOD	
OWNER-TYPE	
COMMENCE-DATE	
COMPLETION-DATE	1996-01-01
FINAL-DEPTH (metres)	4.00
DRILLED-DEPTH (metres)	
CONTRACTOR-NAME	
DRILLER-NAME	
PROPERTY	N/A
GWMA	-
GW-ZONE	-
STANDING-WATER-LEVEL	
SALINITY	
YIELD	

Site Details [\(top\)](#)

REGION	10 - SYDNEY SOUTH COAST
RIVER-BASIN	
AREA-DISTRICT	
CMA-MAP	
GRID-ZONE	
SCALE	
ELEVATION	
ELEVATION-SOURCE	
NORTHING	6252778.00
EASTING	322425.00
LATITUDE	33 51' 1"
LONGITUDE	151 4' 50"
GS-MAP	

AMG-ZONE 56
COORD-SOURCE
REMARK

Form-A [\(top\)](#)

no details

Licensed [\(top\)](#)

COUNTY CUMBERLAND
PARISH CONCORD
PORTION-LOT-DP LOTS 2,6&7 DP740600

Construction [\(top\)](#)

Negative depths indicate Above Ground Level;H-Hole;P-Pipe;OD-Outside Diameter;
ID-Inside Diameter;C-Cemented;SL-Slot Length;A-Aperture;GS-Grain Size;Q-Quantity

HOLE- NO	PIPE- NO	COMPONENT- CODE	COMPONENT- TYPE	DEPTH- FROM (metres)	DEPTH- TO (metres)	OD (mm)	ID (mm)	INTERVAL	DETAIL
1		Hole	Hole	0.00	4.00				
1	1	Casing	P.V.C.	0.00	0.00	50			

Water Bearing Zones [\(top\)](#)

no details

Drillers Log [\(top\)](#)

no details

Warning To Clients: This raw data has been supplied to the Department of Infrastructure, Planning and Natural Resources (DIPNR) by drillers, licensees and other sources. The DIPNR does not verify the accuracy of this data. The data is presented for use by you at your own risk. You should consider verifying this data before relying on it. Professional hydrogeological advice should be sought in interpreting and using this data.

Groundwater Works Summary

For information on the meaning of fields please see [Glossary](#)
Document Generated on Tuesday, July 1, 2014

Print Report

[Works Details](#) [Site Details](#) [Form A](#) [Licensed](#) [Construction](#) [Water Bearing Zones](#) [Drillers Log](#)

Work Requested -- GW102558

Works Details [\(top\)](#)

GROUNDWATER NUMBER	GW102558
LIC-NUM	10BL157703
AUTHORISED-PURPOSES	MONITORING BORE
INTENDED-PURPOSES	MONITORING BORE
WORK-TYPE	Bore
WORK-STATUS	(Unknown)
CONSTRUCTION-METHOD	
OWNER-TYPE	
COMMENCE-DATE	
COMPLETION-DATE	1996-01-01
FINAL-DEPTH (metres)	4.00
DRILLED-DEPTH (metres)	
CONTRACTOR-NAME	
DRILLER-NAME	
PROPERTY	N/A
GWMA	-
GW-ZONE	-
STANDING-WATER-LEVEL	1.83
SALINITY	
YIELD	

Site Details [\(top\)](#)

REGION	10 - SYDNEY SOUTH COAST
RIVER-BASIN	
AREA-DISTRICT	
CMA-MAP	
GRID-ZONE	
SCALE	
ELEVATION	
ELEVATION-SOURCE	
NORTHING	6252682.00
EASTING	322272.00
LATITUDE	33 51' 4"
LONGITUDE	151 4' 44"
GS-MAP	

AMG-ZONE 56
COORD-SOURCE
REMARK

Form-A [\(top\)](#)

no details

Licensed [\(top\)](#)

COUNTY CUMBERLAND
PARISH CONCORD
PORTION-LOT-DP LOTS 2,6&7 DP740600

Construction [\(top\)](#)

Negative depths indicate Above Ground Level;H-Hole;P-Pipe;OD-Outside Diameter;
ID-Inside Diameter;C-Cemented;SL-Slot Length;A-Aperture;GS-Grain Size;Q-Quantity

HOLE- NO	PIPE- NO	COMPONENT- CODE	COMPONENT- TYPE	DEPTH- FROM (metres)	DEPTH- TO (metres)	OD (mm)	ID (mm)	INTERVAL	DETAIL
1		Hole	Hole	0.00	4.00				
1	1	Casing	P.V.C.	0.00	0.00	50			

Water Bearing Zones [\(top\)](#)

no details

Drillers Log [\(top\)](#)

no details

Warning To Clients: This raw data has been supplied to the Department of Infrastructure, Planning and Natural Resources (DIPNR) by drillers, licensees and other sources. The DIPNR does not verify the accuracy of this data. The data is presented for use by you at your own risk. You should consider verifying this data before relying on it. Professional hydrogeological advice should be sought in interpreting and using this data.

Groundwater Works Summary

For information on the meaning of fields please see [Glossary](#)
Document Generated on Tuesday, July 1, 2014

Print Report

[Works Details](#) [Site Details](#) [Form A](#) [Licensed](#) [Construction](#) [Water Bearing Zones](#) [Drillers Log](#)

Work Requested -- GW102559

Works Details [\(top\)](#)

GROUNDWATER NUMBER	GW102559
LIC-NUM	10BL157703
AUTHORISED-PURPOSES	MONITORING BORE
INTENDED-PURPOSES	MONITORING BORE
WORK-TYPE	Bore
WORK-STATUS	(Unknown)
CONSTRUCTION-METHOD	
OWNER-TYPE	
COMMENCE-DATE	
COMPLETION-DATE	1996-01-01
FINAL-DEPTH (metres)	4.00
DRILLED-DEPTH (metres)	
CONTRACTOR-NAME	
DRILLER-NAME	
PROPERTY	N/A
GWMA	-
GW-ZONE	-
STANDING-WATER-LEVEL	1.83
SALINITY	
YIELD	

Site Details [\(top\)](#)

REGION	10 - SYDNEY SOUTH COAST
RIVER-BASIN	
AREA-DISTRICT	
CMA-MAP	
GRID-ZONE	
SCALE	
ELEVATION	
ELEVATION-SOURCE	
NORTHING	6252559.00
EASTING	322275.00
LATITUDE	33 51' 8"
LONGITUDE	151 4' 44"
GS-MAP	

AMG-ZONE 56
COORD-SOURCE
REMARK

Form-A [\(top\)](#)

no details

Licensed [\(top\)](#)

COUNTY CUMBERLAND
PARISH CONCORD
PORTION-LOT-DP LOTS 2,6&7 DP740600

Construction [\(top\)](#)

Negative depths indicate Above Ground Level;H-Hole;P-Pipe;OD-Outside Diameter;
ID-Inside Diameter;C-Cemented;SL-Slot Length;A-Aperture;GS-Grain Size;Q-Quantity

HOLE- NO	PIPE- NO	COMPONENT- CODE	COMPONENT- TYPE	DEPTH- FROM (metres)	DEPTH- TO (metres)	OD (mm)	ID (mm)	INTERVAL	DETAIL
1		Hole	Hole	0.00	4.00				
1	1	Casing	P.V.C.	0.00	0.00	50			

Water Bearing Zones [\(top\)](#)

no details

Drillers Log [\(top\)](#)

no details

Warning To Clients: This raw data has been supplied to the Department of Infrastructure, Planning and Natural Resources (DIPNR) by drillers, licensees and other sources. The DIPNR does not verify the accuracy of this data. The data is presented for use by you at your own risk. You should consider verifying this data before relying on it. Professional hydrogeological advice should be sought in interpreting and using this data.

Groundwater Works Summary

For information on the meaning of fields please see [Glossary](#)
Document Generated on Tuesday, July 1, 2014

Print Report

[Works Details](#) [Site Details](#) [Form A](#) [Licensed](#) [Construction](#) [Water Bearing Zones](#) [Drillers Log](#)

Work Requested -- GW102560

Works Details [\(top\)](#)

GROUNDWATER NUMBER	GW102560
LIC-NUM	10BL157703
AUTHORISED-PURPOSES	MONITORING BORE
INTENDED-PURPOSES	MONITORING BORE
WORK-TYPE	Bore
WORK-STATUS	(Unknown)
CONSTRUCTION-METHOD	
OWNER-TYPE	
COMMENCE-DATE	
COMPLETION-DATE	1996-01-01
FINAL-DEPTH (metres)	4.00
DRILLED-DEPTH (metres)	
CONTRACTOR-NAME	
DRILLER-NAME	
PROPERTY	N/A
GWMA	-
GW-ZONE	-
STANDING-WATER-LEVEL	1.83
SALINITY	
YIELD	

Site Details [\(top\)](#)

REGION	10 - SYDNEY SOUTH COAST
RIVER-BASIN	
AREA-DISTRICT	
CMA-MAP	
GRID-ZONE	
SCALE	
ELEVATION	
ELEVATION-SOURCE	
NORTHING	6251632.00
EASTING	322112.00
LATITUDE	33 51' 38"
LONGITUDE	151 4' 37"
GS-MAP	

AMG-ZONE 56
COORD-SOURCE
REMARK

Form-A [\(top\)](#)

no details

Licensed [\(top\)](#)

COUNTY CUMBERLAND
PARISH CONCORD
PORTION-LOT-DP LOTS 2,6&7 DP740600

Construction [\(top\)](#)

Negative depths indicate Above Ground Level;H-Hole;P-Pipe;OD-Outside Diameter;
ID-Inside Diameter;C-Cemented;SL-Slot Length;A-Aperture;GS-Grain Size;Q-Quantity

HOLE- NO	PIPE- NO	COMPONENT- CODE	COMPONENT- TYPE	DEPTH- FROM (metres)	DEPTH- TO (metres)	OD (mm)	ID (mm)	INTERVAL	DETAIL
1		Hole	Hole	0.00	4.00				
1	1	Casing	P.V.C.	0.00	0.00	50			

Water Bearing Zones [\(top\)](#)

no details

Drillers Log [\(top\)](#)

no details

Warning To Clients: This raw data has been supplied to the Department of Infrastructure, Planning and Natural Resources (DIPNR) by drillers, licensees and other sources. The DIPNR does not verify the accuracy of this data. The data is presented for use by you at your own risk. You should consider verifying this data before relying on it. Professional hydrogeological advice should be sought in interpreting and using this data.

Groundwater Works Summary

For information on the meaning of fields please see [Glossary](#)
Document Generated on Tuesday, July 1, 2014

[Print Report](#)

[Works Details](#) [Site Details](#) [Form A](#) [Licensed](#) [Construction](#) [Water Bearing Zones](#) [Drillers Log](#)

Work Requested -- GW102561

Works Details [\(top\)](#)

GROUNDWATER NUMBER	GW102561
LIC-NUM	10BL157703
AUTHORISED-PURPOSES	MONITORING BORE
INTENDED-PURPOSES	MONITORING BORE
WORK-TYPE	Bore
WORK-STATUS	(Unknown)
CONSTRUCTION-METHOD	
OWNER-TYPE	
COMMENCE-DATE	
COMPLETION-DATE	1996-01-01
FINAL-DEPTH (metres)	4.00
DRILLED-DEPTH (metres)	
CONTRACTOR-NAME	
DRILLER-NAME	
PROPERTY	N/A
GWMA	-
GW-ZONE	-
STANDING-WATER-LEVEL	1.83
SALINITY	
YIELD	

Site Details [\(top\)](#)

REGION	10 - SYDNEY SOUTH COAST
RIVER-BASIN	
AREA-DISTRICT	
CMA-MAP	
GRID-ZONE	
SCALE	
ELEVATION	
ELEVATION-SOURCE	
NORTHING	6252741.00
EASTING	322117.00
LATITUDE	33 51' 2"
LONGITUDE	151 4' 38"
GS-MAP	

AMG-ZONE 56
COORD-SOURCE
REMARK

Form-A [\(top\)](#)

no details

Licensed [\(top\)](#)

COUNTY CUMBERLAND
PARISH CONCORD
PORTION-LOT-DP LOTS 2,6&7 DP740600

Construction [\(top\)](#)

Negative depths indicate Above Ground Level;H-Hole;P-Pipe;OD-Outside Diameter;
ID-Inside Diameter;C-Cemented;SL-Slot Length;A-Aperture;GS-Grain Size;Q-Quantity

HOLE- NO	PIPE- NO	COMPONENT- CODE	COMPONENT- TYPE	DEPTH- FROM (metres)	DEPTH- TO (metres)	OD (mm)	ID (mm)	INTERVAL	DETAIL
1		Hole	Hole	0.00	4.00				
1	1	Casing	P.V.C.	0.00	0.00	50			

Water Bearing Zones [\(top\)](#)

no details

Drillers Log [\(top\)](#)

no details

Warning To Clients: This raw data has been supplied to the Department of Infrastructure, Planning and Natural Resources (DIPNR) by drillers, licensees and other sources. The DIPNR does not verify the accuracy of this data. The data is presented for use by you at your own risk. You should consider verifying this data before relying on it. Professional hydrogeological advice should be sought in interpreting and using this data.

Groundwater Works Summary

For information on the meaning of fields please see [Glossary](#)
Document Generated on Tuesday, July 1, 2014

Print Report

[Works Details](#) [Site Details](#) [Form A](#) [Licensed](#) [Construction](#) [Water Bearing Zones](#) [Drillers Log](#)

Work Requested -- GW102562

Works Details [\(top\)](#)

GROUNDWATER NUMBER	GW102562
LIC-NUM	10BL157703
AUTHORISED-PURPOSES	MONITORING BORE
INTENDED-PURPOSES	MONITORING BORE
WORK-TYPE	Bore
WORK-STATUS	(Unknown)
CONSTRUCTION-METHOD	
OWNER-TYPE	
COMMENCE-DATE	
COMPLETION-DATE	1996-01-01
FINAL-DEPTH (metres)	4.00
DRILLED-DEPTH (metres)	
CONTRACTOR-NAME	
DRILLER-NAME	
PROPERTY	N/A
GWMA	-
GW-ZONE	-
STANDING-WATER-LEVEL	1.83
SALINITY	
YIELD	

Site Details [\(top\)](#)

REGION	10 - SYDNEY SOUTH COAST
RIVER-BASIN	
AREA-DISTRICT	
CMA-MAP	
GRID-ZONE	
SCALE	
ELEVATION	
ELEVATION-SOURCE	
NORTHING	6252830.00
EASTING	321935.00
LATITUDE	33 50' 59"
LONGITUDE	151 4' 31"
GS-MAP	

AMG-ZONE 56
COORD-SOURCE
REMARK

Form-A [\(top\)](#)

no details

Licensed [\(top\)](#)

COUNTY CUMBERLAND
PARISH CONCORD
PORTION-LOT-DP LOTS 2,6&7 DP740600

Construction [\(top\)](#)

Negative depths indicate Above Ground Level;H-Hole;P-Pipe;OD-Outside Diameter;
ID-Inside Diameter;C-Cemented;SL-Slot Length;A-Aperture;GS-Grain Size;Q-Quantity

HOLE- NO	PIPE- NO	COMPONENT- CODE	COMPONENT- TYPE	DEPTH- FROM (metres)	DEPTH- TO (metres)	OD (mm)	ID (mm)	INTERVAL	DETAIL
1		Hole	Hole	0.00	4.00				
1	1	Casing	P.V.C.	0.00	0.00	50			

Water Bearing Zones [\(top\)](#)

no details

Drillers Log [\(top\)](#)

no details

Warning To Clients: This raw data has been supplied to the Department of Infrastructure, Planning and Natural Resources (DIPNR) by drillers, licensees and other sources. The DIPNR does not verify the accuracy of this data. The data is presented for use by you at your own risk. You should consider verifying this data before relying on it. Professional hydrogeological advice should be sought in interpreting and using this data.

Groundwater Works Summary

For information on the meaning of fields please see [Glossary](#)
Document Generated on Tuesday, July 1, 2014

[Print Report](#)

[Works Details](#) [Site Details](#) [Form A](#) [Licensed](#) [Construction](#) [Water Bearing Zones](#) [Drillers Log](#)

Work Requested -- GW102644

Works Details [\(top\)](#)

GROUNDWATER NUMBER	GW102644
LIC-NUM	10BL150044
AUTHORISED-PURPOSES	MONITORING BORE
INTENDED-PURPOSES	MONITORING BORE
WORK-TYPE	Bore
WORK-STATUS	(Unknown)
CONSTRUCTION-METHOD	
OWNER-TYPE	
COMMENCE-DATE	
COMPLETION-DATE	1992-05-15
FINAL-DEPTH (metres)	25.00
DRILLED-DEPTH (metres)	25.00
CONTRACTOR-NAME	
DRILLER-NAME	
PROPERTY	N/A
GWMA	-
GW-ZONE	-
STANDING-WATER-LEVEL	
SALINITY	1360.00
YIELD	

Site Details [\(top\)](#)

REGION	10 - SYDNEY SOUTH COAST
RIVER-BASIN	
AREA-DISTRICT	
CMA-MAP	
GRID-ZONE	
SCALE	
ELEVATION	
ELEVATION-SOURCE	
NORTHING	6251514.00
EASTING	320777.00
LATITUDE	33 51' 41"
LONGITUDE	151 3' 45"
GS-MAP	

AMG-ZONE 56
 COORD-SOURCE GIS - Geographic Information System
 REMARK

Form-A [\(top\)](#)

no details

Licensed [\(top\)](#)

COUNTY CUMBERLAND
 PARISH LIBERTY PLAINS
 PORTION-LOT-DP 121 11427

Construction [\(top\)](#)

Negative depths indicate Above Ground Level;H-Hole;P-Pipe;OD-Outside Diameter;
 ID-Inside Diameter;C-Cemented;SL-Slot Length;A-Aperture;GS-Grain Size;Q-Quantity

HOLE- NO	PIPE- NO	COMPONENT- CODE	COMPONENT- TYPE	DEPTH- FROM (metres)	DEPTH- TO (metres)	OD (mm)	ID (mm)	INTERVAL	DETAIL
1	1	Casing	PVC Class 18	0.00	25.00	65			C: 20- 21.5m; Screwed; Seated on Bottom; Cap PVC Class 18;
1	1	Opening	Slots - Vertical	21.50	24.50	65			Sawn; SL: 3mm; A: 1mm
1		Annulus	Waterworn/Rounded	21.50	25.00				Graded

Water Bearing Zones [\(top\)](#)

FROM- DEPTH (metres)	TO- DEPTH (metres)	THICKNESS (metres)	ROCK- CAT- DESC	S-W- L	D- D- L	YIELD	TEST- HOLE- DEPTH (metres)	DURATION	SALINITY
0.00	0.00	0.00		10.00					

Drillers Log [\(top\)](#)

FROM	TO	THICKNESS	DESC	GEO-MATERIAL	COMMENT
0.00	5.00	5.00	SILTSTONE WEATHERED		
5.00	25.00	20.00	SILTSTONE		

Warning To Clients: This raw data has been supplied to the Department of Infrastructure, Planning and Natural Resources (DIPNR) by drillers, licensees and other sources. The DIPNR does not verify the accuracy of this data. The data is presented for use by you at your own risk. You should consider verifying this data before relying on it. Professional hydrogeological advice

should be sought in interpreting and using this data.

Groundwater Works Summary

For information on the meaning of fields please see [Glossary](#)
Document Generated on Tuesday, July 1, 2014

Print Report

[Works Details](#) [Site Details](#) [Form A](#) [Licensed](#) [Construction](#) [Water Bearing Zones](#) [Drillers Log](#)

Work Requested -- GW102645

Works Details [\(top\)](#)

GROUNDWATER NUMBER	GW102645
LIC-NUM	10BL150044
AUTHORISED-PURPOSES	MONITORING BORE
INTENDED-PURPOSES	MONITORING BORE
WORK-TYPE	Bore
WORK-STATUS	(Unknown)
CONSTRUCTION-METHOD	
OWNER-TYPE	
COMMENCE-DATE	
COMPLETION-DATE	1992-05-21
FINAL-DEPTH (metres)	10.00
DRILLED-DEPTH (metres)	10.00
CONTRACTOR-NAME	
DRILLER-NAME	
PROPERTY	N/A
GWMA	-
GW-ZONE	-
STANDING-WATER-LEVEL	
SALINITY	13300.00
YIELD	

Site Details [\(top\)](#)

REGION	10 - SYDNEY SOUTH COAST
RIVER-BASIN	
AREA-DISTRICT	
CMA-MAP	
GRID-ZONE	
SCALE	
ELEVATION	
ELEVATION-SOURCE	
NORTHING	6251735.00
EASTING	321082.00
LATITUDE	33 51' 34"
LONGITUDE	151 3' 57"
GS-MAP	

AMG-ZONE 56
 COORD-SOURCE GIS - Geographic Information System
 REMARK

Form-A [\(top\)](#)

no details

Licensed [\(top\)](#)

COUNTY CUMBERLAND
 PARISH LIBERTY PLAINS
 PORTION-LOT-DP 121 11427

Construction [\(top\)](#)

Negative depths indicate Above Ground Level;H-Hole;P-Pipe;OD-Outside Diameter;
 ID-Inside Diameter;C-Cemented;SL-Slot Length;A-Aperture;GS-Grain Size;Q-Quantity

HOLE- NO	PIPE- NO	COMPONENT- CODE	COMPONENT- TYPE	DEPTH- FROM (metres)	DEPTH- TO (metres)	OD (mm)	ID (mm)	INTERVAL	DETAIL
1	1	Casing	PVC Class 18	0.00	9.50	65			C: 5- 6.5m; Screwed; Seated on Bottom; Cap PVC Class 18;
1	1	Opening	Slots - Vertical	6.50	9.50	65			Sawn; SL: 3mm; A: 1mm
1		Annulus	Waterworn/Rounded	6.50	10.00				Graded

Water Bearing Zones [\(top\)](#)

FROM- DEPTH (metres)	TO-DEPTH (metres)	THICKNESS (metres)	ROCK- CAT- DESC	S- W-L	D- D- L	YIELD	TEST-HOLE- DEPTH (metres)	DURATION	SALINITY
0.00	0.00	0.00		7.30					

Drillers Log [\(top\)](#)

FROM	TO	THICKNESS	DESC	GEO-MATERIAL	COMMENT
0.00	5.00	5.00	SHALE WEATHERED		
5.00	10.00	5.00	SHALE		

Warning To Clients: This raw data has been supplied to the Department of Infrastructure, Planning and Natural Resources (DIPNR) by drillers, licensees and other sources. The DIPNR does not verify the accuracy of this data. The data is presented for use by you at your own risk. You should consider verifying this data before relying on it. Professional hydrogeological advice should be sought in interpreting and using this data.

Groundwater Works Summary

For information on the meaning of fields please see [Glossary](#)
Document Generated on Tuesday, July 1, 2014

[Print Report](#)

[Works Details](#) [Site Details](#) [Form A](#) [Licensed](#) [Construction](#) [Water Bearing Zones](#) [Drillers Log](#)

Work Requested -- GW102646

Works Details [\(top\)](#)

GROUNDWATER NUMBER	GW102646
LIC-NUM	10BL150044
AUTHORISED-PURPOSES	MONITORING BORE
INTENDED-PURPOSES	MONITORING BORE
WORK-TYPE	Bore
WORK-STATUS	(Unknown)
CONSTRUCTION-METHOD	
OWNER-TYPE	
COMMENCE-DATE	
COMPLETION-DATE	1992-05-20
FINAL-DEPTH (metres)	25.00
DRILLED-DEPTH (metres)	25.00
CONTRACTOR-NAME	
DRILLER-NAME	
PROPERTY	N/A
GWMA	-
GW-ZONE	-
STANDING-WATER-LEVEL	
SALINITY	
YIELD	

Site Details [\(top\)](#)

REGION	10 - SYDNEY SOUTH COAST
RIVER-BASIN	
AREA-DISTRICT	
CMA-MAP	
GRID-ZONE	
SCALE	
ELEVATION	
ELEVATION-SOURCE	
NORTHING	6251638.00
EASTING	320826.00
LATITUDE	33 51' 37"
LONGITUDE	151 3' 47"
GS-MAP	

AMG-ZONE 56
 COORD-SOURCE
 REMARK

Form-A [\(top\)](#)

no details

Licensed [\(top\)](#)

COUNTY CUMBERLAND
 PARISH LIBERTY PLAINS
 PORTION-LOT-DP 121 11427

Construction [\(top\)](#)

Negative depths indicate Above Ground Level;H-Hole;P-Pipe;OD-Outside Diameter;
 ID-Inside Diameter;C-Cemented;SL-Slot Length;A-Aperture;GS-Grain Size;Q-Quantity

HOLE- NO	PIPE- NO	COMPONENT- CODE	COMPONENT- TYPE	DEPTH- FROM (metres)	DEPTH- TO (metres)	OD (mm)	ID (mm)	INTERVAL	DETAIL
1	1	Casing	PVC Class 18	0.00	25.00	65			C: 20- 21.5m; Screwed; Seated on Bottom; Cap PVC Class 18;
1	1	Opening	Slots - Vertical	21.50	24.50	65			Sawn; SL: 3mm; A: 1mm
1		Annulus	Waterworn/Rounded	21.50	25.00				Graded

Water Bearing Zones [\(top\)](#)

FROM- DEPTH (metres)	TO-DEPTH (metres)	THICKNESS (metres)	ROCK- CAT- DESC	S- W-L	D- D- L	YIELD	TEST-HOLE- DEPTH (metres)	DURATION	SALINITY
0.00	0.00	0.00		6.60					

Drillers Log [\(top\)](#)

FROM	TO	THICKNESS	DESC	GEO-MATERIAL	COMMENT
0.00	5.00	5.00	CLAY		
5.00	7.00	2.00	SILTSTONE WEATHERED		
7.00	25.00	18.00	SILTSTONE		

Warning To Clients: This raw data has been supplied to the Department of Infrastructure, Planning and Natural Resources (DIPNR) by drillers, licensees and other sources. The DIPNR does not verify the accuracy of this data. The data is presented for use by you at your own risk. You should consider verifying this data before relying on it. Professional hydrogeological advice

should be sought in interpreting and using this data.

Groundwater Works Summary

For information on the meaning of fields please see [Glossary](#)
Document Generated on Tuesday, July 1, 2014

Print Report

[Works Details](#) [Site Details](#) [Form A](#) [Licensed](#) [Construction](#) [Water Bearing Zones](#) [Drillers Log](#)

Work Requested -- GW102647

Works Details [\(top\)](#)

GROUNDWATER NUMBER	GW102647
LIC-NUM	10BL150044
AUTHORISED-PURPOSES	MONITORING BORE
INTENDED-PURPOSES	MONITORING BORE
WORK-TYPE	Bore
WORK-STATUS	(Unknown)
CONSTRUCTION-METHOD	
OWNER-TYPE	
COMMENCE-DATE	
COMPLETION-DATE	1992-05-20
FINAL-DEPTH (metres)	10.00
DRILLED-DEPTH (metres)	10.00
CONTRACTOR-NAME	
DRILLER-NAME	
PROPERTY	N/A
GWMA	-
GW-ZONE	-
STANDING-WATER-LEVEL	
SALINITY	2000.00
YIELD	

Site Details [\(top\)](#)

REGION	10 - SYDNEY SOUTH COAST
RIVER-BASIN	
AREA-DISTRICT	
CMA-MAP	
GRID-ZONE	
SCALE	
ELEVATION	
ELEVATION-SOURCE	
NORTHING	6251456.00
EASTING	320958.00
LATITUDE	33 51' 43"
LONGITUDE	151 3' 52"
GS-MAP	

AMG-ZONE 56
 COORD-SOURCE
 REMARK

Form-A [\(top\)](#)

no details

Licensed [\(top\)](#)

COUNTY CUMBERLAND
 PARISH LIBERTY PLAINS
 PORTION-LOT-DP 121 11427

Construction [\(top\)](#)

Negative depths indicate Above Ground Level;H-Hole;P-Pipe;OD-Outside Diameter;
 ID-Inside Diameter;C-Cemented;SL-Slot Length;A-Aperture;GS-Grain Size;Q-Quantity

HOLE- NO	PIPE- NO	COMPONENT- CODE	COMPONENT- TYPE	DEPTH- FROM (metres)	DEPTH- TO (metres)	OD (mm)	ID (mm)	INTERVAL	DETAIL
1	1	Casing	PVC Class 18	0.00	10.00	65			C: 5- 6.5m; Screwed; Seated on Bottom; Cap PVC Class 18;
1	1	Opening	Slots - Vertical	6.50	9.50	65			Sawn; SL: 3mm; A: 1mm
1		Annulus	Waterworn/Rounded	6.50	10.00				Graded

Water Bearing Zones [\(top\)](#)

FROM- DEPTH (metres)	TO-DEPTH (metres)	THICKNESS (metres)	ROCK- CAT- DESC	S- W-L	D- D- L	YIELD	TEST-HOLE- DEPTH (metres)	DURATION	SALINITY
5.50	6.50	1.00		5.50					

Drillers Log [\(top\)](#)

FROM	TO	THICKNESS	DESC	GEO-MATERIAL	COMMENT
0.00	7.00	7.00	CLAY		
7.00	10.00	3.00	SILTSTONE		

Warning To Clients: This raw data has been supplied to the Department of Infrastructure, Planning and Natural Resources (DIPNR) by drillers, licensees and other sources. The DIPNR does not verify the accuracy of this data. The data is presented for use by you at your own risk. You should consider verifying this data before relying on it. Professional hydrogeological advice should be sought in interpreting and using this data.

Groundwater Works Summary

For information on the meaning of fields please see [Glossary](#)
Document Generated on Tuesday, July 1, 2014

Print Report

[Works Details](#) [Site Details](#) [Form A](#) [Licensed](#) [Construction](#) [Water Bearing Zones](#) [Drillers Log](#)

Work Requested -- GW102650

Works Details [\(top\)](#)

GROUNDWATER NUMBER	GW102650
LIC-NUM	10BL150044
AUTHORISED-PURPOSES	MONITORING BORE
INTENDED-PURPOSES	MONITORING BORE
WORK-TYPE	Bore
WORK-STATUS	(Unknown)
CONSTRUCTION-METHOD	
OWNER-TYPE	
COMMENCE-DATE	
COMPLETION-DATE	1992-05-08
FINAL-DEPTH (metres)	10.00
DRILLED-DEPTH (metres)	10.00
CONTRACTOR-NAME	
DRILLER-NAME	
PROPERTY	N/A
GWMA	-
GW-ZONE	-
STANDING-WATER-LEVEL	
SALINITY	4570.00
YIELD	

Site Details [\(top\)](#)

REGION	10 - SYDNEY SOUTH COAST
RIVER-BASIN	
AREA-DISTRICT	
CMA-MAP	
GRID-ZONE	
SCALE	
ELEVATION	
ELEVATION-SOURCE	
NORTHING	6251517.00
EASTING	320957.00
LATITUDE	33 51' 41"
LONGITUDE	151 3' 52"
GS-MAP	

AMG-ZONE 56
 COORD-SOURCE
 REMARK

Form-A [\(top\)](#)

no details

Licensed [\(top\)](#)

COUNTY CUMBERLAND
 PARISH LIBERTY PLAINS
 PORTION-LOT-DP 121 11427

Construction [\(top\)](#)

Negative depths indicate Above Ground Level;H-Hole;P-Pipe;OD-Outside Diameter;
 ID-Inside Diameter;C-Cemented;SL-Slot Length;A-Aperture;GS-Grain Size;Q-Quantity

HOLE- NO	PIPE- NO	COMPONENT- CODE	COMPONENT- TYPE	DEPTH- FROM (metres)	DEPTH- TO (metres)	OD (mm)	ID (mm)	INTERVAL	DETAIL
1	1	Casing	PVC Class 18	0.00	10.00	65			C: 5- 6.5m; Screwed; Cap
1	1	Opening	Slots - Vertical	6.50	9.50	65			PVC Class 18; Sawn; SL: 3mm; A: 1mm
1		Annulus	Waterworn/Rounded	6.50	10.00				Graded

Water Bearing Zones [\(top\)](#)

FROM- DEPTH (metres)	TO-DEPTH (metres)	THICKNESS (metres)	ROCK- CAT- DESC	S- W-L	D- D- L	YIELD	TEST-HOLE- DEPTH (metres)	DURATION	SALINITY
0.00	0.00	0.00		7.60					

Drillers Log [\(top\)](#)

FROM	TO	THICKNESS	DESC	GEO-MATERIAL	COMMENT
0.00	4.00	4.00	CLAY		
4.00	5.00	1.00	SHALE WEATHERED		
5.00	7.00	2.00	CLAY		
7.00	10.00	3.00	SHALE		

Warning To Clients: This raw data has been supplied to the Department of Infrastructure, Planning and Natural Resources (DIPNR) by drillers, licensees and other sources. The DIPNR does not verify the accuracy of this data. The data is presented for use by you at your own risk. You should consider verifying this data before relying on it. Professional hydrogeological advice should be sought in interpreting and using this data.

Groundwater Works Summary

For information on the meaning of fields please see [Glossary](#)
Document Generated on Tuesday, July 1, 2014

Print Report

[Works Details](#) [Site Details](#) [Form A](#) [Licensed](#) [Construction](#) [Water Bearing Zones](#) [Drillers Log](#)

Work Requested -- GW102652

Works Details [\(top\)](#)

GROUNDWATER NUMBER	GW102652
LIC-NUM	10BL150044
AUTHORISED-PURPOSES	MONITORING BORE
INTENDED-PURPOSES	MONITORING BORE
WORK-TYPE	Bore
WORK-STATUS	(Unknown)
CONSTRUCTION-METHOD	
OWNER-TYPE	
COMMENCE-DATE	
COMPLETION-DATE	1992-05-18
FINAL-DEPTH (metres)	10.00
DRILLED-DEPTH (metres)	10.00
CONTRACTOR-NAME	
DRILLER-NAME	
PROPERTY	N/A
GWMA	-
GW-ZONE	-
STANDING-WATER-LEVEL	
SALINITY	14600.00
YIELD	

Site Details [\(top\)](#)

REGION	10 - SYDNEY SOUTH COAST
RIVER-BASIN	
AREA-DISTRICT	
CMA-MAP	
GRID-ZONE	
SCALE	
ELEVATION	
ELEVATION-SOURCE	
NORTHING	6251549.00
EASTING	320982.00
LATITUDE	33 51' 40"
LONGITUDE	151 3' 53"
GS-MAP	

AMG-ZONE 56
 COORD-SOURCE
 REMARK

Form-A [\(top\)](#)

no details

Licensed [\(top\)](#)

COUNTY CUMBERLAND
 PARISH LIBERTY PLAINS
 PORTION-LOT-DP 121 11427

Construction [\(top\)](#)

Negative depths indicate Above Ground Level;H-Hole;P-Pipe;OD-Outside Diameter;
 ID-Inside Diameter;C-Cemented;SL-Slot Length;A-Aperture;GS-Grain Size;Q-Quantity

HOLE- NO	PIPE- NO	COMPONENT- CODE	COMPONENT- TYPE	DEPTH- FROM (metres)	DEPTH- TO (metres)	OD (mm)	ID (mm)	INTERVAL	DETAIL
1	1	Casing	PVC Class 18	0.00	10.00	65			Screwed; Seated on Bottom; Cap PVC Class 18;
1	1	Opening	Slots - Vertical	6.50	9.50	65			Sawn; SL: 3mm; A: 1mm
1		Annulus	Waterworn/Rounded	6.50	10.00				Graded

Water Bearing Zones [\(top\)](#)

FROM- DEPTH (metres)	TO-DEPTH (metres)	THICKNESS (metres)	ROCK- CAT- DESC	S- W-L	D- D- L	YIELD	TEST-HOLE- DEPTH (metres)	DURATION	SALINITY
0.00	0.00	0.00		2.70					

Drillers Log [\(top\)](#)

FROM	TO	THICKNESS	DESC	GEO-MATERIAL	COMMENT
0.00	9.00	9.00	CLAY		
9.00	10.00	1.00	SILTSTONE		

Warning To Clients: This raw data has been supplied to the Department of Infrastructure, Planning and Natural Resources (DIPNR) by drillers, licensees and other sources. The DIPNR does not verify the accuracy of this data. The data is presented for use by you at your own risk. You should consider verifying this data before relying on it. Professional hydrogeological advice should be sought in interpreting and using this data.

Groundwater Works Summary

For information on the meaning of fields please see [Glossary](#)
Document Generated on Tuesday, July 1, 2014

Print Report

[Works Details](#) [Site Details](#) [Form A](#) [Licensed](#) [Construction](#) [Water Bearing Zones](#) [Drillers Log](#)

Work Requested -- GW102654

Works Details [\(top\)](#)

GROUNDWATER NUMBER	GW102654
LIC-NUM	10BL150044
AUTHORISED-PURPOSES	MONITORING BORE
INTENDED-PURPOSES	MONITORING BORE
WORK-TYPE	Bore
WORK-STATUS	(Unknown)
CONSTRUCTION-METHOD	
OWNER-TYPE	
COMMENCE-DATE	
COMPLETION-DATE	1992-05-15
FINAL-DEPTH (metres)	10.00
DRILLED-DEPTH (metres)	10.00
CONTRACTOR-NAME	
DRILLER-NAME	
PROPERTY	N/A
GWMA	-
GW-ZONE	-
STANDING-WATER-LEVEL	
SALINITY	6430.00
YIELD	

Site Details [\(top\)](#)

REGION	10 - SYDNEY SOUTH COAST
RIVER-BASIN	
AREA-DISTRICT	
CMA-MAP	
GRID-ZONE	
SCALE	
ELEVATION	
ELEVATION-SOURCE	
NORTHING	6251547.00
EASTING	320880.00
LATITUDE	33 51' 40"
LONGITUDE	151 3' 49"
GS-MAP	

AMG-ZONE 56
 COORD-SOURCE
 REMARK

Form-A [\(top\)](#)

no details

Licensed [\(top\)](#)

COUNTY CUMBERLAND
 PARISH LIBERTY PLAINS
 PORTION-LOT-DP 121 11427

Construction [\(top\)](#)

Negative depths indicate Above Ground Level;H-Hole;P-Pipe;OD-Outside Diameter;
 ID-Inside Diameter;C-Cemented;SL-Slot Length;A-Aperture;GS-Grain Size;Q-Quantity

HOLE- NO	PIPE- NO	COMPONENT- CODE	COMPONENT- TYPE	DEPTH- FROM (metres)	DEPTH- TO (metres)	OD (mm)	ID (mm)	INTERVAL	DETAIL
1	1	Casing	PVC Class 18	0.00	10.00	65			C: 5- 6.5m; Screwed; Seated on Bottom; Cap
1	1	Opening	Slots - Vertical	6.50	9.50	65			PVC Class 18; SL: 3mm; A: 1mm
1		Annulus	Waterworn/Rounded	6.50	10.00				Graded

Water Bearing Zones [\(top\)](#)

FROM- DEPTH (metres)	TO-DEPTH (metres)	THICKNESS (metres)	ROCK- CAT- DESC	S- W-L	D- D- L	YIELD	TEST-HOLE- DEPTH (metres)	DURATION	SALINITY
0.00	0.00	0.00		9.50					

Drillers Log [\(top\)](#)

FROM	TO	THICKNESS	DESC	GEO-MATERIAL	COMMENT
0.00	7.00	7.00	CLAY		
7.00	10.00	3.00	SILTSTONE		

Warning To Clients: This raw data has been supplied to the Department of Infrastructure, Planning and Natural Resources (DIPNR) by drillers, licensees and other sources. The DIPNR does not verify the accuracy of this data. The data is presented for use by you at your own risk. You should consider verifying this data before relying on it. Professional hydrogeological advice should be sought in interpreting and using this data.

Groundwater Works Summary

For information on the meaning of fields please see [Glossary](#)
Document Generated on Tuesday, July 1, 2014

Print Report

[Works Details](#) [Site Details](#) [Form A](#) [Licensed](#) [Construction](#) [Water Bearing Zones](#) [Drillers Log](#)

Work Requested -- GW102656

Works Details [\(top\)](#)

GROUNDWATER NUMBER	GW102656
LIC-NUM	10BL150044
AUTHORISED-PURPOSES	MONITORING BORE
INTENDED-PURPOSES	MONITORING BORE
WORK-TYPE	Bore
WORK-STATUS	(Unknown)
CONSTRUCTION-METHOD	
OWNER-TYPE	
COMMENCE-DATE	
COMPLETION-DATE	1992-05-19
FINAL-DEPTH (metres)	25.00
DRILLED-DEPTH (metres)	25.00
CONTRACTOR-NAME	
DRILLER-NAME	
PROPERTY	N/A
GWMA	-
GW-ZONE	-
STANDING-WATER-LEVEL	
SALINITY	1640.00
YIELD	

Site Details [\(top\)](#)

REGION	10 - SYDNEY SOUTH COAST
RIVER-BASIN	
AREA-DISTRICT	
CMA-MAP	
GRID-ZONE	
SCALE	
ELEVATION	
ELEVATION-SOURCE	
NORTHING	6251640.00
EASTING	320929.00
LATITUDE	33 51' 37"
LONGITUDE	151 3' 51"
GS-MAP	

AMG-ZONE 56
 COORD-SOURCE
 REMARK

Form-A [\(top\)](#)

no details

Licensed [\(top\)](#)

COUNTY CUMBERLAND
 PARISH LIBERTY PLAINS
 PORTION-LOT-DP 121 11427

Construction [\(top\)](#)

Negative depths indicate Above Ground Level;H-Hole;P-Pipe;OD-Outside Diameter;
 ID-Inside Diameter;C-Cemented;SL-Slot Length;A-Aperture;GS-Grain Size;Q-Quantity

HOLE- NO	PIPE- NO	COMPONENT- CODE	COMPONENT- TYPE	DEPTH- FROM (metres)	DEPTH- TO (metres)	OD (mm)	ID (mm)	INTERVAL	DETAIL
1	1	Casing	PVC Class 18	0.00	25.00	65			C: 20- 21.5m; Screwed; Seated on Bottom; Cap PVC Class 18;
1	1	Opening	Slots - Vertical	21.50	24.50	65			Sawn; SL: 3mm; A: 1mm
1		Annulus	Waterworn/Rounded	21.50	25.00				Graded

Water Bearing Zones [\(top\)](#)

FROM- DEPTH (metres)	TO-DEPTH (metres)	THICKNESS (metres)	ROCK- CAT- DESC	S- W-L	D- D- L	YIELD	TEST-HOLE- DEPTH (metres)	DURATION	SALINITY
0.00	0.00	0.00		1.00					

Drillers Log [\(top\)](#)

FROM	TO	THICKNESS	DESC	GEO-MATERIAL	COMMENT
0.00	6.00	6.00	CLAY		
6.00	25.00	19.00	SILTSTONE		

Warning To Clients: This raw data has been supplied to the Department of Infrastructure, Planning and Natural Resources (DIPNR) by drillers, licensees and other sources. The DIPNR does not verify the accuracy of this data. The data is presented for use by you at your own risk. You should consider verifying this data before relying on it. Professional hydrogeological advice should be sought in interpreting and using this data.

Groundwater Works Summary

For information on the meaning of fields please see [Glossary](#)
Document Generated on Tuesday, July 1, 2014

Print Report

[Works Details](#) [Site Details](#) [Form A](#) [Licensed](#) [Construction](#) [Water Bearing Zones](#) [Drillers Log](#)

Work Requested -- GW102657

Works Details [\(top\)](#)

GROUNDWATER NUMBER	GW102657
LIC-NUM	10BL150044
AUTHORISED-PURPOSES	MONITORING BORE
INTENDED-PURPOSES	MONITORING BORE
WORK-TYPE	Bore
WORK-STATUS	Equipped - bore used for obs
CONSTRUCTION-METHOD	(Unknown)
OWNER-TYPE	Private
COMMENCE-DATE	
COMPLETION-DATE	1992-05-21
FINAL-DEPTH (metres)	8.00
DRILLED-DEPTH (metres)	8.00
CONTRACTOR-NAME	
DRILLER-NAME	
PROPERTY	N/A
GWMA	-
GW-ZONE	-
STANDING-WATER-LEVEL	1.00
SALINITY	10900.00
YIELD	

Site Details [\(top\)](#)

REGION	10 - SYDNEY SOUTH COAST
RIVER-BASIN	
AREA-DISTRICT	
CMA-MAP	
GRID-ZONE	
SCALE	
ELEVATION	
ELEVATION-SOURCE	
NORTHING	6251485.00
EASTING	320881.00
LATITUDE	33 51' 42"
LONGITUDE	151 3' 49"
GS-MAP	

AMG-ZONE 56
 COORD-SOURCE
 REMARK

Form-A [\(top\)](#)

COUNTY CUMBERLAND
 PARISH LIBERTY PLAINS
 PORTION-LOT-DP 121//11427

Licensed [\(top\)](#)

COUNTY CUMBERLAND
 PARISH LIBERTY PLAINS
 PORTION-LOT-DP 121 11427

Construction [\(top\)](#)

Negative depths indicate Above Ground Level;H-Hole;P-Pipe;OD-Outside Diameter;
 ID-Inside Diameter;C-Cemented;SL-Slot Length;A-Aperture;GS-Grain Size;Q-Quantity

HOLE- NO	PIPE- NO	COMPONENT- CODE	COMPONENT- TYPE	DEPTH- FROM (metres)	DEPTH- TO (metres)	OD (mm)	ID (mm)	INTERVAL	DETAIL
1	1	Casing	PVC Class 18	0.00	8.00	65			C: 3- 4.5m; Screwed; Seated on Bottom; Cap
1	1	Opening	Slots - Vertical	4.50	7.50	65			PVC Class 18; Sawn; SL: 3mm; A: 1mm
1		Annulus	Waterworn/Rounded	4.80	8.00				Graded

Water Bearing Zones [\(top\)](#)

FROM- DEPTH (metres)	TO-DEPTH (metres)	THICKNESS (metres)	ROCK- CAT- DESC	S- W-L	D- D- L	YIELD	TEST-HOLE- DEPTH (metres)	DURATION	SALINITY
0.00	0.00	0.00		1.00					

Drillers Log [\(top\)](#)

FROM	TO	THICKNESS	DESC	GEO-MATERIAL	COMMENT
0.00	1.00	1.00	CLAY		
1.00	8.00	7.00	WASTE		

Warning To Clients: This raw data has been supplied to the Department of Infrastructure, Planning and Natural Resources (DIPNR) by drillers, licensees and other sources. The DIPNR does not verify the accuracy of this data. The data is presented for use by you at your own risk. You should consider verifying this data before relying on it. Professional hydrogeological advice should be sought in interpreting and using this data.

Groundwater Works Summary

For information on the meaning of fields please see [Glossary](#)
Document Generated on Tuesday, July 1, 2014

Print Report

[Works Details](#) [Site Details](#) [Form A](#) [Licensed](#) [Construction](#) [Water Bearing Zones](#) [Drillers Log](#)

Work Requested -- GW102659

Works Details [\(top\)](#)

GROUNDWATER NUMBER	GW102659
LIC-NUM	10BL150044
AUTHORISED-PURPOSES	MONITORING BORE
INTENDED-PURPOSES	MONITORING BORE
WORK-TYPE	Bore
WORK-STATUS	(Unknown)
CONSTRUCTION-METHOD	
OWNER-TYPE	
COMMENCE-DATE	
COMPLETION-DATE	1992-05-29
FINAL-DEPTH (metres)	10.00
DRILLED-DEPTH (metres)	10.00
CONTRACTOR-NAME	
DRILLER-NAME	
PROPERTY	N/A
GWMA	-
GW-ZONE	-
STANDING-WATER-LEVEL	
SALINITY	2620.00
YIELD	

Site Details [\(top\)](#)

REGION	10 - SYDNEY SOUTH COAST
RIVER-BASIN	
AREA-DISTRICT	
CMA-MAP	
GRID-ZONE	
SCALE	
ELEVATION	
ELEVATION-SOURCE	
NORTHING	6251424.00
EASTING	320908.00
LATITUDE	33 51' 44"
LONGITUDE	151 3' 50"
GS-MAP	

AMG-ZONE 56
 COORD-SOURCE
 REMARK

Form-A [\(top\)](#)

no details

Licensed [\(top\)](#)

COUNTY CUMBERLAND
 PARISH LIBERTY PLAINS
 PORTION-LOT-DP 121 11427

Construction [\(top\)](#)

Negative depths indicate Above Ground Level;H-Hole;P-Pipe;OD-Outside Diameter;
 ID-Inside Diameter;C-Cemented;SL-Slot Length;A-Aperture;GS-Grain Size;Q-Quantity

HOLE- NO	PIPE- NO	COMPONENT- CODE	COMPONENT- TYPE	DEPTH- FROM (metres)	DEPTH- TO (metres)	OD (mm)	ID (mm)	INTERVAL	DETAIL
1	1	Casing	PVC Class 18	0.00	10.00	65			C: 5- 6.5m; Screwed; Seated on Bottom; Cap PVC Class 18;
1	1	Opening	Slots - Vertical	6.50	9.50	65			Sawn; SL: 3mm; A: 1mm
1		Annulus	Waterworn/Rounded	6.50	10.00				Graded

Water Bearing Zones [\(top\)](#)

FROM- DEPTH (metres)	TO-DEPTH (metres)	THICKNESS (metres)	ROCK- CAT- DESC	S- W-L	D- D- L	YIELD	TEST-HOLE- DEPTH (metres)	DURATION	SALINITY
0.00	0.00	0.00		1.20					

Drillers Log [\(top\)](#)

FROM	TO	THICKNESS	DESC	GEO-MATERIAL	COMMENT
0.00	7.00	7.00	CLAY		
7.00	10.00	3.00	SHALE		

Warning To Clients: This raw data has been supplied to the Department of Infrastructure, Planning and Natural Resources (DIPNR) by drillers, licensees and other sources. The DIPNR does not verify the accuracy of this data. The data is presented for use by you at your own risk. You should consider verifying this data before relying on it. Professional hydrogeological advice should be sought in interpreting and using this data.

Groundwater Works Summary

For information on the meaning of fields please see [Glossary](#)
Document Generated on Tuesday, July 1, 2014

[Print Report](#)

[Works Details](#) [Site Details](#) [Form A](#) [Licensed](#) [Construction](#) [Water Bearing Zones](#) [Drillers Log](#)

Work Requested -- GW102660

Works Details [\(top\)](#)

GROUNDWATER NUMBER	GW102660
LIC-NUM	10BL150044
AUTHORISED-PURPOSES	MONITORING BORE
INTENDED-PURPOSES	MONITORING BORE
WORK-TYPE	Bore
WORK-STATUS	(Unknown)
CONSTRUCTION-METHOD	
OWNER-TYPE	
COMMENCE-DATE	
COMPLETION-DATE	1992-05-29
FINAL-DEPTH (metres)	8.00
DRILLED-DEPTH (metres)	8.00
CONTRACTOR-NAME	
DRILLER-NAME	
PROPERTY	N/A
GWMA	-
GW-ZONE	-
STANDING-WATER-LEVEL	
SALINITY	1460.00
YIELD	

Site Details [\(top\)](#)

REGION	10 - SYDNEY SOUTH COAST
RIVER-BASIN	
AREA-DISTRICT	
CMA-MAP	
GRID-ZONE	
SCALE	
ELEVATION	
ELEVATION-SOURCE	
NORTHING	6251423.00
EASTING	320856.00
LATITUDE	33 51' 44"
LONGITUDE	151 3' 48"
GS-MAP	

AMG-ZONE 56
 COORD-SOURCE
 REMARK

Form-A [\(top\)](#)

no details

Licensed [\(top\)](#)

COUNTY CUMBERLAND
 PARISH LIBERTY PLAINS
 PORTION-LOT-DP 121 11427

Construction [\(top\)](#)

Negative depths indicate Above Ground Level;H-Hole;P-Pipe;OD-Outside Diameter;
 ID-Inside Diameter;C-Cemented;SL-Slot Length;A-Aperture;GS-Grain Size;Q-Quantity

HOLE- NO	PIPE- NO	COMPONENT- CODE	COMPONENT- TYPE	DEPTH- FROM (metres)	DEPTH- TO (metres)	OD (mm)	ID (mm)	INTERVAL	DETAIL
1	1	Casing	PVC Class 18	0.00	8.00	65			C: 6.5-10m; Screwed; Seated on Bottom; Cap
1	1	Opening	Slots - Vertical	6.50	9.50	65			PVC Class 18; Sawn; SL: 3mm; A: 1mm
1		Annulus	Waterworn/Rounded	6.50	10.00				Graded

Water Bearing Zones [\(top\)](#)

no details

Drillers Log [\(top\)](#)

FROM	TO	THICKNESS	DESC	GEO-MATERIAL	COMMENT
0.00	7.00	7.00	CLAY		
7.00	8.00	1.00	SHALE		

Warning To Clients: This raw data has been supplied to the Department of Infrastructure, Planning and Natural Resources (DIPNR) by drillers, licensees and other sources. The DIPNR does not verify the accuracy of this data. The data is presented for use by you at your own risk. You should consider verifying this data before relying on it. Professional hydrogeological advice should be sought in interpreting and using this data.

Groundwater Works Summary

For information on the meaning of fields please see [Glossary](#)
Document Generated on Tuesday, July 1, 2014

[Print Report](#)

[Works Details](#) [Site Details](#) [Form A](#) [Licensed](#) [Construction](#) [Water Bearing Zones](#) [Drillers Log](#)

Work Requested -- GW102670

Works Details [\(top\)](#)

GROUNDWATER NUMBER	GW102670
LIC-NUM	10BL152712
AUTHORISED-PURPOSES	MONITORING BORE
INTENDED-PURPOSES	MONITORING BORE
WORK-TYPE	Bore
WORK-STATUS	(Unknown)
CONSTRUCTION-METHOD	Auger
OWNER-TYPE	
COMMENCE-DATE	
COMPLETION-DATE	1993-07-01
FINAL-DEPTH (metres)	2.00
DRILLED-DEPTH (metres)	2.00
CONTRACTOR-NAME	
DRILLER-NAME	
PROPERTY	N/A
GWMA	-
GW-ZONE	-
STANDING-WATER-LEVEL	
SALINITY	
YIELD	

Site Details [\(top\)](#)

REGION	10 - SYDNEY SOUTH COAST
RIVER-BASIN	
AREA-DISTRICT	
CMA-MAP	
GRID-ZONE	
SCALE	
ELEVATION	
ELEVATION-SOURCE	
NORTHING	6251329.00
EASTING	322426.00
LATITUDE	33 51' 48"
LONGITUDE	151 4' 49"
GS-MAP	

AMG-ZONE 56
 COORD-SOURCE GIS - Geographic Information System
 REMARK

Form-A [\(top\)](#)

no details

Licensed [\(top\)](#)

COUNTY CUMBERLAND
 PARISH PETERSHAM
 PORTION-LOT-DP BUCHANAN ST, BALMAIN

Construction [\(top\)](#)

Negative depths indicate Above Ground Level;H-Hole;P-Pipe;OD-Outside Diameter;
 ID-Inside Diameter;C-Cemented;SL-Slot Length;A-Aperture;GS-Grain Size;Q-Quantity

HOLE- NO	PIPE- NO	COMPONENT- CODE	COMPONENT- TYPE	DEPTH- FROM (metres)	DEPTH- TO (metres)	OD (mm)	ID (mm)	INTERVAL	DETAIL
1		Hole	Hole	0.00	2.00	125			Auger
1	1	Casing	P.V.C.	0.00	2.00	50			C: 0-.1m; Screwed; Seated on Bottom; Cap
1	1	Opening	Slots - Horizontal	0.20	2.00	50			PVC; A: .05mm
1		Annulus	(Unknown)	0.50	2.00				Ungraded; GS: .2-7mm

Water Bearing Zones [\(top\)](#)

no details

Drillers Log [\(top\)](#)

FROM	TO	THICKNESS	DESC	GEO-MATERIAL	COMMENT
0.00	1.00	1.00	SOIL		
1.00	2.00	1.00	SANDSTONE		

Warning To Clients: This raw data has been supplied to the Department of Infrastructure, Planning and Natural Resources (DIPNR) by drillers, licensees and other sources. The DIPNR does not verify the accuracy of this data. The data is presented for use by you at your own risk. You should consider verifying this data before relying on it. Professional hydrogeological advice should be sought in interpreting and using this data.

Groundwater Works Summary

For information on the meaning of fields please see [Glossary](#)
Document Generated on Tuesday, July 1, 2014

[Print Report](#)

[Works Details](#) [Site Details](#) [Form A](#) [Licensed](#) [Construction](#) [Water Bearing Zones](#) [Drillers Log](#)

Work Requested -- GW111341

Works Details [\(top\)](#)

GROUNDWATER NUMBER	GW111341
LIC-NUM	10BL604349
AUTHORISED-PURPOSES	MONITORING BORE
INTENDED-PURPOSES	MONITORING BORE
WORK-TYPE	Bore
WORK-STATUS	Equipped - bore used for obs
CONSTRUCTION-METHOD	Auger - Solid Flight
OWNER-TYPE	Other Govt
COMMENCE-DATE	
COMPLETION-DATE	2010-11-06
FINAL-DEPTH (metres)	8.00
DRILLED-DEPTH (metres)	8.00
CONTRACTOR-NAME	
DRILLER-NAME	
PROPERTY	SYDNEY WATER
GWMA	-
GW-ZONE	-
STANDING-WATER-LEVEL	
SALINITY	
YIELD	

Site Details [\(top\)](#)

REGION	10 - SYDNEY SOUTH COAST
RIVER-BASIN	
AREA-DISTRICT	
CMA-MAP	
GRID-ZONE	
SCALE	
ELEVATION	
ELEVATION-SOURCE	
NORTHING	6253031.00
EASTING	321544.00
LATITUDE	33 50' 53"
LONGITUDE	151 4' 16"
GS-MAP	

AMG-ZONE 56
 COORD-SOURCE
 REMARK

Form-A [\(top\)](#)

COUNTY CUMBERLAND
 PARISH CONCORD
 PORTION-LOT-DP 52 747909

Licensed [\(top\)](#)

COUNTY CUMBERLAND
 PARISH CONCORD
 PORTION-LOT-DP 52 747909

Construction [\(top\)](#)

Negative depths indicate Above Ground Level;H-Hole;P-Pipe;OD-Outside Diameter;
 ID-Inside Diameter;C-Cemented;SL-Slot Length;A-Aperture;GS-Grain Size;Q-Quantity

HOLE- NO	PIPE- NO	COMPONENT- CODE	COMPONENT- TYPE	DEPTH- FROM (metres)	DEPTH- TO (metres)	OD (mm)	ID (mm)	INTERVAL	DETAIL
1		Hole	Hole	0.00	8.00	100			Auger - Solid Flight
1	1	Casing	PVC Class 12	0.00	5.00	50	40		Seated on Bottom; End cap
1	1	Opening	Slots	5.00	8.00	50	40		PVC Class 12; Casing - Machine Slotted; A: 1mm; Screwed
1		Annulus	Crushed Aggregate	3.50	8.00	100	50		Graded; GS: 2- 3mm; Q: 40m ³

Water Bearing Zones [\(top\)](#)

no details

Drillers Log [\(top\)](#)

FROM	TO	THICKNESS	DESC	GEO-MATERIAL	COMMENT
0.00	0.20	0.20	BITUMEN		
0.20	0.40	0.20	GRAVELLY ROAD BASE,GREY/BROWN		
0.40	0.60	0.20	CLAY BROWN,GRAVELS MOIST		
0.60	8.00	7.40	SHALE BROWN,HARD,DRY		

Warning To Clients: This raw data has been supplied to the Department of Infrastructure, Planning and Natural Resources (DIPNR) by drillers, licensees and other sources. The DIPNR does not verify the accuracy of this data. The data is presented for use by you at your own risk. You should consider verifying this data before relying on it. Professional hydrogeological advice should be sought in interpreting and using this data.

Groundwater Works Summary

For information on the meaning of fields please see [Glossary](#)
Document Generated on Tuesday, July 1, 2014

Print Report

[Works Details](#) [Site Details](#) [Form A](#) [Licensed](#) [Construction](#) [Water Bearing Zones](#) [Drillers Log](#)

Work Requested -- GW111671

Works Details [\(top\)](#)

GROUNDWATER NUMBER	GW111671
LIC-NUM	10BL602925
AUTHORISED-PURPOSES	MONITORING BORE
INTENDED-PURPOSES	MONITORING BORE
WORK-TYPE	Bore
WORK-STATUS	Equipped - bore used for obs
CONSTRUCTION-METHOD	Auger
OWNER-TYPE	Private
COMMENCE-DATE	
COMPLETION-DATE	2009-02-09
FINAL-DEPTH (metres)	5.30
DRILLED-DEPTH (metres)	5.30
CONTRACTOR-NAME	
DRILLER-NAME	
PROPERTY	ENERGY AUSTRALIA
GWMA	-
GW-ZONE	-
STANDING-WATER-LEVEL	0.68
SALINITY	
YIELD	

Site Details [\(top\)](#)

REGION	10 - SYDNEY SOUTH COAST
RIVER-BASIN	
AREA-DISTRICT	
CMA-MAP	
GRID-ZONE	
SCALE	
ELEVATION	
ELEVATION-SOURCE	
NORTHING	6252023.00
EASTING	322554.00
LATITUDE	33 51' 26"
LONGITUDE	151 4' 55"
GS-MAP	

AMG-ZONE 56
 COORD-SOURCE
 REMARK

Form-A [\(top\)](#)

COUNTY CUMBERLAND
 PARISH CONCORD
 PORTION-LOT-DP 1//380202

Licensed [\(top\)](#)

COUNTY CUMBERLAND
 PARISH CONCORD
 PORTION-LOT-DP 1 380202

Construction [\(top\)](#)

Negative depths indicate Above Ground Level;H-Hole;P-Pipe;OD-Outside Diameter;
 ID-Inside Diameter;C-Cemented;SL-Slot Length;A-Aperture;GS-Grain Size;Q-Quantity

HOLE- NO	PIPE- NO	COMPONENT- CODE	COMPONENT- TYPE	DEPTH- FROM (metres)	DEPTH- TO (metres)	OD (mm)	ID (mm)	INTERVAL	DETAIL
1		Hole	Hole	0.00	5.30	125			Auger
1	1	Casing	PVC Class 18	0.00	1.30	50			Screwed
1	1	Opening	Screen	1.30	5.30	50			PVC Class 18; A: .5mm

Water Bearing Zones [\(top\)](#)

FROM- DEPTH (metres)	TO-DEPTH (metres)	THICKNESS (metres)	ROCK- CAT- DESC	S- W-L	D- D- L	YIELD	TEST-HOLE- DEPTH (metres)	DURATION	SALINITY
0.60	5.30	4.70		0.68					

Drillers Log [\(top\)](#)

FROM	TO	THICKNESS	DESC	GEO-MATERIAL	COMMENT
0.00	0.60	0.60	FILL		
0.60	5.30	4.70	CLAY		

Warning To Clients: This raw data has been supplied to the Department of Infrastructure, Planning and Natural Resources (DIPNR) by drillers, licensees and other sources. The DIPNR does not verify the accuracy of this data. The data is presented for use by you at your own risk. You should consider verifying this data before relying on it. Professional hydrogeological advice should be sought in interpreting and using this data.

Groundwater Works Summary

For information on the meaning of fields please see [Glossary](#)
Document Generated on Tuesday, July 1, 2014

Print Report

[Works Details](#) [Site Details](#) [Form A](#) [Licensed](#) [Construction](#) [Water Bearing Zones](#) [Drillers Log](#)

Work Requested -- GW111672

Works Details [\(top\)](#)

GROUNDWATER NUMBER	GW111672
LIC-NUM	10BL602925
AUTHORISED-PURPOSES	MONITORING BORE
INTENDED-PURPOSES	MONITORING BORE
WORK-TYPE	Bore
WORK-STATUS	Equipped - bore used for obs
CONSTRUCTION-METHOD	Auger
OWNER-TYPE	Private
COMMENCE-DATE	
COMPLETION-DATE	2009-02-09
FINAL-DEPTH (metres)	5.40
DRILLED-DEPTH (metres)	5.40
CONTRACTOR-NAME	
DRILLER-NAME	
PROPERTY	ENERGY AUSTRALIA
GWMA	-
GW-ZONE	-
STANDING-WATER-LEVEL	1.35
SALINITY	
YIELD	

Site Details [\(top\)](#)

REGION	10 - SYDNEY SOUTH COAST
RIVER-BASIN	
AREA-DISTRICT	
CMA-MAP	
GRID-ZONE	
SCALE	
ELEVATION	
ELEVATION-SOURCE	
NORTHING	6252043.00
EASTING	322595.00
LATITUDE	33 51' 25"
LONGITUDE	151 4' 56"
GS-MAP	

AMG-ZONE 56
 COORD-SOURCE
 REMARK

Form-A [\(top\)](#)

COUNTY CUMBERLAND
 PARISH CONCORD
 PORTION-LOT-DP 1//380202

Licensed [\(top\)](#)

COUNTY CUMBERLAND
 PARISH CONCORD
 PORTION-LOT-DP 1 380202

Construction [\(top\)](#)

Negative depths indicate Above Ground Level;H-Hole;P-Pipe;OD-Outside Diameter;
 ID-Inside Diameter;C-Cemented;SL-Slot Length;A-Aperture;GS-Grain Size;Q-Quantity

HOLE- NO	PIPE- NO	COMPONENT- CODE	COMPONENT- TYPE	DEPTH- FROM (metres)	DEPTH- TO (metres)	OD (mm)	ID (mm)	INTERVAL	DETAIL
1		Hole	Hole	0.00	5.40	125			Auger
1	1	Casing	PVC Class 18	0.00	1.40	50			
1	1	Opening	Screen	1.40	5.40	50			PVC Class 18; A: .5mm

Water Bearing Zones [\(top\)](#)

FROM- DEPTH (metres)	TO-DEPTH (metres)	THICKNESS (metres)	ROCK- CAT- DESC	S- W-L	D- D- L	YIELD	TEST-HOLE- DEPTH (metres)	DURATION	SALINITY
1.50	5.40	3.90		1.35					

Drillers Log [\(top\)](#)

FROM	TO	THICKNESS	DESC	GEO-MATERIAL	COMMENT
0.00	1.50	1.50	FILL		
1.50	5.40	3.90	CLAY		

Warning To Clients: This raw data has been supplied to the Department of Infrastructure, Planning and Natural Resources (DIPNR) by drillers, licensees and other sources. The DIPNR does not verify the accuracy of this data. The data is presented for use by you at your own risk. You should consider verifying this data before relying on it. Professional hydrogeological advice should be sought in interpreting and using this data.

Groundwater Works Summary

For information on the meaning of fields please see [Glossary](#)
Document Generated on Tuesday, July 1, 2014

Print Report

[Works Details](#) [Site Details](#) [Form A](#) [Licensed](#) [Construction](#) [Water Bearing Zones](#) [Drillers Log](#)

Work Requested -- GW111673

Works Details [\(top\)](#)

GROUNDWATER NUMBER	GW111673
LIC-NUM	10BL602953
AUTHORISED-PURPOSES	MONITORING BORE
INTENDED-PURPOSES	MONITORING BORE
WORK-TYPE	Bore
WORK-STATUS	Equipped - bore used for obs
CONSTRUCTION-METHOD	Auger
OWNER-TYPE	Private
COMMENCE-DATE	
COMPLETION-DATE	2009-02-09
FINAL-DEPTH (metres)	5.30
DRILLED-DEPTH (metres)	5.30
CONTRACTOR-NAME	
DRILLER-NAME	
PROPERTY	ENERGY AUSTRALIA
GWMA	-
GW-ZONE	-
STANDING-WATER-LEVEL	0.68
SALINITY	
YIELD	

Site Details [\(top\)](#)

REGION	10 - SYDNEY SOUTH COAST
RIVER-BASIN	
AREA-DISTRICT	
CMA-MAP	
GRID-ZONE	
SCALE	
ELEVATION	
ELEVATION-SOURCE	
NORTHING	6251859.00
EASTING	322603.00
LATITUDE	33 51' 31"
LONGITUDE	151 4' 56"
GS-MAP	

AMG-ZONE 56
 COORD-SOURCE
 REMARK

Form-A [\(top\)](#)

COUNTY CUMBERLAND
 PARISH CONCORD
 PORTION-LOT-DP 2/26/477

Licensed [\(top\)](#)

COUNTY CUMBERLAND
 PARISH CONCORD
 PORTION-LOT-DP 2 477

Construction [\(top\)](#)

Negative depths indicate Above Ground Level;H-Hole;P-Pipe;OD-Outside Diameter;
 ID-Inside Diameter;C-Cemented;SL-Slot Length;A-Aperture;GS-Grain Size;Q-Quantity

HOLE- NO	PIPE- NO	COMPONENT- CODE	COMPONENT- TYPE	DEPTH- FROM (metres)	DEPTH- TO (metres)	OD (mm)	ID (mm)	INTERVAL	DETAIL
1		Hole	Hole	0.00	5.30	125			Auger
1	1	Casing	PVC Class 18	0.00	1.30	50			Screwed
1	1	Opening	Screen	1.30	5.30	50			PVC Class 18; A: .5mm

Water Bearing Zones [\(top\)](#)

FROM- DEPTH (metres)	TO-DEPTH (metres)	THICKNESS (metres)	ROCK- CAT- DESC	S- W-L	D- D- L	YIELD	TEST-HOLE- DEPTH (metres)	DURATION	SALINITY
0.60	5.30	4.70		0.68					

Drillers Log [\(top\)](#)

FROM	TO	THICKNESS	DESC	GEO-MATERIAL	COMMENT
0.00	0.60	0.60	FILL		
0.60	5.30	4.70	CLAY		

Warning To Clients: This raw data has been supplied to the Department of Infrastructure, Planning and Natural Resources (DIPNR) by drillers, licensees and other sources. The DIPNR does not verify the accuracy of this data. The data is presented for use by you at your own risk. You should consider verifying this data before relying on it. Professional hydrogeological advice should be sought in interpreting and using this data.

Groundwater Works Summary

For information on the meaning of fields please see [Glossary](#)
Document Generated on Tuesday, July 1, 2014

Print Report

[Works Details](#) [Site Details](#) [Form A](#) [Licensed](#) [Construction](#) [Water Bearing Zones](#) [Drillers Log](#)

Work Requested -- GW111674

Works Details [\(top\)](#)

GROUNDWATER NUMBER	GW111674
LIC-NUM	10BL602953
AUTHORISED-PURPOSES	MONITORING BORE
INTENDED-PURPOSES	MONITORING BORE
WORK-TYPE	Bore
WORK-STATUS	Equipped - bore used for obs
CONSTRUCTION-METHOD	Auger
OWNER-TYPE	Private
COMMENCE-DATE	
COMPLETION-DATE	2009-02-09
FINAL-DEPTH (metres)	5.40
DRILLED-DEPTH (metres)	5.40
CONTRACTOR-NAME	
DRILLER-NAME	
PROPERTY	ENERGY AUSTRALIA
GWMA	-
GW-ZONE	-
STANDING-WATER-LEVEL	1.35
SALINITY	
YIELD	

Site Details [\(top\)](#)

REGION	10 - SYDNEY SOUTH COAST
RIVER-BASIN	
AREA-DISTRICT	
CMA-MAP	
GRID-ZONE	
SCALE	
ELEVATION	
ELEVATION-SOURCE	
NORTHING	6251866.00
EASTING	322623.00
LATITUDE	33 51' 31"
LONGITUDE	151 4' 57"
GS-MAP	

AMG-ZONE 56
 COORD-SOURCE
 REMARK

Form-A [\(top\)](#)

COUNTY CUMBERLAND
 PARISH CONCORD
 PORTION-LOT-DP 2/26/477

Licensed [\(top\)](#)

COUNTY CUMBERLAND
 PARISH CONCORD
 PORTION-LOT-DP 2 477

Construction [\(top\)](#)

Negative depths indicate Above Ground Level;H-Hole;P-Pipe;OD-Outside Diameter;
 ID-Inside Diameter;C-Cemented;SL-Slot Length;A-Aperture;GS-Grain Size;Q-Quantity

HOLE- NO	PIPE- NO	COMPONENT- CODE	COMPONENT- TYPE	DEPTH- FROM (metres)	DEPTH- TO (metres)	OD (mm)	ID (mm)	INTERVAL	DETAIL
1		Hole	Hole	0.00	5.40	125			Auger
1	1	Casing	PVC Class 18	0.00	1.40	50	50		
1	1	Opening	Screen	1.40	5.40	50			PVC Class 18; A: .5mm

Water Bearing Zones [\(top\)](#)

FROM- DEPTH (metres)	TO-DEPTH (metres)	THICKNESS (metres)	ROCK- CAT- DESC	S- W-L	D- D- L	YIELD	TEST-HOLE- DEPTH (metres)	DURATION	SALINITY
1.50	5.40	3.90		1.35					

Drillers Log [\(top\)](#)

FROM	TO	THICKNESS	DESC	GEO-MATERIAL	COMMENT
0.00	1.50	1.50	FILL		
1.50	5.40	3.90	CLAY		

Warning To Clients: This raw data has been supplied to the Department of Infrastructure, Planning and Natural Resources (DIPNR) by drillers, licensees and other sources. The DIPNR does not verify the accuracy of this data. The data is presented for use by you at your own risk. You should consider verifying this data before relying on it. Professional hydrogeological advice should be sought in interpreting and using this data.

Groundwater Works Summary

For information on the meaning of fields please see [Glossary](#)
Document Generated on Tuesday, July 1, 2014

Print Report

[Works Details](#) [Site Details](#) [Form A](#) [Licensed](#) [Construction](#) [Water Bearing Zones](#) [Drillers Log](#)

Work Requested -- GW113377

Works Details [\(top\)](#)

GROUNDWATER NUMBER	GW113377
LIC-NUM	10BL603181
AUTHORISED-PURPOSES	MONITORING BORE
INTENDED-PURPOSES	MONITORING BORE
WORK-TYPE	Bore
WORK-STATUS	
CONSTRUCTION-METHOD	
OWNER-TYPE	Private
COMMENCE-DATE	
COMPLETION-DATE	2010-08-24
FINAL-DEPTH (metres)	8.00
DRILLED-DEPTH (metres)	
CONTRACTOR-NAME	
DRILLER-NAME	
PROPERTY	SYDNEY OLYMPIC PARK AUTHORITY
GWMA	-
GW-ZONE	-
STANDING-WATER-LEVEL	
SALINITY	
YIELD	

Site Details [\(top\)](#)

REGION	10 - SYDNEY SOUTH COAST
RIVER-BASIN	
AREA-DISTRICT	
CMA-MAP	
GRID-ZONE	
SCALE	
ELEVATION	
ELEVATION-SOURCE	
NORTHING	6253644.00
EASTING	321321.00
LATITUDE	33 50' 33"
LONGITUDE	151 4' 8"
GS-MAP	

AMG-ZONE 56
COORD-SOURCE
REMARK

Form-A [\(top\)](#)

COUNTY CUMBERLAND
PARISH CONCORD
PORTION-LOT-DP 1121//1142724

Licensed [\(top\)](#)

COUNTY CUMBERLAND
PARISH CONCORD
PORTION-LOT-DP 1121 1142724

Water Bearing Zones [\(top\)](#)

no details

Drillers Log [\(top\)](#)

no details

Warning To Clients: This raw data has been supplied to the Department of Infrastructure, Planning and Natural Resources (DIPNR) by drillers, licensees and other sources. The DIPNR does not verify the accuracy of this data. The data is presented for use by you at your own risk. You should consider verifying this data before relying on it. Professional hydrogeological advice should be sought in interpreting and using this data.

Groundwater Works Summary

For information on the meaning of fields please see [Glossary](#)

Document Generated on Tuesday, July 1, 2014

[Print Report](#)

[Works Details](#) [Site Details](#) [Form A](#) [Licensed](#) [Construction](#) [Water Bearing Zones](#) [Drillers Log](#)

Work Requested -- GW113378

Works Details [\(top\)](#)

GROUNDWATER NUMBER GW113378
LIC-NUM 10BL603181
AUTHORISED-PURPOSES MONITORING BORE
INTENDED-PURPOSES MONITORING BORE
WORK-TYPE Bore
WORK-STATUS
CONSTRUCTION-METHOD
OWNER-TYPE Private
COMMENCE-DATE
COMPLETION-DATE 2009-07-30
FINAL-DEPTH (metres) 6.50
DRILLED-DEPTH (metres)
CONTRACTOR-NAME
DRILLER-NAME
PROPERTY SYDNEY OLYMPIC PARK AUTHORITY
GWMA -
GW-ZONE -
STANDING-WATER-LEVEL
SALINITY
YIELD

Site Details [\(top\)](#)

REGION 10 - SYDNEY SOUTH COAST
RIVER-BASIN
AREA-DISTRICT
CMA-MAP
GRID-ZONE
SCALE
ELEVATION
ELEVATION-SOURCE
NORTHING 6253608.00
EASTING 321252.00
LATITUDE 33 50' 34"
LONGITUDE 151 4' 5"
GS-MAP

AMG-ZONE 56
COORD-SOURCE
REMARK

Form-A [\(top\)](#)

COUNTY CUMBERLAND
PARISH CONCORD
PORTION-LOT-DP 1121//1142724

Licensed [\(top\)](#)

COUNTY CUMBERLAND
PARISH CONCORD
PORTION-LOT-DP 1121 1142724

Water Bearing Zones [\(top\)](#)

no details

Drillers Log [\(top\)](#)

no details

Warning To Clients: This raw data has been supplied to the Department of Infrastructure, Planning and Natural Resources (DIPNR) by drillers, licensees and other sources. The DIPNR does not verify the accuracy of this data. The data is presented for use by you at your own risk. You should consider verifying this data before relying on it. Professional hydrogeological advice should be sought in interpreting and using this data.

Groundwater Works Summary

For information on the meaning of fields please see [Glossary](#)
Document Generated on Tuesday, July 1, 2014

Print Report

[Works Details](#) [Site Details](#) [Form A](#) [Licensed](#) [Construction](#) [Water Bearing Zones](#) [Drillers Log](#)

Work Requested -- GW113379

Works Details [\(top\)](#)

GROUNDWATER NUMBER	GW113379
LIC-NUM	10BL603181
AUTHORISED-PURPOSES	MONITORING BORE
INTENDED-PURPOSES	MONITORING BORE
WORK-TYPE	Bore
WORK-STATUS	
CONSTRUCTION-METHOD	
OWNER-TYPE	Private
COMMENCE-DATE	
COMPLETION-DATE	2009-07-30
FINAL-DEPTH (metres)	4.50
DRILLED-DEPTH (metres)	
CONTRACTOR-NAME	
DRILLER-NAME	
PROPERTY	SYDNEY OLYMPIC PARK AUTHORITY
GWMA	-
GW-ZONE	-
STANDING-WATER-LEVEL	
SALINITY	
YIELD	

Site Details [\(top\)](#)

REGION	10 - SYDNEY SOUTH COAST
RIVER-BASIN	
AREA-DISTRICT	
CMA-MAP	
GRID-ZONE	
SCALE	
ELEVATION	
ELEVATION-SOURCE	
NORTHING	6253599.00
EASTING	321262.00
LATITUDE	33 50' 34"
LONGITUDE	151 4' 6"
GS-MAP	

AMG-ZONE 56
COORD-SOURCE
REMARK

Form-A [\(top\)](#)

COUNTY CUMBERLAND
PARISH CONCORD
PORTION-LOT-DP 1121//1142724

Licensed [\(top\)](#)

COUNTY CUMBERLAND
PARISH CONCORD
PORTION-LOT-DP 1121 1142724

Water Bearing Zones [\(top\)](#)

no details

Drillers Log [\(top\)](#)

no details

Warning To Clients: This raw data has been supplied to the Department of Infrastructure, Planning and Natural Resources (DIPNR) by drillers, licensees and other sources. The DIPNR does not verify the accuracy of this data. The data is presented for use by you at your own risk. You should consider verifying this data before relying on it. Professional hydrogeological advice should be sought in interpreting and using this data.

Groundwater Works Summary

For information on the meaning of fields please see [Glossary](#)
Document Generated on Tuesday, July 1, 2014

Print Report

[Works Details](#) [Site Details](#) [Form A](#) [Licensed](#) [Construction](#) [Water Bearing Zones](#) [Drillers Log](#)

Work Requested -- GW113380

Works Details [\(top\)](#)

GROUNDWATER NUMBER	GW113380
LIC-NUM	10BL603181
AUTHORISED-PURPOSES	MONITORING BORE
INTENDED-PURPOSES	MONITORING BORE
WORK-TYPE	Bore
WORK-STATUS	
CONSTRUCTION-METHOD	
OWNER-TYPE	Private
COMMENCE-DATE	
COMPLETION-DATE	2009-07-31
FINAL-DEPTH (metres)	5.50
DRILLED-DEPTH (metres)	
CONTRACTOR-NAME	
DRILLER-NAME	
PROPERTY	SYDNEY OLYMPIC PARK AUTHORITY
GWMA	-
GW-ZONE	-
STANDING-WATER-LEVEL	
SALINITY	
YIELD	

Site Details [\(top\)](#)

REGION	10 - SYDNEY SOUTH COAST
RIVER-BASIN	
AREA-DISTRICT	
CMA-MAP	
GRID-ZONE	
SCALE	
ELEVATION	
ELEVATION-SOURCE	
NORTHING	6253528.00
EASTING	321143.00
LATITUDE	33 50' 36"
LONGITUDE	151 4' 1"
GS-MAP	

AMG-ZONE 56
COORD-SOURCE
REMARK

Form-A [\(top\)](#)

COUNTY CUMBERLAND
PARISH CONCORD
PORTION-LOT-DP 1121//1142724

Licensed [\(top\)](#)

COUNTY CUMBERLAND
PARISH CONCORD
PORTION-LOT-DP 1121 1142724

Water Bearing Zones [\(top\)](#)

no details

Drillers Log [\(top\)](#)

no details

Warning To Clients: This raw data has been supplied to the Department of Infrastructure, Planning and Natural Resources (DIPNR) by drillers, licensees and other sources. The DIPNR does not verify the accuracy of this data. The data is presented for use by you at your own risk. You should consider verifying this data before relying on it. Professional hydrogeological advice should be sought in interpreting and using this data.

Groundwater Works Summary

For information on the meaning of fields please see [Glossary](#)
Document Generated on Tuesday, July 1, 2014

Print Report

[Works Details](#) [Site Details](#) [Form A](#) [Licensed](#) [Construction](#) [Water Bearing Zones](#) [Drillers Log](#)

Work Requested -- GW113381

Works Details [\(top\)](#)

GROUNDWATER NUMBER	GW113381
LIC-NUM	10BL603181
AUTHORISED-PURPOSES	MONITORING BORE
INTENDED-PURPOSES	MONITORING BORE
WORK-TYPE	Bore
WORK-STATUS	
CONSTRUCTION-METHOD	
OWNER-TYPE	Private
COMMENCE-DATE	
COMPLETION-DATE	2009-07-03
FINAL-DEPTH (metres)	4.50
DRILLED-DEPTH (metres)	
CONTRACTOR-NAME	
DRILLER-NAME	
PROPERTY	SYDNEY OLYMPIC PARK AUTHORITY
GWMA	-
GW-ZONE	-
STANDING-WATER-LEVEL	
SALINITY	
YIELD	

Site Details [\(top\)](#)

REGION	10 - SYDNEY SOUTH COAST
RIVER-BASIN	
AREA-DISTRICT	
CMA-MAP	
GRID-ZONE	
SCALE	
ELEVATION	
ELEVATION-SOURCE	
NORTHING	6253520.00
EASTING	321150.00
LATITUDE	33 50' 36"
LONGITUDE	151 4' 1"
GS-MAP	

AMG-ZONE 56
COORD-SOURCE
REMARK

Form-A [\(top\)](#)

COUNTY CUMBERLAND
PARISH CONCORD
PORTION-LOT-DP 1121//1142724

Licensed [\(top\)](#)

COUNTY CUMBERLAND
PARISH CONCORD
PORTION-LOT-DP 1121 1142724


Water Bearing Zones [\(top\)](#)

no details

Drillers Log [\(top\)](#)

no details

Warning To Clients: This raw data has been supplied to the Department of Infrastructure, Planning and Natural Resources (DIPNR) by drillers, licensees and other sources. The DIPNR does not verify the accuracy of this data. The data is presented for use by you at your own risk. You should consider verifying this data before relying on it. Professional hydrogeological advice should be sought in interpreting and using this data.



● 1.5km radius

GW111341 - 120 m west

GW113377 - 600m SW

GW113378 - 600m SW

GW113379 - 600m SW

GW113380 - 650m SW

GW113381 - 650m SW

GW102644 - 1.5km SW

GW102645 - 1.2km SW

GW102646 - 1.5km SW

GW102654 - 1.4km SW

GW102656 - 750m SW

GW102657 - 1.4km SW

① GW102652 - 1.3km SW

② GW102650 - 1.3km SW

③ GW102659 - 1.5km SW

GW102660 - 1.5km SW

④ GW102647 - 1.5km SW

GW102553 - 550m NE

GW102554 - 730m NE

GW102555 - 730m NE

⑤ GW102550 - 320m NE

⑦ GW102562 - 500m NE

⑧ GW102561 - 400m SE

⑨ GW102556 - 680m SE

⑩ GW102557 - 780m SE

⑪ GW102558 - 680m SE

⑫ GW102559 - 680m SE

⑬ GW111672 - 1.2km SE

⑭ GW111671 - 1.2km SE

⑮ GW111674 - 1.4km SE

⑬ GW111673 - 1.4km SE

⑭ GW102560 - 1.2km SE

⑮ GW102670 - 1.5km SE

Appendix C - Aerial Photographs



Source: Base Image - © Department of Lands

© 2014 JBS&G

0 25 50 100 m			
Scale: 1:2,500			
Datum: GDA 1994 MGA Zone 56 - AHD			
A4			
A	Original Issue - R01	LL	04-07-2014
Rev	Description	Dm.	Date:

Legend:

□ Approximate Site Boundary

JBS&G Figure: Sydney Olympic Park - 1930


Client: Mirvac

Project: 2 Figtree Drive, Sydney Olympic Park - SOPA Site 53 ESA

Job No: 43567

File Name: 43567_1930





Source: Base Image - © SIX Maps www.maps.six.nsw.gov.au, accessed 04/07/2014

© 2014 JBS&G

0 25 50 100 m			
Scale: 1:2,500			
Datum: GDA 1994 MGA Zone 56 - AHD			
A4			
A	Original Issue - R01	LL	04-07-2014
Rev	Description	Dm.	Date:

Legend:

Approximate Site Boundary

JBS&G Figure: Sydney Olympic Park - 1943

Client: Mirvac

Project: 2 Figtree Drive, Sydney Olympic Park - SOPA Site 53 ESA

Job No: 43567

File Name: 43567_1943

