





SSDA scheme as modified.



GFA and Height compliant 'Base' scheme.




June 21 : 10.00am

- Shadow cast by the GFA & Height compliant 'Base' scheme
- Shadow cast by the GFA & Height compliant 'Base' scheme & proposed SSDA scheme as modified
- Shadow cast by proposed SSDA scheme as modified
- Existing Shadows


Notes:

- Varying building heights along Henderson Road influence shadows
- The North-South orientation of existing buildings along Henderson Road cast existing shadows

Skylight Analysis - 24 counted along Henderson Road	
Compliant 'Base' Scheme	3 negatively affected
Modified SSDA scheme	6 negatively affected



SSDA scheme as modified.



GFA and Height compliant 'Base' scheme.



June 21 : 11.00am


- Shadow cast by the GFA & Height compliant 'Base' scheme
- Shadow cast by the GFA & Height compliant 'Base' scheme & proposed SSDA scheme as modified
- Shadow cast by proposed SSDA scheme as modified
- Existing Shadows

Notes:


- Varying building heights along Henderson Road influence shadows
- The North-South orientation of existing buildings along Henderson Road cast existing shadows

Skylight Analysis - 24 counted along Henderson Road

Compliant 'Base' Scheme	3 negatively affected
Modified SSDA scheme	1 negatively affected



SSDA scheme as modified.



GFA and Height compliant 'Base' scheme.




June 21 : 12.00pm

- Shadow cast by the GFA & Height compliant 'Base' scheme
- Shadow cast by the GFA & Height compliant 'Base' scheme & proposed SSDA scheme as modified
- Shadow cast by proposed SSDA scheme as modified
- Existing Shadows


Notes:

- Varying building heights along Henderson Road influence shadows
- The North-South orientation of existing buildings along Henderson Road cast existing shadows

Skylight Analysis - 24 counted along Henderson Road	
Compliant 'Base' Scheme	1 negatively affected
Modified SSDA scheme	0 negatively affected



SSDA scheme as modified.



GFA and Height compliant 'Base' scheme.



June 21 : 1.00pm


- Shadow cast by the GFA & Height compliant 'Base' scheme
- Shadow cast by the GFA & Height compliant 'Base' scheme & proposed SSDA scheme as modified
- Shadow cast by proposed SSDA scheme as modified
- Existing Shadows

Notes:


- Varying building heights along Henderson Road influence shadows
- The North-South orientation of existing buildings along Henderson Road cast existing shadows

Skylight Analysis - 24 counted along Henderson Road

Compliant 'Base' Scheme	0 negatively affected
Modified SSDA scheme	2 negatively affected



SSDA scheme as modified.



GFA and Height compliant 'Base' scheme.



- Shadow cast by the GFA & Height compliant 'Base' scheme
- Shadow cast by the GFA & Height compliant 'Base' scheme & proposed SSDA scheme as modified
- Shadow cast by proposed SSDA scheme as modified
- Existing Shadows

Notes:

- Varying building heights along Henderson Road influence shadows
- The North-South orientation of existing buildings along Henderson Road cast existing shadows

Skylight Analysis - 24 counted along Henderson Road	
Compliant 'Base' Scheme	4 negatively affected
Modified SSDA scheme	2 negatively affected