

Kings Bay Village | New Mixed-Use Development

129-153 Parramatta Road and 53-75 Queens Road, Five Dock

Consent No.: SSD-73228210

Materials & Finishes Schedule

Rev	A	19.02.26	For information	Asier / Tiffany / James
-----	---	----------	-----------------	-------------------------

ARCSCH_1.3 Powder Coat & Paint Systems & Colours

Kings Bay Village North Precinct _ New Mixed-Use Development

For information

Rev: A

Date: 19.02.26

Created: AC

Approved: TK

Amendments: Underlined


Deleted Items: Struck Through

Preliminary: Highlighted

Project No: 24027

129-153 Parramatta Road and 53-75 Queens Road, Five Dockl Deicorp

TURNER Architectural Base Building Works

Ref.	Description	Product Code / Information	Colour / Finish	Comments	Supplier / Manufacturer	Samples / Certification
Refer to ARCSCH_1.1 Contents & General Notes for further information regarding project documentation.						
PCF	Powder Coat Finish	For Colour (a), (b), etc. see notes below. Refer to the following Specification Work Section(s) for further information:		Powder Coatings		
PCF1	Powder Coat Finish, Type 1	Duratec - Eternity 91T7183M	Copper Metallic Kinetic Matt 	Pearlescent	Dulux	
PCF2	Powder Coat Finish, Type2	Duralloy 27283246	Shale Grey Satin 	Solid Colour	Dulux	
PCF3	Powder Coat Finish, Type3	Duralloy 2728232S	Terrain Satin 	Solid colour	Dulux	
PCF4	Powder Coat Finish, Type4	Electro 9068183F	Medium Bronze Kinetic Flat 	Anodised look	Dulux	

ARCSCH_1.3 Powder Coat & Paint Systems & Colours

Kings Bay Village North Precinct _ New Mixed-Use Development

For information

Rev: A

Date: 19.02.26

Created: AC

Approved: TK

Amendments: Underlined




Deleted Items: Struck Through

Preliminary: Highlighted

Project No: 24027

129-153 Parramatta Road and 53-75 Queens Road, Five Dock| Deicorp



TURNER Architectural Base Building Works

Ref.	Description	Product Code / Information	Colour / Finish	Comments	Supplier / Manufacturer	Samples / Certification
Refer to ARCSCH_1.1 Contents & General Notes for further information regarding project documentation.						
PCF5	Powder Coat Finish, Type5	Duralloy 26288351	Charcoal Satin 	Solid Colour	Dulux	
PCF6	Powder Coat Finish, Type6	Duralloy 2723193M	Riversand Matt 	Solid colour	Dulux	
PCF7	Powder Coat Finish, Type7	Duralloy 2724134S	Manor Red Satin 	Solid colour	Dulux	
PCF8	Powder Coat Finish, Type8	Electro 9068184F	Dark Bronze Kinetic Flat 	Anodised look	Dulux	

ARCSCH_1.3 Powder Coat & Paint Systems & Colours

Kings Bay Village North Precinct _ New Mixed-Use Development

For information Rev: A Date: 19.02.26 Created: AC Approved: TK Amendments: Underlined Deleted Items: ~~Struck Through~~ Preliminary: Highlighted Project No: 24027 129-153 Parramatta Road and 53-75 Queens Road, Five Dockl Deicorp **TURNER** Architectural Base Building Works

Ref.	Description	Product Code / Information	Colour / Finish	Comments	Supplier / Manufacturer	Samples / Certification
Refer to ARCSCH_1.1 Contents & General Notes for further information regarding project documentation.						
PCF9	Powder Coat Finish, Type9	Electro 9062208K	Fresh Gold Kinetic Flat 	Anodised Look	Dulux	
PCF10	Powder Coat Finish, Type10	Precious 97157127	Steel Pearl Gloss 	Pearlescent	Dulux	
PF	Paint Finish	For Colour (a), (b), etc. see notes below. Refer to the following Specification Work Section(s) for further information:		Painting, Texture & Membrane Coatings, Steel - Protective Paint Coatings and / or Structural Fire Protection Systems		
-	Paint Colour	Note: PF Type and Colour may be combined and represented as part of the Architectural documentation i.e PF1(a)				
PF(a) PF1 (DA)	Paint Finish, Colour (a)	SN4G8	Namadji 		Dulux	
PF(b) PF2 (DA)	Paint Finish, Colour (b)	S15B3	Linseed 		Dulux	

ARCSCH_1.3 Powder Coat & Paint Systems & Colours

Kings Bay Village North Precinct _ New Mixed-Use Development

For information

Rev: A

Date: 19.02.26

Created: AC

Approved: TK

Amendments: Underlined

Deleted Items: Struck Through

Preliminary: Highlighted

Project No: 24027

129-153 Parramatta Road and 53-75 Queens Road, Five Dock| Deicorp






TURNER Architectural Base Building Works

Ref.	Description	Product Code / Information	Colour / Finish	Comments	Supplier / Manufacturer	Samples / Certification
Refer to ARCSCH_1.1 Contents & General Notes for further information regarding project documentation.						
PF(c) PF3 (DA)	Paint Finish, Colour (c)	SN4H6	Pewter Frame 		Dulux	
End.						

ARCSCH_2.1 External Materials & Finishes – Description by Material

Kings Bay Village North Precinct _ New Mixed-Use Development


For information Rev: A Date: 19.02.26 Created: AC Approved: TK Amendments: Underlined Deleted Items: ~~Struck Through~~ Preliminary: Highlighted Project No: 24027 129-153 Parramatta Road and 53-75 Queens Road, Five Dock/ Deicorp **TURNER** Architectural Base Building Works

Ref.	Description / Location	Product Code / Material / Size	Finish	Colour / Image	Comments	Supplier / Manufacturer	Shop Drawings / Samples
Refer to ARCSCH_1.1 Contents & General Notes for further information regarding project documentation.							
BWK	Brickwork	Brickwork described as part of overall wall system unless noted specifically below. Refer to Wall Type Diagram(s) for further information.					
BWK1 BW1 (DA)	Brickwork, Type 1	Bowral 76 Dry Pressed 230x110x76mm	Brick: Face Mortar Joints: Ironed	Brick: Gertrudis Brown Brick  Mortar: To match brick	Brick Pattern: Stretcher Bond unless noted otherwise Refer documents for location. Blend bricks across different batches and palettes prior to laying to ensure an even colour distribution across the façade. Provide matt finish penetrating sealer. Refer to Architectural Specification.	Brickworks Limited	Sample panel min 1200mm high x 1190mm long required for review and approval.
BWK2 BW3 (DA)	Brickwork, Type 2	Bowral 76 Dry Pressed 230x110x76mm	Brick: Face Mortar Joints: Ironed	Brick: Hereford Bronze Brick  Mortar: To match brick	Brick Pattern: Stretcher Bond unless noted otherwise Refer documents for location. Blend bricks across different batches and palettes prior to laying to ensure an even colour distribution across the façade. Provide matt finish penetrating sealer. Refer to Architectural Specification.	Brickworks Limited	Sample panel min 1200mm high x 1190mm long required for review and approval.
BWK3 BW5 (DA)	Brickwork, Type 3	Bowral 76 Dry Pressed 230x110x76mm	Brick: Face Mortar Joints: Ironed	Brick: Embassy Red Brick  Mortar: To match brick	Brick Pattern: Stretcher Bond unless noted otherwise Refer documents for location. Blend bricks across different batches and palettes prior to laying to ensure an even colour distribution across the façade. Provide matt finish penetrating sealer. Refer to Architectural Specification.	Brickworks Limited	Sample panel min 1200mm high x 1190mm long required for review and approval.
BWK4 BW6 (DA)	Brickwork, Type 4	Bowral 76 Dry Pressed 230x110x76mm	Brick: Face Mortar Joints: Ironed	Brick: Murray Grey Brick  Mortar: To match brick	Brick Pattern: Stretcher Bond unless noted otherwise Refer documents for location. Blend bricks across different batches and palettes prior to laying to ensure an even colour distribution across the façade. Provide matt finish penetrating sealer. Refer to Architectural Specification.	Brickworks Limited	Sample panel min 1200mm high x 1190mm long required for review and approval.
BWK5 BW7 (DA)	Brickwork, Type 5	Bowral 76 Dry Pressed 230x110x76mm	Brick: Face Mortar Joints: Ironed	Brick: Brahman Granite Brick  Mortar: To match brick	Brick Pattern: Stretcher Bond unless noted otherwise Refer documents for location. Blend bricks across different batches and palettes prior to laying to ensure an even colour distribution across the façade. Provide matt finish penetrating sealer. Refer to Architectural Specification.	Brickworks Limited	Sample panel min 1200mm high x 1190mm long required for review and approval.

ARCSCH_2.1 External Materials & Finishes – Description by Material

Kings Bay Village North Precinct _ New Mixed-Use Development

For information Rev: A Date: 19.02.26 Created: AC Approved: TK Amendments: Underlined Deleted Items: Struck Through Preliminary: Highlighted Project No: 24027 129-153 Parramatta Road and 53-75 Queens Road, Five Dockl Deicorp TURNER Architectural Base Building Works

Ref.	Description / Location	Product Code / Material / Size	Finish	Colour / Image	Comments	Supplier / Manufacturer	Shop Drawings / Samples
Refer to ARCSCH_1.1 Contents & General Notes for further information regarding project documentation.							
CON1	Concrete, Type 1						
GC1	Glass, Type 1				Glass, clear, Powder coated aluminium framing system finish, to match PCF1		
GC2	Glass, Type 2				Glass, clear, Powder coated aluminium framing system finish, to match PCF2		
GC3	Glass, Type 3				Glass, clear, Powder coated aluminium framing system finish, to match PCF3		
GC4	Glass, Type 4				Glass, clear, Powder coated aluminium framing system finish, to match PCF4		
GC5	Glass, Type 5				Glass, translucent, Powder coated aluminium framing system, finish to match PCF5		
GC8	Glass, Type 6				Glass, translucent, Powder coated aluminium framing system, finish to match PCF8		
GC9	Glass, Type 7				Glass, opaque, Powder coated aluminium framing system, finish to match PCF5		
GC10	Glass, Type 8				Glass, opaque, Powder coated aluminium framing system, finish to match PCF8		
GC11	Glass, Type 9				Glass, opaque, Powder coated aluminium framing system, finish to match PCF4		
GBG1	Glass, Type 10				Colour back glass, Aluminium framing system, finish to match PCF1		
GBG2	Glass, Type 11				Colour back glass, Aluminium framing system, finish to match PCF2		



ARCSCH_2.1 External Materials & Finishes – Description by Material

Kings Bay Village North Precinct _ New Mixed-Use Development

For information Rev: A Date: 19.02.26 Created: AC Approved: TK Amendments: Underlined Deleted Items: Struck Through Preliminary: Highlighted Project No: 24027 129-153 Parramatta Road and 53-75 Queens Road, Five Dockl Deicorp TURNER Architectural Base Building Works

Ref.	Description / Location	Product Code / Material / Size	Finish	Colour / Image	Comments	Supplier / Manufacturer	Shop Drawings / Samples
Refer to ARCSCH_1.1 Contents & General Notes for further information regarding project documentation.							
GBG3	Glass, Type 12				Colour back glass, Aluminium framing system, finish to match PCF3		
GBG4	Glass, Type 13				Colour back glass, Aluminium framing system, finish to match PCF4		
GBG5	Glass, Type 14				Colour back glass, Aluminium framing system, finish to match PCF5		
GBG6	Glass, Type 15				Colour back glass, Aluminium framing system, finish to match PCF6		
GBG8	Glass, Type 16				Colour back glass, Aluminium framing system, finish to match PCF8		
End.							