

CAMDEN MEDICAL CAMPUS PRECINCT

Hermitage Way & Digitaria Drive
Gledswood Hills

DRAWINGS

DWG NO.	DRAWING TITLE	SCALE
L-000	COVER SHEET	N/A
L-001	LIST OF AMENDMENTS	N/A
L-C100	LANDSCAPE MASTERPLAN RENDER	1:500
L-100	LANDSCAPE MASTERPLAN	1:500
L-101	LANDSCAPE PLAN - GROUND LEVEL	1:250
L-102	LANDSCAPE PLAN - GROUND LEVEL	1:250
L-103	LANDSCAPE PLAN - GROUND LEVEL	1:250
L-104	LANDSCAPE PLAN -GROUND LEVEL	1:250
L-201	LANDSCAPE PLAN - LEVEL 2	1:250
L-202	LANDSCAPE PLAN - LEVEL 2	1:250
L-501	LANDSCAPE SPECIFICATION & PLANT SCHEDULE	N/A
L-502	LANDSCAPE DETAILS	As Shown

© 2020 Site Image (NSW) Pty Ltd ABN 44 801 262 380 as agent for Site Image NSW Partnership. All rights reserved. This drawing is copyright and shall not be reproduced or copied in any form or by any means (graphic, electronic or mechanical including photocopy) without the written permission of Site Image (NSW) Pty Ltd Any license, expressed or implied, to use this document for any purpose what so ever is restricted to the terms of the written agreement between Site Image (NSW) Pty Ltd and the instructing party.

The contractor shall check and verify all work on site (including work by others) before commencing the landscape installation. Any discrepancies are to be reported to the Project Manager or Landscape Architect prior to commencing work. Do not scale this drawing. Any required dimensions not shown shall be referred to the Landscape Architect for confirmation.

A	For Approval	PH	RS	13.01.2020
Issue	Revision Description	Drawn	Check	Date

LEGEND

Key Plan:

Client:
Gregory Hills Corporate Park Pty. Ltd.

Architect:
HPI Health Projects International

Project:
Camden Medical Campus Precinct,
Gledwood Hills

Level 1, 3-5 Baptist Street
Redfern NSW 2016
Australia

Tel: (61 2) 8332 5600
Fax: (61 2) 9698 2877
www.siteimage.com.au

Site Image (NSW) Pty Ltd
ABN 44 801 262 380

S I T E I M A G E



Landscape Architects

FOR APPROVAL

Drawing Name:

Cover Sheet

Scale:

Job Number:

SS18-4247

Drawing Number:

Issue:

L-000 A

Sheet _ of _

NOT FOR CONSTRUCTION

LANDSCAPE MASTERPLAN - List of Amendments

The landscape design proposals have changed in response to adjusted building footprints, roads and parking areas. Changes include:

- 1. Larger lawn and landscape areas resulting from driveway being removed from this area;
- 2. Open space recreation / restorative area shape changed and corner signage wall enlarged;
- 3. Changed setdown and forecourt, creating larger landscape areas, water features & forecourt;
- 4. Minor adjustment to paving patterns and garden shapes, and climbers from deep soil added to create a sustainable 'green wall', ie permanent planting with large soil volume;

- 5. Open space removed, offset by new cafe terrace to SE corner of building / podium open;
- 6. Open space relocated to create similar sized lawn area to eastern side of carpark;
- 7. Extension of riparian type landscape removed and new large island of trees and massed planting created in carpark area;
- 8. Canopy trees arrangement aligned in boundary strip planter along driveway; and
- 9. Extensive podium level landscaped terraces introduced to provide a range of amenity areas.

A	For Approval	PH	RS	13.01.2020
Issue	Revision Description	Drawn	Check	Date

LEGEND

Approved Landscape Plan



Proposed Landscape Plan



Key Plan:

Client:
Gregory Hills Corporate Park Pty. Ltd.

Architect:
HPI Health Projects International

Project:
Camden Medical Campus Precinct,
Gledwood Hills

SITE IMAGE

Level 1, 3-5 Baptist Street
Redfern NSW 2016
Australia

Tel: (61 2) 8332 5600
Fax: (61 2) 9698 2877
www.siteimage.com.au

Site Image (NSW) Pty Ltd
ABN 44 801 262 380



Landscape Architects

FOR APPROVAL

Drawing Name:
List of Amendments

Scale:	Job Number:	Drawing Number:	Issue:
SS18-4247		L-001	A




© 2020 Site Image (NSW) Pty Ltd ABN 44 801 262 380 as agent for Site Image NSW Partnership. All rights reserved. This drawing is copyright and shall not be reproduced or copied in any form or by any means (graphic, electronic or mechanical including photocopy) without the written permission of Site Image (NSW) Pty Ltd. Any license, expressed or implied, to use this document for any purpose whatsoever is restricted to the terms of the written agreement between Site Image (NSW) Pty Ltd and the instructing party.

The contractor shall check and verify all work on site (including work by others) before commencing the landscape installation. Any discrepancies are to be reported to the Project Manager or Landscape Architect prior to commencing work. Do not scale this drawing. Any required dimensions not shown shall be referred to the Landscape Architect for confirmation.

Issue	Revision Description	PH	RS	13.01.2020
A	For Approval	Drawn	Check	Date

- LEGEND**
- TIL** **Cm**
- Proposed Tree Planting (refer planting plans)
 - Proposed Shrub / Accent Planting (refer planting plans)
 - Proposed Groundcover & Grass Planting (refer planting plans)
 - Green Wall (Climber Planting & support)
 - Turf
 - Proposed Paving Unit Pavers
 - Timber Decking Composite Timber Decking
 - Water Feature
 - Table & Seating
 - Canopy Over

Key Plan:



Client:
Gregory Hills Corporate Park Pty. Ltd.

Architect:
HPI Health Projects International

Project:
Camden Medical Campus Precinct,
Gledwood Hills

SITE IMAGE

Level 1, 3-5 Baptist Street
Redfern NSW 2016
Australia

Tel: (61 2) 8332 5600
Fax: (61 2) 9698 2877
www.siteimage.com.au

Site Image (NSW) Pty Ltd
ABN 44 801 262 380

Landscape Architects

FOR APPROVAL

Drawing Name:
Landscape Masterplan Render

Scale: 1:500 @ A1

Job Number:
SS18-4247

Sheet _ of _
Drawing Number:
L-C100

Issue:
A

© 2020 Site Image (NSW) Pty Ltd. ABN 44 801 262 380 as agent for Site Image NSW Partnership. All rights reserved. This drawing is copyright and shall not be reproduced or copied in any form or by any means (graphic, electronic or mechanical including photocopy) without the written permission of Site Image (NSW) Pty Ltd. Any license, expressed or implied, to use this document for any purpose what so ever is restricted to the terms of the written agreement between Site Image (NSW) Pty Ltd and the instructing party.

The contractor shall check and verify all work on site (including work by others) before commencing the landscape installation. Any discrepancies are to be reported to the Project Manager or Landscape Architect prior to commencing work. Do not scale this drawing. Any required dimensions not shown shall be referred to the Landscape Architect for confirmation.

A For Approval PH RS 13.01.2020
Issue Revision Description Drawn Check Date

TIL

Cm

Proposed Tree Planting
(refer planting plans)

Proposed Shrub / Accent Planting
(refer planting plans)

Proposed Groundcover & Grass Planting
(refer planting plans)

Green Wall
(Climber Planting & support)

Turf

Proposed Paving
Unit Pavers


Timber Decking
Composite Timber Decking

Water Feature

Table & Seating

Canopy Over

Key Plan:



Client:
Gregory Hills Corporate Park Pty. Ltd.

Architect:
HPI Health Projects International

Project:
Camden Medical Campus Precinct,
Gledwood Hills

Level 1, 3-5 Baptist Street
Rusfern NSW 2016
Australia

Tel: (61 2) 8332 5600
Fax: (61 2) 9698 2877
www.siteimage.com.au

Site Image (NSW) Pty Ltd
ABN 44 801 262 380

SITE IMAGE

Landscape Architects

FOR APPROVAL

Drawing Name:
Landscape Masterplan

Scale: 1:500 @ A1
Job Number:
Drawing Number:
Issue:

SS18-4247 L-100 A

NOT FOR CONSTRUCTION

A

Boundary screen mass planting, with canopy tree separation and species selection of tall shrubs to be consistent with bushfire management requirements.

B

Turf road verge, footpath and street trees (Tuckeroo species or other as required) in accordance with Council requirements, and to be coordinated with street lights and to provide suitable sightline setbacks from driveways.

C

Corner feature landscape with contemporary sculpted landform, with paving and seating to the front of a curved upstand wall (and protective fence as required). Low level project identity signage to the upstand wall.

D

Feature tree planting in lawn, and broad areas of groundcovers forming distinctive ground plane contrasting textures and colour, in proportion with the scale of the building.

E

Tree and ground cover planting to the boundary along the adjacent riparian corridor, with appropriate riparian species that are fire resistant (Juncus sp and similar).

F

Perimeter access road for riparian area boundary landscape maintenance. Boundary screen mass planting, with canopy tree separation and species selection of tall shrubs to be consistent with bushfire management requirements.

G

Green wall treatment to north and eastern façade of carpark with climbers growing from planters at ground level. Broad mass planting of low and tall shrubs / accent plants provide visual screening.

NOT FOR CONSTRUCTION

Continues on DWG L-103

Continues on DWG L-103

Continues on DWG L-102

Continues on DWG L-102



DIGITARIA DRIVE

© 2020 Site Image (NSW) Pty Ltd ABN 44 801 262 380 as agent for Site Image NSW Partnership. All rights reserved. This drawing is copyright and shall not be reproduced or copied in any form or by any means (graphic, electronic or mechanical including photocopy) without the written permission of Site Image (NSW) Pty Ltd Any license, expressed or implied, to use this document for any purpose what so ever is restricted to the terms of the written agreement between Site Image (NSW) Pty Ltd and the instructing party.

The contractor shall check and verify all work on site (including work by others) before commencing the landscape installation. Any discrepancies are to be reported to the Project Manager or Landscape Architect prior to commencing work. Do not scale this drawing. Any required dimensions not shown shall be referred to the Landscape Architect for confirmation.

A For Approval PH RS 13.01.2020
Issue Revision Description Drawn Check Date

LEGEND



Client:
Gregory Hills Corporate Park Pty. Ltd.

Architect:
HPI Health Projects International

Project:
Camden Medical Campus Precinct,
Gledwood Hills

SITE IMAGE
Level 1, 3-5 Baptist Street
Redfern NSW 2016
Australia
Tel: (61 2) 8332 5600
Fax: (61 2) 9698 2877
www.siteimage.com.au
Site Image (NSW) Pty Ltd
ABN 44 801 262 380
Landscape Architects

FOR APPROVAL

Drawing Name:

Landscape Plan

- Ground Level



Scale: 1:250 @ A1

Job Number:

SS18-4247

Sheet _ of _
0 2 4 6 8 10m
Drawing Number: Issue:

L-101 A



Client:
Gregory Hills Corporate Park Pty. Ltd.

Architect:
HPI Health Projects International

Project:
Camden Medical Campus Precinct,
Gledwood Hills

SITE IMAGE

Level 1, 3-5 Baptist Street
Redfern NSW 2016
Australia

Tel: (61 2) 8332 5600
Fax: (61 2) 9698 2877
www.siteimage.com.au

Site Image (NSW) Pty Ltd
ABN 44 801 262 380


Landscape Architects

FOR APPROVAL

Drawing Name:
Landscape Plan
- Ground Level

Scale: 1:250 @ A1
Job Number:
Drawing Number: 6
Issue: 1

SS18-4247 L-102 A



A
Corner feature landscape with contemporary sculpted landform, with paving and seating to the front of a curved upstand wall (and protective fence as required). Low level project identity signage to the upstand wall.

B
Geometric grading of low mounded landscape as a feature, with groundcovers forming distinctive ground plane contrasting textures and colour, in proportion with the scale of the building.

C
Boundary screen mass planting, with canopy tree separation and species selection of tall shrubs to be consistent with bushfire management requirements.

D
Turf road verge, footpath and street trees (Tuckeroo species or other as required) in accordance with Council requirements, and to be coordinated with street lights and to provide suitable sightline setbacks from driveways.

E
Main building entry forecourt with water features, shade canopy and extensive lush planting, together creating feature arrival experience, and general seating area.

F
Carpark landscape treatment includes low gardens between and at ends of parking bays as shown, with regular access paths crossing points between cars.

G
Mix of broad canopy shade trees and more regular smaller trees provides variety, with vertical canopy separation from gardens, and spaced to generally avoid joining tree canopies as per bushfire management guidelines.

Continues on DWG L-101

Continues on DWG L-101

Continues on DWG L-104

Continues on DWG L-104

RIPARIAN
ZONE

A
Tree and ground cover planting to the boundary along the adjacent riparian corridor, with appropriate riparian species that are fire resistant (*Juncus* sp and similar).

B
Boundary screen mass planting, with canopy tree separation and species selection of tall shrubs to be consistent with bushfire management requirements.

C
Green wall treatment to north and eastern façade of carpark with climbers growing from planters at ground level. Broad mass planting of low and tall shrubs / accent plants provide visual screening.

D
Broad garden area to base of building to provide greening of roadway and outlook from ground floor rooms. Regular spaced canopy trees provide shade and visual screening of façade.

E
Large landscaped island in carpark area provides visual greening, with tall trees providing feature for building outlook and visual screening for views from across riparian corridor.

F
The riparian corridor landscape works are recently completed, with VMP guided establishment maintenance to ensure that all bushfire management guidelines are achieved with canopy separation, management of understorey and excess litter removal.


NOT FOR CONSTRUCTION

© 2020 Site Image (NSW) Pty Ltd ABN 44 801 262 380 as agent for Site Image NSW Partnership. All rights reserved. This drawing is copyright and shall not be reproduced or copied in any form or by any means (graphic, electronic or mechanical including photocopy) without the written permission of Site Image (NSW) Pty Ltd Any license, expressed or implied, to use this document for any purpose what so ever is restricted to the terms of the written agreement between Site Image (NSW) Pty Ltd and the instructing party.

The contractor shall check and verify all work on site (including work by others) before commencing the landscape installation. Any discrepancies are to be reported to the Project Manager or Landscape Architect prior to commencing work. Do not scale this drawing. Any required dimensions not shown shall be referred to the Landscape Architect for confirmation.

A	For Approval	PH	RS	13.01.2020
Issue	Revision Description	Drawn	Check	Date

- LEGEND**
- TIL
 - Cm
 - Proposed Tree Planting (refer planting plans)
 - Proposed Shrub / Accent Planting (refer planting plans)
 - Proposed Groundcover & Grass Planting (refer planting plans)
 - Green Wall (Climber Planting & support)
 - Turf
 - Proposed Paving Unit Pavers
 - Timber Decking Composite Timber Decking
 - Water Feature
 - Table & Seating
 - Canopy Over



Client:
Gregory Hills Corporate Park Pty. Ltd.

Architect:
HPI Health Projects International

Project:
Camden Medical Campus Precinct,
Gledwood Hills

SITE IMAGE

Level 1, 3-5 Baptist Street
Redfern NSW 2016
Australia

Tel: (61 2) 8332 5600
Fax: (61 2) 9698 2877
www.siteimage.com.au

Site Image (NSW) Pty Ltd
ABN 44 801 262 380

Landscape Architects

FOR APPROVAL


Drawing Name:
Landscape Plan
- Ground Level

Scale: 1:250 @ A1

Job Number:
SS18-4247

Sheet _ of _
Drawing Number: 6
Issue: 1

L-103 A



NOT FOR CONSTRUCTION

Continues on DWG L-102

A Turf road verge, footpath and street trees (Tuckeroo species or other as required) in accordance with Council requirements, and to be coordinated with street lights and to provide suitable sightline setbacks from driveways.

B Mix of broad canopy shade trees and more regular smaller trees provides variety, with vertical canopy separation from gardens, and spaced to generally avoid joining tree canopies as per bushfire management guidelines.

C Entry roadway has avenue tree planting with canopy separation, and understorey feature hedge planting, dropping to low groundcovers at corners to allow clear traffic sightlines.

D Broad garden area to base of building to provide greening of roadway and outlook from ground floor rooms. Regular spaced canopy trees provide shade and visual screening of façade.

E Boundary screen mass planting, with canopy tree separation and species selection of tall shrubs to be consistent with bushfire management requirements.

F Ground floor café terrace in undercroft area, with perimeter gardens and safety fence providing a green edge and separation from the adjoining driveway and carpark areas.

G Feature tree planting to boundary to adjoining property, with understorey gardens and fencing providing security and visual separation between properties.


© 2020 Site Image (NSW) Pty Ltd ABN 44 801 262 380 as agent for Site Image NSW Partnership. All rights reserved. This drawing is copyright and shall not be reproduced or copied in any form or by any means (graphic, electronic or mechanical including photocopy) without the written permission of Site Image (NSW) Pty Ltd. Any license, expressed or implied, to use this document for any purpose what so ever is restricted to the terms of the written agreement between Site Image (NSW) Pty Ltd and the instructing party.

The contractor shall check and verify all work on site (including work by others) before commencing the landscape installation. Any discrepancies are to be reported to the Project Manager or Landscape Architect prior to commencing work. Do not scale this drawing. Any required dimensions not shown shall be referred to the Landscape Architect for confirmation.

A	For Approval	PH	RS	13.01.2020
Issue	Revision Description	Drawn	Check	Date

LEGEND

- TIL Proposed Tree Planting (refer planting plans)
- Cm Proposed Shrub / Accent Planting (refer planting plans)
- Proposed Groundcover & Grass Planting (refer planting plans)
- Green Wall (Climber Planting & support)
- Turf
- Proposed Paving Unit Pavers
- Timber Decking Composite Timber Decking
- Water Feature
- Table & Seating
- Canopy Over



Client:
Gregory Hills Corporate Park Pty. Ltd.

Architect:
HPI Health Projects International

Project:
Camden Medical Campus Precinct,
Gledwood Hills

SITE IMAGE

Level 1, 3-5 Baptist Street
Redfern NSW 2016
Australia

Tel: (61 2) 8332 5600
Fax: (61 2) 9698 2877
www.siteimage.com.au

Site Image (NSW) Pty Ltd
ABN 44 801 262 380

FOR APPROVAL

Drawing Name:
Landscape Plan
- Ground Level

Scale: 1:250 @ A1

Job Number:
SS18-4247

Sheet _ of _
Drawing Number:
L-104

Issue:
A

A

Generous outdoor terrace with lush perimeter gardens and feature canopy structure to provide weather protection. Range of table and seating options for private relaxation or small groups.

B

Outlook from private maternity rooms and allied areas onto linear terrace and edge planter with lush gardens. Changing plant species and changing decking and paving provides visual interest and variety.

C

Large breakout terrace has extensive, broad gardens in raised planters to the edge and within the area, providing a series of different separated seating areas. Feature canopies provide weather protection.


© 2020 Site Image (NSW) Pty Ltd ABN 44 801 262 380 as agent for Site Image NSW Partnership. All rights reserved. This drawing is copyright and shall not be reproduced or copied in any form or by any means (graphic, electronic or mechanical including photocopy) without the written permission of Site Image (NSW) Pty Ltd Any license, expressed or implied, to use this document for any purpose what so ever is restricted to the terms of the written agreement between Site Image (NSW) Pty Ltd and the instructing party.

The contractor shall check and verify all work on site (including work by others) before commencing the landscape installation. Any discrepancies are to be reported to the Project Manager or Landscape Architect prior to commencing work. Do not scale this drawing. Any required dimensions not shown shall be referred to the Landscape Architect for confirmation.

A For Approval PH RS 13.01.2020
Issue Revision Description Drawn Check Date

LEGEND

- TIL Proposed Tree Planting (refer planting plans)
- Cm Proposed Shrub / Accent Planting (refer planting plans)
- Proposed Groundcover & Grass Planting (refer planting plans)
- Green Wall (Climber Planting & support)
- Turf
- Proposed Paving Unit Pavers
- Timber Decking Composite Timber Decking
- Water Feature
- Table & Seating
- Canopy Over



Client:
Gregory Hills Corporate Park Pty. Ltd.

Architect:
HPI Health Projects International

Project:
Camden Medical Campus Precinct,
Gledwood Hills

SITE IMAGE

Level 1, 3-5 Baptist Street
Redfern NSW 2016
Australia

Tel: (61 2) 8332 5600
Fax: (61 2) 9698 2877
www.siteimage.com.au

Site Image (NSW) Pty Ltd
ABN 44 801 262 380

Landscape Architects

FOR APPROVAL

Drawing Name:
Landscape Plan
- Level 2


Scale: 1:250 @ A1

Job Number:
SS18-4247

Sheet _ of _
Drawing Number:
L-201 A

DIGITARIA DRIVE

253.21 M



Continues on DWG L-202


Continues on DWG L-202

D


Striking contemporary landscape design with long irregular curves to planter walls, and decking and paving variations to the terrace will create attractive and welcoming outdoor areas.

E

Planters are to be selectively located against the façade where privacy of adjoining rooms is desirable, and equally providing a green outlook from within the building.



NOT FOR CONSTRUCTION




© 2020 Site Image (NSW) Pty Ltd ABN 44 801 262 380 as agent for Site Image NSW Partnership. All rights reserved. This drawing is copyright and shall not be reproduced or copied in any form or by any means (graphic, electronic or mechanical including photocopy) without the written permission of Site Image (NSW) Pty Ltd Any license, expressed or implied, to use this document for any purpose what so ever is restricted to the terms of the written agreement between Site Image (NSW) Pty Ltd and the instructing party.

The contractor shall check and verify all work on site (including work by others) before commencing the landscape installation. Any discrepancies are to be reported to the Project Manager or Landscape Architect prior to commencing work. Do not scale this drawing. Any required dimensions not shown shall be referred to the Landscape Architect for confirmation.

A	For Approval	PH	RS	13.01.2020
Issue	Revision Description	Drawn	Check	Date

LEGEND

- TIL** Proposed Tree Planting (refer planting plans)
- Cm** Proposed Shrub / Accent Planting (refer planting plans)
- Proposed Groundcover & Grass Planting (refer planting plans)
- Green Wall (Climber Planting & support)
- Turf
- Proposed Paving Unit Pavers
- Timber Decking Composite Timber Decking
- Water Feature
- Table & Seating
- Canopy Over



Client:
Gregory Hills Corporate Park Pty. Ltd.

Architect:
HPI Health Projects International

Project:
Camden Medical Campus Precinct,
Gledwood Hills

SITE IMAGE

Level 1, 3-5 Baptist Street
Redfern NSW 2016
Australia

Tel: (61 2) 8332 5600
Fax: (61 2) 9698 2877
www.siteimage.com.au

Site Image (NSW) Pty Ltd
ABN 44 801 262 380

Landscape Architects

FOR APPROVAL

Drawing Name:
Landscape Plan
- Level 2

Scale: 1:250 @ A1

Job Number:
SS18-4247

Sheet _ of _
0 1 2 3 4 5 6 7 8 9 10m
Drawing Number:
L-202

Issue:
A

SPECIFICATION - GENERAL NOTES

References

All plans and details included in the project documents shall be read in conjunction with this specification. All structural and civil works components of the landscape design shall be referenced to engineers' details and specifications. Read this specification in conjunction with the plant and materials schedules on the drawings. If in doubt about any detail or if conflicts are found in the documents, seek advice.

Workmanship and Materials

The whole of the landscape works shall be carried out by a competent, trained and qualified landscape contractor who is experienced in horticultural practices, landscape construction and planting techniques. The landscape contractor shall hold a current Building Contractors License and/or be a financial member of LNA Landscape Association NSW & ACT or equivalent organisations in other states.

EXISTING TREES AND SHRUBS

Trees and Shrubs to be Retained and Protected

Identify and mark trees and shrubs to be retained using a suitable non-injurious, easily visible and removable means of identification. Protect from damage the trees and shrubs to be retained, including those beyond the site area, both above and below the ground. If a tree becomes damaged during the works or it is proposed to perform work on a tree, give written notice immediately and obtain instructions.

Work Near Trees and Shrubs

Keep the area of the drip-line free from construction material and debris. Do not place bulk materials and harmful materials under foliage canopies or near trees. Do not place spoil from excavations against tree trunks. Prevent wind-blown building materials, such as cement, from covering trees and other plants. Do not remove topsoil from, or add topsoil to, the area within the drip-line of trees.

EARTHWORKS

Excavation, Trimming and Filling

Except as otherwise noted in the contract, bulk excavation is excluded from the landscape works. After the completion of bulk excavation by others, trim and fill the excavated ground surfaces to achieve design levels to accommodate finish materials as detailed. Prepare the sub-grade surface as required for the various finished ground treatments.

Sub-soil Drainage

Keep the excavated works drained and free of standing water. Allow to supply and install sub-soil drainage pipes as required for the new works to ensure that all gardens are well drained. Connect the sub-soil drainage pipes to the nearest downstream stormwater pits. Include pipe filter socks and course sharp aggregate backfilling of trenches.

HARDWORKS

Furniture, Handrails, Balustrades

Supply and install the scheduled items in accordance with the manufacturer's recommendations, as detailed and in the locations shown on plan. Provide all footings and fixings required for the items to be stable and in accordance with applicable codes and standards.

Garden Walls, Fences, Steps, TGSi and Edging

Construct garden walls, fences, steps, TGSi and edging as shown on plan, as detailed and of the material scheduled. Provide footings, step nosings, tactile surfaces to comply with Australian Standards and applicable legislation. Refer to engineer's details for structural retaining walls, concrete stairs, concrete strength, reinforcing and joint placement.

Continuous, Unit and Loose Pavement

Install the scheduled material pavement to the locations shown on plan. Ensure that all subgrade/subsurface works are complete prior to commencing paving. Confer with the engineer to ensure the structural integrity of the subgrade. Ensure that the base course under paved surfaces is a continuous plane offering a constant depth of bedding material not exceeding 50mm. If laying unit pavers in a cement mortar bed on a concrete sub-base ensure that joints in paving match the location of joints in the concrete. Refer to engineer's details for heavy duty slabs, concrete stairs, concrete strength, reinforcing, and joint type and placement.

SOFTWARES

Site Soil Testing

Where site soil is to be retrieved from site and stored on site for reuse, undertake at least two (2) soil tests in locations as advised by the Project Manager or as shown on the plans. Provide results and recommendations regarding soil additives for the benefit of healthy plant growth and to adjust the soil components to achieve an appropriate planting medium for successful plant development.

Subsoil

Excavate and/or fill all garden beds to bring the top of subsoil to at least 300mm below finished design soil levels. Excavate all turf areas to bring the subsoil to at least 100mm below finished design levels. In all areas shape the subsoil to fall to subsoil drains where applicable. Do not excavate within the drip line of trees and shrubs to be retained. Cultivate or rip the subsoil to a further depth of 100mm before placing top soil. Remove stones of size exceeding 25mm, clods of earth exceeding 50mm, and weeds, rubbish or other deleterious material brought to the surface during cultivation. Do not disturb services or existing tree roots. If necessary cultivate these areas by hand. During cultivation, thoroughly mix in materials required to be incorporated into the subsoil, as recommended in the soil testing results and to manufacturer's recommendations. Trim the surface to design levels again after cultivation.

Topsoil

Import topsoil for the garden and turf areas, unless the topsoil can be provided from material recovered from the site, as recommended in the soil testing results. Spread the topsoil on the prepared subsoil and grade evenly, compact lightly and uniformly in 150mm layers. Avoid differential subsidence and excess compaction and produce a finished topsoil surface which has the following characteristics:

- Finished to design levels, allowing for mulch or turf, which is to finish flush

- with adjoining hard surfaces such as paths and edges;
- Smooth and free from inorganic matter, stones or clods of soil;
- Graded to drain freely, without ponding, to catchment and/or sub-soil drains;
- Graded evenly to adjoining surfaces; and
- Ready for planting.

Compost

Provide, in accordance with AS 4454, well rotted vegetative material or animal manure, free from harmful chemicals, inorganic matter, grass, weeds and the reproductive parts of unwanted plants.

Fertiliser

Provide proprietary fertilisers, delivered to the site in sealed containers marked to show manufacturer or vendor, weight, fertiliser type, N:P:K ratio, recommended uses, application rates and safety procedures. Apply appropriate fertiliser suited to the provenance of plants (indigenous or exotic) included in the design.

Plants

Supply plants in accordance with the landscape design drawings and schedules, which have the following characteristics:

- Large healthy root systems, with no evidence of root curl, restriction or damage;
- Vigorous, well established, free from disease and pests, of good form consistent with the species/variety;
- Hardened off, not soft or forced, and suitable for planting in the natural climatic conditions prevailing at the site in full sun, partial shade or full shade conditions;
- Grown in final containers for not less than twelve weeks;
- Trees, unless required to be multi-stemmed, shall have a single leading shoot; and
- Containers shall be free from weeds and of appropriate size in relation to the specified plant size.

Plant Installation

Following excavation of the planting hole, place and spread 15gms of wetting agent pre-mixed with one (1) litre of water. Place the plant correctly orientated to north or for best presentation. Backfill the planting holes with specified topsoil mixture. Lightly tamp and water to eliminate air pockets. Ensure that the backfill soil is not placed over the top of the root ball and that the root ball is not higher than the soil in which it is planted. Apply fertiliser, as specified around the plants in the soil at the time of planting.

Root Barrier

Supply and install root control barriers to all new tree plantings adjacent to walls, paths, kerbs and all service trenches, where their proximity poses a threat to the stability of the built infrastructure. Install in accordance with manufacturer's recommendations.

Mulch

Unless noted otherwise, mulch shall be approved Forest Fines bark material, sourced from Australian Native Landscapes or approved equivalent. Place mulch in all garden beds to a depth of 75mm after all specified plants are installed. Keep mulch clear of all plant stems and rake to an even plane, flush with the surrounding surfaces evenly graded between design surface levels. Over fill to allow mulch to settle to the specified depth.

Stakes and Ties

Stakes shall be durable hardwood, straight, free of knots and twists, pointed at one end, in the following quantities and sizes for each of the various plant pot sizes:

- Plants >25 lt: 1 off 38 x 38 x 1200mm;
- Semi-advanced plants >75 lt: 2 off 50x50x 1800mm;
- Advanced plants ≥100 lt: 3 off 50 x 50 x 2400mm.

Turf

Turf shall be delivered to site as 25mm minimum thick cut rolls. Obtain turf from a specialist grower of cultivated turf. Turf shall have an even thickness, free from weeds and other foreign matter. Deliver turf to the site within 24 hours of being cut and lay it within 24 hours of delivery. Prevent it form drying out between cutting and laying. Lay the turf in the following manner:

- In stretcher pattern, joints staggered and close butted;
- Parallel long sides of level areas, with contours on slopes; and
- To finish flush, after lightly tamping, with adjacent finished surfaces and design levels.

Species: *Stenotaphrum secundatum* Sir Walter Soft-leaf Buffalo.

IRRIGATION

Scope: Unless otherwise noted or instructed irrigate all planted areas shown on plans including planters, tubs, gardens, turf and the like.

The irrigation system shall be an automatic permanent system, with an irrigation controller self operated via a soil moisture sensor. The system shall be calibrated to deliver the optimum rate and volume of water appropriate to the type of plants in the design. The system shall be adjustable and fully serviceable. The layout of the entire irrigation system shall focus on delivering the required amount of water to maintain healthy and vigorous growth. The irrigation system shall be such that, component theft, vandalism, over-spray and wetting of paths shall be reduced to a minimum or completely eliminated by the use of drip, pop-up sprinklers and judiciously placed fixed spray emitters. Generally do not use fine mist emitters that provide a drifting mist that may wet paths and the buildings unless specifically required by the design.

LANDSCAPE MAINTENANCE

The Landscape Contractor shall rectify defects during installation and that become apparent in the works under normal use for the duration of the contract Defects Liability Period. Unless contracted otherwise, the Landscape Contractor shall maintain the contract areas by the implementation of industry accepted horticultural practices for 52 weeks from Practical Completion of the works. The landscape maintenance works shall include, but not be limited to:

- Replacing failed plants;
- Pruning;
- Insect and pest control;
- Fertilising;
- Maintaining and removing stakes and ties;
- Maintaining mulch;

- Mowing and top dressing;
- Irrigation and watering;
- Erosion control; and
- Weeding and rubbish removal.

Maintenance Log Book

Implement and keep a maintenance log book recording when and what maintenance work has been undertaken and what materials, actions and decisions have been used, implemented and concluded to keep the landscape always looking its best. Enter data daily and review information every 2 weeks. Observe trends and develop a maintenance regime around seasonal and observed event occurrences.

Maintenance Activities

During the defects maintenance period schedule the following activities to occur on a timely basis.

- Plant replacement** - Replace plants that have failed to mature, die or are damaged. Replacement plants shall be in a similar size and quality and identical species or variety to the plant that has failed. Replacement of plants shall be at the cost of the landscape contractor unless advised otherwise. If the cause of the failure is due to a controllable situation then correct the situation prior to replacing plants. Observe and replace failed plants within 2 weeks of observation.
- Pruning** - Prune dead wood, broken limbs, dead or infected foliage and as needed to develop strong, healthy plants to achieve the shape and form expected of the plant type. Observe daily and prune plants on a needs basis.
- Insect, disease and pest control** - Avoid spraying:
 - if ever possible;
 - in wet weather or if wet weather is imminent;
 - if target plants are still wet after rain;
 - in windy weather; and
 - if non-target species are too close.

Immediately report to the Project Manager any evidence of intensive weed infestation, insect attack or disease amongst plant material. Submit all proposals to apply chemicals and obtain approval before starting this work. When approved, spray with herbicide, insecticide, fungicide as appropriate in accordance with the manufacturers' recommendations. Observe daily and act as necessary to control any infestation or disease. Record in the logbook all relevant details of spraying activities including:

- Product brand / manufacturer's name,
- Chemical / product name,
- Chemical contents,
- Application quantity and rate,
- Date of application and location,
- Results of application, and
- Use approval authority.
- Fertilising** - Fertilise gardens with a proprietary slow release fertiliser applied in accordance with the manufacturer's directions and recommendations. Apply 6-12 monthly. Record in the logbook all relevant details of fertilising including:
 - Product brand / manufacturer's name,
 - Fertiliser / product name,
 - Application quantity and rate, and
 - Date of application and location.
- Stakes and ties** - Adjust and replace as required to ensure plants remain correctly staked. Remove those not required at the end of the planting establishment period (Defects Liability Period). Inspect and act at least every 2 weeks.
- Maintaining mulch** - Maintain the surface in a clean, tidy and weed free condition and reinstate the mulch as necessary to ensure correct depth as specified. Observe weekly and replenish mulch as required.
- Mowing and top dressing** - Mow the turf to maintain a grass height of between 30-50mm. Do not remove more than one third of the grass height at any one time. Remove grass clippings from the site after each mowing. Top dress to a maximum of 10mm to fill depressions and hollows in the surface. Mow weekly/fortnightly in warmer months. Mow monthly or as required in cooler months. Top dress at approximately 6 monthly intervals.
- Irrigation and watering** - Maintain the irrigation system to sure that each individual plant receives the required amount of water to maintain healthy and vigorous growth. Adjust and calibrate as required. Provide additional watering, if necessary but inspect irrigation weekly and make repairs as necessary.
- Erosion control** - Where necessary, maintain the erosion control fabric in a tidy and weed free condition and reinstate as necessary to ensure control measures are effective where deemed necessary. Inspect every 2 weeks and act to repair any damage as soon as possible.
- Weeding and rubbish removal** - During the plant establishment period remove by hand, rubbish and weed growth that may occur or re-occur throughout all planted, mulched and paved areas. The contractor shall target weeds that are capable of producing a major infestation of unwanted plants by seed distribution. Whenever possible, time weed removal to precede flowering and seed set. Constant observation and removal of weeds is essential.

SS19-4274 Gregory Hills Hospital					
Indicative Plant Schedule					
SYMBOL	BOTANIC NAME	COMMON NAME	MATURE SIZE (h x w) (m)	SPACING	POT SIZE
TREES					
Ac	<i>Angophora costata</i>	Smooth Barked Apple	15.0 x 8.0	As Shown	200L
An	<i>Acer negundo</i>	Box Elder Maple	15.0 x 8.0	As Shown	100L
Ap	<i>Acer palmatum</i>	Japanese Maple	5.0 x 4.0	As Shown	100L
As	<i>Acmena smithii</i>	Lilly Pilly	12.0 x 6.0	As Shown	100L
Bs	<i>Banksia serrata</i>	Old Man Banksia	4.0 x 3.0	As Shown	100L
Ca	<i>Cupaniopsis anacardioides</i>	Tuckeroo	8.0 x 5.0	As Shown	200L
Cc	<i>Casuarina cunninghamiana</i>	River She Oak	12.0 x 7.0	As Shown	100L
Cca	<i>Calodendrum capense</i>	Cape Chestnut	10.0 x 10.0	As Shown	100L
Cg	<i>Corymbia gummifera</i>	Red Bloodwood	22.0 x 14.0	As Shown	200L
CKPS	<i>Callistemon viminalis</i> 'King's Park Special'	Bottle Brush	5.0 x 4.0	As Shown	100L
Cm	<i>Corymbia maculata</i>	Grey Box	20.0 x 8.0	As Shown	200L
Em	<i>Eucalyptus moluccana</i>	Grey Box	25.0 x 10.0	As Shown	200L
Er	<i>Eucalyptus robusta</i>	Swamp Mahogany	12.0 x 5.0	As Shown	100L
Er	<i>Elaeocarpus reticulatus</i>	Blueberry Ash	20.0 x 5.0	As Shown	200L
Ero	<i>Eucalyptus robusta</i>	Swamp Mahogany	10.0 x 5.0	As Shown	100L
Et	<i>Eucalyptus tereticornis</i>	Forest Red Gum		As Shown	100L
FAr	<i>Fraxinus angustifolia</i> 'Raywood'	Claret Ash	15.0 x 4.0	As Shown	100L
Jm	<i>Jacaranda mimosifolia</i>	Jacaranda	10.0 x 7.0	As Shown	100L
LIN	<i>Lagerstroemia indica</i> 'Natchez'	Crape Myrtle	6.0 x 4.0	As shown	100L
MGE	<i>Magnolia grandiflora</i> 'Exmouth'	Magnolia Exmouth	10.0 x 5.0	As shown	100L
MI	<i>Melaleuca linariifolia</i>	Snow in Summer	8.0 x 6.0	As shown	100L
MLG	<i>Magnolia grandiflora</i> 'Little Gem'	Dwarf Magnolia	5.0 x 3.0	As shown	100L
Pc	<i>Prunus campanulata</i>	Taiwan Cherry	7.0 x 4.0	As shown	100L
PcC	<i>Pyrus calleryana</i> 'Chanticleer'	Callery Pear	11.0 x 6.0	As shown	100L
PW	<i>Plumeria rubra</i> - White	White Frangipani	6.0 x 3.0	As shown	100L
Ss	<i>Sapium sebiferum</i>	Chinese Tallow Tree		As shown	100L
TIL	<i>Tristaniaopsis laurina</i> 'Luscious'	Water Gum	8.0 x 6.0	As Shown	100L
UpT	<i>Ulmus parvifolia</i> 'Todd'	Weeping Elm	10.0 x 8.0	As Shown	100L
Wf	<i>Waterhousia floribunda</i>	Weeping Lilly Pilly	8.0 x 5.0	As Shown	100L

SHRUBS					
Aa	<i>Asplenium australasicum</i>	Birds Nest Fern	1.5 x 2.0	As Shown	300mm
Br	<i>Banksia robour</i>	Swamp Banksia	2.0 x 2.0	As Shown	300mm
CGBF	<i>Callistemon</i> 'Great Balls of Fire'	Great Balls of Fire Bottlebrush	1.5 x 0.5	As Shown	300mm
Cr	<i>Cycas revoluta</i>	Sago Palm	1.5 x 1.0	As Shown	300mm
CMM	<i>Callistemon viminalis</i> 'Macarthur'	Camellia	1.8 x 1.5	As Shown	300mm
De	<i>Doryanthes excelsa</i>	Gymea Lilly	2.0 x 2.0	As Shown	300mm
GRG	<i>Grevillea</i> 'Robyn Gordon'	Grevillea	1.5 x 1.5	As Shown	300mm
Hp	<i>Helichrysum petiolare</i>	Licorice Plant	0.5 x 1.5	As Shown	300mm
la	<i>Indigofera australis</i>	Australian Indigo	2.0 x 2.0	As Shown	300mm
Mt	<i>Melaleuca thymifolia</i>	Thyme Honey Myrtle	1.2 x 1.2	As Shown	300mm
NdO	<i>Nandina domestica</i> 'Obsession'	Dwarf Sacred Bamboo	0.6 x 0.6	As Shown	300mm
PBB	<i>Phormium tenax</i> 'Bronze Baby'	Bronze Baby NZ Flax	0.8 x 0.8	As Shown	300mm
Px	<i>Philodendron xanadu</i>	Xanadu	0.7 x 0.7	As Shown	300mm
ROP	<i>Rhaphiolepis indica</i> 'Oriental Pearl'	Indian Hawthorn Oriental Pearl	1.5 x 1.0	As Shown	300mm
RSM	<i>Rhaphiolepis indica</i> 'Snow Maiden'	Indian Hawthorn Snow Maiden	0.75 x 0.5	As Shown	300mm
SIC	<i>Syzygium luehmannii</i> 'Cascade'	Lilly Pilly	2.0 x 1.5	As Shown	300mm
Vo	<i>Viburnum odoratissimum</i>	Sweet Viburnum	3.0 x 2.0	As Shown	300mm
WN	<i>Westringia fruticosa</i> 'Naringa'	Naringa Coastal Rosemary	1.2 x 1.0	As Shown	300mm
Zf	<i>Zamia furfuracea</i>	Cardboard Cycad	1 x 1	As Shown	300mm

GRASSES & GROUNDCOVER PLANTING					
ABR	<i>Anigozanthos</i> 'Big Red'	Big Red Kangaroo Paw	1.0 x 1.0	5/m²	140mm
DLJ	<i>Dianella caerulea</i> 'Little Jess'	Little Jess blue flax Lilly	0.4 x 0.4	5/m²	140mm
HMM	<i>Hardenbergia violacea</i> 'Meema'	Meema Purple Coral Pea	0.5 x 2.0	5/m²	140mm
LEG	<i>Liriope muscarl</i> 'Evergreen Giant'	Just Right Lilly Turf	0.4 x 0.4	5/m²	140mm
LT	<i>Lomandra longifolia</i> 'Tankia'	Tanika Mat Rush	0.8 x 0.8	5/m²	140mm
Mpa	<i>Myoporum parvifolium</i>	Creeping Boobialla	0.1 x 1.0	5/m²	140mm
PaN	<i>Pennisetum alopecuroides</i> 'Nafray'	Swamp Foxtail Grass	1.0 x 1.0	5/m²	140mm
PPL	<i>Pennisetum alopecuroides</i> 'Purple Lea'	Swamp Foxtail Grass	1.0 x 1.0	5/m²	140mm
PpK	<i>Poa poiformis</i> 'Kingsdale'	Eskdale Tussock	0.9 x 0.6	5/m²	140mm
Ta	<i>Themeda australis</i>	Kangaroo Grass	0.7 x 0.5	3/m²	140mm
Tj	<i>Trachelospermum jasminoides</i>	Star Jasmine	0.75 x 1	5/m²	140mm
Turf	<i>Stenotaphrum secundatum</i>	Sir Walter Buffalo			

Climbers					
Can	<i>Cissus antarctica</i>	Kangaroo Vine	0.3 x 4.0	5/m²	140mm
Hs	<i>Hibbertia scandens</i>	Snake Vine	0.5 x 4.0	5/m²	140mm
Pj	<i>Pandorea jasminoides</i>	Bower Vine	0.5 x 4.0	5/m²	140mm
Tj	<i>Trachelospermum jasminoides</i>	Star Jasmine	0.75 x 4.0	5/m²	140mm

© 2020 Site Image (NSW) Pty Ltd. ABN 44 801 262 380 as agent for Site Image NSW Partnership. All rights reserved. This drawing is copyright and shall not be reproduced or copied in any form or by any means (graphic, electronic or mechanical including photocopy) without the written permission of Site Image (NSW) Pty Ltd. Any license, expressed or implied, to use this document for any purpose what so ever is restricted to the terms of the written agreement between Site Image (NSW) Pty Ltd and the instructing party.

The contractor shall check and verify all work on site (including work by others) before commencing the landscape installation. Any discrepancies are to be reported to the Project Manager or Landscape Architect prior to commencing work. Do not scale this drawing. Any required dimensions not shown shall be referred to the Landscape Architect for confirmation.

A	For Approval	PH	RS	13.01.2020
Issue	Revision Description	Drawn	Check	Date

LEGEND

Key Plan:

Client:

Gregory Hills Corporate Park Pty. Ltd.

Architect:

HPI Health Projects International

Project:

Camden Medical Campus Precinct,
Gledwood Hills

S I T E I M A G E

Level 1, 3-5 Baptist Street
Redfern NSW 2015
Australia

Tel: (61 2) 8332 5600
Fax: (61 2) 9698 2877
www.siteimage.com.au

Site Image (NSW) Pty Ltd
ABN 44 801 262 380



Landscape Architects

FOR APPROVAL

Drawing Name:

Landscape Specification &

Plant Schedule

Scale:

Job Number:

Drawing Number:


Sheet _ of _

Issue:


SS18-4247

L-501 A


NOT FOR CONSTRUCTION




1 Tree Planting on Grade
1:10




2 Tree Planting on Slab
1:10




3 Shrub, Accent & Groundcover Planting on Grade
1:10



4 Shrub, Accent & Groundcover Planting on Slab
1:10



6 Typical Raised Planter Bed on Structure
1:20



5 Turf on Even Grade
1:10

© 2020 Site Image (NSW) Pty Ltd ABN 44 801 262 380 as agent for Site Image NSW Partnership. All rights reserved. This drawing is copyright and shall not be reproduced or copied in any form or by any means (graphic, electronic or mechanical including photocopy) without the written permission of Site Image (NSW) Pty Ltd Any license, expressed or implied, to use this document for any purpose what so ever is restricted to the terms of the written agreement between Site Image (NSW) Pty Ltd and the instructing party.

The contractor shall check and verify all work on site (including work by others) before commencing the landscape installation. Any discrepancies are to be reported to the Project Manager or Landscape Architect prior to commencing work. Do not scale this drawing. Any required dimensions not shown shall be referred to the Landscape Architect for confirmation.

A	For Approval	PH	RS	13.01.2020
Issue	Revision Description	Drawn	Check	Date

LEGEND

Key Plan:

Client:
Gregory Hills Corporate Park Pty. Ltd.

Architect:
HPI Health Projects International

Project:
Camden Medical Campus Precinct,
Gledwood Hills

SITE IMAGE
Level 1, 3-5 Baptist Street
Redfern NSW 2016
Australia
Tel: (61 2) 8332 5600
Fax: (61 2) 9698 2877
www.siteimage.com.au
Site Image (NSW) Pty Ltd
ABN 44 801 262 380



FOR APPROVAL

Drawing Name:
Landscape Details

Scale:	Drawing Number:	Issue:
Job Number:		

SS18-4247

Sheet _ of _

L-502 A

NOT FOR CONSTRUCTION