


MGA 94 ZONE 56




SYDNEY EXHIBITION CENTRE

DARLING HARBOUR

HARBOUR STREET

IMAX THEATRE



NOTATIONS:

THIS PLAN SHOULD NOT BE SCALED. ALL DIMENSIONS SHOULD BE CONFIRMED BY CONTRACTORS AND OTHER CONSULTANTS PRIOR TO ANY WORKS. THIS PLAN SHALL BE CONSIDERED PROVISIONAL UNTIL IT HAS BEEN SIGNED AND CHECKED. CHECKED: JON BUTLER 18/09/2012. THIS FILE MUST BE USED REFERRING TO ALL NOTES AND DISCLAIMERS CONTAINED ON THE HARD COPY. THIS FILE MUST NOT BE TRANSFERRED TO ANY PERSON WITHOUT THE CONSENT OF VEKTA. THIS SURVEY HAS BEEN PERFORMED USING A LEICA HDS (10 TERRESTRIAL LASER SCANNER IN AUG-SEP 2012. GIVEN THE PHYSICAL NATURE OF THE SURVEY METHOD, COMPUTATIONAL METHODS AND GENERAL SURVEY ACCURACY LIMITATIONS, THE MODELLED ELEMENTS ARE CONSIDERED ACCURATE TO +/- 20MM. MORE PRECISE MEASUREMENTS CAN BE PROVIDED BY VEKTA UPON REQUEST. WARNING: THIS PLAN REFLECTS THE LOCATION OF THE SITE FEATURES ACQUIRED IN SEPTEMBER 2012. ANY SUBSEQUENT WORKS PERFORMED AT THE SITE AFTER THIS DATE WILL IMPACT ON THE RESULTS SHOWN IN THIS PLAN.

CONTOUR INTERVALS ARE AT 0.1m. CADASTRAL TITLE BOUNDARIES HAVE BEEN DEFINED BY BOUNDARY SURVEY OF LOTS 401-405 AS PER DP82501. NOTE THAT TITLE BOUNDARY PLOTS 402-405 HAVE A HEIGHT RESTRICTION OF 9.0m. NOTE THAT ROAD FLYOVERS HAVE BEEN SURVEYED FROM THE GROUND ONLY AND SO NO SURVEY INFORMATION HAS BEEN PROVIDED FOR THE FLYOVER TOPS/DECK.

UNDERGROUND DRAINAGE SERVICES AND CONCRETE SUPPORT BEAMS HAVE BEEN SURVEYED USING GPR, WITH THEIR ACCURACY SUBJECT TO TYPICAL UNDERGROUND SURVEY TOLERANCES. FOR ALL OTHER UNDERGROUND SERVICES PLEASE REFER TO THE CLIENT-SUPPLIED SURVEY (X-REF WITHIN DIGITAL FILE) FOR INDICATIVE SERVICE LOCATIONS.

H			
G			
F			
E			
D			
C			
B			
A	18/09/12	ORIGINAL	
REV	DATE	COMMENTS	CKD





90 CAMBERWELL ROAD HAWTHORN EAST VIC 3123
TEL: (03) 9804 2000 FAX: (03) 9804 2099
EMAIL: mob@veкта.net.au

**DARLING HARBOUR
IMAX THEATRE PRECINCT
PLAN OF FEATURES
TERRESTRIAL LASER SCANNING**

DRAWN	HK	SCALE	4 8 12 16
DATE	18/09/2012	LENGTHS ARE IN METRES	
CHECKED	JSB	DRAWING NUMBER	REV
SCALE	AS SHOWN	254068 KP01	A
LEVEL DATUM	AHD		

PLAN 01



PT501
DP1031387

NOTATIONS:

THIS PLAN SHOULD NOT BE SCALED. ALL DIMENSIONS SHOULD BE CONFIRMED BY CONTRACTORS AND OTHER CONSULTANTS PRIOR TO ANY WORKS.

THIS PLAN SHALL BE CONSIDERED PROVISIONAL UNTIL IT HAS BEEN SIGNED AND CHECKED.

CHECKED: JON BUTLER 18/09/2012

THIS FILE MUST BE USED REFERRING TO ALL NOTES AND DISCLAIMERS CONTAINED ON THE HARD COPY. THIS FILE MUST NOT BE TRANSFERRED TO ANY PERSON WITHOUT THE CONSENT OF VEKTA.

THIS SURVEY HAS BEEN PERFORMED USING A LEICA HDS C10 TERRESTRIAL LASER SCANNER IN AUG-SEP 2012. GIVEN THE PHYSICAL NATURE OF THE SURVEY METHOD, COMPUTATIONAL METHODS AND GENERAL SURVEY ACCURACY LIMITATIONS, THE MODELLED ELEMENTS ARE CONSIDERED ACCURATE TO +/- 30MM. MORE PRECISE MEASUREMENTS CAN BE PROVIDED BY VEKTA UPON REQUEST.

WARNING: THIS PLAN REFLECTS THE LOCATION OF THE SITE FEATURES ACQUIRED IN SEPTEMBER 2012. ANY SUBSEQUENT WORKS PERFORMED AT THE SITE AFTER THIS DATE WILL IMPACT ON THE RESULTS SHOWN IN THIS PLAN.

CONTOUR INTERVAL IS 0.1M.

REFER TO DWG 254068_KP01 FOR SHEET LAYOUT.

BOK DIMENSIONS DENOTE REDUCED LEVELS OF BACK OF KERB.
 TOK DIMENSIONS DENOTE REDUCED LEVELS OF TOP OF KERB.
 INV DIMENSIONS DENOTE REDUCED LEVELS OF INVERT OF KERB OR BOTTOM OF RETAINING WALLS.
 TOR DIMENSIONS DENOTE REDUCED LEVELS OF TOP OF RETAINING WALL OR TOP OF STEPS.
 B DIMENSIONS DENOTE REDUCED LEVELS OF BUILDING OUTLINE ON GROUND OR PAVEMENT EDGE.
 P DIMENSIONS DENOTE REDUCED LEVELS OF SERVICE PITS.



REV	DATE	ORIGINAL	COMMENTS	CKD
A	18/09/12	ORIGINAL		

VEKTA
 90 CAMBERWELL ROAD HAWTHORN EAST VIC 3123
 TEL: (03) 9804 2000 FAX: (03) 9804 2099
 EMAIL: info@veкта.net.au
 FORMERLY SURVEY21 AND QASCO

**DARLING HARBOUR
 IMAX THEATRE PRECINCT
 PLAN OF FEATURES
 TERRESTRIAL LASER SCANNING**

DRAWN	HK	SCALE	1 0 1 2 3 4
DATE	18/09/2012	LENGTHS ARE IN METRES	
CHECKED	JSB	DRAWING NUMBER	254068 P01
SCALE	A0 1:100	REV	A
LEVEL DATUM	AHD		

PLAN 02



NOTATIONS:

THIS PLAN SHOULD NOT BE SCALED. ALL DIMENSIONS SHOULD BE CONFIRMED BY CONTRACTORS AND OTHER CONSULTANTS PRIOR TO ANY WORKS.

THIS PLAN SHALL BE CONSIDERED PROVISIONAL UNTIL IT HAS BEEN SIGNED AND CHECKED.

CHECKED: JON BUTLER 18/09/2012

THIS FILE MUST BE USED REFERRING TO ALL NOTES AND DISCLAIMERS CONTAINED ON THE HARD COPY. THIS FILE MUST NOT BE TRANSFERRED TO ANY PERSON WITHOUT THE CONSENT OF VEKTA.

THIS SURVEY HAS BEEN PERFORMED USING A LEICA HDS C10 TERRESTRIAL LASER SCANNER IN AUG-SEP 2012. GIVEN THE PHYSICAL NATURE OF THE SURVEY METHOD, COMPUTATIONAL METHODS AND GENERAL SURVEY ACCURACY LIMITATIONS, THE MODELLED ELEMENTS ARE CONSIDERED ACCURATE TO +/- 30MM. MORE PRECISE MEASUREMENTS CAN BE PROVIDED BY VEKTA UPON REQUEST.

WARNING: THIS PLAN REFLECTS THE LOCATION OF THE SITE FEATURES ACQUIRED IN SEPTEMBER 2012. ANY SUBSEQUENT WORKS PERFORMED AT THE SITE AFTER THIS DATE WILL IMPACT ON THE RESULTS SHOWN IN THIS PLAN.

CONTOUR INTERVAL IS 0.1M.

REFER TO DWG 254068_KP01 FOR SHEET LAYOUT.

BK DIMENSIONS DENOTE REDUCED LEVELS OF BACK OF KERB.
 TK DIMENSIONS DENOTE REDUCED LEVELS OF TOP OF KERB.
 INV DIMENSIONS DENOTE REDUCED LEVELS OF INVERT OF KERB OR BOTTOM OF RETAINING WALLS.
 TOR DIMENSIONS DENOTE REDUCED LEVELS OF TOP OF RETAINING WALL OR TOP OF STEPS.
 B DIMENSIONS DENOTE REDUCED LEVELS OF BUILDING OUTLINE ON GROUND OR PAVEMENT EDGE.
 P DIMENSIONS DENOTE REDUCED LEVELS OF SERVICE PITS.


REV	DATE	ORIGINAL	COMMENTS	CKD
A	18/09/12	ORIGINAL		

VEKTA

90 CAMBERWELL ROAD HAWTHORN EAST VIC 3123
 TEL: (03) 9804 2000 FAX: (03) 9804 2099
 EMAIL: info@veкта.net.au
 FORMERLY SURVEY21 AND OASCO

**DARLING HARBOUR
 IMAX THEATRE PRECINCT
 PLAN OF FEATURES
 TERRESTRIAL LASER SCANNING**

DRAWN	HK	SCALE	1 0 1 2 3 4
DATE	18/09/2012	LENGTHS ARE IN METRES	
CHECKED	JSB	DRAWING NUMBER	REV
SCALE	A0 1:100	254068 P02	A
LEVEL DATUM	AHD		



MGA 94, ZONE 56

NOTATIONS:
THIS PLAN SHOULD NOT BE SCALED. ALL DIMENSIONS SHOULD BE CONFIRMED BY CONTRACTORS AND OTHER CONSULTANTS PRIOR TO ANY WORKS.

THIS PLAN SHALL BE CONSIDERED PROVISIONAL UNTIL IT HAS BEEN SIGNED AND CHECKED.
CHECKED JON BUTLER 18/09/2012

THIS FILE MUST BE USED REFERRING TO ALL NOTES AND DISCLAIMERS CONTAINED ON THE HARD COPY. THIS FILE MUST NOT BE TRANSFERRED TO ANY PERSON WITHOUT THE CONSENT OF VEKTA.

THIS SURVEY HAS BEEN PERFORMED USING A LEICA HDS C10 TERRESTRIAL LASER SCANNER IN AUG-SEP 2012. GIVEN THE PHYSICAL NATURE OF THE SURVEY METHOD, COMPUTATIONAL METHODS AND GENERAL SURVEY ACCURACY LIMITATIONS, THE MODELLED ELEMENTS ARE CONSIDERED ACCURATE TO +/- 50MM. MORE PRECISE MEASUREMENTS CAN BE PROVIDED BY VEKTA UPON REQUEST.

WARNING: THIS PLAN REFLECTS THE LOCATION OF THE SITE FEATURES ACQUIRED IN SEPTEMBER 2012. ANY SUBSEQUENT WORKS PERFORMED AT THE SITE AFTER THIS DATE WILL IMPACT ON THE RESULTS SHOWN IN THIS PLAN.

CONTOUR INTERVAL IS 0.1M.
REFER TO DWG 254068_KP01 FOR SHEET LAYOUT.

NOTE:
NO EVIDENCE OF DRAINAGE FOUND FROM SITE INSPECTION OR UNDERGROUND GPR SURVEY. FURTHER INVESTIGATION REQUIRED TO DETERMINE EXISTENCE OF DRAINAGE SERVICES.

BDK DIMENSIONS DENOTE REDUCED LEVELS OF BACK OF KERB.
TOK DIMENSIONS DENOTE REDUCED LEVELS OF TOP OF KERB.
INV DIMENSIONS DENOTE REDUCED LEVELS OF INVERT OF KERB OR BOTTOM OF RETAINING WALLS.
TOR DIMENSIONS DENOTE REDUCED LEVELS OF TOP OF RETAINING WALL OR TOP OF STEPS.
B DIMENSIONS DENOTE REDUCED LEVELS OF BUILDING OUTLINE ON GROUND OR PAVEMENT EDGE.
P DIMENSIONS DENOTE REDUCED LEVELS OF SERVICE PITS.

REV	DATE	ORIGINAL	COMMENTS	CKD
1	18/09/12	ORIGINAL		



90 CAMBERWELL ROAD HAWTHORN EAST VIC 3123
TEL: (03) 9804 2000 FAX: (03) 9804 2099
EMAIL: info@veкта.net.au



FORMERLY SURVEY21 AND OASCO
**DARLING HARBOUR
IMAX THEATRE PRECINCT
PLAN OF FEATURES
TERRESTRIAL LASER SCANNING**

DRAWN	HK	SCALE	REV
DATE	18/09/2012	1:1000	1
CHECKED	JSB		
SCALE	AD	1:1000	
LEVEL DATUM	AHD		

DRAWING NUMBER	SCALE	REV
254068_P04	1:1000	A

PLAN 04

PLAN 05



NOTATIONS:

THIS PLAN SHOULD NOT BE SCALED. ALL DIMENSIONS SHOULD BE CONFIRMED BY CONTRACTORS AND OTHER CONSULTANTS PRIOR TO ANY WORKS.

THIS PLAN SHALL BE CONSIDERED PROVISIONAL UNTIL IT HAS BEEN SIGNED AND CHECKED.

CHECKED: JON BUTLER 18/09/2012

THIS FILE MUST BE USED REFERRING TO ALL NOTES AND DISCLAIMERS CONTAINED ON THE HARD COPY. THIS FILE MUST NOT BE TRANSFERRED TO ANY PERSON WITHOUT THE CONSENT OF VEKTA.

THIS SURVEY HAS BEEN PERFORMED USING A LEICA HDS C10 TERRESTRIAL LASER SCANNER IN AUG-SEP 2012. GIVEN THE PHYSICAL NATURE OF THE SURVEY METHOD, COMPUTATIONAL METHODS AND GENERAL SURVEY ACCURACY LIMITATIONS, THE MODELLED ELEMENTS ARE CONSIDERED ACCURATE TO +/- 30MM. MORE PRECISE MEASUREMENTS CAN BE PROVIDED BY VEKTA UPON REQUEST.

WARNING: THIS PLAN REFLECTS THE LOCATION OF THE SITE FEATURES ACQUIRED IN SEPTEMBER 2012. ANY SUBSEQUENT WORKS PERFORMED AT THE SITE AFTER THIS DATE WILL IMPACT ON THE RESULTS SHOWN IN THIS PLAN.

CONTOUR INTERVAL IS 0.1M.

REFER TO DWG 254068_KP01 FOR SHEET LAYOUT.

BDK DIMENSIONS DENOTE REDUCED LEVELS OF BACK OF KERB.
 TOK DIMENSIONS DENOTE REDUCED LEVELS OF TOP OF KERB.
 INV DIMENSIONS DENOTE REDUCED LEVELS OF INVERT OF KERB OR BOTTOM OF RETAINING WALLS.
 TOR DIMENSIONS DENOTE REDUCED LEVELS OF TOP OF RETAINING WALL OR TOP OF STEPS.
 B DIMENSIONS DENOTE REDUCED LEVELS OF BUILDING OUTLINE ON GROUND OR PAVEMENT EDGE.
 P DIMENSIONS DENOTE REDUCED LEVELS OF SERVICE PITS.

REV	DATE	ORIGINAL	COMMENTS	CKD
A	18/09/12	ORIGINAL		


VEKTA
 90 CAMBERWELL ROAD HAWTHORN EAST VIC 3123
 TEL: (03) 9804 2000 FAX: (03) 9804 2099
 EMAIL: mob@veкта.net.au
 FORMERLY SURVEY21 AND QASCO

**DARLING HARBOUR
 IMAX THEATRE PRECINCT
 PLAN OF FEATURES
 TERRESTRIAL LASER SCANNING**

DRAWN	HK	SCALE	1 0 1 2 3 4
DATE	18/09/2012	LENGTHS ARE IN METRES	
CHECKED	JSB	DRAWING NUMBER	254068 P05
SCALE	A0 1:100	REV	A
LEVEL DATUM	AHD		

PLAN 06

MGA 94 ZONE 55



NOTATIONS:
 THIS PLAN SHOULD NOT BE SCALED. ALL DIMENSIONS SHOULD BE CONFIRMED BY CONTRACTORS AND OTHER CONSULTANTS PRIOR TO ANY WORKS.
 THIS PLAN SHALL BE CONSIDERED PROVISIONAL UNTIL IT HAS BEEN SIGNED AND CHECKED.
 CHECKED JON BUTLER 18/09/2012

THIS FILE MUST BE USED REFERRING TO ALL NOTES AND DISCLAIMERS CONTAINED ON THE HARD COPY. THIS FILE MUST NOT BE TRANSFERRED TO ANY PERSON WITHOUT THE CONSENT OF VEKTA.
 THIS SURVEY HAS BEEN PERFORMED USING A LEICA HDS C10 TERRESTRIAL LASER SCANNER IN AUG-SEP 2012. GIVEN THE PHYSICAL NATURE OF THE SURVEY METHOD, COMPUTATIONAL METHODS AND GENERAL SURVEY ACCURACY LIMITATIONS, THE MODELLED ELEMENTS ARE CONSIDERED ACCURATE TO +/- 30MM. MORE PRECISE MEASUREMENTS CAN BE PROVIDED BY VEKTA UPON REQUEST.
 WARNING: THIS PLAN REFLECTS THE LOCATION OF THE SITE FEATURES ACQUIRED IN SEPTEMBER 2012. ANY SUBSEQUENT WORKS PERFORMED AT THE SITE AFTER THIS DATE WILL IMPACT ON THE RESULTS SHOWN IN THIS PLAN.
 CONTOUR INTERVAL IS 0.1M.
 REFER TO DWG 254068_KP01 FOR SHEET LAYOUT.

BDK DIMENSIONS DENOTE REDUCED LEVELS OF BACK OF KERB.
 TOK DIMENSIONS DENOTE REDUCED LEVELS OF TOP OF KERB.
 INV DIMENSIONS DENOTE REDUCED LEVELS OF INVERT OF KERB OR BOTTOM OF RETAINING WALLS.
 TOR DIMENSIONS DENOTE REDUCED LEVELS OF TOP OF RETAINING WALL OR TOP OF STEPS.
 B DIMENSIONS DENOTE REDUCED LEVELS OF BUILDING OUTLINE ON GROUND OR PAVEMENT EDGE.
 P DIMENSIONS DENOTE REDUCED LEVELS OF SERVICE PITS.


REV	DATE	ORIGINAL	COMMENTS	CKD
A	18/09/12	ORIGINAL		



90 CAMBERWELL ROAD HAWTHORN EAST VIC 3123
 TEL: (03) 9804 2000 FAX: (03) 9804 2099
 EMAIL: info@veкта.net.au
 FORMERLY SURVEY21 AND QASCO

DARLING HARBOUR IMAX THEATRE PRECINCT PLAN OF FEATURES TERRESTRIAL LASER SCANNING

DRAWN	HK	SCALE	1 0 1 2 3 4
DATE	18/09/2012	LENGTHS ARE IN METRES	
CHECKED	JSB	DRAWING NUMBER	254068 P06
SCALE	A0 1:100	REV	A
LEVEL DATUM	AHD		



NOTATIONS:
THIS PLAN SHOULD NOT BE SCALED. ALL DIMENSIONS SHOULD BE CONFIRMED BY CONTRACTORS AND OTHER CONSULTANTS PRIOR TO ANY WORKS.

THIS PLAN SHALL BE CONSIDERED PROVISIONAL UNTIL IT HAS BEEN SIGNED AND CHECKED.
CHECKED JON BUTLER 18/09/2012


THIS FILE MUST BE USED REFERRING TO ALL NOTES AND DISCLAIMERS CONTAINED ON THE HARD COPY. THIS FILE MUST NOT BE TRANSFERRED TO ANY PERSON WITHOUT THE CONSENT OF VEKTA.

THIS SURVEY HAS BEEN PERFORMED USING A LEICA HDS C10 TERRESTRIAL LASER SCANNER IN AUG-SEP 2012. GIVEN THE PHYSICAL NATURE OF THE SURVEY METHOD, COMPUTATIONAL METHODS AND GENERAL SURVEY ACCURACY LIMITATIONS, THE MODELLED ELEMENTS ARE CONSIDERED ACCURATE TO +/- 30MM. MORE PRECISE MEASUREMENTS CAN BE PROVIDED BY VEKTA UPON REQUEST.

WARNING: THIS PLAN REFLECTS THE LOCATION OF THE SITE FEATURES ACQUIRED IN SEPTEMBER 2012. ANY SUBSEQUENT WORKS PERFORMED AT THE SITE AFTER THIS DATE WILL IMPACT ON THE RESULTS SHOWN IN THIS PLAN.

CONTOUR INTERVAL IS 0.9M.
REFER TO DWG 254068_KP01 FOR SHEET LAYOUT.

BOK DIMENSIONS DENOTE REDUCED LEVELS OF BACK OF KERB.
TOK DIMENSIONS DENOTE REDUCED LEVELS OF TOP OF KERB.
INV DIMENSIONS DENOTE REDUCED LEVELS OF INVERT OF KERB OR BOTTOM OF RETAINING WALLS.
TOR DIMENSIONS DENOTE REDUCED LEVELS OF TOP OF RETAINING WALL OR TOP OF STEPS.
B DIMENSIONS DENOTE REDUCED LEVELS OF BUILDING OUTLINE ON GROUND OR PAVEMENT EDGE.
P DIMENSIONS DENOTE REDUCED LEVELS OF SERVICE PITS.



REV	DATE	ORIGINAL	COMMENTS	CKD
A	18/09/12	ORIGINAL		




90 CAMBERWELL ROAD HAWTHORN EAST VIC 3123
TEL: (03) 9804 2000 FAX: (03) 9804 2099
EMAIL: mob@veкта.net.au

**DARLING HARBOUR
IMAX THEATRE PRECINCT
PLAN OF FEATURES
TERRESTRIAL LASER SCANNING**

DRAWN	HK	SCALE	1 0 1 2 3 4
DATE	18/09/2012	LENGTHS ARE IN METRES	
CHECKED	JSB	DRAWING NUMBER	254068_P07
SCALE	A0 1:100	REV	A
LEVEL DATUM	AHD		

PLAN 07



NOTATIONS:

THIS PLAN SHOULD NOT BE SCALED. ALL DIMENSIONS SHOULD BE CONFIRMED BY CONTRACTORS AND OTHER CONSULTANTS PRIOR TO ANY WORKS.

THIS PLAN SHALL BE CONSIDERED PROVISIONAL UNTIL IT HAS BEEN SIGNED AND CHECKED.

CHECKED: JON BUTLER 18/09/2012

THIS FILE MUST BE USED REFERRING TO ALL NOTES AND DISCLAIMERS CONTAINED ON THE HARD COPY. THIS FILE MUST NOT BE TRANSFERRED TO ANY PERSON WITHOUT THE CONSENT OF VEKTA.

THIS SURVEY HAS BEEN PERFORMED USING A LEICA HDS C10 TERRESTRIAL LASER SCANNER IN AUG-SEP 2012. GIVEN THE PHYSICAL NATURE OF THE SURVEY METHOD, COMPUTATIONAL METHODS AND GENERAL SURVEY ACCURACY LIMITATIONS, THE MODELLED ELEMENTS ARE CONSIDERED ACCURATE TO +/- 30MM. MORE PRECISE MEASUREMENTS CAN BE PROVIDED BY VEKTA UPON REQUEST.

WARNING: THIS PLAN REFLECTS THE LOCATION OF THE SITE FEATURES ACQUIRED IN SEPTEMBER 2012. ANY SUBSEQUENT WORKS PERFORMED AT THE SITE AFTER THIS DATE WILL IMPACT ON THE RESULTS SHOWN IN THIS PLAN.

CONTOUR INTERVAL IS 0.01.

REFER TO DWG 254068_KP01 FOR SHEET LAYOUT.

BOK DIMENSIONS DENOTE REDUCED LEVELS OF BACK OF KERB.
 TOK DIMENSIONS DENOTE REDUCED LEVELS OF TOP OF KERB.
 INV DIMENSIONS DENOTE REDUCED LEVELS OF INVERT OF KERB OR BOTTOM OF RETAINING WALLS.
 TOR DIMENSIONS DENOTE REDUCED LEVELS OF TOP OF RETAINING WALL OR TOP OF STEPS.
 B DIMENSIONS DENOTE REDUCED LEVELS OF BUILDING OUTLINE ON GROUND OR PAVEMENT EDGE.
 P DIMENSIONS DENOTE REDUCED LEVELS OF SERVICE PITS.

REV	DATE	ORIGINAL	COMMENTS	CKD
A	18/09/12	ORIGINAL		



90 CAMBERWELL ROAD HAWTHORN EAST VIC 3123
 TEL: (03) 9804 2000 FAX: (03) 9804 2099
 EMAIL: mob@veкта.net.au

**DARLING HARBOUR
 IMAX THEATRE PRECINCT
 PLAN OF FEATURES
 TERRESTRIAL LASER SCANNING**

DRAWN	HK	SCALE	1 0 1 2 3 4
DATE	18/09/2012	LENGTHS ARE IN METRES	
CHECKED	JSB	DRAWING NUMBER	254068 P08
SCALE	A0 1:100	REV	A
LEVEL DATUM	AHD		

PLAN 08