

Nationwide House Energy Rating Scheme®

Class 2 Summary

NatHERS® Certificate No. KNVPB2ID00

Thermal performance
Star rating

Generated on 14 Aug 2025 using FirstRate5 v5.5.5a

Property

Address Victoria Road and Mitchell Street,
Marrickville , NSW, 2204

Lot/DP

NatHERS Climate Zone Mascot (Sydney Airport)



Accredited assessor

Name E-LAB Consulting

Business name E-LAB Consulting

Email navid.aghdaei@e-lab.com.au

Phone 0447343451

Accreditation No. DMN/20/1972

Assessor Accrediting Organisation
Design Matters National

Verification

To verify this certificate, scan the QR code or visit <https://www.fr5.com.au/QRCodeLanding?PublicId=KNVPB2ID00&GrpCert=1>

When using either link, ensure you are visiting www.fr5.com.au.



National Construction Code (NCC) requirements

The NCC allows the use of NatHERS accredited software to comply with the energy efficiency requirements for houses (Class 1 buildings) and apartments (Class 2 sole-occupancy units and Class 4 parts of buildings). The applicable requirements for houses are detailed in Specification 42 of NCC Volume Two. For apartments the requirements are detailed in clauses J3D3 and J3D15 of NCC Volume One.

NCC 2022 includes enhanced thermal performance requirements for houses and apartments. It also includes a new whole-of-home annual energy use budget which applies to the major equipment in the home.

The NCC, and associated ABCB Standards and support material, can be accessed at www.abcb.gov.au.

Note, variations and additions to the NCC energy efficiency requirements may apply in some states and territories.



NCC heating and cooling maximum loads MJ/m²/p.a.

Limits taken from ABCB Standard 2022

	Heating	Cooling
Modelled block average	14.9	10.2
Maximum allowable limit	N/A	N/A

Whole of Home performance rating

No Whole of Home performance rating conducted for this summary certificate or not completed for all dwellings

The rating above is the lowest of all dwellings in this summary

Summary of all dwellings

Certificate number and link	Unit number	Heating load (load limit) [MJ/m²/p.a.]	Cooling load (load limit) [MJ/m²/p.a.]	Total load [MJ/m²/p.a.]	Star rating	Whole of Home Rating
YOAXLVZA6O-01	F.01.01	2.9 (N/A)	10.0 (N/A)	12.9	8.9	NA
18GL9G0FW7-01	F.01.03	26.9 (N/A)	7.4 (N/A)	34.3	6.4	NA



Summary of all dwellings

Certificate number and link	Unit number	Heating load (load limit) [MJ/m ² /p.a.]	Cooling load (load limit) [MJ/m ² /p.a.]	Total load [MJ/m ² /p.a.]	Star rating	Whole of Home Rating
KNKF8NJG6X-02	F.01.04	21.1 (N/A)	8.8 (N/A)	29.9	7	NA
72EI9RBUN6-01	F.01.05	6.6 (N/A)	8.5 (N/A)	15.1	8.6	NA
ETN30OXAMV-01	F.01.06	1.1 (N/A)	11.8 (N/A)	12.9	8.9	NA
P7KWRDWSR3-01	F.02.01	3.1 (N/A)	9.9 (N/A)	13.0	8.9	NA
U8QBPB9RTO-01	F.02.03	28.3 (N/A)	7.5 (N/A)	35.8	6.3	NA
4489GOZTX9-01	F.02.04	22.0 (N/A)	8.7 (N/A)	30.7	6.9	NA
F4ZD30NYHM-01	F.02.05	7.0 (N/A)	7.9 (N/A)	14.9	8.6	NA
EY964YRYAV-01	F.02.06	1.5 (N/A)	14.1 (N/A)	15.6	8.6	NA
4TNGTFEFCJ-01	F.03.01	7.0 (N/A)	8.5 (N/A)	15.5	8.6	NA
A7GCRG5CFS-01	F.03.03	30.0 (N/A)	4.6 (N/A)	34.6	6.4	NA
6BSBEWRTTY-01	F.03.04	26.2 (N/A)	7.0 (N/A)	33.2	6.6	NA
WIV85OUXP7-01	F.03.05	11.5 (N/A)	6.5 (N/A)	18.0	8.3	NA
IB99V7MKYM-01	F.03.06	5.4 (N/A)	11.3 (N/A)	16.7	8.4	NA
KC9UNPHCH4-01	F.04.01	9.9 (N/A)	13.0 (N/A)	22.9	7.8	NA
VIWIJ4CTQH-01	F.04.03	28.6 (N/A)	8.1 (N/A)	36.7	6.2	NA
AIUXVQ8C0V-01	F.04.04	24.5 (N/A)	6.2 (N/A)	30.7	6.9	NA
G4R3TCIBWS-01	F.04.05	15.0 (N/A)	9.1 (N/A)	24.1	7.6	NA
SL9PAT0RP9-01	F.05.01	8.8 (N/A)	12.7 (N/A)	21.5	7.9	NA
V2FTEPQ1IR-01	F.05.03	29.2 (N/A)	7.9 (N/A)	37.1	6.1	NA
1ANPSZPE9Z-01	F.05.04	24.2 (N/A)	6.7 (N/A)	30.9	6.9	NA
2TT5LWMU9X-01	F.05.05	11.8 (N/A)	10.8 (N/A)	22.6	7.8	NA
F19O7ZGQLV-01	F.06.01	13.5 (N/A)	20.0 (N/A)	33.5	6.6	NA
Q1RMPCJJHR-01	F.06.03	29.4 (N/A)	7.9 (N/A)	37.3	6.1	NA
T93OW3KUYK-01	F.06.04	31.3 (N/A)	6.7 (N/A)	38.0	6	NA
OKE4HOKW84-01	F.06.05	18.4 (N/A)	19.4 (N/A)	37.8	6	NA
SM47SDSM2L-01	F.G.01	26.7 (N/A)	9.1 (N/A)	35.8	6.3	NA
1YV6D217M7-01	F.G.02	23.1 (N/A)	8.2 (N/A)	31.3	6.8	NA
PI6MD2LMZ0-01	F.G.03	2.3 (N/A)	13.7 (N/A)	16.0	8.4	NA
PJM0TWI7MA-01	F.UG.01	2.7 (N/A)	10.3 (N/A)	13.0	8.9	NA
BG02YFT0JC-01	F.UG.03	30.4 (N/A)	7.4 (N/A)	37.8	6	NA
6UI89JFQVA-01	F.UG.04	19.7 (N/A)	9.1 (N/A)	28.8	7.1	NA
3S74TNOLSV-01	F.UG.05	6.1 (N/A)	9.0 (N/A)	15.1	8.6	NA
9CEJXHJ0MW-01	F.UG.06	0.9 (N/A)	15.8 (N/A)	16.7	8.4	NA
R1LDNXCXAD-01	A1.01.01	28.0 (N/A)	6.7 (N/A)	34.7	6.4	NA
TTK8HTSCLV-02	A1.01.02	8.0 (N/A)	17.3 (N/A)	25.3	7.4	NA
DEZJ0HEFO4-01	A1.01.03	9.6 (N/A)	11.2 (N/A)	20.8	8	NA
L62PZ5V45S-01	A1.01.04	11.8 (N/A)	13.2 (N/A)	25.0	7.5	NA



Summary of all dwellings

Certificate number and link	Unit number	Heating load (load limit) [MJ/m ² /p.a.]	Cooling load (load limit) [MJ/m ² /p.a.]	Total load [MJ/m ² /p.a.]	Star rating	Whole of Home Rating
0APYZNBCNF-01	A1.01.05	5.3 (N/A)	14.4 (N/A)	19.7	8.1	NA
M0J5GHK249-01	A1.02.01	27.5 (N/A)	9.7 (N/A)	37.2	6.1	NA
S45E250HNB-01	A1.02.02	9.2 (N/A)	17.2 (N/A)	26.4	7.4	NA
EEAOHIQMSP-01	A1.02.03	7.7 (N/A)	10.6 (N/A)	18.3	8.3	NA
7M2AJ2Z8EF-01	A1.03.01	30.3 (N/A)	6.4 (N/A)	36.7	6.2	NA
XL1D7L2AGW-01	A1.03.02	9.2 (N/A)	16.0 (N/A)	25.2	7.4	NA
X8D2DH04X7-01	A1.03.03	7.4 (N/A)	10.9 (N/A)	18.3	8.3	NA
18JOBGB449-01	A1.03.04	7.8 (N/A)	12.2 (N/A)	20.0	8.1	NA
G2DHN2N6R5-01	A1.03.05	6.0 (N/A)	12.9 (N/A)	18.9	8.2	NA
QPG629I96B-01	A1.03.06	5.9 (N/A)	12.6 (N/A)	18.5	8.2	NA
C4KGNZBMB0-01	A1.03.07	15.6 (N/A)	12.0 (N/A)	27.6	7.2	NA
J7FGQ545PL-01	A1.03.08	15.1 (N/A)	12.1 (N/A)	27.2	7.3	NA
43M2RM2NWC-01	A1.03.09	15.6 (N/A)	12.0 (N/A)	27.6	7.2	NA
7B737LR64X-01	A1.03.10	15.3 (N/A)	11.7 (N/A)	27.0	7.3	NA
0B50VSJ9Q6-01	A1.03.11	16.0 (N/A)	11.6 (N/A)	27.6	7.2	NA
H0STKJC0K2-01	A1.03.12	21.6 (N/A)	9.2 (N/A)	30.8	6.9	NA
7Y093IAMJE-01	A1.04.01	29.7 (N/A)	7.5 (N/A)	37.2	6.1	NA
N7B2U38VH8-01	A1.04.02	15.7 (N/A)	14.1 (N/A)	29.8	7	NA
C27Z6URMWY-01	A1.04.03	12.7 (N/A)	10.5 (N/A)	23.2	7.7	NA
39H2ZCK57N-01	A1.04.04	11.9 (N/A)	12.3 (N/A)	24.2	7.6	NA
S70LTHL2AN-01	A1.04.05	9.4 (N/A)	12.3 (N/A)	21.7	7.9	NA
J6K08E1ACJ-01	A1.04.06	9.3 (N/A)	12.3 (N/A)	21.6	7.9	NA
0XZULOZICR-01	A1.04.07	19.0 (N/A)	9.7 (N/A)	28.7	7.1	NA
SDY3QFCVGZ-01	A1.04.08	18.4 (N/A)	9.1 (N/A)	27.5	7.3	NA
LK2XW4HGAE-01	A1.04.09	19.0 (N/A)	9.8 (N/A)	28.8	7.1	NA
RD0S5GHRJ3-01	A1.04.10	20.0 (N/A)	10.8 (N/A)	30.8	6.9	NA
ZIORGHKAHW-01	A1.04.11	19.5 (N/A)	11.1 (N/A)	30.6	6.9	NA
85VBHF82NI-01	A1.04.12	25.2 (N/A)	9.7 (N/A)	34.9	6.4	NA
ZHHASFQOWU-01	A1.05.01	29.9 (N/A)	7.4 (N/A)	37.3	6.1	NA
S0AVPJYJMX-01	A1.05.02	8.9 (N/A)	11.1 (N/A)	20.0	8.1	NA
5GJX5GU2G6-01	A1.06.01	29.9 (N/A)	6.9 (N/A)	36.8	6.2	NA
DTE6YSBO8B-01	A1.06.02	8.0 (N/A)	10.9 (N/A)	18.9	8.2	NA
16OWEH49W8-01	A1.06.03	6.7 (N/A)	20.3 (N/A)	27.0	7.3	NA
QZQZMT7UFL-01	A1.06.04	4.7 (N/A)	20.4 (N/A)	25.1	7.4	NA
UXI0R8WD76-01	A1.06.05	7.8 (N/A)	8.7 (N/A)	16.5	8.4	NA
HKKL692XTX-01	A1.06.06	24.1 (N/A)	6.0 (N/A)	30.1	6.9	NA



Summary of all dwellings

Certificate number and link	Unit number	Heating load (load limit) [MJ/m²/p.a.]	Cooling load (load limit) [MJ/m²/p.a.]	Total load [MJ/m²/p.a.]	Star rating	Whole of Home Rating
FNUVHISSZB-01	A1.06.07	28.4 (N/A)	7.3 (N/A)	35.7	6.3	NA
M03Z9JISI3-01	A1.07.01	25.0 (N/A)	8.9 (N/A)	33.9	6.5	NA
5HEZVTFSUH-01	A1.07.02	18.6 (N/A)	17.0 (N/A)	35.6	6.3	NA
HEEDX7PNON-01	A1.07.03	13.9 (N/A)	21.3 (N/A)	35.2	6.4	NA
2MPV3GQZQH-01	A1.07.04	13.5 (N/A)	21.4 (N/A)	34.9	6.4	NA
VYA5TULQLH-01	A1.07.05	16.8 (N/A)	10.2 (N/A)	27.0	7.3	NA
MBPWC4LVWX-01	A1.07.06	29.5 (N/A)	7.4 (N/A)	36.9	6.1	NA
41MCXDXT4-01	A1.07.07	30.8 (N/A)	6.9 (N/A)	37.7	6	NA
4S51JSFCK8-01	A1.UG.01	29.1 (N/A)	6.8 (N/A)	35.9	6.3	NA
GIB13H5MDM-01	A1.UG.02	14.6 (N/A)	9.7 (N/A)	24.3	7.6	NA
ZR0BB7J0KQ	A1.UG.03	17.2 (N/A)	5.6 (N/A)	22.8	7.8	NA
6FLNFLJQSS	A1.UG.04	13.0 (N/A)	4.5 (N/A)	17.5	8.4	NA
L7EYXCSXN9	A1.UG.05	13.2 (N/A)	5.0 (N/A)	18.2	8.3	NA
K9EOZASGYI	A1.UG.06	13.0 (N/A)	4.5 (N/A)	17.5	8.4	NA
WUS1XVQD8B-01	A2.01.01	10.6 (N/A)	14.0 (N/A)	24.6	7.6	NA
ZDT49VQQEB-01	A2.01.02	4.7 (N/A)	13.1 (N/A)	17.8	8.3	NA
DK24Z6RHY2-01	A2.01.03	15.8 (N/A)	6.6 (N/A)	22.4	7.8	NA
G06F0OA75Q-01	A2.02.01	8.5 (N/A)	13.8 (N/A)	22.3	7.8	NA
LDGYDVQSSE-01	A2.02.02	5.1 (N/A)	11.6 (N/A)	16.7	8.4	NA
KQEVSRZT6-01	A2.02.03	13.7 (N/A)	7.9 (N/A)	21.6	7.9	NA
QASBE7UMNA-01	A2.03.01	8.8 (N/A)	13.5 (N/A)	22.3	7.8	NA
NICSEGXWE3-01	A2.03.02	5.5 (N/A)	10.9 (N/A)	16.4	8.4	NA
T2LJAWGK6M-01	A2.03.03	17.9 (N/A)	6.5 (N/A)	24.4	7.6	NA
3KT3BH7977-01	A2.03.04	21.0 (N/A)	8.6 (N/A)	29.6	7	NA
QRU12SLZ5I-01	A2.03.05	17.3 (N/A)	8.0 (N/A)	25.3	7.4	NA
ZGN8C5XN6E-01	A2.03.06	16.0 (N/A)	8.7 (N/A)	24.7	7.5	NA
KQQT4JEVY7-01	A2.03.07	15.1 (N/A)	10.4 (N/A)	25.5	7.4	NA
0E3Z3RY9OY-01	A2.03.08	15.3 (N/A)	10.2 (N/A)	25.5	7.4	NA
MV16X480WN-01	A2.03.09	15.1 (N/A)	11.0 (N/A)	26.1	7.4	NA
TGFBQPLNCA-01	A2.03.10	4.2 (N/A)	9.6 (N/A)	13.8	8.8	NA
TUYWLTGH8B-01	A2.03.11	4.2 (N/A)	9.8 (N/A)	14.0	8.8	NA
TMRFHZIYGA-01	A2.03.12	5.7 (N/A)	11.9 (N/A)	17.6	8.3	NA
KSB7LZ0GUL-01	A2.04.01	15.3 (N/A)	12.2 (N/A)	27.5	7.3	NA
3F6A5L6SZ4-01	A2.04.02	9.4 (N/A)	12.5 (N/A)	21.9	7.9	NA
GBALQVYM98-01	A2.04.03	18.5 (N/A)	6.5 (N/A)	25.0	7.5	NA
QA9LOM5V3E-01	A2.04.04	23.9 (N/A)	8.3 (N/A)	32.2	6.7	NA

Summary of all dwellings

Certificate number and link	Unit number	Heating load (load limit) [MJ/m ² /p.a.]	Cooling load (load limit) [MJ/m ² /p.a.]	Total load [MJ/m ² /p.a.]	Star rating	Whole of Home Rating
8V2VX2EUTJ-01	A2.04.05	22.1 (N/A)	8.2 (N/A)	30.3	6.9	NA
W388SGCZ7E-01	A2.04.06	19.1 (N/A)	8.3 (N/A)	27.4	7.3	NA
F2K9CV1XQO-01	A2.04.07	19.4 (N/A)	8.6 (N/A)	28.0	7.2	NA
VQJXQDYXEF-01	A2.04.08	18.2 (N/A)	8.7 (N/A)	26.9	7.3	NA
V1CZ0GPF2N-01	A2.04.09	19.0 (N/A)	9.4 (N/A)	28.4	7.2	NA
0JBR99R9KD-01	A2.04.10	6.3 (N/A)	11.8 (N/A)	18.1	8.3	NA
5HT1L1BW42-01	A2.04.11	6.2 (N/A)	11.8 (N/A)	18.0	8.3	NA
LESNBUTQRJ-01	A2.04.12	9.1 (N/A)	11.6 (N/A)	20.7	8	NA
88WHOLP1YQ-01	A2.05.01	5.9 (N/A)	13.7 (N/A)	19.6	8.1	NA
WYMBKOHKO9-01	A2.05.02	18.9 (N/A)	6.4 (N/A)	25.3	7.4	NA
LJ8NGW2RDW-01	A2.06.01	15.8 (N/A)	18.6 (N/A)	34.4	6.4	NA
347NX5363P-01	A2.06.02	29.7 (N/A)	8.1 (N/A)	37.8	6	NA
J8HTQT8YNT-01	A2.06.03	27.6 (N/A)	9.3 (N/A)	36.9	6.1	NA
7ETJ8LZ2AS-01	A2.06.04	26.0 (N/A)	7.6 (N/A)	33.6	6.6	NA
5820KHGT0X-01	A2.06.05	9.5 (N/A)	8.4 (N/A)	17.9	8.3	NA
TQRZ7RCYNT-01	A2.06.06	4.3 (N/A)	21.1 (N/A)	25.4	7.4	NA
HPHEG0FC72-01	A2.06.07	5.0 (N/A)	19.7 (N/A)	24.7	7.5	NA
BYJAGFN7C8-02	A2.07.01	27.7 (N/A)	9.7 (N/A)	37.4	6.1	NA
T7NAR26966-01	A2.07.02	29.0 (N/A)	8.7 (N/A)	37.7	6	NA
NHA9JW3EUY-01	A2.07.03	19.3 (N/A)	10.3 (N/A)	29.6	7.1	NA
ZXR4P8J1Z7-01	A2.07.04	10.2 (N/A)	20.6 (N/A)	30.8	6.9	NA
NLF2YGDSOW-01	A2.07.05	12.9 (N/A)	20.5 (N/A)	33.4	6.6	NA
N2M9XNSZFI-01	A2.UG.01	10.0 (N/A)	11.4 (N/A)	21.4	7.9	NA
AQPEFEA8US	A2.UG.02	14.3 (N/A)	4.2 (N/A)	18.5	8.3	NA
LPNIPFX0IO	A2.UG.03	14.5 (N/A)	4.2 (N/A)	18.7	8.2	NA
0BXG72NCN9	A2.UG.04	13.9 (N/A)	3.7 (N/A)	17.6	8.3	NA
PWNLQQZHIA	A2.UG.05	13.7 (N/A)	4.3 (N/A)	18.0	8.3	NA
KL6AH5U6IS	A2.UG.06	13.3 (N/A)	4.1 (N/A)	17.4	8.4	NA
O1O8J92JHN	A2.UG.07	13.2 (N/A)	5.0 (N/A)	18.2	8.3	NA
4CKIKAUQ8K-03	B1.01.01	16.6 (N/A)	12.6 (N/A)	29.2	7.1	NA
UJME0RIDA1-03	B1.01.02	7.5 (N/A)	10.4 (N/A)	17.9	8.3	NA
FVAN27ZBZ7-03	B1.02.01	16.4 (N/A)	12.5 (N/A)	28.9	7.1	NA
PALAR9B7AA-03	B1.02.02	8.0 (N/A)	11.7 (N/A)	19.7	8.1	NA
T1X6BEHCYB-03	B1.02.03	3.3 (N/A)	15.6 (N/A)	18.9	8.2	NA
F72F3XMO9N-03	B1.02.04	0.7 (N/A)	16.6 (N/A)	17.3	8.4	NA
N7IBL008OM-03	B1.02.05	0.7 (N/A)	16.9 (N/A)	17.6	8.4	NA



Summary of all dwellings

Certificate number and link	Unit number	Heating load (load limit) [MJ/m ² /p.a.]	Cooling load (load limit) [MJ/m ² /p.a.]	Total load [MJ/m ² /p.a.]	Star rating	Whole of Home Rating
25ASA6UCMU-03	B1.02.06	0.6 (N/A)	17.4 (N/A)	18.0	8.3	NA
7NAXY7OWCX-03	B1.02.07	0.6 (N/A)	17.4 (N/A)	18.0	8.3	NA
GYW3PT9T5Y-03	B1.02.08	0.6 (N/A)	17.1 (N/A)	17.7	8.3	NA
R7AYJ9KMLI-03	B1.02.09	12.2 (N/A)	7.5 (N/A)	19.7	8.1	NA
750NXP5TUK-03	B1.02.10	12.3 (N/A)	7.4 (N/A)	19.7	8.1	NA
WT587IX7UQ-03	B1.02.11	12.3 (N/A)	7.4 (N/A)	19.7	8.1	NA
XYFZFWHXA4-03	B1.02.12	12.3 (N/A)	7.6 (N/A)	19.9	8.1	NA
V3W06KXC9W-03	B1.02.13	12.5 (N/A)	7.8 (N/A)	20.3	8.1	NA
JKE3W7NG3L-03	B1.02.14	19.5 (N/A)	6.7 (N/A)	26.2	7.4	NA
BA7ZNS5GBW-03	B1.03.01	20.1 (N/A)	9.9 (N/A)	30.0	6.9	NA
7OD1F3CP24-03	B1.03.02	11.0 (N/A)	8.9 (N/A)	19.9	8.1	NA
O78HWU66NO-03	B1.04.01	25.3 (N/A)	8.6 (N/A)	33.9	6.5	NA
PQBNZ5HMY3-03	B1.04.02	11.1 (N/A)	9.4 (N/A)	20.5	8.1	NA
58N9M6NTEU-03	B1.04.03	5.2 (N/A)	12.5 (N/A)	17.7	8.3	NA
5LWHATBH16-03	B1.04.04	1.5 (N/A)	13.4 (N/A)	14.9	8.6	NA
VMIZYLLBIG-03	B1.04.05	1.4 (N/A)	13.7 (N/A)	15.1	8.6	NA
FGV57HEMSU-03	B1.04.06	1.4 (N/A)	14.0 (N/A)	15.4	8.6	NA
6GQYTCTNCZ-03	B1.04.07	1.4 (N/A)	14.2 (N/A)	15.6	8.6	NA
66U2R9R9D4-03	B1.04.08	1.4 (N/A)	13.6 (N/A)	15.0	8.6	NA
AG4GXURTMB-03	B1.04.09	14.1 (N/A)	6.2 (N/A)	20.3	8.1	NA
189SKIV3NJ-03	B1.04.10	12.4 (N/A)	6.0 (N/A)	18.4	8.3	NA
0FJYUZLKA9-03	B1.04.11	13.5 (N/A)	6.4 (N/A)	19.9	8.1	NA
UAAAT8YM3C-03	B1.04.12	13.2 (N/A)	6.9 (N/A)	20.1	8.1	NA
263SCCHM5O-02	B1.04.13	14.3 (N/A)	6.7 (N/A)	21.0	8	NA
8YFDLAYUXJ-03	B1.04.14	24.0 (N/A)	5.9 (N/A)	29.9	7	NA
DVTGA1788L-03	B1.05.01	19.7 (N/A)	9.9 (N/A)	29.6	7	NA
TI9LR3L0WS-03	B1.05.02	10.5 (N/A)	9.5 (N/A)	20.0	8.1	NA
KEZT8GMWRK-03	B1.06.01	22.6 (N/A)	9.2 (N/A)	31.8	6.8	NA
FJNT40Z3VR-03	B1.06.02	10.0 (N/A)	8.2 (N/A)	18.2	8.3	NA
Y78F1EH7FE-04	B1.06.03	11.8 (N/A)	13.4 (N/A)	25.2	7.4	NA
69IPBPSPML-03	B1.06.04	1.3 (N/A)	12.5 (N/A)	13.8	8.8	NA
QYJLNIW41K-03	B1.06.05	1.2 (N/A)	13.2 (N/A)	14.4	8.7	NA
GBLI4NGU14-03	B1.06.06	8.2 (N/A)	4.5 (N/A)	12.7	8.9	NA
9PRNOFA7SP-01	B1.06.07	14.5 (N/A)	19.6 (N/A)	34.1	6.4	NA
4DAWBQS8OD-03	B1.07.01	16.3 (N/A)	10.3 (N/A)	26.6	7.3	NA
PULPWMTVEO-03	B1.07.02	20.5 (N/A)	10.4 (N/A)	30.9	6.9	NA



Summary of all dwellings

Certificate number and link	Unit number	Heating load (load limit) [MJ/m ² /p.a.]	Cooling load (load limit) [MJ/m ² /p.a.]	Total load [MJ/m ² /p.a.]	Star rating	Whole of Home Rating
GHPXCXSO1GB-06	B1.07.03	4.9 (N/A)	11.9 (N/A)	16.8	8.4	NA
KM4HIS1X7M-05	B1.07.04	1.1 (N/A)	12.4 (N/A)	13.5	8.8	NA
CUHPDZDNV9-05	B1.07.05	1.1 (N/A)	13.6 (N/A)	14.7	8.7	NA
U7NF0BCWMN-03	B1.07.06	8.4 (N/A)	4.6 (N/A)	13.0	8.9	NA
O4SAWX6E3G-01	B1.07.07	15.2 (N/A)	19.5 (N/A)	34.7	6.4	NA
FNL4QR4DUX	B1.08.01	20.7 (N/A)	16.1 (N/A)	36.8	6.2	NA
VOMJ33KU17	B1.08.02	11.9 (N/A)	14.0 (N/A)	25.9	7.4	NA
T0SIELTV4I-01	B1.08.03	5.8 (N/A)	15.8 (N/A)	21.6	7.9	NA
NPRP1RWQWO	B1.08.04	5.6 (N/A)	17.7 (N/A)	23.3	7.7	NA
MGO5SGOLMD-01	B1.08.05	14.6 (N/A)	5.3 (N/A)	19.9	8.1	NA
KR3UYT9VX8	B1.08.06	18.5 (N/A)	19.5 (N/A)	38.0	6	NA
Y5UV6ZX5O6-03	B1.UG.01	28.2 (N/A)	7.1 (N/A)	35.3	6.3	NA
6F5AZHZ14C-03	B1.UG.02	12.1 (N/A)	8.9 (N/A)	21.0	8	NA
K75TZR6ZBO-03	B1.UG.03	23.6 (N/A)	4.0 (N/A)	27.6	7.3	NA
A5BL9O5N4C-03	B1.UG.04	19.2 (N/A)	4.6 (N/A)	23.8	7.7	NA
K90P6I1GHF-03	B1.UG.05	17.6 (N/A)	4.5 (N/A)	22.1	7.9	NA
IXIXNAFVP0-03	B1.UG.06	17.9 (N/A)	4.7 (N/A)	22.6	7.8	NA
D01BW1D1SX-03	B1.UG.07	20.9 (N/A)	4.8 (N/A)	25.7	7.4	NA
3D4O8XXGS2-01	B2.01.01	3.0 (N/A)	14.7 (N/A)	17.7	8.3	NA
QQBPOUNI76-01	B2.01.02	1.1 (N/A)	15.6 (N/A)	16.7	8.4	NA
3NE9KKCGZD-01	B2.01.03	1.1 (N/A)	15.7 (N/A)	16.8	8.4	NA
SUP96DSN44-02	B2.01.04	7.4 (N/A)	10.2 (N/A)	17.6	8.3	NA
4RGM18J0YL-02	B2.02.01	17.9 (N/A)	6.3 (N/A)	24.2	7.6	NA
LYCXP85DY-02	B2.02.02	12.3 (N/A)	7.3 (N/A)	19.6	8.1	NA
UQROJ6BCTL-02	B2.02.03	0.5 (N/A)	18.1 (N/A)	18.6	8.2	NA
CAOCBLG20M-02	B2.02.04	0.8 (N/A)	15.9 (N/A)	16.7	8.4	NA
BLSO24S18Q-02	B2.02.05	0.6 (N/A)	14.9 (N/A)	15.5	8.6	NA
FWJGJNA1DL-02	B2.02.06	0.5 (N/A)	15.0 (N/A)	15.5	8.6	NA
7HHNIKK9VZ-02	B2.02.07	5.9 (N/A)	10.9 (N/A)	16.8	8.4	NA
JGF1WJ8CWP-02	B2.02.10	13.2 (N/A)	8.1 (N/A)	21.3	7.9	NA
OKDDGP1I2X-02	B2.02.11	12.1 (N/A)	7.3 (N/A)	19.4	8.2	NA
KPYOO4EEFR-02	B2.02.12	12.6 (N/A)	7.6 (N/A)	20.2	8.1	NA
TSFIH8RRTA-02	B2.02.13	12.5 (N/A)	7.6 (N/A)	20.1	8.1	NA
P8FX7XDDH2-02	B2.02.14	4.5 (N/A)	7.6 (N/A)	12.1	8.9	NA
TCG8P4R0M1-02	B2.02.15	4.1 (N/A)	10.2 (N/A)	14.3	8.7	NA
E37F56E56H-02	B2.03.01	1.0 (N/A)	14.1 (N/A)	15.1	8.6	NA



Summary of all dwellings

Certificate number and link	Unit number	Heating load (load limit) [MJ/m ² /p.a.]	Cooling load (load limit) [MJ/m ² /p.a.]	Total load [MJ/m ² /p.a.]	Star rating	Whole of Home Rating
8JY2IMJAR1-02	B2.03.02	0.7 (N/A)	13.9 (N/A)	14.6	8.7	NA
PKGD5Z69U4-02	B2.03.03	8.0 (N/A)	9.3 (N/A)	17.3	8.4	NA
SIHA4JNOZC-02	B2.04.01	16.6 (N/A)	5.7 (N/A)	22.3	7.9	NA
UQJVAE6UHO-02	B2.04.02	14.6 (N/A)	6.4 (N/A)	21.0	8	NA
U7BTZIE66X-02	B2.04.03	1.4 (N/A)	14.6 (N/A)	16.0	8.5	NA
D7R02AQT01-02	B2.04.04	1.3 (N/A)	14.6 (N/A)	15.9	8.5	NA
ZQ2NQVGXKV-02	B2.04.05	0.8 (N/A)	14.0 (N/A)	14.8	8.7	NA
FRSC1KI3MR-02	B2.04.06	0.8 (N/A)	13.9 (N/A)	14.7	8.7	NA
L8CTLXPL0Z-02	B2.04.07	8.1 (N/A)	9.2 (N/A)	17.3	8.4	NA
1UFE74Q49X-02	B2.04.10	15.8 (N/A)	6.8 (N/A)	22.6	7.8	NA
MFY6SWOP8R-02	B2.04.11	15.0 (N/A)	6.9 (N/A)	21.9	7.9	NA
2XHJP0OJC3-02	B2.04.12	15.1 (N/A)	6.8 (N/A)	21.9	7.9	NA
G57V4ULNE7-02	B2.04.13	15.0 (N/A)	6.7 (N/A)	21.7	7.9	NA
4N4ZFGLFAY-02	B2.04.14	7.2 (N/A)	5.4 (N/A)	12.6	8.9	NA
IAMI7EN6ZH-02	B2.04.15	6.5 (N/A)	7.7 (N/A)	14.2	8.7	NA
PH2FQRHCC7-04	B2.05.01	1.1 (N/A)	14.1 (N/A)	15.2	8.6	NA
LAKBX02SEJ-04	B2.05.02	0.9 (N/A)	13.9 (N/A)	14.8	8.7	NA
OJINUFSYX0-04	B2.05.03	8.3 (N/A)	9.1 (N/A)	17.4	8.4	NA
HOY7RXVZIX-03	B2.06.01	14.7 (N/A)	16.2 (N/A)	30.9	6.9	NA
8JDDNH0LVS-04	B2.06.02	8.8 (N/A)	4.5 (N/A)	13.3	8.8	NA
L52P2G8OUL-03	B2.06.03	1.4 (N/A)	13.2 (N/A)	14.6	8.7	NA
8TOMZ6MMTA-04	B2.06.04	1.1 (N/A)	13.2 (N/A)	14.3	8.7	NA
3DJQKFGFAM-04	B2.06.05	1.1 (N/A)	12.9 (N/A)	14.0	8.8	NA
PHDFPMVIEL-04	B2.06.06	1.0 (N/A)	13.4 (N/A)	14.4	8.7	NA
9HC5140FEL-03	B2.06.07	1.0 (N/A)	13.3 (N/A)	14.3	8.7	NA
Y39BZXQU DN-03	B2.06.08	8.4 (N/A)	9.0 (N/A)	17.4	8.4	NA
92OH51QI7N-04	B2.06.11	16.4 (N/A)	7.1 (N/A)	23.5	7.7	NA
LEIHLX9M15-04	B2.06.12	15.4 (N/A)	7.1 (N/A)	22.5	7.8	NA
JP2TRCQSRH-04	B2.06.13	15.2 (N/A)	7.1 (N/A)	22.3	7.8	NA
R0F15VBA2B-04	B2.06.14	15.0 (N/A)	6.8 (N/A)	21.8	7.9	NA
IZJMQ1VLTM-03	B2.06.15	7.8 (N/A)	5.0 (N/A)	12.8	8.9	NA
6I553LC041-03	B2.06.16	7.0 (N/A)	7.2 (N/A)	14.2	8.7	NA
L71ZWBA15P-03	B2.07.01	15.1 (N/A)	15.8 (N/A)	30.9	6.9	NA
5CL47XV2N0-04	B2.07.02	9.0 (N/A)	4.6 (N/A)	13.6	8.8	NA
76KP9RZ4D1-03	B2.07.03	1.2 (N/A)	13.1 (N/A)	14.3	8.7	NA
56GHWB5ENE-04	B2.07.04	0.9 (N/A)	13.0 (N/A)	13.9	8.8	NA



Summary of all dwellings

Certificate number and link	Unit number	Heating load (load limit) [MJ/m ² /p.a.]	Cooling load (load limit) [MJ/m ² /p.a.]	Total load [MJ/m ² /p.a.]	Star rating	Whole of Home Rating
0MY2FF8ZM0-04	B2.07.05	0.9 (N/A)	12.9 (N/A)	13.8	8.8	NA
8IR95PXLZE-04	B2.07.06	0.9 (N/A)	12.9 (N/A)	13.8	8.8	NA
OF59TF8LE4-03	B2.07.07	0.9 (N/A)	12.9 (N/A)	13.8	8.8	NA
YY2EZA6P8X-03	B2.07.08	8.4 (N/A)	9.2 (N/A)	17.6	8.3	NA
MGYDT96DI5-02	B2.08.01	14.4 (N/A)	16.1 (N/A)	30.5	6.9	NA
2ROJAUHRK4-03	B2.08.02	10.9 (N/A)	4.8 (N/A)	15.7	8.5	NA
T9SM3XOHMG-02	B2.08.03	1.3 (N/A)	13.0 (N/A)	14.3	8.7	NA
PH5A9DLIZG-02	B2.08.04	0.9 (N/A)	12.8 (N/A)	13.7	8.8	NA
0E33KHBWKY-02	B2.08.05	1.0 (N/A)	12.8 (N/A)	13.8	8.8	NA
W2PVEF1VT8-02	B2.08.06	1.0 (N/A)	13.0 (N/A)	14.0	8.8	NA
449J5M9HXR-02	B2.08.07	1.0 (N/A)	13.0 (N/A)	14.0	8.8	NA
J7LGVW2K54-02	B2.08.08	8.5 (N/A)	9.1 (N/A)	17.6	8.3	NA
LZY1L5FU87-02	B2.08.15	7.0 (N/A)	4.8 (N/A)	11.8	9	NA
IDYWY7T2XI-03	B2.08.16	6.3 (N/A)	6.7 (N/A)	13.0	8.9	NA
HFB5VMYMJ6-03	B2.09.01	1.5 (N/A)	12.1 (N/A)	13.6	8.8	NA
UZ0BRICFRP-03	B2.09.02	1.5 (N/A)	11.9 (N/A)	13.4	8.8	NA
6WIEVYRBNM-04	B2.09.03	10.0 (N/A)	8.6 (N/A)	18.6	8.2	NA
3GHA9ISTXP-03	B2.09.10	7.6 (N/A)	5.4 (N/A)	13.0	8.9	NA
6MLMVTEQ8Z-03	B2.09.11	8.6 (N/A)	6.7 (N/A)	15.3	8.6	NA
OX0TOU66J7-03	B2.10.05	19.2 (N/A)	5.7 (N/A)	24.9	7.5	NA
4W87DNR0BJ-03	B2.10.06	21.5 (N/A)	7.2 (N/A)	28.7	7.1	NA
W37KV74MAX-02	B2.10.08	6.8 (N/A)	14.7 (N/A)	21.5	7.9	NA
7P40TOVO8U-01	B2.10.09	6.9 (N/A)	14.7 (N/A)	21.6	7.9	NA
OS2Y0PAY22-01	B2.10.10	20.0 (N/A)	9.9 (N/A)	29.9	7	NA
0TSBTUL6TB-02	B2.UG.01	18.9 (N/A)	7.8 (N/A)	26.7	7.3	NA
UBDX8FPYWO-02	B2.UG.02	17.9 (N/A)	7.6 (N/A)	25.5	7.4	NA
MVKZVJNNIH-02	B2.UG.03	18.1 (N/A)	7.7 (N/A)	25.8	7.4	NA
CNOZ94FZ94-02	B2.UG.04	18.0 (N/A)	7.8 (N/A)	25.8	7.4	NA
J9NHN2TK98-03	B2.UG.05	5.1 (N/A)	7.6 (N/A)	12.7	8.9	NA
82EX7EJ2QK-03	B2.UG.06	4.9 (N/A)	10.0 (N/A)	14.9	8.7	NA
G8YL9GXNYD-03	B2.UG.08	17.8 (N/A)	5.9 (N/A)	23.7	7.7	NA
A0Y1FMICM2-03	B2.UG.09	28.5 (N/A)	4.8 (N/A)	33.3	6.6	NA
NNHASYNFZ-02	B3.01.03	26.0 (N/A)	10.1 (N/A)	36.1	6.2	NA
JA7VPDSSV3-02	B3.02.03	24.4 (N/A)	10.9 (N/A)	35.3	6.3	NA
L5DLUG1STW-02	B3.02.06	29.6 (N/A)	7.0 (N/A)	36.6	6.2	NA
V34APSK6QL-03	B3.02.07	16.3 (N/A)	6.5 (N/A)	22.8	7.8	NA



Summary of all dwellings

Certificate number and link	Unit number	Heating load (load limit) [MJ/m ² /p.a.]	Cooling load (load limit) [MJ/m ² /p.a.]	Total load [MJ/m ² /p.a.]	Star rating	Whole of Home Rating
QS4KAM2JWA-03	B3.02.08	3.8 (N/A)	7.5 (N/A)	11.3	9.1	NA
YGRUW40ZYT-03	B3.02.09	2.7 (N/A)	13.3 (N/A)	16.0	8.5	NA
C5FIHAH3WY-03	B3.02.10	12.7 (N/A)	7.5 (N/A)	20.2	8.1	NA
3SIC14DBPT-03	B3.02.11	13.8 (N/A)	7.5 (N/A)	21.3	7.9	NA
6FOCW7IEDK-03	B3.02.12	13.7 (N/A)	7.5 (N/A)	21.2	7.9	NA
DEQRB45J7S-03	B3.02.13	13.8 (N/A)	7.5 (N/A)	21.3	7.9	NA
PNMIP40Z5C-03	B3.02.14	13.5 (N/A)	7.9 (N/A)	21.4	7.9	NA
YNF77T3FX2-02	B3.03.03	28.5 (N/A)	9.2 (N/A)	37.7	6	NA
JL7ZRE06EP-01	B3.04.03	29.1 (N/A)	7.9 (N/A)	37.0	6.1	NA
GO6TARBVDJ-02	B3.04.06	22.5 (N/A)	6.1 (N/A)	28.6	7.1	NA
36BHXGKIX1-02	B3.04.07	19.7 (N/A)	6.8 (N/A)	26.5	7.4	NA
CE35PGZ4PA-02	B3.04.08	12.3 (N/A)	6.6 (N/A)	18.9	8.2	NA
G28LTJ9RT0-02	B3.04.09	6.4 (N/A)	5.3 (N/A)	11.7	9.1	NA
6B0P0YDG2Q-03	B3.04.10	4.7 (N/A)	10.7 (N/A)	15.4	8.6	NA
R1R53KFSMG-02	B3.04.11	15.3 (N/A)	6.4 (N/A)	21.7	7.9	NA
GHKYDC7MIC-02	B3.04.12	15.5 (N/A)	6.2 (N/A)	21.7	7.9	NA
GH5PMZ9MXQ-02	B3.04.13	16.3 (N/A)	6.4 (N/A)	22.7	7.8	NA
EW1APJ6BSE-02	B3.04.14	15.6 (N/A)	6.3 (N/A)	21.9	7.9	NA
5X4DMEMQ31-02	B3.04.15	15.7 (N/A)	6.5 (N/A)	22.2	7.9	NA
V5JPTNAZGU-01	B3.05.03	30.7 (N/A)	7.2 (N/A)	37.9	6	NA
SXWGLNDO0Q-01	B3.06.03	29.5 (N/A)	8.0 (N/A)	37.5	6.1	NA
D3VK2TC5RC-02	B3.06.06	24.0 (N/A)	6.0 (N/A)	30.0	7	NA
WJ1Y9GENVA-02	B3.06.07	21.3 (N/A)	6.1 (N/A)	27.4	7.3	NA
NF7D61J8W9-02	B3.06.08	14.1 (N/A)	6.2 (N/A)	20.3	8.1	NA
LFHD9SBR80-02	B3.06.09	7.0 (N/A)	5.1 (N/A)	12.1	9	NA
MG8B44C7LW-02	B3.06.10	5.4 (N/A)	9.9 (N/A)	15.3	8.6	NA
PYJQZPCTIQ-02	B3.06.11	15.9 (N/A)	6.5 (N/A)	22.4	7.8	NA
LCKQORBYZQ-02	B3.06.12	16.8 (N/A)	6.5 (N/A)	23.3	7.7	NA
EXP5XGH6JC-02	B3.06.13	16.8 (N/A)	6.4 (N/A)	23.2	7.7	NA
ZMW9UX50NT-02	B3.06.14	16.9 (N/A)	6.4 (N/A)	23.3	7.7	NA
PSIROK6SWM-02	B3.06.15	16.8 (N/A)	6.6 (N/A)	23.4	7.7	NA
3NI5S2IO2T-01	B3.07.03	29.7 (N/A)	8.1 (N/A)	37.8	6	NA
HGJG09PL51-01	B3.08.03	29.2 (N/A)	8.4 (N/A)	37.6	6.1	NA
VKKFAWP8QN-02	B3.08.06	25.5 (N/A)	5.8 (N/A)	31.3	6.8	NA
KZJ6IMD1R2-02	B3.08.07	22.8 (N/A)	6.1 (N/A)	28.9	7.1	NA
OR84LJIB0P-02	B3.08.08	12.0 (N/A)	6.0 (N/A)	18.0	8.3	NA



Summary of all dwellings

Certificate number and link	Unit number	Heating load (load limit) [MJ/m²/p.a.]	Cooling load (load limit) [MJ/m²/p.a.]	Total load [MJ/m²/p.a.]	Star rating	Whole of Home Rating
4VW51SDC45-02	B3.08.09	6.4 (N/A)	4.8 (N/A)	11.2	9.1	NA
31U7NQXTA-02	B3.08.10	5.0 (N/A)	6.6 (N/A)	11.6	9.1	NA
7U3STW14CQ-01	B3.09.03	28.4 (N/A)	8.3 (N/A)	36.7	6.2	NA
BVWBN1X5FZ-02	B3.09.08	13.0 (N/A)	5.7 (N/A)	18.7	8.2	NA
5P005P0TRG-03	B3.09.09	7.0 (N/A)	4.8 (N/A)	11.8	9.1	NA
B7GVWVMVCA-03	B3.09.10	5.4 (N/A)	6.2 (N/A)	11.6	9.1	NA
F9W8FJP0ZG-02	B3.10.03	28.6 (N/A)	8.4 (N/A)	37.0	6.1	NA
EGHR0UXDQM-03	B3.10.08	14.3 (N/A)	6.2 (N/A)	20.5	8.1	NA
7JFZD9UTLH-03	B3.10.09	7.9 (N/A)	4.8 (N/A)	12.7	8.9	NA
AKXPD9ZZQ5-03	B3.10.10	6.1 (N/A)	9.1 (N/A)	15.2	8.6	NA
NEUS8MAWTO-02	B3.11.03	28.7 (N/A)	8.9 (N/A)	37.6	6.1	NA
EAIANUDH2U-03	B3.11.08	8.2 (N/A)	11.9 (N/A)	20.1	8.1	NA
A8LOVMPPP3-03	B3.11.09	15.4 (N/A)	11.3 (N/A)	26.7	7.3	NA
019354POZA-02	B3.11.10	20.6 (N/A)	15.8 (N/A)	36.4	6.2	NA
EY181JNY64-03	B3.11.11	17.9 (N/A)	12.3 (N/A)	30.2	6.9	NA
RQ3WXC9ACW-03	B3.11.12	17.7 (N/A)	12.8 (N/A)	30.5	6.9	NA
K9P7JFU5VQ-02	B3.11.13	20.3 (N/A)	16.7 (N/A)	37.0	6.1	NA
TU3WKJFFSV-02	B3.UG.03	29.0 (N/A)	7.8 (N/A)	36.8	6.2	NA
K3455H2NP8-03	B3.UG.06	3.6 (N/A)	5.9 (N/A)	9.5	9.4	NA
RC02SVNJFC-03	B3.UG.07	3.2 (N/A)	7.3 (N/A)	10.5	9.2	NA
U43BMXIOR9-03	B3.UG.08	15.1 (N/A)	7.0 (N/A)	22.1	7.9	NA
JSNRFZ080C-03	B3.UG.09	14.9 (N/A)	7.0 (N/A)	21.9	7.9	NA
R1ZTDB68R3-03	B3.UG.10	15.0 (N/A)	7.1 (N/A)	22.1	7.9	NA
6X6PUQ92SI-03	B3.UG.11	15.0 (N/A)	7.0 (N/A)	22.0	7.9	NA
GWJCS9C76U-03	B3.UG.12	15.5 (N/A)	7.7 (N/A)	23.2	7.7	NA
N1M8C89A9R-02	B4.01.01	25.3 (N/A)	10.7 (N/A)	36.0	6.3	NA
74Q49E7IZW-02	B4.01.02	8.9 (N/A)	11.8 (N/A)	20.7	8	NA
0K3ZB43TU8-01	B4.010.01	23.6 (N/A)	9.3 (N/A)	32.9	6.6	NA
Q5K2JXQE1A-01	B4.010.02	4.0 (N/A)	11.7 (N/A)	15.7	8.5	NA
R3DFMADHBN-02	B4.02.01	26.1 (N/A)	10.7 (N/A)	36.8	6.1	NA
XW700TKNVA-02	B4.02.02	9.6 (N/A)	11.7 (N/A)	21.3	7.9	NA
RE3M4RJ9IM-02	B4.02.03	12.5 (N/A)	8.4 (N/A)	20.9	8	NA
1HU0VUXGVC-02	B4.02.04	9.9 (N/A)	7.3 (N/A)	17.2	8.4	NA
418W3K7ZDP-02	B4.02.05	9.6 (N/A)	7.6 (N/A)	17.2	8.4	NA
4UXYEM91K5-02	B4.02.06	25.9 (N/A)	7.4 (N/A)	33.3	6.6	NA
1D8ZVPCGEG-02	B4.02.07	18.5 (N/A)	7.0 (N/A)	25.5	7.4	NA



Summary of all dwellings

Certificate number and link	Unit number	Heating load (load limit) [MJ/m ² /p.a.]	Cooling load (load limit) [MJ/m ² /p.a.]	Total load [MJ/m ² /p.a.]	Star rating	Whole of Home Rating
5D1TF0FHST-02	B4.02.08	16.7 (N/A)	7.1 (N/A)	23.8	7.7	NA
UU63SHU5VJ-02	B4.02.09	18.3 (N/A)	7.0 (N/A)	25.3	7.4	NA
U660K12JAO-02	B4.02.10	18.5 (N/A)	7.0 (N/A)	25.5	7.4	NA
I0U6T02DTO-02	B4.02.11	28.5 (N/A)	7.4 (N/A)	35.9	6.3	NA
G2I0KHGFGO-01	B4.03.01	25.8 (N/A)	10.8 (N/A)	36.6	6.2	NA
5GV5W9HBIN-02	B4.03.02	12.1 (N/A)	10.3 (N/A)	22.4	7.8	NA
76HEL399K2-02	B4.04.01	28.9 (N/A)	8.9 (N/A)	37.8	6	NA
OQMHC2XFPD-02	B4.04.02	11.6 (N/A)	10.6 (N/A)	22.2	7.9	NA
UXCVSCFYKT-02	B4.04.03	14.0 (N/A)	7.8 (N/A)	21.8	7.9	NA
S14FQKVDPQ-02	B4.04.04	10.7 (N/A)	7.0 (N/A)	17.7	8.3	NA
HH4O9O4N34-01	B4.04.05	13.1 (N/A)	7.0 (N/A)	20.1	8.1	NA
LCVF3J3VWI-01	B4.04.06	20.6 (N/A)	6.2 (N/A)	26.8	7.3	NA
YLZ0JWVG01-01	B4.04.07	20.7 (N/A)	6.3 (N/A)	27.0	7.3	NA
HTZ85N2YWE-01	B4.04.08	20.8 (N/A)	6.1 (N/A)	26.9	7.3	NA
H15QIQGZMG-01	B4.04.09	21.0 (N/A)	6.1 (N/A)	27.1	7.3	NA
R9RG26SEEM-01	B4.04.10	21.0 (N/A)	6.3 (N/A)	27.3	7.3	NA
MZ4HQZQJMD-01	B4.04.11	27.9 (N/A)	6.9 (N/A)	34.8	6.4	NA
0WJ1E8AU6L-01	B4.05.01	27.2 (N/A)	8.9 (N/A)	36.1	6.2	NA
KJABTZZ9JR-01	B4.05.02	10.6 (N/A)	10.7 (N/A)	21.3	7.9	NA
9KT5BULF6M-02	B4.06.01	24.5 (N/A)	9.1 (N/A)	33.6	6.6	NA
RPPASWX4VQ-02	B4.06.02	7.7 (N/A)	10.7 (N/A)	18.4	8.3	NA
FT7P6XEWSR-02	B4.06.03	13.3 (N/A)	7.9 (N/A)	21.2	7.9	NA
DTBCUQCO0T-02	B4.06.04	10.3 (N/A)	7.2 (N/A)	17.5	8.3	NA
X5XT3549S6-02	B4.06.05	10.2 (N/A)	7.5 (N/A)	17.7	8.3	NA
B4O2LQND8N-02	B4.06.06	20.6 (N/A)	6.3 (N/A)	26.9	7.3	NA
QYXOJ8OMQC-02	B4.06.07	20.6 (N/A)	6.3 (N/A)	26.9	7.3	NA
TJDC3K5NWB-02	B4.06.08	20.6 (N/A)	6.3 (N/A)	26.9	7.3	NA
3EDVQIFI1E-02	B4.06.09	20.6 (N/A)	6.2 (N/A)	26.8	7.3	NA
C9PND8HIK5-02	B4.06.10	20.3 (N/A)	6.2 (N/A)	26.5	7.4	NA
QRTQM20M8A-02	B4.06.11	31.3 (N/A)	6.5 (N/A)	37.8	6	NA
UAQ6TLUB8A-02	B4.07.01	22.2 (N/A)	9.4 (N/A)	31.6	6.8	NA
2GVL9U4085-02	B4.07.02	6.1 (N/A)	10.6 (N/A)	16.7	8.4	NA
CXD1VMUXJY-02	B4.08.01	22.4 (N/A)	9.6 (N/A)	32.0	6.8	NA
S3J0TCSS31-02	B4.08.02	5.6 (N/A)	10.2 (N/A)	15.8	8.5	NA
NGJJDK5IQ1-02	B4.08.03	12.8 (N/A)	7.3 (N/A)	20.1	8.1	NA
79ND876ZLH-02	B4.08.04	9.8 (N/A)	6.9 (N/A)	16.7	8.4	NA



Summary of all dwellings

Certificate number and link	Unit number	Heating load (load limit) [MJ/m ² /p.a.]	Cooling load (load limit) [MJ/m ² /p.a.]	Total load [MJ/m ² /p.a.]	Star rating	Whole of Home Rating
072KR86427-02	B4.08.05	9.8 (N/A)	6.9 (N/A)	16.7	8.4	NA
BL6GR6N3YK-02	B4.08.06	21.0 (N/A)	6.7 (N/A)	27.7	7.2	NA
QMGR0TQF2W-02	B4.08.07	21.0 (N/A)	6.8 (N/A)	27.8	7.2	NA
F2GVBQN91E-02	B4.08.08	21.0 (N/A)	6.6 (N/A)	27.6	7.2	NA
NAPTZWCGVB-02	B4.08.09	20.7 (N/A)	6.8 (N/A)	27.5	7.3	NA
TDBB1N0KU8-02	B4.08.10	21.1 (N/A)	6.5 (N/A)	27.6	7.2	NA
0926TWIV2G-01	B4.08.11	27.1 (N/A)	7.3 (N/A)	34.4	6.4	NA
QJVK563E1Q-02	B4.09.01	23.7 (N/A)	9.6 (N/A)	33.3	6.6	NA
Z3PKV2V0GQ-02	B4.09.02	6.2 (N/A)	9.6 (N/A)	15.8	8.5	NA
3WQB07Q738-02	B4.09.03	13.7 (N/A)	7.1 (N/A)	20.8	8	NA
GCNLSVCINO-02	B4.09.04	10.4 (N/A)	7.3 (N/A)	17.7	8.3	NA
09CM0KDFL6-02	B4.09.05	10.5 (N/A)	7.3 (N/A)	17.8	8.3	NA
KPGENMYAK3	B4.10.01	23.6 (N/A)	9.3 (N/A)	32.9	6.6	NA
LA977K6RHN	B4.10.02	4.0 (N/A)	11.7 (N/A)	15.7	8.5	NA
0MM2Z3TDLP-02	B4.10.03	14.5 (N/A)	7.5 (N/A)	22.0	7.9	NA
4KW6I5IYJX-02	B4.10.04	11.3 (N/A)	7.1 (N/A)	18.4	8.3	NA
1SYO85ZKDC-02	B4.10.05	11.3 (N/A)	7.1 (N/A)	18.4	8.3	NA
49OLGN7A9I-03	B4.11.01	24.1 (N/A)	13.4 (N/A)	37.5	6.1	NA
L0IEEFINUN-02	B4.11.02	14.5 (N/A)	17.2 (N/A)	31.7	6.8	NA
O24DIHY834-01	B4.11.03	14.3 (N/A)	10.8 (N/A)	25.1	7.4	NA
DJAIV56L04-01	B4.11.04	7.8 (N/A)	11.2 (N/A)	19.0	8.2	NA
8HYBMBKTK2-01	B4.11.05	8.3 (N/A)	11.2 (N/A)	19.5	8.2	NA
WLZZYCEKC8-01	B4.11.06	8.1 (N/A)	11.1 (N/A)	19.2	8.2	NA
Z9HEEB0ATJ-01	B4.11.07	8.2 (N/A)	11.2 (N/A)	19.4	8.2	NA
J7W0PGD30H-01	B4.11.08	8.0 (N/A)	11.4 (N/A)	19.4	8.2	NA
4YTJLUD32Q-01	B4.UG.01	29.0 (N/A)	8.9 (N/A)	37.9	6	NA
DTP6ZLA9F5-01	B4.UG.02	11.6 (N/A)	11.1 (N/A)	22.7	7.8	NA
6G14DO53PC-02	E1.01.02	16.2 (N/A)	18.4 (N/A)	34.6	6.4	NA
BZCTNTBJMF-02	E1.01.03	21.0 (N/A)	16.7 (N/A)	37.7	6	NA
4H1DXCU9VF-02	E1.02.02	16.9 (N/A)	18.0 (N/A)	34.9	6.4	NA
VT75X81HBK-02	E1.02.03	21.1 (N/A)	16.5 (N/A)	37.6	6.1	NA
8CYGD3ZXNF-02	E1.02.04	13.6 (N/A)	19.9 (N/A)	33.5	6.6	NA
IE36Y1KM56-02	E1.02.05	14.7 (N/A)	20.2 (N/A)	34.9	6.4	NA
OSCWQGTCVO-02	E1.02.06	14.7 (N/A)	19.4 (N/A)	34.1	6.5	NA
O3RIRBB6Z3-02	E1.02.07	14.6 (N/A)	20.1 (N/A)	34.7	6.4	NA
7WBJ9ZW8CU-02	E1.02.08	23.6 (N/A)	11.0 (N/A)	34.6	6.4	NA



Summary of all dwellings

Certificate number and link	Unit number	Heating load (load limit) [MJ/m²/p.a.]	Cooling load (load limit) [MJ/m²/p.a.]	Total load [MJ/m²/p.a.]	Star rating	Whole of Home Rating
KE2JJ0YGEE-02	E1.02.09	22.0 (N/A)	10.5 (N/A)	32.5	6.7	NA
J5RIDC7904-02	E1.03.02	20.7 (N/A)	14.8 (N/A)	35.5	6.3	NA
S42ZMPOR8S-02	E1.03.03	20.1 (N/A)	17.1 (N/A)	37.2	6.1	NA
7QOX4ISO7O-02	E1.04.02	21.8 (N/A)	14.6 (N/A)	36.4	6.2	NA
59Y98OC25X-02	E1.04.03	20.7 (N/A)	16.9 (N/A)	37.6	6	NA
XPAI7OEAJQ-02	E1.04.08	27.0 (N/A)	7.5 (N/A)	34.5	6.4	NA
I446W71OZP-02	E1.04.09	25.2 (N/A)	6.7 (N/A)	31.9	6.8	NA
WZK3K98VNX-02	E1.05.02	20.2 (N/A)	15.1 (N/A)	35.3	6.3	NA
5H65VBBU57-02	E1.05.03	25.8 (N/A)	11.4 (N/A)	37.2	6.1	NA
JIP5VW6Q5M-02	E1.05.08	23.8 (N/A)	7.4 (N/A)	31.2	6.9	NA
PRH5CL93NN-02	E1.05.09	21.6 (N/A)	7.0 (N/A)	28.6	7.1	NA
EX4IYTSZ4K-02	E1.06.02	19.0 (N/A)	15.1 (N/A)	34.1	6.4	NA
JQL2KKQM0Y-02	E1.06.03	25.8 (N/A)	11.5 (N/A)	37.3	6.1	NA
JNBM4J08NQ-02	E1.06.08	23.5 (N/A)	8.0 (N/A)	31.5	6.8	NA
G3KJYBUVZM-02	E1.06.09	21.5 (N/A)	7.3 (N/A)	28.8	7.1	NA
GLBRYI2FML-02	E1.07.02	18.2 (N/A)	15.4 (N/A)	33.6	6.6	NA
27DTBQGCDI-03	E1.07.03	25.8 (N/A)	11.5 (N/A)	37.3	6.1	NA
05WOS8LTYW-02	E1.07.08	21.7 (N/A)	7.7 (N/A)	29.4	7.1	NA
UGN7TIISPI-02	E1.07.09	20.5 (N/A)	7.2 (N/A)	27.7	7.2	NA
Q7ZVKHLB1V-02	E1.08.02	17.1 (N/A)	15.6 (N/A)	32.7	6.7	NA
MHKCPXR2WL-02	E1.08.03	25.8 (N/A)	11.5 (N/A)	37.3	6.1	NA
KOJ8OX3JBT-02	E1.08.08	19.9 (N/A)	7.8 (N/A)	27.7	7.2	NA
60COZ88LX1-02	E1.08.09	18.5 (N/A)	8.5 (N/A)	27.0	7.3	NA
9BEBG4895L-02	E1.09.02	19.5 (N/A)	17.8 (N/A)	37.3	6.1	NA
59BN0Y7X6B-02	E1.09.03	28.5 (N/A)	8.8 (N/A)	37.3	6.1	NA
VM4J7T5123-02	E1.09.08	18.0 (N/A)	7.8 (N/A)	25.8	7.4	NA
5ZOHUJNQ4W-02	E1.09.09	16.8 (N/A)	8.0 (N/A)	24.8	7.5	NA
QR108TZWMP-02	E1.10.05	14.7 (N/A)	7.6 (N/A)	22.3	7.8	NA
Q68PJOYHPX-02	E1.10.06	13.7 (N/A)	7.8 (N/A)	21.5	7.9	NA
JT5A955QFL-02	E1.11.05	20.5 (N/A)	8.4 (N/A)	28.9	7.1	NA
FR0CBT6Q9I-02	E1.11.06	28.6 (N/A)	9.1 (N/A)	37.7	6	NA
RVVB2QLTH5-02	E1.G.01	1.7 (N/A)	10.3 (N/A)	12.0	8.9	NA
C0BDV2DDIE-02	E1.G.02	1.7 (N/A)	10.2 (N/A)	11.9	9	NA
Z3DPU1TSQ9-02	E1.G.03	1.7 (N/A)	10.1 (N/A)	11.8	9	NA
Y3V1I7M22A-02	E1.G.04	1.7 (N/A)	10.5 (N/A)	12.2	8.9	NA
CCAPAUM0V5-02	E1.UG.01	12.2 (N/A)	20.7 (N/A)	32.9	6.6	NA



Summary of all dwellings

Certificate number and link	Unit number	Heating load (load limit) [MJ/m ² /p.a.]	Cooling load (load limit) [MJ/m ² /p.a.]	Total load [MJ/m ² /p.a.]	Star rating	Whole of Home Rating
VI01FKJ5QZ-02	E1.UG.02	13.2 (N/A)	20.8 (N/A)	34.0	6.5	NA
UDTGAVDO9B-02	E1.UG.03	13.2 (N/A)	20.7 (N/A)	33.9	6.5	NA
0VELWR3YJL-02	E1.UG.04	13.2 (N/A)	20.8 (N/A)	34.0	6.5	NA
CB3ULKVDVC-02	E2.01.01	23.2 (N/A)	12.1 (N/A)	35.3	6.3	NA
R60FA6D53U-02	E2.01.02	12.0 (N/A)	12.1 (N/A)	24.1	7.6	NA
LZI1LFLXTO-02	E2.02.01	23.5 (N/A)	11.9 (N/A)	35.4	6.3	NA
GZJAVT01J1-02	E2.02.02	12.6 (N/A)	13.5 (N/A)	26.1	7.4	NA
DAXBRHNAXQ-02	E2.02.04	20.4 (N/A)	7.7 (N/A)	28.1	7.2	NA
84ZLK13H2Q-03	E2.02.05	29.7 (N/A)	7.4 (N/A)	37.1	6.1	NA
4TXEYI64T2-02	E2.02.06	13.7 (N/A)	19.4 (N/A)	33.1	6.6	NA
KNK3VPHUWC-02	E2.02.07	13.8 (N/A)	19.2 (N/A)	33.0	6.6	NA
ZR6EREU9D6-02	E2.02.08	13.7 (N/A)	19.4 (N/A)	33.1	6.6	NA
F0TK14MB5H-02	E2.02.09	13.9 (N/A)	19.7 (N/A)	33.6	6.6	NA
1TD5VBTYUJ-02	E2.03.01	26.3 (N/A)	11.6 (N/A)	37.9	6	NA
X0S0C2QNH2-02	E2.03.02	15.2 (N/A)	11.2 (N/A)	26.4	7.4	NA
CLKOW454OS-02	E2.04.01	23.4 (N/A)	13.3 (N/A)	36.7	6.2	NA
CVDPTZCTYR-02	E2.04.02	11.5 (N/A)	13.5 (N/A)	25.0	7.5	NA
U0I2W97G9Q-02	E2.04.04	22.2 (N/A)	5.6 (N/A)	27.8	7.2	NA
UQ9KDW4RKJ-02	E2.04.05	13.4 (N/A)	8.1 (N/A)	21.5	7.9	NA
QDAKWDLR65-02	E2.05.01	19.4 (N/A)	14.2 (N/A)	33.6	6.6	NA
43FSMLCR1X-02	E2.05.02	17.1 (N/A)	9.5 (N/A)	26.6	7.3	NA
6Z487VV3L7-02	E2.05.04	20.4 (N/A)	6.3 (N/A)	26.7	7.3	NA
4VJPAQ08FT-02	E2.05.05	29.7 (N/A)	7.0 (N/A)	36.7	6.2	NA
XQJEV1KR72-02	E2.06.01	15.6 (N/A)	15.3 (N/A)	30.9	6.9	NA
TNZXM1JCMA-02	E2.06.02	9.9 (N/A)	14.0 (N/A)	23.9	7.6	NA
RSG9AJU0R6-02	E2.06.04	20.5 (N/A)	6.5 (N/A)	27.0	7.3	NA
VDLI9QQ0NG-02	E2.06.05	30.8 (N/A)	6.8 (N/A)	37.6	6	NA
KE6TNR5VCJ-02	E2.07.01	14.3 (N/A)	15.5 (N/A)	29.8	7	NA
GYVFBFKKDL-02	E2.07.02	9.3 (N/A)	14.6 (N/A)	23.9	7.6	NA
GU9AHPBRX5-02	E2.07.04	20.2 (N/A)	6.5 (N/A)	26.7	7.3	NA
KTZG0NVVVS-02	E2.07.05	30.4 (N/A)	7.0 (N/A)	37.4	6.1	NA
O8XHZ6SGH4-02	E2.08.01	14.6 (N/A)	15.3 (N/A)	29.9	7	NA
XF02IQ9SWL-02	E2.08.02	9.3 (N/A)	15.0 (N/A)	24.3	7.6	NA
GGWB90E5L7-02	E2.08.04	18.1 (N/A)	6.6 (N/A)	24.7	7.5	NA
QO8G9X9PPX-02	E2.08.05	28.4 (N/A)	7.4 (N/A)	35.8	6.3	NA
TXYU7I61KK-02	E2.09.01	16.7 (N/A)	13.5 (N/A)	30.2	6.9	NA



Summary of all dwellings

Certificate number and link	Unit number	Heating load (load limit) [MJ/m ² /p.a.]	Cooling load (load limit) [MJ/m ² /p.a.]	Total load [MJ/m ² /p.a.]	Star rating	Whole of Home Rating
74K3ZE6XG9-02	E2.09.02	9.8 (N/A)	13.6 (N/A)	23.4	7.7	NA
I0LXC99RIC-02	E2.09.04	15.6 (N/A)	6.7 (N/A)	22.3	7.9	NA
7D1TKTRBD1-02	E2.09.05	26.0 (N/A)	7.2 (N/A)	33.2	6.6	NA
3MVBADWFR4-02	E2.10.01	16.7 (N/A)	13.6 (N/A)	30.3	6.9	NA
1LJPO3MAS7-02	E2.10.02	9.3 (N/A)	13.6 (N/A)	22.9	7.8	NA
IPTIM4C0SG-02	E2.10.04	8.6 (N/A)	7.3 (N/A)	15.9	8.5	NA
YP7QU7M3A7-02	E2.10.05	22.6 (N/A)	8.3 (N/A)	30.9	6.9	NA
XITICKX3JO-04	E2.11.01	22.3 (N/A)	14.3 (N/A)	36.6	6.2	NA
KMUA2C3KPX-02	E2.11.02	15.4 (N/A)	20.8 (N/A)	36.2	6.2	NA
6S9SZHLQIT-02	E2.11.04	10.0 (N/A)	13.0 (N/A)	23.0	7.8	NA
O6T0DFGO66-02	E2.11.05	7.0 (N/A)	14.4 (N/A)	21.4	7.9	NA
CL8NZRQPKC-02	E2.11.06	7.2 (N/A)	12.4 (N/A)	19.6	8.1	NA
4T1F4EJBS5-02	E2.11.07	9.6 (N/A)	13.3 (N/A)	22.9	7.8	NA
KKMZXEBJJO-02	E2.11.08	23.1 (N/A)	14.3 (N/A)	37.4	6.1	NA
3DFVR4ZC5G-02	E2.11.09	24.1 (N/A)	13.4 (N/A)	37.5	6.1	NA
VJVYYLR6BX-02	E2.11.10	24.3 (N/A)	13.5 (N/A)	37.8	6	NA
CYTS2SF3E6-03	E2.11.11	23.9 (N/A)	14.0 (N/A)	37.9	6	NA
YXRXGPFITJ-02	E2.G.01	1.7 (N/A)	10.4 (N/A)	12.1	9	NA
UWJKEDAOBE-02	E2.G.02	1.5 (N/A)	10.4 (N/A)	11.9	9	NA
4MJSUDNS9J-02	E2.G.03	1.5 (N/A)	10.6 (N/A)	12.1	8.9	NA
Z64WKN6V63-02	E2.G.04	1.6 (N/A)	10.6 (N/A)	12.2	8.9	NA
4MGHBJS6P-02	E2.UG.01	26.3 (N/A)	10.8 (N/A)	37.1	6.1	NA
52W4PHM0ZA-02	E2.UG.02	13.3 (N/A)	11.6 (N/A)	24.9	7.5	NA
ZSO1PMUKVQ-02	E2.UG.04	12.4 (N/A)	20.0 (N/A)	32.4	6.7	NA
48P24SFBQL-02	E2.UG.05	13.2 (N/A)	20.3 (N/A)	33.5	6.6	NA
O5WUN7K9HG-02	E2.UG.06	12.9 (N/A)	20.6 (N/A)	33.5	6.6	NA
7F56DM7O2Y-02	E2.UG.07	13.4 (N/A)	21.2 (N/A)	34.6	6.4	NA
WV7PKFZRI1-01	F.01.02	14.3 (N/A)	11.9 (N/A)	26.2	7.4	NA
3BH19R722O-01	F.02.02	14.1 (N/A)	10.7 (N/A)	24.8	7.5	NA
R0DMQ6PPZA-01	F.03.02	16.5 (N/A)	8.3 (N/A)	24.8	7.5	NA
P66AO1LIHC-01	F.04.02	13.8 (N/A)	8.3 (N/A)	22.1	7.9	NA
BUR7456QBI-01	F.05.02	12.4 (N/A)	8.5 (N/A)	20.9	8	NA
D9J8HBHCPE-01	F.06.02	20.1 (N/A)	10.3 (N/A)	30.4	6.9	NA
CKZVRQRYTS-01	F.UG.02	14.3 (N/A)	11.2 (N/A)	25.5	7.4	NA
J3BGP2ZI5K-01	G1.01.01	13.8 (N/A)	12.6 (N/A)	26.4	7.4	NA
RSTVFH7W3O-02	G1.01.02	10.4 (N/A)	6.7 (N/A)	17.1	8.4	NA



Summary of all dwellings

Certificate number and link	Unit number	Heating load (load limit) [MJ/m ² /p.a.]	Cooling load (load limit) [MJ/m ² /p.a.]	Total load [MJ/m ² /p.a.]	Star rating	Whole of Home Rating
LLN67322IR-02	G1.01.03	14.4 (N/A)	7.3 (N/A)	21.7	7.9	NA
PZOMM1UXHE-02	G1.01.04	10.2 (N/A)	6.3 (N/A)	16.5	8.4	NA
9KHRRBDM03-02	G1.01.05	26.0 (N/A)	11.0 (N/A)	37.0	6.1	NA
DWLYJD1QVC-02	G1.02.01	13.0 (N/A)	10.5 (N/A)	23.5	7.7	NA
PEAB0ZQMH9-02	G1.02.02	10.9 (N/A)	7.0 (N/A)	17.9	8.3	NA
9GFDGO6JXK-02	G1.02.03	9.1 (N/A)	8.0 (N/A)	17.1	8.4	NA
U0NO7JNQXJ-02	G1.02.04	15.0 (N/A)	7.0 (N/A)	22.0	7.9	NA
1PMI04B6NJ-02	G1.03.01	25.5 (N/A)	9.6 (N/A)	35.1	6.4	NA
JTHJEV4ESE-02	G1.03.02	21.3 (N/A)	8.1 (N/A)	29.4	7.1	NA
5V083AZYEB-02	G1.03.03	11.3 (N/A)	7.5 (N/A)	18.8	8.2	NA
A6NIFZP9ZJ-02	G1.03.04	13.7 (N/A)	7.1 (N/A)	20.8	8	NA
6FARA4F3EK-02	G1.04.01	12.1 (N/A)	8.7 (N/A)	20.8	8	NA
VZ94313OKQ-02	G1.04.02	17.5 (N/A)	9.1 (N/A)	26.6	7.3	NA
QLPLRGGFXI-03	G1.05.01	17.6 (N/A)	6.7 (N/A)	24.3	7.6	NA
AYTCYC3ZL6-03	G1.G.01	18.1 (N/A)	5.8 (N/A)	23.9	7.6	NA
XDUY5IPB2P-03	G1.G.02	18.5 (N/A)	4.6 (N/A)	23.1	7.7	NA
S4SC0WN2ZP-03	G1.G.03	26.6 (N/A)	10.4 (N/A)	37.0	6.1	NA
2UMG3QAXG7-03	G1.G.04	27.0 (N/A)	10.1 (N/A)	37.1	6.1	NA
XIKW7HZ5CD-03	G1.G.05	26.0 (N/A)	9.7 (N/A)	35.7	6.3	NA
B83IG4UW4V-03	G1.G.06	24.4 (N/A)	12.3 (N/A)	36.7	6.2	NA
ZRTJ6BE5IE-03	G1.UG.01	11.5 (N/A)	11.3 (N/A)	22.8	7.8	NA
FTMAKALJGZ-03	G1.UG.02	8.3 (N/A)	6.5 (N/A)	14.8	8.7	NA
D7UF80RB5O-03	G2.01.01	28.5 (N/A)	6.3 (N/A)	34.8	6.4	NA
D7UF80RB5O-04	G2.01.01	17.6 (N/A)	10.3 (N/A)	27.9	7.2	NA
ZOCTWT8OWP-03	G2.01.02	23.9 (N/A)	14.0 (N/A)	37.9	6	NA
7Y2OYCNSTJ-03	G2.01.03	21.6 (N/A)	12.3 (N/A)	33.9	6.5	NA
N88CEPU8AI-03	G2.01.04	18.1 (N/A)	10.0 (N/A)	28.1	7.2	NA
M1BRCR0MH7-03	G2.01.05	12.3 (N/A)	8.2 (N/A)	20.5	8.1	NA
LHIG61FV0U-03	G2.02.01	29.7 (N/A)	5.7 (N/A)	35.4	6.3	NA
LHIG61FV0U-04	G2.02.01	18.8 (N/A)	10.2 (N/A)	29.0	7.1	NA
PTT4XGHGPG-03	G2.02.02	21.1 (N/A)	13.8 (N/A)	34.9	6.4	NA
PTT4XGHGPG-04	G2.02.02	23.4 (N/A)	11.8 (N/A)	35.2	6.4	NA
VOKKTHZ7RP-03	G2.02.03	12.9 (N/A)	6.5 (N/A)	19.4	8.2	NA
K8TFV6SDIX-03	G2.02.04	5.0 (N/A)	6.6 (N/A)	11.6	9.1	NA
3JJHE3X5KV-02	G2.03.01	29.7 (N/A)	6.2 (N/A)	35.9	6.3	NA
3JJHE3X5KV-03	G2.03.01	22.7 (N/A)	10.1 (N/A)	32.8	6.7	NA



Summary of all dwellings

Certificate number and link	Unit number	Heating load (load limit) [MJ/m ² /p.a.]	Cooling load (load limit) [MJ/m ² /p.a.]	Total load [MJ/m ² /p.a.]	Star rating	Whole of Home Rating
ED4JS4WKP0-02	G2.03.02	25.3 (N/A)	11.6 (N/A)	36.9	6.1	NA
ED4JS4WKP0-03	G2.03.02	24.4 (N/A)	9.2 (N/A)	33.6	6.5	NA
EJ8AEHHCEE-02	G2.03.03	11.8 (N/A)	6.4 (N/A)	18.2	8.3	NA
HNPZY3IPD-03	G2.03.04	7.7 (N/A)	6.5 (N/A)	14.2	8.7	NA
WTGKZ8HR3E-03	G2.04.01	30.8 (N/A)	6.2 (N/A)	37.0	6.1	NA
WTGKZ8HR3E-04	G2.04.01	23.1 (N/A)	10.1 (N/A)	33.2	6.6	NA
H08T5BW9G4-03	G2.04.02	26.0 (N/A)	11.3 (N/A)	37.3	6.1	NA
C2VR6SHYGO-03	G2.04.03	18.0 (N/A)	9.2 (N/A)	27.2	7.3	NA
49DW3EDQEE-03	G2.04.04	9.9 (N/A)	6.5 (N/A)	16.4	8.4	NA
8XO8F30WLA-04	G2.05.01	29.3 (N/A)	7.6 (N/A)	36.9	6.2	NA
UO8QP5R5FS-03	G2.05.02	15.5 (N/A)	7.5 (N/A)	23.0	7.8	NA
M6N3IPYRE8-03	G2.G.01	25.1 (N/A)	6.4 (N/A)	31.5	6.8	NA
HWX8V0W9MY-03	G2.G.02	29.8 (N/A)	7.6 (N/A)	37.4	6.1	NA
JXSJXNXI60-04	G2.G.03	25.4 (N/A)	12.1 (N/A)	37.5	6.1	NA
0J1EV9NRC3-03	G2.G.04	27.0 (N/A)	10.2 (N/A)	37.2	6.1	NA
UBI1OQEBB6-03	G2.G.05	23.5 (N/A)	10.8 (N/A)	34.3	6.4	NA
L3O14A5NYX-03	G2.G.06	29.5 (N/A)	8.0 (N/A)	37.5	6.1	NA
2HB5R1XQ6O-02	G2.UG.01	27.2 (N/A)	6.2 (N/A)	33.4	6.6	NA
2HB5R1XQ6O-04	G2.UG.01	17.5 (N/A)	11.6 (N/A)	29.1	7.1	NA
K86J52FJVO-02	G2.UG.02	26.0 (N/A)	11.2 (N/A)	37.2	6.1	NA

Explanatory notes

About this report

The thermal performance star rating in this Certificate is the average rating of all NCC Class 2 dwellings in an apartment block. The Whole of Home performance rating in this Certificate is the lowest rating for the apartment block. Individual unit ratings are listed in the 'Summary of all dwellings' section of this Certificate. (accessible via link).

NatHERS ratings use computer modelling to evaluate a home's energy efficiency and performance. They use localised climate data and standard assumptions on how people use their home to predict the energy loads and energy value*. The thermal performance star rating uses the home's building specifications, layout, orientation and fabric (i.e. walls, windows, floors, roofs and ceilings) to predict the heating and cooling energy loads. The Whole of Home performance rating uses information about the home's appliances and onsite energy production and storage to estimate the home's energy value*.

For more details about an individual dwelling's assessment, refer to the individual dwelling's NatHERS Certificate (accessible via link)

Accredited Assessors

For high quality NatHERS Certificates, always use an accredited or licenced assessor registered with an Assessor Accrediting Organisation (AAO). AAOs have strict quality assurance processes, and professional development requirements ensuring consistently high standards for assessments.

Non-accredited assessors (Raters) have no ongoing training requirements and are not quality assured.

Licensed assessors in the Australian Capital Territory (ACT) can produce assessments for regulatory purposes only, using endorsed software, as listed on the ACT licensing register

Any queries about this report should be directed to the assessor. If the assessor is unable to address questions or concerns, contact the AAO specified on the front of this certificate.

Disclaimer

The NatHERS Certificate format is developed by the NatHERS Administrator. However, the content in certificates is entered by the assessor. It is the assessor's responsibility to use NatHERS accredited software correctly and follow the NatHERS Technical Note to produce a NatHERS Certificate.

The predicted annual energy use, cost and greenhouse gas emissions in this NatHERS Certificate are an estimate based on an assessment of the dwelling's design by the assessor. It is not a prediction of actual energy use, cost or emissions. The information and ratings may be used to compare how other dwellings are likely to perform when used in a similar way.

Information presented in this report relies on a range of standard assumptions (both embedded in NatHERS accredited software and made by the assessor who prepared this report), including assumptions about occupancy, behaviour, appliance performance, indoor air temperature and local climate.

Not all assumptions made by the assessor while using the NatHERS accredited software tool are presented in this report and further details or data files may be available from the assessor