

Nationwide House Energy Rating Scheme* — Class 2 summary



Certificate number: **0003197160**

Certificate Date: **21 Sep 2018**

★ Average Star rating: **8.3**

Assessor details


Accreditation number: **20579**
Name: **Amir Girgis**
Organisation: **Northrop Consulting Engineers**
Email: **amir.girgis@sydney.northrop.com.au**
Phone: **9241 4188**
Declaration of interest: **The Assessor has been engaged in the project design or development**
Software: **BERS Pro v4.3.0.2c (3.13)**

AAO: **ABSA**

Dwelling details

Street: **Gibbons Street**
Suburb: **Redfern**
State: **NSW**
Postcode: **2016**

Scan to access this certificate online and confirm this is valid.



Summary of all dwellings

Certificate Details

Certificate number	Unit number	Heating load	Cooling load	Total load	Star Rating
0003149564-01	101	13.3	16.3	29.6	7.8
0003149580-01	102	1.1	23.8	24.9	8.1
0003149606-01	103	7.5	12.0	19.5	8.6
0003149630-01	104	1.1	23.8	24.9	8.1
0003149663-01	105	7.4	12.1	19.5	8.6
0003149697-01	106	2.0	11.5	13.5	9.1
0003149739-01	107	10.7	11.4	22.1	8.4
0003149762-01	108	10.4	9.1	19.4	8.6
0003149788-01	109	14.3	19.7	33.9	7.4
0003149812-01	110	17.2	12.0	29.2	7.8
0003149887-01	201	13.5	18.0	31.4	7.6
0003149929-01	202	2.1	18.7	20.8	8.4
0003149945-01	203	8.7	10.4	19.1	8.6
0003149986-01	204	5.2	25.7	30.9	7.6
0003150018-01	205	15.5	14.8	30.4	7.7

Nationwide House Energy Rating Scheme* - Class 2 summary

Certificate number: **0003197160**

Certificate Date:

21 Sep 2018

★ Average Star rating: **8.3**



Summary of all dwellings continued

Certificate Details

Certificate number	Unit number	Heating load	Cooling load	Total load	Star Rating
0003150034-01	206	7.8	11.7	19.5	8.6
0003150067-01	207	19.1	11.6	30.6	7.7
0003150109-01	208	17.4	8.8	26.2	7.9
0003150125-01	209	20.5	17.8	38.2	7.1
0003149556-01	210	16.8	12.8	29.6	7.8
0003149622-01	301	11.3	14.0	25.3	8.1
0003149655-01	302	2.4	14.5	16.9	8.8
0003149689-01	303	8.9	15.2	24.1	8.2
0003149713-01	304	6.9	11.7	18.6	8.7
0003149721-01	305	7.8	13.8	21.6	8.4
0003149770-01	306	16.1	10.4	26.6	7.9
0003149804-01	401	11.5	11.3	22.8	8.3
0003149838-01	402	4.7	14.9	19.6	8.6
0003149861-01	403	9.2	14.9	24.1	8.2
0003149879-01	404	7.3	11.9	19.2	8.6
0003149911-01	405	8.1	13.8	21.9	8.4
0003149937-01	406	16.6	10.1	26.7	7.9
0003149960-01	501	11.9	11.1	23.0	8.3
0003149994-01	502	2.9	14.9	17.8	8.7
0003150026-01	503	11.3	9.1	20.4	8.4
0003150059-01	504	6.7	12.9	19.6	8.6
0003150091-01	505	11.3	9.1	20.4	8.4
0003150133-01	506	5.9	17.7	23.6	8.3
0003149549-01	507	9.7	14.8	24.5	8.2
0003149572-01	508	7.7	11.1	18.8	8.7
0003149614-01	509	8.6	13.4	22.1	8.4
0003149648-01	510	17.0	9.8	26.8	7.9
0003149671-01	601	12.2	11.0	23.2	8.3
0003149705-01	602	3.1	13.8	16.9	8.8
0003149747-01	603	6.4	10.7	17.1	8.8
0003149754-01	604	4.0	13.8	17.8	8.7
0003149796-01	605	6.4	10.7	17.1	8.8
0003149820-01	606	6.2	17.4	23.6	8.3
0003149846-01	607	10.0	15.2	25.2	8.1
0003149895-01	608	8.0	11.5	19.5	8.6
0003149903-01	609	8.6	13.4	22.1	8.4
0003149952-01	610	17.4	9.5	26.9	7.9
0003149978-01	701	12.5	10.8	23.3	8.3
0003150000-01	702	3.3	13.4	16.7	8.8
0003150042-01	703	6.8	10.2	17.0	8.8
0003150075-01	704	7.2	12.8	19.9	8.5
0003150083-01	705	11.1	9.1	20.1	8.4
0003150117-01	706	6.5	17.3	23.7	8.2

Nationwide House Energy Rating Scheme* - Class 2 summary

Certificate number: **0003197160**

Certificate Date:

21 Sep 2018

★ Average Star rating: **8.3**



Summary of all dwellings continued

Certificate Details

Certificate number	Unit number	Heating load	Cooling load	Total load	Star Rating
0003150141-01	707	10.2	14.4	24.6	8.2
0003150182-01	708	8.3	11.9	20.2	8.4
0003150224-01	709	9.1	13.3	22.4	8.3
0003150232-01	710	17.7	9.4	27.1	7.9
0003150281-01	801	12.7	10.6	23.4	8.3
0003150315-01	802	3.4	13.5	17.0	8.8
0003150349-01	803	7.0	10.2	17.1	8.8
0003150364-01	804	7.3	12.9	20.2	8.4
0003150406-01	805	11.2	8.9	20.1	8.4
0003150422-01	806	6.6	16.9	23.5	8.3
0003150455-01	807	10.4	14.5	24.9	8.1
0003150497-01	808	8.5	11.2	19.7	8.5
0003150521-01	809	9.3	13.2	22.5	8.3
0003150554-01	810	17.9	9.3	27.1	7.9
0003150588-01	901	12.9	10.5	23.4	8.3
0003150604-01	902	3.6	13.3	16.9	8.8
0003150638-01	903	7.1	10.4	17.5	8.8
0003150653-01	904	7.5	12.4	20.0	8.5
0003150687-01	905	11.0	9.0	20.1	8.4
0003150729-01	906	6.6	16.6	23.2	8.3
0003150158-01	907	10.6	14.6	25.2	8.1
0003150190-01	908	8.7	10.7	19.4	8.6
0003150208-01	909	9.5	13.1	22.6	8.3
0003150257-01	910	18.1	9.0	27.1	7.9
0003150273-01	1001	14.3	9.6	23.9	8.2
0003150307-01	1002	3.6	13.2	16.8	8.8
0003150331-01	1003	7.2	10.2	17.5	8.8
0003150372-01	1004	7.7	12.2	19.9	8.5
0003150398-01	1005	11.2	8.8	20.1	8.4
0003150430-01	1006	6.8	16.3	23.1	8.3
0003150463-01	1007	10.7	14.5	25.2	8.1
0003150489-01	1008	8.9	10.9	19.8	8.5
0003150513-01	1009	9.7	13.1	22.8	8.3
0003150547-01	1010	18.3	8.9	27.2	7.9
0003150570-01	1101	14.5	9.6	24.1	8.2
0003150612-01	1102	4.7	12.7	17.5	8.8
0003150620-01	1103	8.5	9.6	18.1	8.7
0003150661-01	1104	8.7	11.5	20.2	8.4
0003150695-01	1105	12.5	8.2	20.7	8.4
0003150711-01	1106	7.3	14.5	21.8	8.4
0003150166-01	1107	10.9	14.4	25.2	8.1
0003150174-01	1108	10.2	9.6	19.8	8.5
0003150216-01	1109	11.0	12.2	23.2	8.3

Nationwide House Energy Rating Scheme* - Class 2 summary

Certificate number: **0003197160**

Certificate Date:

21 Sep 2018

★ Average Star rating: **8.3**



Summary of all dwellings continued

Certificate Details

Certificate number	Unit number	Heating load	Cooling load	Total load	Star Rating
0003150240-01	1110	19.8	7.5	27.3	7.9
0003150265-01	1201	14.6	9.9	24.5	8.2
0003150299-01	1202	4.8	12.9	17.7	8.7
0003150323-01	1203	8.6	9.6	18.2	8.7
0003150356-01	1204	8.8	11.7	20.5	8.4
0003150380-01	1205	12.6	8.1	20.6	8.4
0003150414-01	1206	7.3	14.3	21.5	8.4
0003150448-01	1207	11.0	14.1	25.1	8.1
0003150471-01	1208	10.3	9.4	19.7	8.5
0003150505-01	1209	11.1	12.2	23.3	8.3
0003150539-01	1210	19.9	7.3	27.2	7.9
0003150562-01	1301	14.8	9.5	24.3	8.2
0003150596-01	1302	5.0	12.8	17.8	8.7
0003150646-01	1303	8.7	9.2	17.9	8.7
0003150679-01	1304	8.9	11.6	20.5	8.4
0003150703-01	1305	12.7	7.9	20.6	8.4
0003150737-01	1306	7.1	14.6	21.7	8.4
0003150752-01	1307	11.0	14.2	25.2	8.1
0003150778-01	1308	10.5	9.1	19.6	8.6
0003150802-01	1309	11.3	12.0	23.3	8.3
0003150836-01	1310	20.1	7.3	27.3	7.9
0003150885-01	1401	14.9	9.4	24.3	8.2
0003150919-01	1402	5.0	12.7	17.7	8.7
0003150943-01	1403	8.8	9.2	18.0	8.7
0003150976-01	1404	9.0	11.8	20.8	8.4
0003150992-01	1405	12.7	8.0	20.7	8.4
0003151032-01	1406	4.7	14.5	19.3	8.6
0003151057-01	1407	10.7	14.2	24.9	8.1
0003151073-01	1408	10.6	9.2	19.8	8.5
0003151099-01	1409	11.4	11.9	23.3	8.3
0003151115-01	1410	20.2	7.4	27.6	7.9
0003151131-01	1501	15.0	9.5	24.5	8.2
0003151149-01	1502	5.1	12.8	17.9	8.7
0003150745-01	1503	8.9	9.0	17.9	8.7
0003150786-01	1504	9.0	11.8	20.9	8.4
0003150810-01	1505	12.8	8.0	20.9	8.4
0003150844-01	1506	3.7	14.6	18.2	8.7
0003150877-01	1507	8.8	14.2	23.0	8.3
0003150893-01	1508	10.7	9.1	19.8	8.5
0003150927-01	1509	11.5	11.8	23.3	8.3
0003150968-01	1510	20.3	7.6	27.9	7.9
0003150984-01	1601	15.1	9.1	24.2	8.2
0003151016-01	1602	5.2	12.6	17.8	8.7

Nationwide House Energy Rating Scheme* - Class 2 summary



Certificate number: **0003197160**

Certificate Date:

21 Sep 2018

★ Average Star rating: **8.3**

Summary of all dwellings continued

Certificate Details

Certificate number	Unit number	Heating load	Cooling load	Total load	Star Rating
0003151040-01	1603	16.8	11.0	27.8	7.9
0003151065-01	1604	16.5	11.9	28.3	7.9
0003151081-01	1605	12.9	7.9	20.9	8.4
0003151107-01	1606	3.4	14.6	18.0	8.7
0003151123-01	1607	6.4	14.1	20.6	8.4
0003151156-01	1608	10.8	9.4	20.1	8.4
0003150760-01	1609	11.6	11.5	23.1	8.3
0003150794-01	1610	20.4	7.4	27.8	7.9
0003150828-01	1701	23.6	12.4	36.1	7.3
0003150851-01	1702	14.4	13.6	28.0	7.9
0003150869-01	1703	20.3	12.4	32.6	7.4
0003150901-01	1704	7.0	16.5	23.5	8.3
0003150935-01	1705	11.9	13.4	25.3	8.1
0003150950-01	1706	19.1	10.1	29.2	7.8
0003151008-01	1707	20.1	13.1	33.2	7.4
0003151024-01	1708	28.9	8.6	37.5	7.2