

# Nationwide House Energy Rating Scheme\* — Class 2 summary

Certificate number: **0003802880**

Certificate Date: **25 Apr 2019**

★ Average Star rating: **8.0**




## Assessor details

Accreditation number: **20579**  
Name: **Amir Girgis**  
Organisation: **Northrop Consulting Engineers**  
Email: **amir.girgis@sydney.northrop.com.au**  
Phone: **9241 4188**  
Declaration of interest: **The Assessor has been engaged in the project design or development**  
Software: **BERS Pro v4.3.0.2d (3.13)**  
**BERS Pro v4.3.0.2c (3.13)**  
AAO: **ABSA**

## Dwelling details

Street: **Gibbons Street**  
Suburb: **Redfern**  
State: **NSW**  
Postcode: **2016**

Scan to access this certificate online and confirm this is valid.



## Summary of all dwellings

### Certificate Details

Certificate number	Unit number	Heating load	Cooling load	Total load	Star Rating
0003149564-02	101	15.3	11.4	26.6	7.9
0003149580-02	102	12.5	14.0	26.6	7.9
0003149606-02	103	15.4	9.9	25.3	8.1
0003149630-02	104	6.7	13.7	20.4	8.4
0003149663-02	105	14.0	9.1	23.2	8.3
0003149697-02	106	20.4	11.8	32.2	7.4
0003149739-03	107	16.0	10.9	26.9	7.9
0003149762-03	108	12.2	12.6	24.9	8.1
0003149788-03	109	21.9	11.2	33.1	7.4
0003149812-03	110	24.4	7.5	31.9	7.5
0003149853	111	16.3	12.2	28.5	7.8
0003149887-02	201	21.2	11.2	32.4	7.4
0003149929-02	202	8.6	11.4	20.0	8.4
0003149945-02	203	18.0	8.8	26.8	7.9
0003149986-02	204	15.0	14.4	29.4	7.8

## Nationwide House Energy Rating Scheme\* - Class 2 summary

Certificate number: **0003802880**

Certificate Date:

**25 Apr 2019**

★ Average Star rating: **8.0**



### Summary of all dwellings continued

#### Certificate Details

Certificate number	Unit number	Heating load	Cooling load	Total load	Star Rating
0003150018-02	205	14.1	9.3	23.4	8.3
0003150034-02	206	17.0	7.6	24.6	8.2
0003150067-03	207	22.2	11.3	33.5	7.4
0003150109-03	208	18.9	13.1	32.1	7.4
0003150125-03	209	29.0	11.4	40.4	6.9
0003149556-03	210	22.6	9.7	32.3	7.4
0003149598	211	16.1	12.9	29.1	7.8
0003149622-02	301	14.4	9.2	23.6	8.2
0003149655-02	302	6.4	10.0	16.5	8.8
0003149689-02	303	20.5	10.0	30.5	7.7
0003149713-02	304	17.0	8.8	25.8	8
0003149721-03	305	13.2	12.6	25.8	8
0003149770-02	306	26.5	9.0	35.5	7.3
0003149804-02	401	15.5	7.3	22.8	8.3
0003149838-02	402	9.7	10.0	19.8	8.5
0003149861-02	403	20.3	9.8	30.1	7.7
0003149879-02	404	15.6	8.7	24.3	8.2
0003149911-02	405	10.2	8.7	18.9	8.6
0003149937-02	406	27.2	9.1	36.3	7.2
0003149960-02	501	15.8	7.3	23.1	8.3
0003149994-02	502	6.8	10.3	17.1	8.8
0003150026-02	503	17.2	7.2	24.4	8.2
0003150059-02	504	9.7	8.9	18.6	8.7
0003150091-02	505	17.6	7.1	24.7	8.2
0003150133-02	506	20.6	8.2	28.8	7.8
0003149549-02	507	20.6	9.5	30.1	7.7
0003149572-02	508	16.1	8.9	25.0	8.1
0003149614-02	509	10.6	8.7	19.4	8.6
0003149648-02	510	27.3	8.6	35.9	7.3
0003149671-02	601	16.2	7.3	23.5	8.3
0003149705-02	602	6.9	10.0	16.9	8.8
0003149747-02	603	12.6	8.0	20.6	8.4
0003149754-02	604	6.8	10.1	16.9	8.8
0003149796-02	605	17.9	7.0	24.9	8.1
0003149820-02	606	19.7	9.4	29.1	7.8
0003149846-02	607	20.9	8.9	29.8	7.7
0003149895-02	608	16.5	8.9	25.4	8.1
0003149903-02	609	10.9	8.4	19.2	8.6
0003149952-02	610	27.7	8.5	36.2	7.2
0003149978-02	701	16.5	7.2	23.7	8.2
0003150000-02	702	7.2	10.0	17.2	8.8
0003150042-02	703	12.9	7.9	20.8	8.4
0003150075-02	704	7.1	10.0	17.1	8.8

## Nationwide House Energy Rating Scheme\* - Class 2 summary

Certificate number: **0003802880**

Certificate Date:

**25 Apr 2019**

★ Average Star rating: **8.0**



### Summary of all dwellings continued

#### Certificate Details

Certificate number	Unit number	Heating load	Cooling load	Total load	Star Rating
0003150083-02	705	18.1	7.1	25.2	8.1
0003150117-02	706	20.1	9.2	29.3	7.8
0003150141-02	707	21.3	8.7	30.0	7.7
0003150182-02	708	16.8	8.6	25.4	8.1
0003150224-02	709	11.1	8.3	19.5	8.6
0003150232-02	710	28.1	8.7	36.7	7.2
0003150281-02	801	16.6	7.4	24.0	8.2
0003150315-02	802	7.3	9.8	17.1	8.8
0003150349-02	803	13.1	7.8	21.0	8.4
0003150364-02	804	7.3	9.8	17.2	8.8
0003150406-02	805	18.3	7.1	25.4	8.1
0003150422-02	806	20.4	9.4	29.8	7.7
0003150455-02	807	21.5	8.7	30.2	7.7
0003150497-02	808	17.1	9.0	26.1	7.9
0003150521-02	809	11.3	8.5	19.8	8.5
0003150554-02	810	28.4	8.4	36.7	7.2
0003150588-02	901	16.9	7.3	24.2	8.2
0003150604-02	902	7.5	9.7	17.1	8.8
0003150638-02	903	13.3	7.8	21.2	8.4
0003150653-02	904	7.4	9.8	17.2	8.8
0003150687-02	905	18.5	7.1	25.6	8.1
0003150729-02	906	20.7	9.4	30.1	7.7
0003150158-02	907	21.8	9.1	30.8	7.6
0003150190-02	908	17.3	8.9	26.2	7.9
0003150208-02	909	11.3	8.5	19.8	8.5
0003150257-02	910	28.6	8.1	36.7	7.2
0003150273-02	1001	17.1	7.3	24.4	8.2
0003150307-02	1002	7.6	9.6	17.3	8.8
0003150331-02	1003	14.6	7.2	21.8	8.4
0003150372-02	1004	8.6	8.8	17.3	8.8
0003150398-02	1005	19.8	6.3	26.1	7.9
0003150430-02	1006	22.6	9.5	32.1	7.4
0003150463-02	1007	23.4	9.5	32.8	7.4
0003150489-02	1008	18.9	9.1	28.0	7.9
0003150513-02	1009	12.7	7.5	20.2	8.4
0003150547-02	1010	30.3	8.0	38.3	7.1
0003150570-02	1101	17.3	7.1	24.4	8.2
0003150612-02	1102	7.8	9.6	17.4	8.8
0003150620-02	1103	14.8	7.0	21.8	8.4
0003150661-02	1104	8.7	8.7	17.4	8.8
0003150695-02	1105	20.0	6.3	26.3	7.9
0003150711-02	1106	22.8	9.9	32.7	7.4
0003150166-02	1107	23.6	9.2	32.8	7.4

## Nationwide House Energy Rating Scheme\* - Class 2 summary

Certificate number: **0003802880**

Certificate Date:

**25 Apr 2019**

★ Average Star rating: **8.0**



### Summary of all dwellings continued

#### Certificate Details

Certificate number	Unit number	Heating load	Cooling load	Total load	Star Rating
0003150174-02	1108	19.1	8.8	27.9	7.9
0003150216-02	1109	12.9	7.5	20.4	8.4
0003150240-02	1110	30.5	8.2	38.7	7
0003150265-02	1201	17.5	7.0	24.5	8.2
0003150299-02	1202	8.0	9.5	17.4	8.8
0003150323-02	1203	14.9	7.0	21.9	8.4
0003150356-02	1204	8.7	8.3	17.0	8.8
0003150380-02	1205	20.1	6.3	26.3	7.9
0003150414-02	1206	22.8	10.2	33.0	7.4
0003150448-02	1207	23.7	9.2	32.9	7.4
0003150471-02	1208	19.2	8.9	28.1	7.9
0003150505-02	1209	13.0	7.6	20.5	8.4
0003150539-02	1210	30.7	8.1	38.8	7
0003150562-02	1301	17.7	7.0	24.7	8.2
0003150596-02	1302	8.1	9.6	17.8	8.7
0003150646-02	1303	15.0	7.0	22.0	8.4
0003150679-02	1304	8.7	8.2	17.0	8.8
0003150703-02	1305	20.2	6.3	26.5	7.9
0003150737-02	1306	22.9	10.2	33.1	7.4
0003150752-02	1307	23.8	9.1	32.9	7.4
0003150778-02	1308	19.3	8.9	28.2	7.9
0003150802-02	1309	13.0	7.4	20.4	8.4
0003150836-02	1310	30.8	8.1	38.9	7
0003150885-02	1401	17.8	7.0	24.8	8.2
0003150919-02	1402	8.2	9.7	18.0	8.7
0003150943-02	1403	15.2	6.9	22.1	8.4
0003150976-02	1404	8.9	8.1	17.0	8.8
0003150992-02	1405	20.3	6.4	26.8	7.9
0003151032-02	1406	22.9	10.3	33.2	7.4
0003151057-02	1407	23.9	9.0	32.9	7.4
0003151073-02	1408	19.5	8.9	28.4	7.8
0003151099-02	1409	13.1	7.5	20.6	8.4
0003151115-02	1410	31.0	7.9	39.0	7
0003151131-02	1501	18.0	6.7	24.7	8.2
0003151149-02	1502	8.4	9.7	18.1	8.7
0003150745-02	1503	15.3	7.0	22.3	8.4
0003150786-02	1504	9.0	8.3	17.3	8.8
0003150810-02	1505	20.4	6.3	26.7	7.9
0003150844-02	1506	22.8	10.4	33.2	7.4
0003150877-02	1507	23.9	9.0	32.9	7.4
0003150893-02	1508	19.6	8.9	28.5	7.8
0003150927-02	1509	13.0	7.4	20.5	8.4
0003150968-02	1510	31.1	7.9	39.1	6.9

## Nationwide House Energy Rating Scheme\* - Class 2 summary

Certificate number: **0003802880**

Certificate Date:

**25 Apr 2019**

★ Average Star rating: **8.0**



### Summary of all dwellings continued

#### Certificate Details

Certificate number	Unit number	Heating load	Cooling load	Total load	Star Rating
0003150984-02	1601	18.1	6.8	24.9	8.1
0003151016-02	1602	8.5	9.7	18.2	8.7
0003151040-02	1603	24.7	8.5	33.2	7.4
0003151065-02	1604	17.3	8.5	25.8	8
0003151081-02	1605	28.2	7.2	35.4	7.3
0003151107-02	1606	21.5	10.2	31.7	7.5
0003151123-02	1607	23.9	9.0	32.9	7.4
0003151156-02	1608	19.7	8.9	28.6	7.8
0003150760-02	1609	13.1	7.6	20.6	8.4
0003150794-02	1610	31.3	7.9	39.2	6.9
0003150828-02	1701	27.3	7.0	34.3	7.4
0003150851-02	1702	17.7	8.5	26.2	7.9
0003150869-02	1703	25.2	8.4	33.6	7.4
0003150901-02	1704	24.8	10.3	35.1	7.3
0003150935-02	1705	28.7	8.2	36.9	7.2
0003150950-02	1706	28.6	7.6	36.1	7.3
0003151008-02	1707	22.8	8.0	30.8	7.7
0003151024-02	1708	38.8	7.3	46.1	6.4