

Appendix I - Tree Data

Id.	Botanical name	Height (metres)	Spread (metres diameter)	Health	Structure	Age class	Tree significance	Useful life expectancy	Priority for retention	DBH 1 (millimetres diameter)	DBH 2 (millimetres diameter)	DBH 3 (millimetres diameter)	DBH Combined (millimetres diameter)	DRB (millimetres diameter)	TPZ (metres radius)	SRZ (metres radius)	Encroachment	% Encroachment within TPZ	Other notes	Proposal
1	<i>Cinnamomum camphora</i>	16	9	Good	Fair	Mature	Medium	Short	Low	450	300	-	540	700	6.5	2.8	Nil	0%	Tree located on side of access driveway. Undesirable species with bushland setting.	Retain
2	<i>Cinnamomum camphora</i>	16	10	Fair	Fair	Mature	Medium	Short	Low	450	-	-	450	500	5.4	2.5	Nil	0%	Weed species	Retain
3	<i>Cinnamomum camphora</i>	14	8	Fair	Fair	Mature	Low	Medium	Low	350	-	-	350	400	4.2	2.3	Nil	0%	Weed species	Retain
4	<i>Cinnamomum camphora</i>	16	16	Fair	Fair	Mature	High	Medium	High	2000	-	-	2000	2000	15.0	4.4	Major	12%	Basal diameter of around 2.6m. Weed species	Retain
5	<i>Pinus radiata</i>	24	10	Fair	Fair	Mature	Medium	Medium	Medium	950	-	-	950	1000	11.4	3.3	Major	28%	Majority of lower branches has been removed from tree.	Remove
6	<i>Cinnamomum camphora</i>	18	8	Good	Fair	Mature	Medium	Medium	Medium	400	-	-	400	450	4.8	2.4	Major	75%	Weed species	Remove
7	<i>Cinnamomum camphora</i>	14	6	Fair	Fair	Mature	Medium	Short	Low	300	-	-	300	350	3.6	2.1	Nil	0%	Weed species	Retain
8	<i>Ligustrum sinense</i>	6	4	Fair	Fair	Semi-mature	Low	Short	Low	150	-	-	150	200	2.0	1.7	Nil	0%	Weed species.	Retain
9	<i>Cinnamomum camphora</i>	10	7	Good	Poor	Mature	Low	Short	Low	300	-	-	300	350	3.6	2.1	Nil	0%	Suppressed canopy. Weed species	Retain
10	<i>Grevillea robusta</i>	14	6	Fair	Fair	Semi-mature	Low	Medium	Medium	250	-	-	250	300	3.0	2.0	Nil	0%	-	Retain
11	<i>Pittosporum undulatum</i>	7	5	Fair	Fair	Mature	Low	Short	Low	200	100	-	220	400	2.6	2.3	Nil	0%	Canopy dieback. One side of the tree has died historically.	Remove
12	<i>Cinnamomum camphora</i>	18	10	Fair	Fair	Mature	Medium	Medium	Medium	450	-	-	450	500	5.4	2.5	Minor	9%	Weed species	Remove
13	<i>Cinnamomum camphora</i>	14	6	Fair	Fair	Mature	Low	Short	Low	250	-	-	250	300	3.0	2.0	Nil	0%	Weed species	Retain
14	<i>Grevillea robusta</i>	18	7	Fair	Fair	Semi-mature	Low	Medium	Medium	300	-	-	300	350	3.6	2.1	Major	98%	-	Remove
15	<i>Pinus radiata</i>	20	8	Fair	Poor	Mature	Medium	Short	Low	900	-	-	900	950	10.8	3.2	Major	57%	Minor crown remains in tree with all lower branches pruned from tree.	Remove
16	<i>Cinnamomum camphora</i>	6	5	Fair	Fair	Semi-mature	Low	Short	Low	250	-	-	250	300	3.0	2.0	Nil	0%	Suppressed canopy. Tree is growing on a lean. Weed species	Remove
17	<i>Grevillea robusta</i>	16	6	Fair	Fair	Mature	Medium	Medium	Medium	500	-	-	500	550	6.0	2.6	Minor	7%	-	Retain
18	<i>Cinnamomum camphora</i>	14	7	Fair	Fair	Mature	Low	Medium	Low	350	-	-	350	400	4.2	2.3	Major	36%	Weed species	Remove
19	<i>Ligustrum sinense</i>	5	3	Fair	Fair	Juvenile	Low	Short	Low	100	-	-	100	150	2.0	1.5	Nil	0%	Weed species	Remove
20	<i>Cinnamomum camphora</i>	16	8	Fair	Fair	Mature	Medium	Short	Low	400	-	-	400	450	4.8	2.4	Major	12%	Weed species	Retain
21	<i>Cinnamomum camphora</i>	10	4	Fair	Fair	Juvenile	Low	Short	Low	150	-	-	150	200	2.0	1.7	Nil	0%	Weed species	Remove
22	<i>Cinnamomum camphora</i>	9	4	Fair	Fair	Juvenile	Low	Short	Low	150	-	-	150	200	2.0	1.7	Nil	0%	Weed species	Remove
23	<i>Grevillea robusta</i>	12	5	Fair	Fair	Mature	Low	Medium	Medium	400	300	-	500	500	6.0	2.5	Minor	9%	-	Retain
24	<i>Cinnamomum camphora</i>	12	8	Fair	Poor	Semi-mature	Low	Short	Low	300	-	-	300	350	3.6	2.1	Major	29%	Suppressed canopy. Tree is growing on a lean. Weed species	Remove
25	<i>Pittosporum undulatum</i>	5	4	Poor	Poor	Semi-mature	Low	Short	Low	100	100	-	140	200	2.0	1.7	Major	100%	Tree is in decline.	Remove
26	<i>Grevillea robusta</i>	16	4	Poor	Fair	Semi-mature	Low	Medium	Low	150	-	-	150	200	2.0	1.7	Major	100%	Reduced foliage density.	Remove
27	<i>Cinnamomum camphora</i>	12	3	Fair	Fair	Juvenile	Low	Short	Low	100	-	-	100	150	2.0	1.5	Major	24%	Suppressed canopy. Weed species	Remove
28	<i>Olea africana</i>	10	8	Fair	Fair	Mature	Low	Short	Low	250	-	-	250	300	3.0	2.0	Nil	0%	Weed species	Remove
29	<i>Cinnamomum camphora</i>	16	4	Fair	Fair	Mature	Low	Medium	Low	250	-	-	250	300	3.0	2.0	Major	71%	Weed species	Remove
30	<i>Brachychiton acerifolius</i>	16	4	Fair	Fair	Semi-mature	Low	Medium	Medium	200	-	-	200	250	2.4	1.8	Major	78%	-	Remove
31	<i>Brachychiton acerifolius</i>	18	7	Good	Good	Mature	Medium	Medium	Medium	350	-	-	350	400	4.2	2.3	Major	61%	-	Remove
32	<i>Cinnamomum camphora</i>	18	10	Fair	Fair	Mature	Medium	Medium	Medium	500	500	-	710	800	8.5	3.0	Major	45%	Weed species	Remove

Id.	Botanical name	Height (metres)	Spread (metres diameter)	Health	Structure	Age class	Tree significance	Useful life expectancy	Priority for retention	DBH 1 (millimetres diameter)	DBH 2 (millimetres diameter)	DBH 3 (millimetres diameter)	DBH Combined (millimetres diameter)	DRB (millimetres diameter)	TPZ (metres radius)	SRZ (metres radius)	Encroachment	% Encroachment within TPZ	Other notes	Proposal
33	<i>Cinnamomum camphora</i>	16	10	Good	Fair	Mature	Medium	Medium	Medium	500	-	-	500	550	6.0	2.6	Major	78%	Weed species	Remove
34	<i>Ligustrum lucidum</i>	9	4	Fair	Fair	Mature	Low	Short	Low	200	100	-	220	300	2.6	2.0	Nil	0%	Weed species.	Remove
35	<i>Eucalyptus pilularis</i>	16	8	Poor	Fair	Semi-mature	Low	Short	Low	250	-	-	250	300	3.0	2.0	Minor	2%	Epicormic regrowth. Lower basal wound. Minor canopy dieback.	Retain
36	<i>Cinnamomum camphora</i>	16	10	Good	Fair	Mature	Medium	Short	Low	350	-	-	350	400	4.2	2.3	Nil	0%	Weed species	Retain
37	<i>Cinnamomum camphora</i>	10	4	Fair	Fair	Semi-mature	Low	Medium	Low	300	-	-	300	350	3.6	2.1	Minor	9%	Weed species	Remove
38	<i>Eucalyptus saligna</i>	18	5	Fair	Fair	Mature	Medium	Medium	Medium	350	-	-	350	400	4.2	2.3	Major	68%	-	Remove
39	<i>Grevillea robusta</i>	18	7	Fair	Fair	Mature	Low	Long	Medium	300	-	-	300	350	3.6	2.1	Major	100%	-	Remove
40	<i>Cinnamomum camphora</i>	10	3	Fair	Fair	Juvenile	Low	Short	Low	150	-	-	150	200	2.0	1.7	Major	29%	Weed species	Remove
41	<i>Lophostemon confertus</i>	12	8	Good	Fair	Mature	Medium	Medium	Medium	400	-	-	400	450	4.8	2.4	Major	100%	-	Remove
42	Dead tree	12	1	Poor	Poor	Dead	Low	Dead	Low	500	-	-	500	600	6.0	2.7	Major	100%	Dead tree reduced to sole barrel.	Remove
43	<i>Cinnamomum camphora</i>	8	4	Fair	Fair	Juvenile	Low	Short	Low	100	-	-	100	150	2.0	1.5	Minor	3%	Weed species	Remove
44	<i>Cinnamomum camphora</i>	12	9	Fair	Fair	Mature	Low	Short	Low	350	-	-	350	400	4.2	2.3	Nil	0%	Weed species	Retain
45	Dead tree	10	2	Poor	Poor	Dead	Low	Dead	Low	100	-	-	100	150	2.0	1.5	Major	100%	Dead tree.	Remove
46	<i>Cinnamomum camphora</i>	9	5	Fair	Fair	Semi-mature	Low	Short	Low	250	-	-	250	300	3.0	2.0	Major	45%	Weed species	Remove
47	<i>Lophostemon confertus</i>	14	10	Good	Good	Mature	Medium	Long	High	600	-	-	600	650	7.2	2.8	Major	100%	-	Remove
48	<i>Eucalyptus pilularis</i>	18	5	Fair	Fair	Semi-mature	Low	Medium	Low	200	-	-	200	250	2.4	1.8	Major	100%	Epicormic regrowth. Suppressed canopy.	Remove
49	<i>Grevillea robusta</i>	16	5	Fair	Poor	Mature	Low	Short	Low	250	-	-	250	300	3.0	2.0	Major	100%	Tree is growing into adjacent tree canopy. Severely suppressed.	Remove
50	<i>Grevillea robusta</i>	16	5	Fair	Fair	Mature	Low	Medium	Low	300	-	-	300	350	3.6	2.1	Major	51%	Minor canopy dieback. Reduction in foliage density.	Remove
51	<i>Corymbia maculata</i>	14	6	Fair	Fair	Semi-mature	Low	Medium	Medium	200	-	-	200	250	2.4	1.8	Major	100%	Asymmetrical crown.	Remove
52	<i>Corymbia maculata</i>	20	14	Fair	Good	Mature	High	Medium	High	750	-	-	750	900	9.0	3.2	Major	100%	Epicormic regrowth.	Remove
53	<i>Brachychiton acerifolius</i>	9	3	Good	Good	Semi-mature	Low	Long	Medium	200	-	-	200	250	2.4	1.8	Nil	0%	-	Retain
54	<i>Cinnamomum camphora</i>	12	7	Good	Fair	Mature	Low	Medium	Low	300	-	-	300	350	3.6	2.1	Nil	0%	Undesirable species within bushland setting.	Retain
55	<i>Olea africana</i>	5	4	Poor	Poor	Semi-mature	Low	Short	Low	200	-	-	200	250	2.4	1.8	Major	79%	Weed species	Remove
56	<i>Corymbia maculata</i>	16	9	Good	Fair	Mature	Medium	Medium	Medium	450	-	-	450	500	5.4	2.5	Major	100%	-	Remove
57	<i>Cinnamomum camphora</i>	14	8	Good	Fair	Mature	Low	Medium	Low	300	400	-	500	800	6.0	3.0	Nil	0%	Undesirable species within bushland setting.	Retain
58	<i>Eucalyptus saligna</i>	18	12	Fair	Poor	Mature	Medium	Short	Low	300	-	-	300	350	3.6	2.1	Major	100%	Tree has poor lean from being suppressed. Tree grows on an excessive lean.	Remove
59	<i>Eucalyptus pilularis</i>	26	18	Fair	Good	Mature	High	Medium	High	700	-	-	700	750	8.4	2.9	Major	99%	Epicormic regrowth.	Remove
60	<i>Grevillea robusta</i>	10	4	Fair	Fair	Semi-mature	Low	Medium	Medium	200	-	-	200	250	2.4	1.8	Major	100%	-	Remove
61	<i>Eucalyptus saligna</i>	30	18	Good	Good	Mature	High	Long	High	1100	-	-	1100	1150	13.2	3.5	Major	63%	Minor deadwood through out crown.	Remove
62	<i>Eucalyptus saligna</i>	20	12	Fair	Good	Mature	Medium	Long	High	700	-	-	700	750	8.4	2.9	Minor	7%	-	Retain
63	<i>Corymbia maculata</i>	10	5	Fair	Fair	Semi-mature	Low	Medium	Medium	150	-	-	150	200	2.0	1.7	Major	100%	-	Remove
64	<i>Cinnamomum camphora</i>	14	8	Good	Fair	Mature	Low	Medium	Low	400	-	-	400	450	4.8	2.4	Minor	2%	Undesirable species within bushland setting.	Retain
65	<i>Cinnamomum camphora</i>	8	4	Fair	Poor	Semi-mature	Low	Short	Low	150	-	-	150	200	2.0	1.7	Major	100%	Suppressed canopy. Weed species	Remove

Id.	Botanical name	Height (metres)	Spread (metres diameter)	Health	Structure	Age class	Tree significance	Useful life expectancy	Priority for retention	DBH 1 (millimetres diameter)	DBH 2 (millimetres diameter)	DBH 3 (millimetres diameter)	DBH Combined (millimetres diameter)	DRB (millimetres diameter)	TPZ (metres radius)	SRZ (metres radius)	Encroachment	% Encroachment within TPZ	Other notes	Proposal
66	<i>Pittosporum undulatum</i>	5	5	Fair	Fair	Semi-mature	Low	Medium	Medium	100	100	-	140	200	2.0	1.7	Major	100%	-	Remove
67	<i>Brachychiton acerifolius</i>	12	8	Fair	Poor	Mature	Low	Short	Low	350	-	-	350	400	4.2	2.3	Major	92%	Significantly suppressed.	Remove
68	<i>Grevillea robusta</i>	16	9	Fair	Fair	Mature	Medium	Medium	Medium	500	-	-	500	550	6.0	2.6	Major	100%	-	Remove
69	<i>Cinnamomum camphora</i>	16	10	Fair	Fair	Mature	Low	Medium	Low	300	300	200	470	650	5.6	2.8	Major	99%	Weed species	Remove
70	<i>Grevillea robusta</i>	18	12	Fair	Fair	Mature	Medium	Medium	Medium	800	-	-	800	850	9.6	3.1	Major	76%	-	Remove
71	<i>Eucalyptus saligna</i>	26	18	Good	Good	Mature	High	Long	High	1000	-	-	1000	1050	12.0	3.4	Major	63%	-	Remove
72	<i>Cinnamomum camphora</i>	16	9	Fair	Fair	Mature	Medium	Medium	Medium	850	-	-	850	900	10.2	3.2	Major	74%	Weed species	Remove
73	<i>Syzygium sp.</i>	9	7	Good	Good	Mature	Medium	Medium	Medium	200	-	-	200	250	2.4	1.8	Major	100%	-	Remove
74	<i>Grevillea robusta</i>	7	5	Fair	Fair	Juvenile	Low	Medium	Medium	100	-	-	100	150	2.0	1.5	Major	100%	-	Remove
75	<i>Eucalyptus saligna</i>	10	5	Fair	Fair	Semi-mature	Low	Medium	Medium	150	-	-	150	200	2.0	1.7	Major	100%	-	Remove
76	<i>Syzygium sp.</i>	10	6	Good	Good	Mature	Medium	Medium	Medium	200	-	-	200	250	2.4	1.8	Major	100%	-	Remove
77	<i>Cinnamomum camphora</i>	10	5	Fair	Poor	Semi-mature	Low	Short	Low	250	-	-	250	300	3.0	2.0	Major	100%	Weed species	Remove
78	<i>Cinnamomum camphora</i>	10	5	Fair	Fair	Mature	Medium	Medium	Medium	400	-	-	400	450	4.8	2.4	Major	90%	Weed species	Remove
79	<i>Cinnamomum camphora</i>	12	6	Fair	Poor	Mature	Low	Short	Low	250	-	-	250	300	3.0	2.0	Major	100%	Suppressed canopy. Weed species	Remove
80	<i>Corymbia maculata</i>	10	5	Good	Fair	Semi-mature	Low	Long	Medium	250	-	-	250	300	3.0	2.0	Major	100%	-	Remove
81	<i>Eucalyptus saligna</i>	30	9	Fair	Fair	Mature	Medium	Medium	Medium	450	-	-	450	500	5.4	2.5	Major	100%	-	Remove
82	<i>Grevillea robusta</i>	12	7	Fair	Fair	Semi-mature	Low	Medium	Low	250	-	-	250	300	3.0	2.0	Major	100%	Suppressed beneath higher valued tree.	Remove
83	<i>Grevillea robusta</i>	16	8	Fair	Fair	Mature	Medium	Medium	Medium	500	-	-	500	550	6.0	2.6	Major	100%	-	Remove
84	<i>Grevillea robusta</i>	16	7	Good	Good	Mature	Medium	Medium	Medium	300	-	-	300	350	3.6	2.1	Major	100%	-	Remove
85	<i>Eucalyptus saligna</i>	30	10	Good	Good	Mature	High	Long	High	650	-	-	650	700	7.8	2.8	Major	85%	-	Remove
86	<i>Cinnamomum camphora</i>	14	10	Fair	Fair	Mature	Low	Medium	Medium	300	300	300	520	650	6.2	2.8	Major	100%	Weed species	Remove
87	<i>Corymbia maculata</i>	14	9	Fair	Fair	Semi-mature	Low	Medium	Low	250	-	-	250	300	3.0	2.0	Major	100%	Tree has phototropic lean. Mild adjustment.	Remove
88	<i>Cinnamomum camphora</i>	14	8	Fair	Fair	Mature	Low	Medium	Low	300	-	-	300	350	3.6	2.1	Major	100%	Weed species	Remove
89	<i>Eucalyptus saligna</i>	10	6	Fair	Fair	Semi-mature	Low	Medium	Low	300	-	-	300	350	3.6	2.1	Major	100%	Asymmetrical canopy. Suppressed canopy.	Remove
90	<i>Eucalyptus saligna</i>	7	5	Fair	Fair	Juvenile	Low	Long	Medium	150	-	-	150	200	2.0	1.7	Major	100%	-	Remove
91	<i>Cinnamomum camphora</i>	7	5	Fair	Fair	Semi-mature	Low	Short	Low	200	-	-	200	250	2.4	1.8	Major	100%	Suppressed canopy. Weed species	Remove
92	<i>Corymbia maculata</i>	22	9	Fair	Fair	Mature	Medium	Medium	Medium	450	-	-	450	500	5.4	2.5	Major	100%	Minor canopy dieback.	Remove
93	<i>Olea africana</i>	3	3	Fair	Poor	Mature	Low	Short	Low	150	-	-	150	200	2.0	1.7	Major	100%	Weed species	Remove
94	<i>Grevillea robusta</i>	10	7	Fair	Fair	Semi-mature	Low	Medium	Medium	300	-	-	300	350	3.6	2.1	Nil	0%	Tree located along edge of driveway.	Retain
95	<i>Brachychiton acerifolius</i>	8	3	Fair	Fair	Semi-mature	Low	Medium	Medium	150	-	-	150	200	2.0	1.7	Major	100%	-	Remove
96	<i>Corymbia maculata</i>	24	12	Good	Good	Mature	High	Long	High	650	-	-	650	700	7.8	2.8	Major	100%	-	Remove
97	<i>Sphaeropteris cooperi</i>	4	3	Fair	Fair	Mature	Low	Medium	Low	100	-	-	100	150	2.0	1.5	Major	100%	-	Remove
98	<i>Grevillea robusta</i>	16	10	Fair	Poor	Mature	Low	Medium	Medium	300	-	-	300	350	3.6	2.1	Major	100%	Suppressed canopy.	Remove

Id.	Botanical name	Height (metres)	Spread (metres diameter)	Health	Structure	Age class	Tree significance	Useful life expectancy	Priority for retention	DBH 1 (millimetres diameter)	DBH 2 (millimetres diameter)	DBH 3 (millimetres diameter)	DBH Combined (millimetres diameter)	DRB (millimetres diameter)	TPZ (metres radius)	SRZ (metres radius)	Encroachment	% Encroachment within TPZ	Other notes	Proposal
99	<i>Cinnamomum camphora</i>	18	12	Fair	Fair	Mature	Medium	Medium	Medium	1100	850	600	1510	2000	15.0	4.4	Major	97%	Cavity (>10cm). Large ornamental tree. Weed species	Remove
100	<i>Jacaranda mimosifolia</i>	10	7	Good	Poor	Semi-mature	Low	Short	Low	200	-	-	200	250	2.4	1.8	Major	100%	Suppressed canopy. Tree is developing a suppressed form.	Remove
101	<i>Syzygium sp.</i>	9	7	Fair	Fair	Mature	Low	Medium	Medium	300	-	-	300	350	3.6	2.1	Major	100%	-	Remove
102	<i>Elaeocarpus reticulatus</i>	7	5	Good	Fair	Mature	Low	Medium	Medium	150	-	-	150	200	2.0	1.7	Major	100%	-	Remove
103	<i>Eucalyptus saligna</i>	18	10	Fair	Fair	Mature	Medium	Long	High	450	-	-	450	500	5.4	2.5	Nil	0%	Previous failure. Small recent branch failure. Tree located along driveway. Trunk wounds.	Retain
104	<i>Brachychiton acerifolius</i>	14	7	Fair	Fair	Mature	Medium	Medium	Medium	400	-	-	400	450	4.8	2.4	Major	100%	-	Remove
105	<i>Sphaeropteris cooperi</i>	4	3	Fair	Fair	Mature	Low	Medium	Low	100	-	-	100	150	2.0	1.5	Major	100%	-	Remove
106	<i>Sphaeropteris cooperi</i>	4	3	Fair	Fair	Mature	Low	Medium	Low	100	-	-	100	150	2.0	1.5	Major	100%	-	Remove
107	<i>Corymbia maculata</i>	16	10	Good	Fair	Mature	Medium	Medium	Medium	500	-	-	500	550	6.0	2.6	Major	100%	Tree located 800mm from building.	Remove
108	<i>Sphaeropteris cooperi</i>	4	3	Fair	Fair	Semi-mature	Low	Medium	Low	100	-	-	100	150	2.0	1.5	Major	100%	-	Remove
109	<i>Sphaeropteris cooperi</i>	5	3	Fair	Fair	Semi-mature	Low	Medium	Low	100	-	-	100	150	2.0	1.5	Major	100%	-	Remove
110	<i>Camellia sasanqua</i>	3	3	Fair	Fair	Semi-mature	Low	Medium	Low	100	-	-	100	150	2.0	1.5	Major	100%	-	Remove
111	<i>Sphaeropteris cooperi</i>	4	3	Fair	Fair	Mature	Low	Medium	Low	100	-	-	100	150	2.0	1.5	Major	100%	-	Remove
112	<i>Dypsis sp.</i>	5	4	Fair	Fair	Mature	Low	Short	Low	100	100	100	170	350	2.0	2.1	Major	100%	Ornamental monocot within garden bed.	Remove
113	<i>Jacaranda mimosifolia</i>	12	10	Fair	Fair	Mature	Medium	Medium	Medium	450	450	-	640	700	7.7	2.8	Major	100%	Cavity (>10cm). Included bark junction. Multi-stemmed from base. Small basal cavity at base. Lower union shows no excessive in-stability.	Remove
114	<i>Cinnamomum camphora</i>	14	12	Fair	Fair	Mature	Medium	Short	Low	500	-	-	500	650	6.0	2.8	Major	100%	Weed species	Remove
115	<i>Lophostemon confertus</i>	16	10	Good	Good	Mature	Medium	Long	High	750	-	-	750	800	9.0	3.0	Major	100%	-	Remove
116	<i>Brachychiton acerifolius</i>	10	4	Fair	Fair	Mature	Low	Medium	Medium	250	-	-	250	300	3.0	2.0	Major	100%	-	Remove
117	<i>Cordyline sp.</i>	4	5	Fair	Fair	Mature	Low	Medium	Medium	150	100	100	210	450	2.5	2.4	Major	100%	Ornamental monocot within garden bed.	Remove
118	<i>Grevillea robusta</i>	16	7	Good	Good	Mature	Medium	Medium	Medium	250	-	-	250	300	3.0	2.0	Nil	0%	Tree located along edge of driveway.	Retain
119	<i>Sphaeropteris cooperi</i>	5	3	Fair	Fair	Mature	Low	Medium	Low	100	-	-	100	250	2.0	1.8	Major	100%	-	Remove
120	<i>Sphaeropteris cooperi</i>	5	3	Fair	Fair	Mature	Low	Medium	Low	100	-	-	100	250	2.0	1.8	Major	100%	-	Remove
121	<i>Eucalyptus saligna</i>	16	7	Good	Good	Mature	Medium	Long	High	500	-	-	500	550	6.0	2.6	Nil	0%	Tree located along edge of driveway.	Retain
122	<i>Syzygium sp.</i>	12	8	Fair	Fair	Mature	Low	Medium	Medium	300	-	-	300	350	3.6	2.1	Major	100%	Minor reduction in foliage density.	Remove
123	<i>Platanus x acerifolia</i>	12	10	Good	Good	Mature	Medium	Long	High	450	-	-	450	500	5.4	2.5	Major	18%	-	Retain
124	<i>Sphaeropteris cooperi</i>	4	3	Fair	Fair	Semi-mature	Low	Medium	Low	100	-	-	100	150	2.0	1.5	Major	100%	-	Remove
125	<i>Elaeocarpus reticulatus</i>	7	4	Good	Good	Mature	Low	Long	Medium	150	-	-	150	200	2.0	1.7	Nil	0%	Tree located along edge of driveway.	Retain
126	<i>Camellia sasanqua</i>	3	3	Fair	Fair	Semi-mature	Low	Medium	Low	100	-	-	100	150	2.0	1.5	Major	100%	-	Remove
127	<i>Brachychiton acerifolius</i>	12	8	Fair	Fair	Mature	Medium	Medium	Medium	300	-	-	300	350	3.6	2.1	Nil	0%	-	Retain
128	<i>Corymbia maculata</i>	20	14	Fair	Fair	Mature	High	Medium	High	550	-	-	550	600	6.6	2.7	Major	100%	Minor reduction in crown density. Tree canopy adaptive with adjacent tree.	Remove
129	<i>Corymbia maculata</i>	18	12	Good	Good	Mature	High	Medium	High	650	-	-	650	700	7.8	2.8	Major	100%	Tree is located within raised garden bed area. Tree within 1m of building.	Remove
130	<i>Lophostemon confertus</i>	12	8	Good	Fair	Mature	Medium	Medium	Medium	350	-	-	350	400	4.2	2.3	Nil	0%	Tree located on edge of driveway. Tree located within close proximity to services. Historic mechanical damage on trunk. Trunk wounds.	Retain
131	<i>Ulmus pumila</i>	10	8	Poor	Fair	Mature	Medium	Short	Low	400	-	-	400	450	4.8	2.4	Major	29%	Epicormic regrowth. Minor canopy dieback. Tree shows signs of previous dieback event. High concentration of epicormic shoots and tip dieback.	Remove

Id.	Botanical name	Height (metres)	Spread (metres diameter)	Health	Structure	Age class	Tree significance	Useful life expectancy	Priority for retention	DBH 1 (millimetres diameter)	DBH 2 (millimetres diameter)	DBH 3 (millimetres diameter)	DBH Combined (millimetres diameter)	DRB (millimetres diameter)	TPZ (metres radius)	SRZ (metres radius)	Encroachment	% Encroachment within TPZ	Other notes	Proposal
132	<i>Eucalyptus saligna</i>	16	10	Fair	Fair	Mature	High	Medium	High	850	-	-	850	900	10.2	3.2	Nil	0%	Cavity (>10cm). Evident fruiting body with likely trunk decay. Fair reactive growth. Mild reduction on crown density. Trunk decay.	Retain
133	<i>Platanus x acerifolia</i>	7	8	Fair	Fair	Semi-mature	Low	Medium	Medium	300	-	-	300	350	3.6	2.1	Nil	0%	Some lower bark dysfunction. Maybe early canker infection. Tree appears in fair condition.	Retain
134	<i>Gingko biloba</i>	14	8	Good	Fair	Mature	Medium	Medium	Medium	400	-	-	400	450	4.8	2.4	Major	100%	Ornamental in good condition.	Remove
135	<i>Chamaecyparis obtusa</i>	12	10	Good	Fair	Mature	Medium	Medium	Medium	450	300	-	540	550	6.5	2.6	Minor	8%	-	Retain
136	<i>Cyathea australis</i>	5	4	Fair	Fair	Mature	Low	Medium	Medium	150	100	-	180	350	2.2	2.1	Major	100%	Tree fern growing within small garden.	Remove
137	<i>Sphaeropteris cooperi</i>	4	3	Fair	Fair	Semi-mature	Low	Medium	Low	100	-	-	100	150	2.0	1.5	Major	100%	-	Remove
138	<i>Metasequoia glyptostroboides</i>	20	9	Good	Good	Mature	Medium	Medium	Medium	500	-	-	500	550	6.0	2.6	Major	100%	Located within raised garden bed area.	Remove
139	<i>Magnolia soulangiana</i>	7	6	Fair	Fair	Semi-mature	Low	Medium	Medium	150	100	100	210	400	2.5	2.3	Major	100%	Multi-stemmed from base. Ornamental in fair condition.	Remove
140	<i>Sphaeropteris cooperi</i>	4	3	Fair	Fair	Semi-mature	Low	Medium	Low	100	-	-	100	150	2.0	1.5	Major	100%	-	Remove
141	<i>Gingko biloba</i>	12	8	Good	Fair	Mature	Medium	Medium	Medium	400	-	-	400	450	4.8	2.4	Major	100%	Ornamental in good condition. Tree is mildly restricted for long term root growth	Remove
142	<i>Platanus x acerifolia</i>	16	14	Good	Good	Mature	High	Medium	High	1100	-	-	1100	1150	13.2	3.5	Major	18%	Tree in good condition. Significant in landscape.	Retain
143	<i>Acmena smithii</i>	14	8	Fair	Fair	Mature	Medium	Medium	Medium	500	-	-	500	550	6.0	2.6	Major	94%	Tree located within garden bed between buildings. Tree has been pruned and adapted within area.	Remove
144	<i>Brachychiton acerifolius</i>	14	9	Good	Good	Mature	High	Medium	High	650	-	-	650	700	7.8	2.8	Minor	6%	Tree shows signs of leaf tip curl.	Retain
145	<i>Gingko biloba</i>	12	8	Good	Good	Mature	Medium	Medium	Medium	300	-	-	300	350	3.6	2.1	Major	100%	Ornamental in good condition.	Remove
146	<i>Banksia serrata</i>	6	3	Fair	Poor	Semi-mature	Low	Medium	Low	150	-	-	150	200	2.0	1.7	Nil	0%	Epicormic regrowth. Internodal pruning. Tree has been historically topped.	Retain
147	<i>Sphaeropteris cooperi</i>	7	5	Fair	Fair	Mature	Low	Medium	Low	100	-	-	100	150	2.0	1.5	Major	100%	-	Remove
148	<i>Araucaria heterophylla</i>	10	6	Fair	Fair	Mature	Medium	Medium	Medium	500	-	-	500	550	6.0	2.6	Nil	0%	Tree located within central road planter. Tree is in reduced health.	Retain
149	<i>Jacaranda mimosifolia</i>	12	10	Fair	Fair	Mature	Medium	Medium	Medium	400	300	200	540	750	6.5	2.9	Major	100%	Tree multi-stemmed from base.	Remove
150	<i>Livistona australis</i>	12	6	Fair	Good	Mature	Medium	Medium	Medium	300	-	-	300	350	3.6	2.1	Major	100%	Some mild conflict from fronds on building.	Remove
151	<i>Banksia serrata</i>	7	3	Fair	Poor	Semi-mature	Low	Medium	Low	200	-	-	200	250	2.4	1.8	Nil	0%	Epicormic regrowth. Internodal pruning. Tree has been historically topped.	Retain
152	<i>Sphaeropteris cooperi</i>	5	3	Fair	Fair	Mature	Low	Medium	Low	100	-	-	100	150	2.0	1.5	Major	100%	-	Remove
153	<i>Elaeocarpus reticulatus</i>	8	6	Good	Fair	Mature	Medium	Medium	Medium	200	-	-	200	250	2.4	1.8	Major	100%	Tree is growing on a slight lean within planter box.	Remove
154	<i>Libidibia ferrea</i>	5	5	Good	Good	Semi-mature	Low	Long	Medium	100	100	-	140	200	2.0	1.7	Major	100%	Small ornamental planted with central grass area.	Remove
155	<i>Archontophoenix cunninghamiana</i>	7	3	Fair	Fair	Semi-mature	Low	Medium	Low	200	-	-	200	250	2.4	1.8	Major	100%	-	Remove
156	<i>Pittosporum undulatum</i>	7	3	Poor	Fair	Semi-mature	Low	Short	Low	100	-	-	100	150	2.0	1.5	Major	100%	Poor canopy density.	Remove
157	<i>Lophostemon confertus</i>	8	7	Fair	Fair	Semi-mature	Low	Medium	Medium	250	-	-	250	300	3.0	2.0	Nil	0%	Tree located within garden along carpark.	Retain
158	<i>Pittosporum undulatum</i>	4	3	Poor	Fair	Semi-mature	Low	Short	Low	100	-	-	100	150	2.0	1.5	Major	100%	Poor canopy density.	Remove
159	<i>Elaeocarpus reticulatus</i>	12	7	Good	Fair	Mature	Medium	Medium	Medium	200	-	-	200	250	2.4	1.8	Major	100%	Tree growing within garden area within walkways.	Remove
160	<i>Lophostemon confertus</i>	12	9	Fair	Fair	Mature	Low	Medium	Medium	700	-	-	700	750	8.4	2.9	Nil	0%	Tree located within garden along carpark. Mild decline in canopy density.	Retain
161	<i>Calodendron capense</i>	9	8	Poor	Poor	Mature	Medium	Short	Low	300	350	250	520	450	6.2	2.4	Minor	1%	Basal decay. Tree has lower trunk decay with minimal functioning cambium remaining within the lower stem. Tree is recommended for removal. Tree is in severe decline.	Retain
162	<i>Lophostemon confertus</i>	10	6	Fair	Fair	Semi-mature	Low	Medium	Medium	250	-	-	250	300	3.0	2.0	Nil	0%	Tree located within garden along carpark.	Retain
163	<i>Jacaranda mimosifolia</i>	8	7	Fair	Fair	Mature	Low	Medium	Medium	450	-	-	450	500	5.4	2.5	Nil	0%	Tree main leader historically removed. Asymmetrical lower crown.	Retain
164	<i>Platanus x acerifolia</i>	14	14	Good	Fair	Mature	High	Medium	High	850	-	-	850	900	10.2	3.2	Nil	0%	Tree is growing on a lean. Tree has mild adjustment within upper crown to lean. Evident large radial structural roots evident from surrounding asphalt damage.	Retain

Id.	Botanical name	Height (metres)	Spread (metres diameter)	Health	Structure	Age class	Tree significance	Useful life expectancy	Priority for retention	DBH 1 (millimetres diameter)	DBH 2 (millimetres diameter)	DBH 3 (millimetres diameter)	DBH Combined (millimetres diameter)	DRB (millimetres diameter)	TPZ (metres radius)	SRZ (metres radius)	Encroachment	% Encroachment within TPZ	Other notes	Proposal
165	<i>Lophostemon confertus</i>	12	7	Good	Fair	Mature	Medium	Long	High	650	-	-	650	700	7.8	2.8	Nil	0%	Tree located within garden along carpark.	Retain
166	<i>Castanospermum australe</i>	9	9	Poor	Poor	Mature	Medium	Short	Low	550	-	-	550	600	6.6	2.7	Nil	0%	Canopy dieback. Tree is decline with evident lower trunk decay and dieback of cambial zone. Trunk decay.	Retain
167	<i>Elaeocarpus reticulatus</i>	9	7	Good	Fair	Mature	Medium	Medium	Medium	250	-	-	250	300	3.0	2.0	Major	100%	Tree is growing on a slight lean within planter box.	Remove
168	<i>Lophostemon confertus</i>	10	6	Fair	Fair	Semi-mature	Low	Medium	Medium	300	-	-	300	350	3.6	2.1	Nil	0%	Tree located within garden along carpark. Co-dominant stems.	Retain
169	<i>Jacaranda mimosifolia</i>	10	9	Fair	Fair	Mature	Medium	Medium	Medium	400	-	-	400	450	4.8	2.4	Major	19%	Ornamental in fair condition.	Retain
170	<i>Eucalyptus saligna</i>	16	8	Fair	Fair	Mature	Medium	Medium	Medium	400	350	150	550	600	6.6	2.7	Nil	0%	Tree shows reduced foliage density with slight lean over current building. Tree located within garden bed.	Retain
171	<i>Araucaria bidwillii</i>	16	8	Good	Good	Mature	High	Long	High	600	-	-	600	650	7.2	2.8	Nil	0%	Tree within prominent landscape position.	Retain
172	<i>Eucalyptus saligna</i>	20	14	Good	Good	Mature	High	Long	High	900	-	-	900	1100	10.8	3.4	Nil	0%	Small wound on trunk. Tree shows minimal signs of dysfunction. Located adjacent carpark. Trunk wounds.	Retain
173	<i>Elaeocarpus angustifolius</i>	3	2	Fair	Fair	Juvenile	Low	Short	Low	100	-	-	100	150	2.0	1.5	Nil	0%	Small tree. Fairly recent planting.	Retain
174	<i>Elaeocarpus angustifolius</i>	3	2	Poor	Fair	Juvenile	Low	Short	Low	100	-	-	100	150	2.0	1.5	Nil	0%	Small tree. Fairly recent planting. Lower scaffold dieback	Retain
175	<i>Lophostemon confertus</i>	10	8	Fair	Fair	Mature	Medium	Medium	Medium	800	-	-	800	800	9.6	3.0	Major	14%	Tree planted within hardscaped courtyard. Tree in fair condition.	Retain
176	<i>Elaeocarpus angustifolius</i>	3	2	Fair	Fair	Juvenile	Low	Medium	Low	100	-	-	100	150	2.0	1.5	Nil	0%	Small tree. Fairly recent planting.	Retain
177	<i>Elaeocarpus angustifolius</i>	4	2	Fair	Fair	Juvenile	Low	Medium	Low	100	-	-	100	150	2.0	1.5	Nil	0%	Small tree. Fairly recent planting.	Retain
178	<i>Elaeocarpus angustifolius</i>	4	2	Fair	Fair	Juvenile	Low	Medium	Low	100	-	-	100	150	2.0	1.5	Nil	0%	Small tree. Fairly recent planting.	Retain
179	<i>Lophostemon confertus</i>	10	8	Fair	Fair	Mature	Medium	Medium	Medium	700	-	-	700	800	8.4	3.0	Minor	9%	Tree planted within hardscaped courtyard. Tree in fair condition.	Retain
180	<i>Jacaranda mimosifolia</i>	10	9	Good	Fair	Mature	Medium	Medium	Medium	500	-	-	500	550	6.0	2.6	Major	19%	Tree growing on slight lean away from building. Ornamental in fair condition.	Retain
181	<i>Polyspora axillaris</i>	5	6	Good	Fair	Semi-mature	Low	Medium	Low	150	100	100	210	300	2.5	2.0	Major	43%	Smaller ornamental within planter.	Remove
182	<i>Lophostemon confertus</i>	18	9	Good	Fair	Mature	High	Medium	High	400	400	600	820	1000	9.8	3.3	Nil	0%	Historic topping evident from form. Tree has adapted and leader attachments appear as stable.	Retain
183	<i>Acmena smithii</i>	12	12	Good	Fair	Mature	High	Medium	High	900	-	-	900	950	10.8	3.2	Nil	0%	Co-dominant stems. No significant features presenting significant decrease in stability. Included bark junction.	Retain
184	<i>Lophostemon confertus</i>	10	8	Fair	Fair	Mature	Medium	Medium	Medium	500	450	-	670	600	8.0	2.7	Minor	8%	Tree planted within hardscaped courtyard. Tree in fair condition.	Retain
185	<i>Polyspora axillaris</i>	5	7	Good	Fair	Semi-mature	Low	Medium	Low	150	150	150	260	450	3.1	2.4	Major	47%	Smaller ornamental within planter.	Remove
186	<i>Fraxinus raywood</i>	7	9	Fair	Fair	Mature	Medium	Medium	Medium	250	-	-	250	300	3.0	2.0	Nil	0%	Ornament in goat condition within garden bed.	Retain
187	<i>Lophostemon confertus</i>	9	9	Fair	Fair	Mature	Medium	Medium	Medium	500	500	-	710	700	8.5	2.8	Minor	9%	Tree planted within hardscaped courtyard. Tree in fair condition.	Retain
188	<i>Brachychiton acerifolius</i>	9	7	Fair	Fair	Mature	Low	Medium	Medium	350	-	-	350	400	4.2	2.3	Nil	0%	Asymmetrical crown form adjacent tree suppression.	Retain
189	<i>Pyrus calleryana</i>	7	6	Good	Good	Semi-mature	Low	Medium	Medium	200	-	-	200	250	2.4	1.8	Nil	0%	Ornamental in good condition within garden bed.	Retain
190	<i>Jacaranda mimosifolia</i>	10	9	Good	Fair	Mature	Medium	Medium	Medium	350	-	-	350	400	4.2	2.3	Major	59%	Tree growing on slight lean. Ornamental in fair condition.	Remove
191	<i>Acmena smithii</i>	16	14	Good	Fair	Over-mature	High	Long	High	1100	-	-	1100	1150	13.2	3.5	Nil	0%	Tree in good condition with high landscape significance.	Retain
192	<i>Jacaranda mimosifolia</i>	12	14	Fair	Fair	Mature	High	Medium	High	1100	-	-	1100	1150	13.2	3.5	Nil	0%	Tree has had cable and bracing installed. Tree is significant in the landscape. Tree is in fair condition.	Retain
193	<i>Cedrus deodara</i>	12	8	Fair	Fair	Mature	Medium	Medium	Medium	600	-	-	600	650	7.2	2.8	Nil	0%	Asymmetrical crown from suppression of adjacent tree.	Retain
194	<i>Triadica sebifera</i>	10	9	Good	Fair	Mature	Medium	Medium	Medium	400	200	-	450	550	5.4	2.6	Nil	0%	Tree located in planter adjacent chapel stairs.	Retain
195	<i>Triadica sebifera</i>	10	8	Fair	Fair	Mature	Medium	Medium	Medium	500	-	-	500	550	6.0	2.6	Nil	0%	Tree located in planter adjacent chapel stairs.	Retain