



SITeworks LEGEND

- PROPOSED BUILDING OUTLINE
- SITE BOUNDARY
- EX RL 1.25
- SURFACE INLET PIT
- JUNCTION PIT
- KERB INLET PIT
- STORMWATER LINE
- TEMPORARY STORMWATER DRAINAGE LINE (TO BE REDUNDANT FOLLOWING THE CONSTRUCTION OF UPSTREAM STORMWATER SYSTEM). REFER TO DRAWING NO. C005 FOR TEMPORARY DRAINAGE WORKS
- EX SW
- OVERLAND FLOW
- SEDIMENT FENCE
- TEMPORARY SHAKER RAMP FOR ENTRY/EXIT
- SEDIMENT BASIN (LOCATION TBC ON-SITE)
- TEMPORARY STOCKPILE (LOCATION TBC ON-SITE)
- GEOTEXTILE PIT FILTER / FILTER SURROUND INSTALLED ON EXISTING PIT
- SANDBAGS INSTALLED ON EXISTING PIT
- STRAW BALE FILTER

NOTE:
THE PROPOSED TRUNK DRAINAGE SYSTEM AS SHOWN ARE TO BE CONSTRUCTED PRIOR TO CONSTRUCTION WORKS OF BUILDING AND ACT AS DIVERSION SYSTEM FOR THE UPSTREAM CATCHMENT.

WARNING
BWARE OF UNDERGROUND SERVICES
THE LOCATIONS OF UNDERGROUND SERVICES SHOWN ARE APPROXIMATE ONLY AND THEIR EXACT POSITION SHOULD BE PROVEN ON SITE.

WARNING
NO DRAINAGE WORKS SHALL COMMENCE UNTIL THE CONTRACTOR CONFIRMS THE I.L. OF ALL EXISTING DRAINS, AND CONFIRMS IN WRITING WITH THE ENGINEERING SUPERVISOR.

ALL EXISTING PROPERTY SERVICES' LOCATIONS AND DEPTHS ARE APPROXIMATE AND MUST BE VERIFIED ON SITE. THE CONTRACTOR SHOULD SUPPLY PRECISE LOCATIONS AND DEPTHS TO THE ENGINEER FOR REVIEW PRIOR TO ANY WORKS THAT MAY AFFECT THESE SERVICES.

SOIL AND WATER MANAGEMENT PLAN

SCALE 1:250

Copyright notice and revision table.

Rev	Description	Date	By	App
P1	PRELIMINARY ISSUE	27.06.17	RB	

Rev	Description	Date	By	App

BONACCI
BONACCI GROUP (NSW) Pty Ltd
ABN 29 102 716 352
Consulting Engineers, Structural - Civil - Infrastructure
Level 6, 37 York Street, Sydney, NSW 2000 Australia
Tel: +61 2 8247 8400 Fax: +61 2 8247 8444
sydney@bonaccigroup.com
www.bonaccigroup.com

Project Name: **UOS HEALTH PRECINCT STAGE 1**
Drawing Title: **SITeworks PLAN**

PRELIMINARY

Designed	RB	Project Director Approved	Date	North
Drawn	RB			
Scale	NOTED	Project Ref	Drawing No	Rev
Date	JUNE 2017	20 21876 01	C005	P1
Sheet				

